Frances Bonier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1074399/publications.pdf

Version: 2024-02-01

48 papers

2,948 citations

279798 23 h-index 214800 47 g-index

52 all docs 52 docs citations

52 times ranked 2653 citing authors

#	Article	IF	CITATIONS
1	Plasticity versus Evolutionary Divergence: What Causes Habitat Partitioning in Urban-Adapted Birds?. American Naturalist, 2021, 197, 60-74.	2.1	5
2	Cytonuclear discordance in the crowned-sparrows, Zonotrichia atricapilla and Zonotrichia leucophrys. Molecular Phylogenetics and Evolution, 2021, 162, 107216.	2.7	7
3	Do hormone manipulations reduce fitness? A meta-analytic test of the Optimal Endocrine Phenotype Hypothesis. Molecular and Cellular Endocrinology, 2020, 500, 110640.	3.2	28
4	Population decline in tree swallows (Tachycineta bicolor) linked to climate change and inclement weather on the breeding ground. Oecologia, 2020, 192, 713-722.	2.0	21
5	Prenatal aromatase inhibition alters postnatal immunity in domestic chickens (Gallus gallus). General and Comparative Endocrinology, 2020, 294, 113497.	1.8	1
6	A comparison of sex, morphology, physiology and behavior of black-capped chickadees trapped using two common capture methods. PeerJ, 2020, 8, e10037.	2.0	2
7	Winter corticosterone and body condition predict breeding investment in a nonmigratory bird. Behavioral Ecology, 2019, 30, 1642-1652.	2.2	9
8	Innovative consumers: ecological, behavioral, and physiological predictors of responses to novel food. Behavioral Ecology, 2019, 30, 1216-1225.	2.2	16
9	Rainy springs linked to poor nestling growth in a declining avian aerial insectivore (<i>Tachycineta) Tj ETQq1 1 (</i>	0.784314 2.6	rgBT/Overlock
	Exogenous glucocorticoids amplify the costs of infection by reducing resistance and tolerance, but		
10	effects are mitigated by co-infection. Proceedings of the Royal Society B: Biological Sciences, 2019, 286, 20182913.	2.6	16
10	effects are mitigated by co-infection. Proceedings of the Royal Society B: Biological Sciences, 2019, 286,	1.8	10
	effects are mitigated by co-infection. Proceedings of the Royal Society B: Biological Sciences, 2019, 286, 20182913. Higher plasma corticosterone is associated with reduced costs of infection in red-winged blackbirds.		
11	effects are mitigated by co-infection. Proceedings of the Royal Society B: Biological Sciences, 2019, 286, 20182913. Higher plasma corticosterone is associated with reduced costs of infection in red-winged blackbirds. General and Comparative Endocrinology, 2018, 256, 89-98. Species interactions limit the occurrence of urban-adapted birds in cities. Proceedings of the National	1.8	10
11 12	effects are mitigated by co-infection. Proceedings of the Róyal Society B: Biological Sciences, 2019, 286, 20182913. Higher plasma corticosterone is associated with reduced costs of infection in red-winged blackbirds. General and Comparative Endocrinology, 2018, 256, 89-98. Species interactions limit the occurrence of urban-adapted birds in cities. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E11495-E11504. Should I stay, or should I go: Modeling optimal flight initiation distance in nesting birds. PLoS ONE,	1.8 7.1	10 57
11 12 13	effects are mitigated by co-infection. Proceedings of the Róyal Society B: Biological Sciences, 2019, 286, 20182913. Higher plasma corticosterone is associated with reduced costs of infection in red-winged blackbirds. General and Comparative Endocrinology, 2018, 256, 89-98. Species interactions limit the occurrence of urban-adapted birds in cities. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E11495-E11504. Should I stay, or should I go: Modeling optimal flight initiation distance in nesting birds. PLoS ONE, 2018, 13, e0208210. A New Framework for Urban Ecology: An Integration of Proximate and Ultimate Responses to	1.8 7.1 2.5	10 57 9
11 12 13	effects are mitigated by co-infection. Proceedings of the Royal Society B: Biological Sciences, 2019, 286, 20182913. Higher plasma corticosterone is associated with reduced costs of infection in red-winged blackbirds. General and Comparative Endocrinology, 2018, 256, 89-98. Species interactions limit the occurrence of urban-adapted birds in cities. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E11495-E11504. Should I stay, or should I go: Modeling optimal flight initiation distance in nesting birds. PLoS ONE, 2018, 13, e0208210. A New Framework for Urban Ecology: An Integration of Proximate and Ultimate Responses to Anthropogenic Change. Integrative and Comparative Biology, 2018, 58, 915-928. Demographic drivers of local population decline in Tree Swallows (<i>Tachycineta bicolor</i>	1.8 7.1 2.5 2.0	10 57 9 41
11 12 13 14	effects are mitigated by co-infection. Proceedings of the Róyal Society B: Biological Sciences, 2019, 286, 20182913. Higher plasma corticosterone is associated with reduced costs of infection in red-winged blackbirds. General and Comparative Endocrinology, 2018, 256, 89-98. Species interactions limit the occurrence of urban-adapted birds in cities. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E11495-E11504. Should I stay, or should I go: Modeling optimal flight initiation distance in nesting birds. PLoS ONE, 2018, 13, e0208210. A New Framework for Urban Ecology: An Integration of Proximate and Ultimate Responses to Anthropogenic Change. Integrative and Comparative Biology, 2018, 58, 915-928. Demographic drivers of local population decline in Tree Swallows (<i>Tachycineta bicolor</i> in Ontario, Canada. Condor, 2018, 120, 842-851.	1.8 7.1 2.5 2.0	10 57 9 41 25

#	Article	IF	Citations
19	An experimental test of the physiological consequences of avian malaria infection. Journal of Animal Ecology, 2017, 86, 1483-1496.	2.8	44
20	Strategic adjustment of parental care in tree swallows: life-history trade-offs and the role of glucocorticoids. Royal Society Open Science, 2016, 3, 160740.	2.4	8
21	A meta-analysis of relationships between polychlorinated biphenyl exposure and performance across studies of free-ranging tree swallows (<i>Tachycineta bicolor</i>). Royal Society Open Science, 2016, 3, 150634.	2.4	2
22	How can we estimate natural selection on endocrine traits? Lessons from evolutionary biology. Proceedings of the Royal Society B: Biological Sciences, 2016, 283, 20161887.	2.6	60
23	Evolutionary Endocrinology: Hormones as Mediators of Evolutionary Phenomena: An Introduction to the Symposium. Integrative and Comparative Biology, 2016, 56, 121-125.	2.0	19
24	Hormones as Mediators of Phenotypic and Genetic Integration: an Evolutionary Genetics Approach. Integrative and Comparative Biology, 2016, 56, 126-137.	2.0	62
25	Weather matters: begging calls are temperature- andÂsize-dependent signals of offspring state. Behaviour, 2016, 153, 871-896.	0.8	4
26	Analysis of the Optimal Duration of Behavioral Observations Based on an Automated Continuous Monitoring System in Tree Swallows (Tachycineta bicolor): Is One Hour Good Enough? PLoS ONE, 2015, 10, e0141194.	2. 5	28
27	Low cost audiovisual playback and recording triggered by radio frequency identification using Raspberry Pi. PeerJ, 2015, 3, e877.	2.0	14
28	Extrapair Paternity Rates Vary with Latitude and Elevation in Emberizid Sparrows. American Naturalist, 2014, 183, 54-61.	2.1	23
29	Experimental Food Restriction Reveals Individual Differences in Corticosterone Reaction Norms with No Oxidative Costs. PLoS ONE, 2014, 9, e110564.	2.5	61
30	High rates of extraâ€pair paternity in two equatorial populations of rufousâ€collared sparrow, <i>Zonotrichia capensis</i> . Journal of Avian Biology, 2013, 44, 600-602.	1.2	16
31	Coping with Uncertainty: Integrating Physiology, Behavior, and Evolutionary Ecology in a Changing World. Integrative and Comparative Biology, 2013, 53, 960-964.	2.0	13
32	Constraints, concerns and considerations about the necessity of estimating free glucocorticoid concentrations for field endocrine studies. Functional Ecology, 2013, 27, 1100-1106.	3 . 6	72
33	Juvenal Plumage Polymorphism in Yellow Warblers Is Not Associated with Sex. Condor, 2012, 114, 407-411.	1.6	1
34	Hormones in the city: Endocrine ecology of urban birds. Hormones and Behavior, 2012, 61, 763-772.	2.1	174
35	Female, but Not Male, Tropical Sparrows Respond More Strongly to the Local Song Dialect: Implications for Population Divergence. American Naturalist, 2011, 178, 53-63.	2.1	78
36	Within seasons and among years: When are corticosterone levels repeatable?. Hormones and Behavior, 2011, 60, 559-564.	2.1	113

3

#	Article	IF	CITATIONS
37	The stress of parenthood? Increased glucocorticoids in birds with experimentally enlarged broods. Biology Letters, 2011, 7, 944-946.	2.3	123
38	Clarifying the Cort-Fitness Hypothesis: a response to Dingemanse et al Trends in Ecology and Evolution, 2010, 25, 262-263.	8.7	8
39	The relationship between fitness and baseline glucocorticoids in a passerine bird. General and Comparative Endocrinology, 2009, 163, 208-213.	1.8	261
40	Do baseline glucocorticoids predict fitness?. Trends in Ecology and Evolution, 2009, 24, 634-642.	8.7	675
41	First Observation of Sap Well Use and Maintenance by the Glossy Flowerpiercer (Diglossa lafresnayii) (Thraupidae). Wilson Journal of Ornithology, 2009, 121, 213-215.	0.2	3
42	Maternal corticosteroids influence primary offspring sex ratio in a free-ranging passerine bird. Behavioral Ecology, 2007, 18, 1045-1050.	2.2	94
43	Sex-specific consequences of life in the city. Behavioral Ecology, 2007, 18, 121-129.	2.2	150
44	Sex- and concentration-dependent effects of predator feces on seasonal regulation of body mass in the bank vole Clethrionomys glareolus. Hormones and Behavior, 2007, 52, 436-444.	2.1	37
45	PRE-MIGRATORY LIFE HISTORY STAGES OF JUVENILE ARCTIC BIRDS: COSTS, CONSTRAINTS, AND TRADE-OFFS. Ecology, 2007, 88, 2729-2735.	3.2	30
46	Urban birds have broader environmental tolerance. Biology Letters, 2007, 3, 670-673.	2.3	256
47	Reproductive asynchrony and population divergence between two tropical bird populations. Behavioral Ecology, 2005, 16, 755-762.	2.2	98
48	A technique for non-invasively detecting stress response in cougars. Wildlife Society Bulletin, 2004, 32, 711-717.	1.6	11