

Henry Bernard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10755930/publications.pdf>

Version: 2024-02-01

85
papers

3,683
citations

218677

26
h-index

144013

57
g-index

89
all docs

89
docs citations

89
times ranked

5122
citing authors

#	ARTICLE	IF	CITATIONS
1	Inventoring terrestrial mammal species in mixed-mangrove forest of the Lower Kinabatangan, Sabah, Borneo, Malaysia, with special reference to a new locality record of otter civet, <i>Cynogale bennettii</i> . <i>Mammal Research</i> , 2022, 67, 31-38.	1.3	0
2	Riparian buffers can help mitigate biodiversity declines in oil palm agriculture. <i>Frontiers in Ecology and the Environment</i> , 2022, 20, 459-466.	4.0	9
3	Leech bloodâ€meal invertebrateâ€derived DNA reveals differences in Bornean mammal diversity across habitats. <i>Molecular Ecology</i> , 2021, 30, 3299-3312.	3.9	24
4	Interspecific Encounters Among Diurnal Primates in Danum Valley, Borneo. <i>International Journal of Primatology</i> , 2021, 42, 442-462.	1.9	2
5	Orangutan movement and population dynamics across human-modified landscapes: implications of policy and management. <i>Landscape Ecology</i> , 2021, 36, 2957-2975.	4.2	9
6	Fungal communities in bat guano, speleothem surfaces, and cavern water in Madai cave, Northern Borneo (Malaysia). <i>Mycology</i> , 2021, 12, 188-202.	4.4	7
7	Temporal activity patterns suggesting niche partitioning of sympatric carnivores in Borneo, Malaysia. <i>Scientific Reports</i> , 2021, 11, 19819.	3.3	9
8	Selective Logging Shows No Impact on the Dietary Breadth of a Generalist Bat Species: The Fawn Leaf-Nosed Bat (<i>Hipposideros cervinus</i>). <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	2.2	0
9	Maximizing the value of forest restoration for tropical mammals by detecting three-dimensional habitat associations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 26254-26262.	7.1	30
10	Factors influencing riverine utilization patterns in two sympatric macaques. <i>Scientific Reports</i> , 2020, 10, 15749.	3.3	6
11	Habitat use by a primate community in a lowland dipterocarp forest in Danum Valley, Borneo. <i>American Journal of Primatology</i> , 2020, 82, e23157.	1.7	8
12	Riparian Reserves Promote Insectivorous Bat Activity in Oil Palm Dominated Landscapes. <i>Frontiers in Forests and Global Change</i> , 2020, 3, .	2.3	8
13	Implications of zeroâ€deforestation commitments: Forest quality and hunting pressure limit mammal persistence in fragmented tropical landscapes. <i>Conservation Letters</i> , 2020, 13, e12701.	5.7	26
14	Vertebrate Scavengers Control Abundance of Diarrhea-causing Bacteria in Tropical Plantations. <i>Zoological Studies</i> , 2020, 59, e63.	0.3	0
15	Densities of Bornean orangâ€utans (<i>Pongo pygmaeus morio</i>) in heavily degraded forest and oil palm plantations in Sabah, Borneo. <i>American Journal of Primatology</i> , 2019, 81, e23030.	1.7	19
16	Bioacoustic monitoring reveals shifts in breeding songbird populations and singing behaviour with selective logging in tropical forests. <i>Journal of Applied Ecology</i> , 2019, 56, 2482-2492.	4.0	19
17	Pangolins in global camera trap data: Implications for ecological monitoring. <i>Global Ecology and Conservation</i> , 2019, 20, e00769.	2.1	33
18	Proboscis Monkey Conservation. , 2019, , 182-196.		7

#	ARTICLE	IF	CITATIONS
19	The influence of logging on vertebrate responses to mast fruiting. <i>Journal of Animal Ecology</i> , 2019, 88, 892-902.	2.8	5
20	Small logging roads do not restrict movements of forest rats in Bornean logged forests. <i>Biotropica</i> , 2019, 51, 412-420.	1.6	2
21	Minimal Spillover of Native Small Mammals From Bornean Tropical Forests Into Adjacent Oil Palm Plantations. <i>Frontiers in Forests and Global Change</i> , 2019, 2, .	2.3	8
22	Shifts in the demographics and behavior of bearded pigs (<i>Sus barbatus</i>) across a land-use gradient. <i>Biotropica</i> , 2019, 51, 938-948.	1.6	10
23	Using metabarcoding to compare the suitability of two blood-feeding leech species for sampling mammalian diversity in North Borneo. <i>Molecular Ecology Resources</i> , 2019, 19, 105-117.	4.8	31
24	Land-use change alters the mechanisms assembling rainforest mammal communities in Borneo. <i>Journal of Animal Ecology</i> , 2019, 88, 125-137.	2.8	13
25	Comparison of Plant Diversity and Phenology of Riverine and Mangrove Forests with Those of the Dryland Forest in Sabah, Borneo, Malaysia. , 2019, , 15-28.		8
26	Feeding Ecology of the Proboscis Monkey in Sabah, Malaysia, with Special Reference to Plant Species-Poor Forests. , 2019, , 89-98.		5
27	Responses of Sunda clouded leopard (<i>Neofelis diardi</i>) population density to anthropogenic disturbance: refining estimates of its conservation status in Sabah. <i>Oryx</i> , 2019, 53, 643-653.	1.0	28
28	The combined impacts of experimental defaunation and logging on seedling traits and diversity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20172882.	2.6	6
29	Crossing the (Wallace) line: local abundance and distribution of mammals across biogeographic barriers. <i>Biotropica</i> , 2018, 50, 116-124.	1.6	10
30	High Carbon Stock forests provide co-benefits for tropical biodiversity. <i>Journal of Applied Ecology</i> , 2018, 55, 997-1008.	4.0	59
31	Multiple stages of tree seedling recruitment are altered in tropical forests degraded by selective logging. <i>Ecology and Evolution</i> , 2018, 8, 8231-8242.	1.9	15
32	Inter-annual dynamics and persistence of small mammal communities in a selectively logged tropical forest in Borneo. <i>Biodiversity and Conservation</i> , 2018, 27, 3155-3169.	2.6	19
33	Riparian reserves help protect forest bird communities in oil palm dominated landscapes. <i>Journal of Applied Ecology</i> , 2018, 55, 2744-2755.	4.0	53
34	Fecal Nutrients Suggest Diets of Higher Fiber Levels in Free-Ranging than in Captive Proboscis Monkeys (<i>Nasalis larvatus</i>). <i>Frontiers in Veterinary Science</i> , 2018, 4, 246.	2.2	16
35	Models for assessing local-scale abundance of animal species while accounting for differential detectability and varied responses to the environment. <i>Biotropica</i> , 2018, 50, 5-15.	1.6	24
36	Lowland biotic attrition revisited: body size and variation among climate change "winners" and "losers". <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20162335.	2.6	9

#	ARTICLE	IF	CITATIONS
37	Seasonal Fluctuations of Astrovirus, But Not Coronavirus Shedding in Bats Inhabiting Human-Modified Tropical Forests. <i>EcoHealth</i> , 2017, 14, 272-284.	2.0	28
38	Mammalian species abundance across a gradient of tropical land-use intensity: A hierarchical multi-species modelling approach. <i>Biological Conservation</i> , 2017, 212, 162-171.	4.1	68
39	The database of the <sc>PREDICTS</sc> (Projecting Responses of Ecological Diversity In Changing) Tj ETQq1 1 0,784314 rgBT /Over	1.9	186
40	Factors Affecting Leaf Selection by Foregut-fermenting Proboscis Monkeys: New Insight from in vitro Digestibility and Toughness of Leaves. <i>Scientific Reports</i> , 2017, 7, 42774.	3.3	29
41	Defaunation and habitat disturbance interact synergistically to alter seedling recruitment. <i>Ecological Applications</i> , 2017, 27, 2092-2101.	3.8	20
42	Investigating Individual Vocal Signatures and Small-Scale Patterns of Geographic Variation in Female Bornean Gibbon (<i>Hylobates muelleri</i>) Great Calls. <i>International Journal of Primatology</i> , 2017, 38, 656-671.	1.9	32
43	Development and behavior of wild infant-juvenile East Bornean orangutans (<i>Pongo pygmaeus morio</i>) in Danum Valley. <i>Primates</i> , 2017, 58, 211-224.	1.1	14
44	Fluctuations of population density in Bornean orangutans (<i>Pongo pygmaeus morio</i>) related to fruit availability in the Danum Valley, Sabah, Malaysia: a 10-year record including two mast fruitings and three other peak fruitings. <i>Primates</i> , 2017, 58, 225-235.	1.1	27
45	Habitat disturbance results in chronic stress and impaired health status in forest-dwelling paleotropical bats. , 2017, 5, cox020.		41
46	Increasing land-use intensity reverses the relative occupancy of two quadrupedal scavengers. <i>PLoS ONE</i> , 2017, 12, e0177143.	2.5	9
47	Movement Behavior of Native and Invasive Small Mammals Shows Logging May Facilitate Invasion in a Tropical Rain Forest. <i>Biotropica</i> , 2016, 48, 373-380.	1.6	17
48	Species Richness and Distribution of Primates in Disturbed and Converted Forest Landscapes in Northern Borneo. <i>Tropical Conservation Science</i> , 2016, 9, 194008291668010.	1.2	22
49	Seasonally Consistent Small Home Range and Long Ranging Distance in <i>Presbytis rubicunda</i> in Danum Valley, Borneo. <i>International Journal of Primatology</i> , 2016, 37, 390-404.	1.9	6
50	Behavioral and physiological changes in a juvenile Bornean orangutan after a wildlife rescue. <i>Global Ecology and Conservation</i> , 2016, 8, 116-122.	2.1	10
51	Grain-dependent responses of mammalian diversity to land use and the implications for conservation set aside. <i>Ecological Applications</i> , 2016, 26, 1409-1420.	3.8	25
52	Persistence of mammals in a selectively logged forest in Malaysian Borneo. <i>Mammalian Biology</i> , 2016, 81, 268-273.	1.5	19
53	Euarchontan Opsin Variation Brings New Focus to Primate Origins. <i>Molecular Biology and Evolution</i> , 2016, 33, 1029-1041.	8.9	22
54	The First Estimates of Marbled Cat <i>Pardofelis marmorata</i> Population Density from Bornean Primary and Selectively Logged Forest. <i>PLoS ONE</i> , 2016, 11, e0151046.	2.5	22

#	ARTICLE	IF	CITATIONS
55	Influence of microhabitat structure and disturbance on detection of native and non-native murids in logged and unlogged forests of northern Borneo. <i>Journal of Tropical Ecology</i> , 2015, 31, 25-35.	1.1	18
56	Targeted Conservation to Safeguard a Biodiversity Hotspot from Climate and Land-Cover Change. <i>Current Biology</i> , 2015, 25, 372-378.	3.9	82
57	Natural licks are required for large terrestrial mammals in a degraded riparian forest, Sabah, Borneo, Malaysia. <i>Ecological Research</i> , 2015, 30, 191-195.	1.5	55
58	Logging cuts the functional importance of invertebrates in tropical rainforest. <i>Nature Communications</i> , 2015, 6, 6836.	12.8	127
59	Oil palm plantations fail to support mammal diversity. <i>Ecological Applications</i> , 2015, 25, 2285-2292.	3.8	78
60	Different Roles of Seeds and Young Leaves in the Diet of Red Leaf Monkeys (<i>Presbytis rubicunda</i>): Comparisons of Availability, Nutritional Properties, and Associated Feeding Behavior. <i>International Journal of Primatology</i> , 2015, 36, 177-193.	1.9	10
61	Evaluating multispecies landscape connectivity in a threatened tropical mammal community. <i>Conservation Biology</i> , 2015, 29, 122-132.	4.7	155
62	Correlation and persistence of hunting and logging impacts on tropical rainforest mammals. <i>Conservation Biology</i> , 2015, 29, 110-121.	4.7	113
63	Niche convergence suggests functionality of the nocturnal fovea. <i>Frontiers in Integrative Neuroscience</i> , 2014, 8, 61.	2.1	16
64	Daily feeding rhythm in proboscis monkeys: a preliminary comparison with other non-human primates. <i>Primates</i> , 2014, 55, 313-326.	1.1	61
65	Terrestrial Mammal Species Richness and Composition in Three Small Forest Patches within an Oil Palm Landscape in Sabah, Malaysian Borneo. <i>Mammal Study</i> , 2014, 39, 141-154.	0.6	23
66	Coming down from the trees: Is terrestrial activity in Bornean orangutans natural or disturbance driven?. <i>Scientific Reports</i> , 2014, 4, 4024.	3.3	106
67	Quantifying the Biodiversity Value of Repeatedly Logged Rainforests. <i>Advances in Ecological Research</i> , 2013, , 183-224.	2.7	97
68	Density and habitat use of the leopard cat (<i>Prionailurus bengalensis</i>) in three commercial forest reserves in Sabah, Malaysian Borneo. <i>Journal of Mammalogy</i> , 2013, 94, 82-89.	1.3	57
69	The importance of correcting for sampling bias in MaxEnt species distribution models. <i>Diversity and Distributions</i> , 2013, 19, 1366-1379.	4.1	836
70	Leaf Selection by Two Bornean Colobine Monkeys in Relation to Plant Chemistry and Abundance. <i>Scientific Reports</i> , 2013, 3, 1873.	3.3	79
71	Assessing the Status of Wild Felids in a Highly-Disturbed Commercial Forest Reserve in Borneo and the Implications for Camera Trap Survey Design. <i>PLoS ONE</i> , 2013, 8, e77598.	2.5	63
72	Comparisons of Intraunit Relationships in Nonhuman Primates Living in Multilevel Social Systems. <i>International Journal of Primatology</i> , 2012, 33, 1038-1053.	1.9	27

#	ARTICLE	IF	CITATIONS
73	Fallback Foods of Red Leaf Monkeys (<i>Presbytis rubicunda</i>) in Danum Valley, Borneo. <i>International Journal of Primatology</i> , 2012, 33, 322-337.	1.9	82
74	Fatality of a wild Bornean orangutan (<i>Pongo pygmaeus morio</i>): behavior and death of a wounded juvenile in Danum Valley, North Borneo. <i>Primates</i> , 2012, 53, 221-226.	1.1	13
75	Inter-individual relationships in proboscis monkeys: a preliminary comparison with other non-human primates. <i>Primates</i> , 2012, 53, 13-23.	1.1	69
76	Characteristics of Night Sleeping Trees of Proboscis Monkeys (<i>Nasalis larvatus</i>) in Sabah, Malaysia. <i>International Journal of Primatology</i> , 2011, 32, 259-267.	1.9	68
77	Genetic Diversity and Distinctiveness of the Proboscis Monkeys (<i>Nasalis larvatus</i>) of the Klias Peninsula, Sabah, Malaysia. <i>Journal of Heredity</i> , 2011, 102, 342-346.	2.4	12
78	A wild Borneo orangutan carries large numbers of branches on the neck for feeding and nest building in the Danum Valley Conservation Area. <i>Primate Research</i> , 2011, 27, 21-26.	0.0	4
79	Insect extinctions on a small denuded Bornean island. <i>Biodiversity and Conservation</i> , 2010, 19, 485-490.	2.6	7
80	Feeding ecology of Bornean orangutans (<i>Pongo pygmaeus morio</i>) in Danum Valley, Sabah, Malaysia: a 34-year record including two mast fruitings. <i>American Journal of Primatology</i> , 2010, 72, 820-840.	1.7	101
81	Deforestation and Avian Extinction on Tropical Landbridge Islands. <i>Conservation Biology</i> , 2010, 24, 1290-1298.	4.7	40
82	A Case Study on the Effects of Disturbance and Conversion of Tropical Lowland Rain Forest on the Non-Volant Small Mammals in North Borneo: Management Implications. <i>Mammal Study</i> , 2009, 34, 85-96.	0.6	45
83	Status and Conservation of Proboscis Monkeys (<i>Nasalis larvatus</i>) in Sabah, East Malaysia. <i>Primate Conservation</i> , 2008, 23, 107-120.	0.6	89
84	Behavioral Monogamy and Fruit Availability in the Large Treeshrew (<i>Tupaia tana</i>) in Sabah, Malaysia. <i>Journal of Mammalogy</i> , 2007, 88, 1427-1438.	1.3	15
85	Limited influence of experimentally induced predation risk on granivory in a tropical forest. <i>Journal of Tropical Ecology</i> , 0, , 1-5.	1.1	0