

William T Pennington

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/107591/publications.pdf>

Version: 2024-02-01

206
papers

4,503
citations

109321

35
h-index

155660

55
g-index

212
all docs

212
docs citations

212
times ranked

3795
citing authors

#	ARTICLE	IF	CITATIONS
1	Crystal Engineering through Halogen Bonding: π -Complexes of Nitrogen Heterocycles with Organic Iodides. <i>Crystal Growth and Design</i> , 2001, 1, 165-175.	3.0	333
2	Coordination Polymers of Copper(I) Halides. <i>Inorganic Chemistry</i> , 2000, 39, 5121-5132.	4.0	285
3	Synthesis and structures of alkali metal salts of bis[(trifluoromethyl)sulfonyl]imide. <i>Solid State Sciences</i> , 2002, 4, 1535-1545.	3.2	114
4	Crystal Engineering through Halogen Bonding. 2. Complexes of Diacetylene-Linked Heterocycles with Organic Iodides. <i>Crystal Growth and Design</i> , 2003, 3, 313-320.	3.0	81
5	Synthesis and cytotoxicity of epoxide and pyrazole analogs of the combretastatins. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 6025-6034.	3.0	79
6	Complementary halogen and hydrogen bonding: sulfur \cdots iodine interactions and thioamide ribbons. <i>Chemical Communications</i> , 2010, 46, 1854-1856.	4.1	78
7	Supercritical Ammonia Synthesis and Characterization of Four New Alkali Metal Silver Antimony Sulfides: $M_2Ag_2Sb_4$ and M_2AgSb_4 (M= K, Rb). <i>Journal of Solid State Chemistry</i> , 1996, 123, 277-284.	2.9	73
8	New ring systems from 1,2-benzisothiazole-1,1-dioxides and related compounds. <i>Tetrahedron</i> , 1996, 52, 3339-3354.	1.9	67
9	Synthesis of novel solid-state compounds in supercritical solvents: preparation and structure of $K_2Ag_{12}Se_7$ in supercritical ethylenediamine. <i>Journal of the American Chemical Society</i> , 1992, 114, 9233-9235.	13.7	63
10	Noncovalent Interactions in 2-Mercapto-1-methylimidazole Complexes with Organic Iodides. <i>Crystal Growth and Design</i> , 2001, 1, 501-507.	3.0	62
11	Nanocrystalline Aluminum Nitride and Aluminum/Gallium Nitride Nanocomposites via Transamination of $[M(NMe_2)_3]_2$, M = Al, Al/Ga (1/1). <i>Chemistry of Materials</i> , 1998, 10, 1613-1622.	6.7	61
12	Cadmium(II) halide complexes of pyrazine. <i>Polyhedron</i> , 1997, 16, 417-422.	2.2	60
13	Halogen Bonding with Dihalogens and Interhalogens. , 2007, , 65-104.		59
14	Solution chemistry of arsenic selenides: Synthesis, spectroscopy and the x-ray structures of $[PPH_4]_2[As_2Se_6]$, n = 2,4. <i>Polyhedron</i> , 1992, 11, 1877-1881.	2.2	56
15	A Comparison of Bis[(perfluoroalkyl)sulfonyl]imide Ionomers and Perfluorosulfonic Acid Ionomers for Applications in PEM Fuel-Cell Technology. <i>Journal of the Electrochemical Society</i> , 2002, 149, A1527.	2.9	56
16	Synthesis of New Channeled Structures in Supercritical Amines: Preparation and Structure of $RbAg_5S_3$ and $CsAg_7S_4$. <i>Inorganic Chemistry</i> , 1994, 33, 1556-1558.	4.0	52
17	Pyrimidine, pyridazine, quinazoline, phthalazine, and triazine coordination polymers of copper(I) halides. <i>Polyhedron</i> , 2003, 22, 419-431.	2.2	52
18	Solid Polymer Electrolytes from Polyanionic Lithium Salts Based on the LiTFSI Anion Structure. <i>Journal of the Electrochemical Society</i> , 2004, 151, A1363.	2.9	52

#	ARTICLE	IF	CITATIONS
19	Synthesis, structure and thermal decomposition of nitrogen-iodine charge-transfer complexes. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1997, , 2773-2780.	0.9	50
20	New Conformations and Binding Modes in Halogen-Bonded and Ionic Complexes of 2,3,5,6-Tetra(2- π -pyridyl)pyrazine. <i>Crystal Growth and Design</i> , 2005, 5, 745-753.	3.0	49
21	Synthesis and structures of alkaline earth metal salts of bis[(trifluoromethyl)sulfonyl]imide. <i>Solid State Sciences</i> , 2005, 7, 311-318.	3.2	47
22	Novel Iron Carbonyl Telluride Clusters: Synthesis and Characterization of [Fe ₅ Te ₄ (CO) ₁₄] ₂ and [Fe ₈ Te ₁₀ (CO) ₂₀] ₂ . <i>Angewandte Chemie International Edition in English</i> , 1992, 31, 913-915.	4.4	45
23	Platinum Group Metal Complexes of Macrocyclic Oxathiaethers. The Crystal Structures of 18S4O ₂ , [Pt(9S2O) ₂](PF ₆) ₂ ·2CH ₃ NO ₂ , [Pt(18S4O ₂)](PF ₆) ₂ , and [Pd(9S2O) ₂](PF ₆) ₂ ·2CH ₃ CN. <i>Inorganic Chemistry</i> , 1998, 37, 5299-5305.	4.0	45
24	Complementary Selenium-Iodine Halogen Bonding and Phenyl Embraces: Cocrystals of Triphenylphosphine Selenide with Organoiodides. <i>Crystal Growth and Design</i> , 2012, 12, 4315-4323.	3.0	45
25	An unusual trigonal-bipyramidal coordination of aluminum by an open-chain tetradentate amine. Synthesis and molecular structure of [Al(CH ₃)] ₂ [C ₈ H ₁₉ N ₄][Al(CH ₃) ₂]. <i>Organometallics</i> , 1988, 7, 1887-1889.	2.3	44
26	Synthesis and Molecular Structure of Bis(2,6-dimesitylphenyl)gallium chloride, (Mes) ₂ C ₆ H ₃) ₂ GaCl (Mes) Tj ETQq0 0,0 rgBT /Overlock 10	2.3	44
27	Conformations and Binding Modes of 2,3,5,6-Tetra(2- π -pyridyl)pyrazine. <i>Crystal Growth and Design</i> , 2005, 5, 737-744.	3.0	43
28	Facile cleavage of C-H bonds. Reaction of trimethylaluminum with bis(diphenylphosphinoyl)methane. Synthesis and molecular structure of [Al(CH ₃)] ₂ [(C ₆ H ₅) ₂ P(O)CP(O)(C ₆ H ₅) ₂] ₂ [Al(CH ₃) ₂] ₂ . <i>Journal of the American Chemical Society</i> , 1988, 110, 6260-6261.	13.7	42
29	Structural and Oxo-Transfer Reactivity Differences of Hexacoordinate and Pentacoordinate (Nitro)(tetraphenylporphinato)cobalt(III) Derivatives. <i>Inorganic Chemistry</i> , 2001, 40, 4217-4225.	4.0	41
30	Synthesis of (+,-)-11-nor-9-carboxy- Δ^9 -tetrahydrocannabinol. New synthetic approaches to cannabinoids. <i>Journal of Organic Chemistry</i> , 1991, 56, 1481-1489.	3.2	39
31	Synthesis and structure of novel perfluorinated iodinanes. <i>Journal of Molecular Structure</i> , 2000, 550-551, 337-348.	3.6	39
32	Targeting DNA Bulged Microenvironments with Synthetic Agents. <i>Chemistry and Biology</i> , 2002, 9, 925-931.	6.0	39
33	Solid polymer electrolytes from dilithium salts based on new bis[(perfluoroalkyl)sulfonyl]diimide dianions. Preparation and electrical characterization. <i>Solid State Ionics</i> , 2002, 148, 173-183.	2.7	39
34	Reaction of diethylaluminum chloride with diaza-18-crown-6. Synthesis and molecular structure of [(EtAl) ₂ ·diaza-18-crown-6] ₂ ⁺ : a novel aza crown ether-stabilized square pyramidal coordination of aluminum. <i>Organometallics</i> , 1991, 10, 36-38.	2.3	38
35	Para fluorination by N-fluorobis[(trifluoromethyl)sulfonyl]imide: synthesis of 10.β-fluoro-3-oxo-1,4-estradiene steroids. <i>Journal of Organic Chemistry</i> , 1992, 57, 1536-1539.	3.2	38
36	Heteroleptic platinum(II) complexes of macrocyclic thioethers and halides: the crystal structures of [Pt(9S ₃)Cl ₂], [Pt(9S ₃)Br ₂], and [Pt(9S ₃)I ₂]. <i>Polyhedron</i> , 2001, 20, 3333-3342.	2.2	38

#	ARTICLE	IF	CITATIONS
37	Preparation, Characterization, and Sensing Behavior of Polydiacetylene Liposomes Embedded in Alginate Fibers. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 1287-1291.	8.0	38
38	A novel example of a di- μ -chloro stabilized octahedral coordination of aluminum by cyclam. Synthesis and molecular structure of $[(CH_3)_2AlCl]_2[Al \cdot C_{10}H_{20}N_4][Al(CH_3)_2]$. <i>Journal of the American Chemical Society</i> , 1989, 111, 1520-1522.	13.7	35
39	Tetraiodoethylene: a supramolecular host for Lewis base donors. <i>Crystal Engineering</i> , 2000, 3, 155-171.	0.7	34
40	Redetermination of $CaMn_2O_4$. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 329-330.	0.4	34
41	Crystal engineering through charge transfer interactions; assisted formation of a layered coordination polymer (4-cyanopyridine)cadmium(II) iodide-diiodine. <i>Chemical Communications</i> , 1998, , 1181-1182.	4.1	33
42	Organoaluminum-phosphine chemistry. Synthesis and molecular structure of $[Ph_2P(O)_2 \cdot AlCl_2]_2$ and $[Ph_2P \cdot Al(i-Bu)_2]_2$. <i>Journal of Organometallic Chemistry</i> , 1990, 385, 23-31.	1.8	31
43	Characterization and crystal structures of some fluorinated imides. <i>Polyhedron</i> , 1999, 18, 1751-1759.	2.2	31
44	Synthesis of both enantiomers of nabilone from a common intermediate. Enantiodivergent synthesis of cannabinoids. <i>Journal of Organic Chemistry</i> , 1991, 56, 2081-2086.	3.2	30
45	Efficient Synthesis of a Complete Donor/Acceptor bis(Aryl)diyne Family. <i>Synthetic Communications</i> , 2003, 33, 2447-2461.	2.1	30
46	Neopentyl-based aminoalanes. Syntheses and molecular structures of $[Neo_2Al-N(H)R]_2$ (Neo =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38 3287-3292.	2.3	29
47	Formation, Structural Characterization, and Thermal Decomposition of the Adducts $X_3Ga \cdot P(SiMe_3)_3$ (X) Tj ETQq1,1 0.784314 rgBT 0	2.3	29
48	Isolation of unusual conformations of the [14]aneN4 aza crown ether: syntheses and molecular structures of $[M(CH_3)_3]_2[14]aneN_4$ (M = aluminum, gallium) and the group 13 heterobimetallic complex $[Al(CH_3)_2]_2[14]aneN_4[Ga(CH_3)_3]_2$. <i>Inorganic Chemistry</i> , 1991, 30, 809-812.	4.0	28
49	The reaction of iodine with 9-methylacridine: formation of polyiodide salts and a charge-transfer complex. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1998, , 2557-2562.	0.9	28
50	Organoaluminum chemistry of bidentate phosphine ligands. Reaction of diisobutylaluminum hydride with bis(diphenylthiophosphinoyl)methane: synthesis and molecular structure of $[Al(C_4H_9)]_2[(C_6H_5)_2P(S)CP(C_6H_5)_2(S)_2][Al(C_4H_9)_2]_2$. <i>Organometallics</i> , 1988, 7, 2424-2426.	2.3	27
51	Crystal structures of D-(+)- and meso-hydrobenzoin. Absolute direction of the dipole moment of D- and L-hydrobenzoin in the crystal and correlation with crystal morphology, pyroelectric effect, and absolute configuration. <i>Journal of the American Chemical Society</i> , 1988, 110, 6498-6504.	13.7	27
52	Alkylsilazalanes. Reaction of trimethylaluminum with silazanes: Synthesis and molecular structure of $[Al(CH_3)_2]_2[C_{12}H_{32}N_2Si_4]$ and $[Al(CH_3)_2]_2[C_8H_{28}N_2Si_4]$. <i>Polyhedron</i> , 1990, 9, 2205-2210.	2.2	27
53	Synthesis, structure and thermal decomposition of tetra(2-pyridyl)pyrazine- π - π charge-transfer complexes. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1997, , 2781-2786.	0.9	27
54	Synthesis and characterization of optically nonlinear and light emitting lanthanide borates. <i>Information Sciences</i> , 2003, 149, 61-68.	6.9	26

#	ARTICLE	IF	CITATIONS
55	Group 13 chemistry of sterically hindered amines. Synthesis and molecular structure of [Me ₂ M-Ada] ₂ (M → Al, Ga; Ada → 1-aminoadamantane) and [(i-Bu)Al-iminodibenzyl] ₂ . <i>Inorganica Chimica Acta</i> , 1991, 190, 173-178.	2.4	25
56	Reactions of 2-aminobiphenyl with group 13 metal alkyls. Syntheses and molecular structures of [Me ₂ Mi-N(H)Bp] ₂ (M = Al, Ga) and [(i-Bu) ₂ Al-N(H)Bp] ₂ (NH ₂ Bp = 2-aminobiphenyl). <i>Polyhedron</i> , 1992, 11, 967-972.	2.2	25
57	Synthesis of M ₂ Ag ₆ S ₄ (M = Na, K) in supercritical ethylenediamine solvent: a novel solid containing unusual closed-shell bonding. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 235.	2.0	25
58	Equivalent Weight and Crystallinity Effects on Water Content and Proton Conductivity in Bis[(perfluoroalkyl)sulfonyl]imide-Based Ionomers. <i>Electrochemical and Solid-State Letters</i> , 1999, 2, 434.	2.2	25
59	Bicyclic Phosphite Esters from Pentaerythritol and Dipentaerythritol: New Bridging Ligands in Organometallic and Inorganic Chemistry. <i>Organometallics</i> , 2004, 23, 1986-1990.	2.3	25
60	Synthesis of trans bis-alkynyl complexes of Co(III) supported by a tetradentate macrocyclic amine: A spectroscopic, structural, and electrochemical analysis of π-interactions and electronic communication in the CCMCC structural unit. <i>Inorganica Chimica Acta</i> , 2014, 411, 158-164.	2.4	24
61	Halogen Bonding in Dithiane/Iodo fluorobenzene Mixtures: A New Class of Hydrophobic Deep Eutectic Solvents. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 22983-22989.	13.8	24
62	An unusual trigonal-bipyramidal coordination of gallium by an aza crown ether. Synthesis and molecular structure of [Ga(CH ₃) ₂][C ₁₂ H ₂₅ N ₂ O ₄][Ga(CH ₃) ₃] ₂ . <i>Organometallics</i> , 1990, 9, 1709-1711.	2.3	23
63	Comparative crystal structure examination of some iron(III) quadridentate schiff base complexes. <i>Polyhedron</i> , 1992, 11, 2253-2264.	2.2	23
64	Reaction of Me ₃ Ga and Me ₃ Al with the tertiary-tetraaza analog of adamantane, hexamethylenetetramine (N ₄ -Ada). Syntheses and molecular structures of [(Me ₃ M) _n · N ₄ -Ada] (n = 1-4). <i>J. ET</i> 00 00 00 / Overlo	2.4	23
65	Synthesis and Characterization of Nickel(II) and Palladium(II) Pyrrolyl Complexes and Their Polymerization to Electroactive Materials. <i>Chemistry of Materials</i> , 1998, 10, 3568-3575.	6.7	23
66	Synthesis of new Group III fluoride-ammonia adducts in supercritical ammonia: structures of AlF ₃ (NH ₃) ₂ and InF ₂ (NH ₂)(NH ₃). <i>Inorganica Chimica Acta</i> , 1999, 294, 200-206.	2.4	23
67	Chemistry of phosphorus selenide anions: synthesis and structure of P ₂ Se ₈ and [Fe ₂ (CO) ₄ (PSe ₅) ₂] ₂ ?. <i>Journal of the Chemical Society Chemical Communications</i> , 1992, , 265.	2.0	22
68	Trimethylindium Based Phosphinoindanes. Synthesis and Molecular Structure of [Me ₂ InPPH ₂] ₃ : An Interesting In ₃ P ₃ Trimer. <i>Organometallics</i> , 1994, 13, 1514-1517.	2.3	22
69	Iodonium zwitterions. <i>Journal of Fluorine Chemistry</i> , 2003, 122, 57-61.	1.7	22
70	Halogen bonding: from self-assembly to materials and biomolecules. <i>CrystEngComm</i> , 2013, 15, 3057.	2.6	22
71	Perfectly Staggered and Twisted Difluoromethylene Groups in Perfluoroalkyl Chains: Structure of M[C ₄ F ₉ SO ₂ NSO ₂ C ₄ F ₉](M = 3/4 Na, K). <i>Angewandte Chemie International Edition in English</i> , 1997, 36, 1331-1333.	4.4	21
72	Synthesis, structural characterization, and magnetic properties of NaRE ₉ (GeO ₄) ₆ O ₂ (RE = Nd, Pr). <i>Journal of Alloys and Compounds</i> , 2004, 366, 76-80.	5.5	21

#	ARTICLE	IF	CITATIONS
73	Computational and Crystallographic Studies of Pseudo-Polyhalides. <i>Crystal Growth and Design</i> , 2012, 12, 2759-2768.	3.0	21
74	Utilizing the regioselectivity of perfluoropyridine towards the preparation of phenoxyacetylene precursors for partially fluorinated polymers of diverse architecture. <i>Journal of Fluorine Chemistry</i> , 2019, 228, 109409.	1.7	21
75	On the organoaluminum chemistry of multidentate phosphine ligands. Reaction of trimethylaluminum with bis(diphenylphosphino)methane: Synthesis and molecular structure of $[Al(CH_3)_3]_2[(C_6H_5)_2PCH_2P(C_6H_5)_2]$. <i>Journal of Crystallographic and Spectroscopic Research</i> , 1988, 18, 285-291.	0.2	20
76	Synthesis, properties, and reactions of new perfluorinated diketones. <i>Inorganic Chemistry</i> , 1993, 32, 5079-5083.	4.0	20
77	Synthesis and Structural Characterization of Alkylgallium ^{III} Phosphorus Compounds. X-ray Crystal Structures of $(Me_3CCH_2)_2(Cl)Ga\cdot P(SiMe_3)_3$, $R_2GaP(SiMe_3)_2GaR_2Cl$ ($R = Me_3CCH_2$, Me_3SiCH_2), and $[(R)(X)GaP(SiMe_3)_2]_2$ ($R = Me_3CCH_2$, $X = Cl$; $R = Me_3CCH_2$, $X = Me_3CCH_2$; $R = Me_3SiCH_2$, $X = Br$). <i>Organometallics</i> , 1996, 15, 91-97.	2.3	20
78	The 1,2,4-Triazolyl Cation: A Thermolytic and Photolytic Studies. <i>Journal of Organic Chemistry</i> , 2001, 66, 1242-1251.	3.2	20
79	Reaction of trimethylaluminum with a tridentate open-chain amine. Synthesis and molecular structure of $[Al(CH_3)_2][C_{12}H_{28}N_6][Al(CH_3)_2]_2$. <i>Polyhedron</i> , 1989, 8, 1279-1283.	2.2	19
80	Synthesis of Chiral Triamine Ligands from Ephedrine and Pseudoephedrine. <i>Synlett</i> , 1990, 1990, 109-110.	1.8	18
81	Trimethylgallium based phosphinogallanes. Synthesis and molecular structure of $[Me_2Ga-P(SiMe_3)_2]_2$. <i>Inorganica Chimica Acta</i> , 1994, 216, 267-269.	2.4	18
82	Synthesis of Thiamacrocycles and Conformational Studies on Their Precursors. <i>Journal of Organic Chemistry</i> , 2000, 65, 343-351.	3.2	18
83	Synthesis of [n]- and [n.n]Cyclophanes by Using Suzuki ^{II} Miyaura Coupling. <i>Journal of Organic Chemistry</i> , 2002, 67, 5333-5337.	3.2	18
84	Synthetic, structural, spectroscopic, and electrochemical studies of mixed sandwich Rh(III) and Ir(III) complexes involving Cp* and tridentate macrocycles. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 629-639.	1.8	18
85	Crystal Structures Elucidated from X-ray Powder Diffraction Data without Prior Indexing. <i>Crystal Growth and Design</i> , 2007, 7, 367-372.	3.0	18
86	Soluble Chromium Selenides and Tellurides: Preparation and Structures of $[(C_6H_5)_4P]_3[Cr_3Te_2]_4$ and $[C_6H_5_4P]_3[Cr_3Se_2]_4$. <i>Angewandte Chemie International Edition in English</i> , 1988, 27, 1702-1703.	4.4	17
87	Unexpected Conformation of the Hydrogen Chloride Salt of [14]aneN4: An X-ray Structural Examination of $[H_2[14]aneN_4H_2]Cl_4$ and its Role in Organoaluminum Host-Guest Chemistry. <i>Journal of Coordination Chemistry</i> , 1989, 19, 287-294.	2.2	17
88	Reaction of organoaluminum species with macrocyclic and open-chain tetradentate amines: synthesis and molecular structure of $[Cl_2Al.cntdot.C_8H_{20}N_4][Al(C_2H_5)_2]$ and $[Al(CH_3)_2][ClAl.cntdot.C_{10}H_{21}N_4.cntdot.OCH_3][ClAl(CH_3)]$. An examination of aminoalanes containing six-coordinate aluminum atoms. <i>Organometallics</i> , 1989, 8, 2584-2589.	2.3	17
89	Synthesis of two new antimony sulfide clusters: structures of $[PPh_4]_2[Sb_6S_6]$ and $[PPh_4]_2[Sb_4S_6]$. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 501.	1.1	17
90	Disproportionation of Low Valent Indium Bromide: Synthesis and Molecular Structure of Bis (2,)-Tj ETQqO O O rgBT /Overlock 10 Tf 50 77 Group Chemistry, 1996, 1, 301-307.	0.8	17

#	ARTICLE	IF	CITATIONS
91	Transition metal complexes with macrocyclic oxathiaethers. <i>Inorganica Chimica Acta</i> , 2000, 300-302, 250-263.	2.4	17
92	Computational approaches and sigma-hole interactions: general discussion. <i>Faraday Discussions</i> , 2017, 203, 131-163.	3.2	17
93	Iron(III) nitrate complexes with linear pentacoordinate ligands and their base hydrolysis products. <i>Inorganica Chimica Acta</i> , 1988, 154, 189-199.	2.4	16
94	Reaction of organoaluminium species with bidentate phosphine ligands. Synthesis and molecular structure of $[\text{AlCl}_3][(\text{Ph}_2\text{P})_2\text{CH}_2][\text{AlCl}_2(\text{CH}_3)]$ and $[\text{AlCl}_3]_2[(\text{Ph}_2\text{P}(\text{O}))_2\text{CH}_2]$. <i>Polyhedron</i> , 1989, 8, 1497-1502.	2.2	16
95	Reaction of Triethylaluminum with Bis(Diphenylphosphinoyl)Methane. Synthesis and Molecular Structure of $[\text{Al}(\text{C}_2\text{H}_5)][(\text{Ph}_2\text{P}(\text{O}))_2\text{C}]_2[\text{Al}(\text{C}_2\text{H}_5)_2]_2$. <i>Journal of Coordination Chemistry</i> , 1990, 21, 99-105.	2.2	16
96	Organogallium chemistry of macrocyclic amines. Synthesis and molecular structure of		

#	ARTICLE	IF	CITATIONS
109	Reaction of trimethylaluminium with sulphur derivatives of bis(diphenylphosphino)methane and bis(diphenylphosphino)ethane. Synthesis and molecular structure of $[Al(CH_3)_2][C_6H_5)_2P(S)CHP(S)(C_6H_5)_2][Al(CH_3)_3]$ and $[Al(CH_3)_3]_2[C_6H_5)_2P(S)CH_2CH_2P(S)(C_6H_5)_2]$. <i>Polyhedron</i> , 1990, 9, 313-318.	2.2	11
110	GROUP 13 AMIDES. SYNTHESSES AND MOLECULAR STRUCTURES OF $[(i-Bu)_2Al-N(H)Mes]_2$, $[(i-Bu)_2Al-N(H)Ph(t-Bu)]_2$, $[(i-Bu)_2Al-N(H)Ph(t-Bu)]_2$, $[(i-Bu)_2Al-N(H)Ph(t-Bu)]_2$, $[(i-Bu)_2Al-N(H)Ph(t-Bu)]_2$, $[(i-Bu)_2Al-N(H)Ph(t-Bu)]_2$, AND $[(i-Bu)_2Al-N(H)Ada]_2$. <i>Journal of Coordination Chemistry</i> , 1993, 28, 337-346.	2.2	11
111	Reaction of trimethylaluminum and trimethylgallium with bifunctional amines: Syntheses and molecular structures of $[Me_2Al^{\sim}N(CH_2CH_2)_2Ca^{\sim}(OCH_2)_2]_2$ and $[Me_2Ga^{\sim}N(Si(H)Me_2)_2]_2$. <i>Journal of Chemical Crystallography</i> , 1994, 24, 61-65.	1.1	11
112	The preparation of $N\text{-}(1\text{-}H\text{-}pyrazol\text{-}3\text{-}yl)arylamides$ and $1\text{-}H\text{-}pyrazol\text{-}3\text{-}amines$ from polyolithiated $C(\pm), N$ -thiosemicarbazones and $C(\pm), N$ -semicarbazones. <i>Journal of Heterocyclic Chemistry</i> , 1997, 34, 1549-1554.	2.6	11
113	Perfluorocyclohexenyl aryl ether polymers via polycondensation of decafluorocyclohexene with bisphenols. <i>Journal of Polymer Science Part A</i> , 2014, 52, 232-238.	2.3	11
114	Halogen bonding and triiodide asymmetry in cocrystals of triphenylmethylphosphonium triiodide with organoiodines. <i>New Journal of Chemistry</i> , 2018, 42, 10518-10528.	2.8	11
115	The halogen bond: a new avenue in recognition and self-assembly. <i>New Journal of Chemistry</i> , 2018, 42, 10461-10462.	2.8	11
116	Preparation and structure of $[(C_6H_5)_4P][C_5H_5)Mo(S_4)_2]$: a convenient synthesis of an organometallic metal polysulfide anion. <i>Organometallics</i> , 1989, 8, 2281-2282.	2.3	10
117	Synthesis and Molecular Structure of $[Me_2Ga-PPH_2]_3$. <i>Main Group Chemistry</i> , 1995, 1, 153-158.	0.8	10
118	1,1,3,3-Tetraoxopolyfluoro-1,3-dithiacycloalkanes. $CH_2SO_2(CF_2)_nSO_2$ ($n = 2-5$) and 2-Substituted Derivatives. <i>Inorganic Chemistry</i> , 1995, 34, 792-795.	4.0	10
119	Structural and electronic properties of (2,2-trans)-dirhodium(II) tetrakis(N-phenylacetamidate). <i>Journal of Organometallic Chemistry</i> , 2000, 596, 90-94.	1.8	10
120	Synthesis of ω -Acetylene-Expanded \cdot Tridentate Ligands. <i>Molecules</i> , 2002, 7, 447-455.	3.8	10
121	Preparation of 2-(1-phenyl-1H-pyrazol-5-yl)benzenesulfonamides from polyolithiated $C(\pm), N$ -phenylhydrazones and methyl 2-(aminosulfonyl)benzoate. <i>Journal of Heterocyclic Chemistry</i> , 2005, 42, 1095-1099.	2.6	10
122	Organoaluminum-Thiacrown Ether Chemistry. Synthesis and Molecular Structure of $[Al(CH_3)_3]_3[12]aneS_4$: An Unusual Example of an Endodentate Conformation of $[12]aneS_4$. <i>Journal of Coordination Chemistry</i> , 1989, 19, 331-338.	2.2	9
123	The preparation of benzoisothiazolo[1,2-a]isoquinolin-1,1-dioxides from dilithiated <i>ortho</i> -toluic acids and lithiated methyl 2-(aminosulfonyl)benzoate. <i>Journal of Heterocyclic Chemistry</i> , 2004, 41, 1005-1009.	2.6	9
124	Preparation of 4-anilino-6-aryl-2H-pyran-2-ones from trilithiated acetoacetanilides and aromatic esters. <i>Canadian Journal of Chemistry</i> , 2004, 82, 659-664.	1.1	9
125	Preparation of spiro[benzoisothiazole \cdot isoxazole] dioxides from dilithiated $c(\pm), O$ -oximes and methyl 2-(aminosulfonyl)benzoate. <i>Journal of Heterocyclic Chemistry</i> , 2007, 44, 627-632.	2.6	9
126	Stereochemistry of the Desmotroposantonins. <i>Journal of Natural Products</i> , 1992, 55, 1087-1092.	3.0	8

#	ARTICLE	IF	CITATIONS
127	Main group metal halide complexes with sterically hindered thioureas XVI: The synthesis, characterization, and crystal structures of two new complexes of 1,3-dimethyl-2(3H)-imidazolethione with indium trihalides. <i>Inorganica Chimica Acta</i> , 1999, 285, 217-222.	2.4	8
128	Main group metal halide complexes with sterically hindered thioureas. <i>Inorganica Chimica Acta</i> , 2000, 308, 129-134.	2.4	8
129	Preparation of substituted 1,2-dihydro-5H-pyrazolones from polythiated 2-phenylphenylacetohydrazides and aromatic esters. <i>Journal of Heterocyclic Chemistry</i> , 2001, 38, 695-701.	2.6	8
130	Synthesis and Polymerization Behavior of Tridentate Diacetylene Hosts. <i>Journal of Polymer Research</i> , 2006, 13, 133-144.	2.4	8
131	In-Situ X-Ray Characterization of Fiber Structure during Melt Spinning. <i>Journal of Engineered Fibers and Fabrics</i> , 2008, 3, 155892500800300.	1.0	8
132	Crystal Engineering Using Polyiodide Halogen and Chalcogen Bonding to Isolate the Phenothiazinium Radical Cation and Its Rare Dimer, 10-(3-phenothiazinylidene)phenothiazinium. <i>Chemistry - A European Journal</i> , 2021, 27, 8398-8405.	3.3	8
133	Dimeric products from the dissolving metal reduction of camphor. <i>Tetrahedron Letters</i> , 1988, 29, 2527-2530.	1.4	7
134	Reactions of enamines with 1-nitroolefins. Scope and limitations of a polyquinane synthesis. <i>Tetrahedron</i> , 1992, 48, 8213-8228.	1.9	7
135	Neue Carbonyleisen-Tellur-Cluster: Synthese und Charakterisierung von $[\text{Fe}_{5}\text{Te}_{4}(\text{CO})_{14}]^{2+}$ und $[\text{Fe}_{8}\text{Te}_{10}(\text{CO})_{20}]^{2+}$. <i>Angewandte Chemie</i> , 1992, 104, 924-926.	2.0	7
136	Synthesis of Polydiacetylene Charge-Transfer Complexes. <i>Molecular Crystals and Liquid Crystals</i> , 2000, 354, 523-530.	0.3	7
137	Rubidium bis(trifluoromethanesulfonyl)imidate dioxane disolvate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004, 60, m200-m202.	0.4	7
138	A reassignment of the EPR spectra previously attributed to Cu@C60. <i>Chemical Communications</i> , 2007, , 2083.	4.1	7
139	Phosphorus-Iodine Halogen Bonding in Cocrystals of Bis(diphenylphosphino)ethane (dppe) and p-Diiodotetrafluorobenzene (p-F ₄ DIB). <i>Crystal Growth and Design</i> , 2020, 20, 7460-7469.	3.0	7
140	Halogen and Chalcogen Bonding Between the Triphenylphosphine Chalcogenides (Ph ₃ P=E; E=O, S, Se) and Iodofluorobenzenes. <i>ChemPlusChem</i> , 2021, 86, 549-557.	2.8	7
141	Halogen Bonding in Dithiane/Iodofluorobenzene Mixtures: A New Class of Hydrophobic Deep Eutectic Solvents. <i>Angewandte Chemie</i> , 2021, 133, 23165.	2.0	7
142	2,5-Diiodothiophene: A Versatile Halogen Bonding Synthone for Crystal Engineering. <i>Crystal Growth and Design</i> , 2022, 22, 1906-1913.	3.0	7
143	Alkylation of tellurium tetrachloride by trimethylaluminum. Synthesis and molecular structure of $[\text{Te}(\text{CH}_3)_3][\text{Al}(\text{CH}_3)_2\text{Cl}_2]$: A novel organotelluronium-aluminum oligomer. <i>Journal of Crystallographic and Spectroscopic Research</i> , 1989, 19, 433-438.	0.2	6
144	Structure of trans- $\{[\text{Cr}(\text{en})_2\text{ONO}]_2(\text{H}_3\text{O}_2)\}(\text{ClO}_4)_3$, a Cr(III) nitrito complex with a H ₃ O ₂ ⁺ bridging group. <i>Inorganica Chimica Acta</i> , 1991, 183, 127-129.	2.4	6

#	ARTICLE	IF	CITATIONS
145	Synthesis and Characterization of an Unusual Platinum(II) Alkene Complex with an \hat{I} -2-Arene Interaction. <i>Organometallics</i> , 1999, 18, 4558-4562.	2.3	6
146	Syntheses and structures of two acridine orange polyiodide salts. <i>Journal of Chemical Crystallography</i> , 2003, 33, 385-390.	1.1	6
147	New Strong Base Synthesis of Symmetrical 1,5-Diaryl-1,3,5-pentanetriones from Acetone and Benzoate Esters. <i>Synthetic Communications</i> , 2008, 38, 2465-2482.	2.1	6
148	Perfluoropyridine as an Efficient, Tunable Scaffold for Bis(pyrazolyl)pyridine Copper Complexes. <i>European Journal of Inorganic Chemistry</i> , 2020, 2020, 1720-1727.	2.0	6
149	One dimensional halogen bond design: Br \hat{N} versus \hat{I} with fluoroarenes. <i>CrystEngComm</i> , 2021, 23, 6098-6106.	2.6	6
150	The reaction of thiourea and 1,3-dimethylthiourea towards organoiodines: oxidative bond formation and halogen bonding. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2021, 77, 599-609.	0.5	6
151	Reaction of diisobutylaluminum hydride with a macrocyclic tetradentate secondary amine. Synthesis and molecular structure of $[Al(\hat{i}\text{-Bu})_2[C_{10}H_{20}N_4][Al(\hat{i}\text{-Bu})_3]_2$: Evidence of an unusual disproportionation of $(\hat{i}\text{-Bu})_2AlH$. <i>Inorganica Chimica Acta</i> , 1990, 175, 151-153.	2.4	5
152	Participation of Methylene Chloride in Organo-Group 13 Systems. Synthesis and Molecular Structure of $[(C_4H_9)_2Al\{N(CH_2CH_2O)_3\}Al(Cl)]_2$ and $[(CH_3)Ga\hat{A}[14]aneN_4]Cl_2$. <i>Journal of Coordination Chemistry</i> , 1992, 26, 187-197.	2.2	5
153	Tricarbonyl (\hat{I} -6 arene) chromium(0) complex derived from 8-phenylmenthol chiral auxiliary. <i>Journal of Chemical Crystallography</i> , 1999, 29, 383-389.	1.1	5
154	Iodine and Organoiodide Templates in Supramolecular Synthesis. <i>ACS Symposium Series</i> , 2001, , 83-96.	0.5	5
155	Preparation of 2 \hat{H} \hat{E} spiro[benzo[\hat{d}]isothiazole-3,3 \hat{E} pyrazole] $\hat{1}$, $\hat{1}$ \hat{D} dioxide $\hat{2}$ \hat{A} \hat{E} (4 \hat{A} \hat{E} \hat{H}) \hat{A} carboxylates from dilithiated \hat{C} (\hat{I}), \hat{N} (\hat{I}) \hat{A} carboalkoxyhydrazones and methyl 2 \hat{A} (aminosulfonyl)benzoate. <i>Journal of Heterocyclic Chemistry</i> , 2009, 46, 231-236.		5
156	Preparation and X-Ray Crystal Structure of (2Z,4E)-5-(4-substituted) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 312 Td (phenyl)-3-hydroxy-1-p Condensation \hat{E} Elimination of Dilithiated 1-Benzoylacetone with Substituted Benzaldehydes. <i>Journal of Chemical Crystallography</i> , 2013, 43, 629-635.	1.1	5
157	The halogen bond in solution: general discussion. <i>Faraday Discussions</i> , 2017, 203, 347-370.	3.2	5
158	Synthese und Struktur von $[Se=W(PSe_{sub>4</sub>})(PSe_{sub>2</sub>})]^{2-}$; ein Dianion mit einer heteroallylischen $PSe_{sub>2</sub>}$ \hat{S} \hat{E} Einheit. <i>Angewandte Chemie</i> , 1990, 102, 1502-1504.	2.0	4
159	Reaction of Trimethylaluminum with 3-Amino-5,6-Dimethyl-1,2,4-Triazine. Synthesis and Molecular Structure of $[(Al(CH_3)_2)_5[C_{11}H_{15}N_8][Al(CH_3)_3]_1$; a Highly Aggregated Al-N System. <i>Journal of Coordination Chemistry</i> , 1991, 24, 69-76.	2.2	4
160	Oxidation of organometallic compounds with polychalcogenides: preparation and structure of $[(Me_5C_5)Mo(S_4)(S_2CO)]^{\hat{A}}$ containing a dithiocarbonate ligand. <i>Journal of Organometallic Chemistry</i> , 1991, 419, C10-C13.	1.8	4
161	2,6-Diiodopyridine. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, o602-o603.	0.4	4
162	A Novel Achiral seco-Amino-Cyclopropylindoline (Cl) Analog of CC-1065 and the Duocarmycins: Design, Synthesis and Biological Studies. <i>Medicinal Chemistry</i> , 2005, 1, 13-19.	1.5	4

#	ARTICLE	IF	CITATIONS
163	The preparation of 3-substituted 1,2-benzisothiazole-1,1-dioxides from the condensation-cyclization of dilithiated β -ketoesters with methyl 2-(aminosulfonyl)benzoate or 1,2-benzisothiazol-3(2H)-one-1,1-dioxide. <i>Journal of Heterocyclic Chemistry</i> , 2006, 43, 307-313.	2.6	4
164	Synthesis of NH-, 2H-4,5-Dihydrobenz[g]inazoles and Related Compounds from 1-Tetralone Carbomethoxyhydrazones and Aromatic Esters. <i>Industrial & Engineering Chemistry Research</i> , 2007, 46, 8959-8967.	3.7	4
165	Preparation of α -NH-pyrazoleacetic acid anilides from trilitiated acetoacetanilide, select aromatic esters, and hydrazine. <i>Journal of Heterocyclic Chemistry</i> , 2010, 47, 147-152.	2.6	4
166	Preparation and X-Ray Crystal Structure of 3-(4-(Dimethylamino)phenyl)-2-(phenylamino)isoquinolin-1(2H)-one, 3-(4-Methoxyphenyl)-2-(phenylamino)isoquinolin-1(2H)-one, and 2-Methyl-N $^{\epsilon}$ -(4-methylbenzoyl)-N $^{\epsilon}$ -phenylbenzohydrazide from Polyolithiated 2-methylbenzoic Acid Phenylhydrazide and Methyl 4-dimethylaminobenzoate, Methyl 4-methoxybenzoate, or Methyl 4-methylbenzoate. <i>Journal of Chemical Crystallography</i> , 2012, 42, 952-959.	1.1	4
167	Polydiacetylene-Based Smart Packaging. <i>ACS Symposium Series</i> , 2013, , 137-154.	0.5	4
168	Crystal Structures of a New Polymorph of N-tert-butyl-2-thioimidazole, and Its 1,4-Diiodotetrafluorobenzene, Tetraiodoethylene, and Iodine Cocrystals. <i>Journal of Chemical Crystallography</i> , 2022, 52, 62-72.	1.1	4
169	On the Synthesis and Anticancer Testing of α,β -Unsaturated Ketones as Analogs of Combretastatin-A4. <i>Letters in Drug Design and Discovery</i> , 2009, 6, 531-537.	0.7	4
170	Synthesis and molecular structure of $\{[\text{Se}(\text{CH}_3)_3][(\text{CH}_3)\text{AlCl}_3]\}_n$: A novel two-dimensional layered organoaluminum-selenium polymer. <i>Journal of Crystallographic and Spectroscopic Research</i> , 1990, 20, 53-57.	0.2	3
171	STRUCTURAL CHARACTERIZATION OF A THERMALLY STABLE AMINOPHENYLALANE: X-RAY CRYSTAL STRUCTURE OF $\text{Ph}_3\text{Al}\cdot\text{N}(\text{H}_2)\text{t}\text{-Bu}$. A RARE Al-N MONOMER. <i>Journal of Coordination Chemistry</i> , 1993, 30, 19-23.	2.2	3
172	$\text{Fe}_2\text{P}_2\text{O}_7(\text{H}_2\text{O})_2$. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, 399-400.	0.4	3
173	Alkynolpyridines and Their Complexes with Triphenylphosphine Oxide. <i>Crystal Growth and Design</i> , 2002, 2, 619-624.	3.0	3
174	Synthesis and Crystal Structure Determination of Methyl 2-acetyl-5 $^{\epsilon}$ -phenyl-2H-spiro[benzo[d]isothiazole-3,3 $^{\epsilon}$ -pyrazole]-1,1-dioxide-2 $^{\epsilon}$ (4 $^{\epsilon}$ H)-carboxylate and Methyl 2-acetyl-5 $^{\epsilon}$ -(2-thienyl)-2H-spiro[benzo[d]isothiazole-3,3 $^{\epsilon}$ -pyrazole]-1,1-dioxide-2 $^{\epsilon}$ (4 $^{\epsilon}$ H)-carboxylate. <i>Journal of Chemical Crystallography</i> , 2010, 40, 296-301.		3
175	Synthesis and Crystal Structure Determination of 3-Phenyl-2-(2-phenylhydrazino)-4H-1-benzothiopyran-4-one. <i>Journal of Chemical Crystallography</i> , 2010, 40, 536-540.	1.1	3
176	Fluorinated Aminopyridines: Synthesis, Structure, and Rare Liquid-Liquid Cocrystal Formation Driven by Unusually Short N $^{\epsilon}$ -H \cdots F \cdots C Hydrogen Bonding. <i>Crystal Growth and Design</i> , 2020, 20, 5484-5492.	3.0	3
177	Isolation of hydrazine oxidation products via halogen bonding: C \cdots I bond scission and crystal polymorphism. <i>CrystEngComm</i> , 2021, 23, 419-426.	2.6	3
178	Reaction of Diisobutylaluminum Chloride with N,N $^{\epsilon}$ -Bis(3-Aminopropyl)Ethylendiamine. Synthesis and Molecular Structure of $[\text{C}_{12}\text{Al}-\text{C}_8\text{H}_{20}\text{N}_4][\text{Al}(\text{C}_4\text{H}_9)_2]$. <i>Journal of Coordination Chemistry</i> , 1990, 21, 129-135.	2.2	2
179	Reaction of Diisobutylaluminum Hydride with Bis(Diphenylphosphinoyl)Ethane. Synthesis and Structure of $[\text{Al}(\text{C}_4\text{H}_9)_3]_2[\text{dppe}]$. <i>Journal of Coordination Chemistry</i> , 1990, 21, 301-306.	2.2	2
180	Synthesis and Reaction Chemistry of the Disodium Alkoxide of 2,6-Bis(trifluoromethyl)-2,6-dihydroxy-3,3,4,4,5,5-hexafluorooxane. <i>Inorganic Chemistry</i> , 1996, 35, 3188-3193.	4.0	2

#	ARTICLE	IF	CITATIONS
181	1,2,4,5-Tetrakis(2-vinylpyridyl)benzeneâ€“dichloromethane (1/2). Acta Crystallographica Section C: Crystal Structure Communications, 2003, 59, o114-o116.	0.4	2
182	A ruthenium complex with 1,5-diphenyl-3-thiocarbazone (dithizone) as monodentate ligands: bis(2,2â€“bipyridyl-Î²N,Nâ€“bis(dithizonato-Î²S)ruthenium(II). Acta Crystallographica Section C: Crystal Structure Communications, 2003, 59, m268-m270.	0.4	2
183	The preparation of 3,3a,4,5-tetrahydronaphth[1,2- <i>c</i></i>]isoxazoles from dithiated 1-tetralone oxime and select aromatic aldehydes. Journal of Heterocyclic Chemistry, 2006, 43, 315-319.</i>	2.6	2
184	Preparation of a Select Tautomer of Various Unsymmetrical 1,3,5-Pentanetiones, (1<i>Z</i>,4<i>Z</i>)-1-(Aryl)-1,5-dihydroxy-5-phenylpenta-1,4-dien-3-ones, a 4<i>H</i>-1-benzothiopyran-4-one, and a 2-(2-oxoyl)quinolin-4(1<i>H</i>)-one. Industrial & Engineering Chemistry Research, 2015, 54, 7207-7211.	3.7	2
185	Solid-state chemistry and applications: general discussion. Faraday Discussions, 2017, 203, 459-483.	3.2	2
186	New polymorphism and structural sensitivity in triphenylmethylphosphonium trihalide salts. New Journal of Chemistry, 2019, 43, 12702-12710.	2.8	2
187	Design and synthesis of Fmoc-SPPS-ready iodoarene amino acid pre-catalysts and their reactivity in the catalytic oxytosylation of ketones. Tetrahedron Letters, 2020, 61, 151723.	1.4	2
188	Detecting and correlating bacterial populations to visual color change of polydiacetylene-coated filters. Talanta, 2021, 221, 121482.	5.5	2
189	Polymorphism, Halogen Bonding, and Chalcogen Bonding in the Diiodine Adducts of 1,3- and 1,4-Dithiane. Molecules, 2021, 26, 4985.	3.8	2
190	Title is missing!. Journal of Chemical Crystallography, 2003, 33, 425-429.	1.1	1
191	Title is missing!. Journal of Chemical Crystallography, 2003, 33, 403-407.	1.1	1
192	2-Bromo-N-(p-toluenesulfonyl)pyrrole. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o762-o764.	0.2	1
193	The Synthesis and Crystal Structure Determination of Phenyl 2-(3,4-dihydro-1(2H)naphthalenylidene)hydrazinecarboxylate and Phenyl (2,4-dichlorophenyl-methylene)hydrazinecarboxylate. Journal of Chemical Crystallography, 2010, 40, 541-545.	1.1	1
194	Single-crystal X-ray diffraction dataset for 3,5-difluoro-2,6-bis(4-iodophenoxy)-4-phenoxy-pyridine. Data in Brief, 2020, 28, 104956.	1.0	1
195	A proposed mechanism to induce multi-layer polydiacetylene-coated filter color response to bacteria. Results in Chemistry, 2020, 2, 100065.	2.0	1
196	Halogen Bonding of Organoiodines and Triiodide Anions in (NMe 3 Ph) + Salts. ChemPlusChem, 2021, 86, 612-621.	2.8	1
197	Synthesis of Thiosemicarbazones and Their Organoiodine Cocrystals: Cooperative Effects of Halogen and Hydrogen Bonding. Journal of Chemical Crystallography, 2022, 52, 512-524.	1.1	1
198	Two diastereomers of 2-[[Î²-(N-phenylamino)-Î±-methylphenethyl]-methylamino]-N,N-dimethylacetamide. Journal of Chemical Crystallography, 1997, 27, 689-694.	1.1	0

#	ARTICLE	IF	CITATIONS
199	Synthesis of [n]- and [n.n]Cyclophanes by Using Suzukiâ€”Miyaura Coupling.. ChemInform, 2003, 34, no.	0.0	0
200	Iodonium Zwitterions. ChemInform, 2003, 34, no.	0.0	0
201	Efficient Synthesis of a Complete Donor/Acceptor Bis(aryl)diyne Family.. ChemInform, 2003, 34, no.	0.0	0
202	2-Amino-6-bromopyridinium bromide. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o862-o864.	0.2	0
203	Synthesis, Structural Characterization, and Magnetic Properties of NaLn9(GeO4)6O2 (Ln: Nd, Pr).. ChemInform, 2004, 35, no.	0.0	0
204	Preparation of 4-Anilino-6-aryl-2H-pyran-2-ones from Trilithiated Acetoacetanilides and Aromatic Esters.. ChemInform, 2004, 35, no.	0.0	0
205	The Preparation of Benzoisothiazolo[1,2-b][1,2]isoquinolin-11-one-1,1-dioxides from Dilithiated ortho-Toluic Acids and Lithiated Methyl 2-(Aminosulfonyl)benzoate.. ChemInform, 2005, 36, no.	0.0	0
206	Preparation of Spiro[Benzopyran-Isoxazoles] from the Condensationâ€”Cyclization of Oxime 1,4-Dianions with Select Coumarins. Journal of Chemical Crystallography, 2014, 44, 401-406.	1.1	0