

Xiaoqing Sun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10771470/publications.pdf>

Version: 2024-02-01

9
papers

1,584
citations

1163117

8
h-index

1474206

9
g-index

9
all docs

9
docs citations

9
times ranked

2434
citing authors

#	ARTICLE	IF	CITATIONS
1	Kinase RIP3 Is Dispensable for Normal NF- κ Bs, Signaling by the B-Cell and T-Cell Receptors, Tumor Necrosis Factor Receptor 1, and Toll-Like Receptors 2 and 4. <i>Molecular and Cellular Biology</i> , 2004, 24, 1464-1469.	2.3	503
2	Identification of a Novel Homotypic Interaction Motif Required for the Phosphorylation of Receptor-interacting Protein (RIP) by RIP3. <i>Journal of Biological Chemistry</i> , 2002, 277, 9505-9511.	3.4	295
3	A Human RNA Polymerase II Complex Containing Factors That Modify Chromatin Structure. <i>Molecular and Cellular Biology</i> , 1998, 18, 5355-5363.	2.3	266
4	NAT, a Human Complex Containing Srb Polypeptides that Functions as a Negative Regulator of Activated Transcription. <i>Molecular Cell</i> , 1998, 2, 213-222.	9.7	210
5	RIP3, a Novel Apoptosis-inducing Kinase. <i>Journal of Biological Chemistry</i> , 1999, 274, 16871-16875.	3.4	208
6	Functional characterization of human PFTK1 as a cyclin-dependent kinase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 9248-9253.	7.1	56
7	Cloning and characterization of a novel caspase-10 isoform that activates NF- κ B activity. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2007, 1770, 1528-1537.	2.4	23
8	Adapter protein NRBP associates with Jab1 and negatively regulates AP-1 activity. <i>FEBS Letters</i> , 2006, 580, 6015-6021.	2.8	20
9	PKD2 interacts with Lck and regulates NFAT activity in T cells. <i>BMB Reports</i> , 2009, 42, 35-40.	2.4	3