

# David J Beard

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10781832/publications.pdf>

Version: 2024-02-01

51  
papers

3,929  
citations

257450

24  
h-index

214800

47  
g-index

52  
all docs

52  
docs citations

52  
times ranked

4699  
citing authors

#	ARTICLE	IF	CITATIONS
1	Knee replacement. <i>Lancet</i> , The, 2012, 379, 1331-1340.	13.7	860
2	The effect of patient age at intervention on risk of implant revision after total replacement of the hip or knee: a population-based cohort study. <i>Lancet</i> , The, 2017, 389, 1424-1430.	13.7	518
3	Arthroscopic subacromial decompression for subacromial shoulder pain (CSAW): a multicentre, pragmatic, parallel group, placebo-controlled, three-group, randomised surgical trial. <i>Lancet</i> , The, 2018, 391, 329-338.	13.7	343
4	Meaningful changes for the Oxford hip and knee scores after joint replacement surgery. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 73-79.	5.0	334
5	Use of placebo controls in the evaluation of surgery: systematic review. <i>BMJ</i> , The, 2014, 348, g3253-g3253.	6.0	209
6	Floor and ceiling effects in the OHS: an analysis of the NHS PROMs data set. <i>BMJ Open</i> , 2015, 5, e007765.	1.9	201
7	The clinical and cost-effectiveness of total versus partial knee replacement in patients with medial compartment osteoarthritis (TOPKAT): 5-year outcomes of a randomised controlled trial. <i>Lancet</i> , The, 2019, 394, 746-756.	13.7	195
8	Arthroscopic hip surgery compared with physiotherapy and activity modification for the treatment of symptomatic femoroacetabular impingement: multicentre randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2019, 364, l185.	2.3	186
9	Clinical effectiveness and cost-effectiveness of open and arthroscopic rotator cuff repair [the UK Rotator Cuff Surgery (UKUFF) randomised trial]. <i>Health Technology Assessment</i> , 2015, 19, 1-218.	2.8	104
10	Arthroscopic partial meniscectomy for meniscal tears of the knee: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2020, 54, 652-663.	6.7	68
11	Adverse outcomes after arthroscopic partial meniscectomy: a study of 700 000 procedures in the national Hospital Episode Statistics database for England. <i>Lancet</i> , The, 2018, 392, 2194-2202.	13.7	63
12	Outpatient physiotherapy versus home-based rehabilitation for patients at risk of poor outcomes after knee arthroplasty: CORKA RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-116.	2.8	62
13	Anterior cruciate ligament (ACL) reconstruction and meniscal repair rates have both increased in the past 20 years in England: hospital statistics from 1997 to 2017. <i>British Journal of Sports Medicine</i> , 2020, 54, 286-291.	6.7	57
14	Considerations and methods for placebo controls in surgical trials (ASPIRE guidelines). <i>Lancet</i> , The, 2020, 395, 828-838.	13.7	54
15	Feasibility of surgical randomised controlled trials with a placebo arm: a systematic review. <i>BMJ Open</i> , 2016, 6, e010194.	1.9	51
16	The QuinteT Recruitment Intervention supported five randomized trials to recruit to target: a mixed-methods evaluation. <i>Journal of Clinical Epidemiology</i> , 2019, 106, 108-120.	5.0	49
17	Development of a framework to improve the process of recruitment to randomised controlled trials (RCTs): the SEAR (Screened, Eligible, Approached, Randomised) framework. <i>Trials</i> , 2018, 19, 50.	1.6	48
18	Temporal trends and regional variation in the rate of arthroscopic knee surgery in England: analysis of over 1.7 million procedures between 1997 and 2017. Has practice changed in response to new evidence?. <i>British Journal of Sports Medicine</i> , 2019, 53, 1533-1538.	6.7	48

#	ARTICLE	IF	CITATIONS
19	Mortality and adverse joint outcomes following septic arthritis of the native knee: a longitudinal cohort study of patients receiving arthroscopic washout. <i>Lancet Infectious Diseases</i> , The, 2020, 20, 341-349.	9.1	39
20	Minimal important changes and differences were estimated for Oxford hip and knee scores following primary and revision arthroplasty. <i>Journal of Clinical Epidemiology</i> , 2022, 143, 159-168.	5.0	34
21	Targeting rehabilitation to improve outcomes after total knee arthroplasty in patients at risk of poor outcomes: randomised controlled trial. <i>BMJ</i> , The, 2020, 371, m3576.	6.0	33
22	Variations In Good Patient Reported Outcomes After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2015, 30, 1364-1371.	3.1	32
23	The use of patient-reported outcome measures to guide referral for hip and knee arthroplasty. <i>Bone and Joint Journal</i> , 2020, 102-B, 941-949.	4.4	30
24	Long-term rates of knee arthroplasty in a cohort of 834 393 patients with a history of arthroscopic partial meniscectomy. <i>Bone and Joint Journal</i> , 2019, 101-B, 1071-1080.	4.4	28
25	Rates of Adverse Outcomes and Revision Surgery After Anterior Cruciate Ligament Reconstruction: A Study of 104,255 Procedures Using the National Hospital Episode Statistics Database for England, UK. <i>American Journal of Sports Medicine</i> , 2019, 47, 2533-2542.	4.2	27
26	Total versus partial knee replacement in patients with medial compartment knee osteoarthritis: the TOPKAT RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-98.	2.8	27
27	Patient-reported outcome measures for patients with meniscal tears: a systematic review of measurement properties and evaluation with the COSMIN checklist. <i>BMJ Open</i> , 2017, 7, e017247.	1.9	23
28	Attitudes and Beliefs about Placebo Surgery among Orthopedic Shoulder Surgeons in the United Kingdom. <i>PLoS ONE</i> , 2014, 9, e91699.	2.5	23
29	The Oxford knee score and its subscales do not exhibit a ceiling or a floor effect in knee arthroplasty patients: an analysis of the National Health Service PROMs data set. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2736-2742.	4.2	22
30	Patient-Reported Function and Quality of Life After Revision Total Knee Arthroplasty: An Analysis of 10,727 Patients from the NHS PROMs Program. <i>Journal of Arthroplasty</i> , 2021, 36, 2887-2895.e7.	3.1	21
31	Varus alignment of the proximal tibia is associated with structural progression in early to moderate varus osteoarthritis of the knee. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3279-3286.	4.2	19
32	Early patient-reported outcomes from primary hip and knee arthroplasty have improved over the past seven years. <i>Bone and Joint Journal</i> , 2022, 104-B, 687-695.	4.4	17
33	Reporting of key methodological issues in placebo-controlled trials of surgery needs improvement: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2020, 119, 109-116.	5.0	12
34	Rates of knee arthroplasty in anterior cruciate ligament reconstructed patients: a longitudinal cohort study of 111,212 procedures over 20 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 568-574.	3.3	11
35	Exploring variation in patient access of post-discharge physiotherapy following total hip and knee arthroplasty under a choice based system in the UK: an observational cohort study. <i>BMJ Open</i> , 2019, 9, e021614.	1.9	11
36	Evidence for the validity of a patient-based instrument for assessment of outcome after revision knee arthroplasty. <i>Bone and Joint Journal</i> , 2021, 103-B, 627-634.	4.4	10

#	ARTICLE	IF	CITATIONS
37	Informed consent in randomised controlled trials: development and preliminary evaluation of a measure of Participatory and Informed Consent (PIC). <i>Trials</i> , 2017, 18, 327.	1.6	9
38	Patch-augmented rotator cuff surgery (PARCS) studyâ€”protocol for a feasibility study. <i>Pilot and Feasibility Studies</i> , 2018, 4, 188.	1.2	7
39	Placebo comparator group selection and use in surgical trials: the ASPIRE project including expert workshop. <i>Health Technology Assessment</i> , 2021, 25, 1-52.	2.8	6
40	Unicompartmental compared with total knee replacement for patients with multimorbidities: a cohort study using propensity score stratification and inverse probability weighting. <i>Health Technology Assessment</i> , 2021, 25, 1-126.	2.8	6
41	Serious adverse event rates and reoperation after arthroscopic shoulder surgery: population based cohort study. <i>BMJ, The</i> , 0, , e069901.	6.0	6
42	Manipulation Under Anesthetic After Primary Knee Arthroplasty Is Associated With a Higher Rate of Subsequent Revision Surgery. <i>Journal of Arthroplasty</i> , 2020, 35, 2640-2645.e2.	3.1	5
43	Rates of knee arthroplasty in patients with a history of arthroscopic chondroplasty: results from a retrospective cohort study utilising the National Hospital Episode Statistics for England. <i>BMJ Open</i> , 2020, 10, e030609.	1.9	5
44	Methodology for astronaut reconditioning research. <i>Musculoskeletal Science and Practice</i> , 2017, 27, S42-S46.	1.3	4
45	Evaluation of placebo fidelity and trial design methodology in placebo-controlled surgical trials of musculoskeletal conditions: a systematic review. <i>Pain</i> , 2022, 163, 637-651.	4.2	4
46	Revision total knee replacement case-mix at a major revision centre. <i>Journal of Experimental Orthopaedics</i> , 2022, 9, 34.	1.8	3
47	ACL Surgery Necessity in Non-Acute Patients (ACL SNNAP): a statistical analysis plan for a randomised controlled trial. <i>Trials</i> , 2022, 23, 389.	1.6	3
48	Phase III Trials of Enhanced Versus Usual Care Physical Therapy for Patients at Risk for Poor Outcome Following Knee Arthroplasty: A Perspective on Meaning and a Way Forward. <i>Physical Therapy</i> , 2021, 101, .	2.4	2
49	Can Shoulder Arthroscopy Work? (CSAW) trial â€” Authors' reply. <i>Lancet, The</i> , 2018, 392, 281-282.	13.7	0
50	Evidence update: A summary of new evidence to inform treatment decisions for patients with meniscal lesions. <i>Knee</i> , 2019, 26, 521-523.	1.6	0
51	Further reflections on TOPKAT and Partial vs. Total Knee Replacementâ€”response to authors. <i>Annals of Translational Medicine</i> , 2020, 8, 730-730.	1.7	0