David J Beard

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10781832/publications.pdf

Version: 2024-02-01

51 papers	3,929 citations	24 h-index	214800 47 g-index
52	52	52	4699
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Evaluation of placebo fidelity and trial design methodology in placebo-controlled surgical trials of musculoskeletal conditions: a systematic review. Pain, 2022, 163, 637-651.	4.2	4
2	Minimal important changes and differences were estimated for Oxford hip and knee scores following primary and revision arthroplasty. Journal of Clinical Epidemiology, 2022, 143, 159-168.	5.0	34
3	Revision total knee replacement case-mix at a major revision centre. Journal of Experimental Orthopaedics, 2022, 9, 34.	1.8	3
4	ACL Surgery Necessity in Non-Acute Patients (ACL SNNAP): a statistical analysis plan for a randomised controlled trial. Trials, 2022, 23, 389.	1.6	3
5	Early patient-reported outcomes from primary hip and knee arthroplasty have improved over the past seven years. Bone and Joint Journal, 2022, 104-B, 687-695.	4.4	17
6	Evidence for the validity of a patient-based instrument for assessment of outcome after revision knee arthroplasty. Bone and Joint Journal, 2021, 103-B, 627-634.	4.4	10
7	Phase III Trials of Enhanced Versus Usual Care Physical Therapy for Patients at Risk for Poor Outcome Following Knee Arthroplasty: A Perspective on Meaning and a Way Forward. Physical Therapy, 2021, 101, .	2.4	2
8	Patient-Reported Function and Quality of Life After Revision Total Knee Arthroplasty: An Analysis of 10,727 Patients from the NHS PROMs Program. Journal of Arthroplasty, 2021, 36, 2887-2895.e7.	3.1	21
9	Placebo comparator group selection and use in surgical trials: the ASPIRE project including expert workshop. Health Technology Assessment, 2021, 25, 1-52.	2.8	6
10	Unicompartmental compared with total knee replacement for patients with multimorbidities: a cohort study using propensity score stratification and inverse probability weighting. Health Technology Assessment, 2021, 25, 1-126.	2.8	6
11	Arthroscopic partial meniscectomy for meniscal tears of the knee: a systematic review and meta-analysis. British Journal of Sports Medicine, 2020, 54, 652-663.	6.7	68
12	Anterior cruciate ligament (ACL) reconstruction and meniscal repair rates have both increased in the past 20 years in England: hospital statistics from 1997 to 2017. British Journal of Sports Medicine, 2020, 54, 286-291.	6.7	57
13	Mortality and adverse joint outcomes following septic arthritis of the native knee: a longitudinal cohort study of patients receiving arthroscopic washout. Lancet Infectious Diseases, The, 2020, 20, 341-349.	9.1	39
14	Reporting of key methodological issues in placebo-controlled trials of surgery needs improvement: a systematic review. Journal of Clinical Epidemiology, 2020, 119, 109-116.	5.0	12
15	Targeting rehabilitation to improve outcomes after total knee arthroplasty in patients at risk of poor outcomes: randomised controlled trial. BMJ, The, 2020, 371, m3576.	6.0	33
16	Manipulation Under Anesthetic After Primary Knee Arthroplasty Is Associated With a Higher Rate of Subsequent Revision Surgery. Journal of Arthroplasty, 2020, 35, 2640-2645.e2.	3.1	5
17	Further reflections on TOPKAT and Partial vs. Total Knee Replacement—response to authors. Annals of Translational Medicine, 2020, 8, 730-730.	1.7	0
18	Considerations and methods for placebo controls in surgical trials (ASPIRE guidelines). Lancet, The, 2020, 395, 828-838.	13.7	54

#	Article	IF	CITATIONS
19	The use of patient-reported outcome measures to guide referral for hip and knee arthroplasty. Bone and Joint Journal, 2020, 102-B, 941-949.	4.4	30
20	Varus alignment of the proximal tibia is associated with structural progression in early to moderate varus osteoarthritis of the knee. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 3279-3286.	4.2	19
21	Rates of knee arthroplasty in patients with a history of arthroscopic chondroplasty: results from a retrospective cohort study utilising the National Hospital Episode Statistics for England. BMJ Open, 2020, 10, e030609.	1.9	5
22	Total versus partial knee replacement in patients with medial compartment knee osteoarthritis: the TOPKAT RCT. Health Technology Assessment, 2020, 24, 1-98.	2.8	27
23	Outpatient physiotherapy versus home-based rehabilitation for patients at risk of poor outcomes after knee arthroplasty: CORKA RCT. Health Technology Assessment, 2020, 24, 1-116.	2.8	62
24	The clinical and cost-effectiveness of total versus partial knee replacement in patients with medial compartment osteoarthritis (TOPKAT): 5-year outcomes of a randomised controlled trial. Lancet, The, 2019, 394, 746-756.	13.7	195
25	Rates of knee arthroplasty in anterior cruciate ligament reconstructed patients: a longitudinal cohort study of 111,212 procedures over 20 years. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 568-574.	3.3	11
26	Rates of Adverse Outcomes and Revision Surgery After Anterior Cruciate Ligament Reconstruction: A Study of 104,255 Procedures Using the National Hospital Episode Statistics Database for England, UK. American Journal of Sports Medicine, 2019, 47, 2533-2542.	4.2	27
27	Evidence update: A summary of new evidence to inform treatment decisions for patients with meniscal lesions. Knee, 2019, 26, 521-523.	1.6	0
28	Exploring variation in patient access of post-discharge physiotherapy following total hip and knee arthroplasty under a choice based system in the UK: an observational cohort study. BMJ Open, 2019, 9, e021614.	1.9	11
29	Arthroscopic hip surgery compared with physiotherapy and activity modification for the treatment of symptomatic femoroacetabular impingement: multicentre randomised controlled trial. BMJ: British Medical Journal, 2019, 364, l185.	2.3	186
30	Long-term rates of knee arthroplasty in a cohort of 834 393 patients with a history of arthroscopic partial meniscectomy. Bone and Joint Journal, 2019, 101-B, 1071-1080.	4.4	28
31	The QuinteT Recruitment Intervention supported five randomized trials to recruit to target: a mixed-methods evaluation. Journal of Clinical Epidemiology, 2019, 106, 108-120.	5.0	49
32	Temporal trends and regional variation in the rate of arthroscopic knee surgery in England: analysis of over 1.7 million procedures between 1997 and 2017. Has practice changed in response to new evidence?. British Journal of Sports Medicine, 2019, 53, 1533-1538.	6.7	48
33	Arthroscopic subacromial decompression for subacromial shoulder pain (CSAW): a multicentre, pragmatic, parallel group, placebo-controlled, three-group, randomised surgical trial. Lancet, The, 2018, 391, 329-338.	13.7	343
34	Patch-augmented rotator cuff surgery (PARCS) studyâ€"protocol for a feasibility study. Pilot and Feasibility Studies, 2018, 4, 188.	1.2	7
35	Adverse outcomes after arthroscopic partial meniscectomy: a study of 700â€^000 procedures in the national Hospital Episode Statistics database for England. Lancet, The, 2018, 392, 2194-2202.	13.7	63
36	Can Shoulder Arthroscopy Work? (CSAW) trial – Authors' reply. Lancet, The, 2018, 392, 281-282.	13.7	0

#	Article	IF	CITATIONS
37	Development of a framework to improve the process of recruitment to randomised controlled trials (RCTs): the SEAR (Screened, Eligible, Approached, Randomised) framework. Trials, 2018, 19, 50.	1.6	48
38	The Oxford knee score and its subscales do not exhibit a ceiling or a floor effect in knee arthroplasty patients: an analysis of the National Health Service PROMs data set. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 2736-2742.	4.2	22
39	Methodology for astronaut reconditioning research. Musculoskeletal Science and Practice, 2017, 27, S42-S46.	1.3	4
40	The effect of patient age at intervention on risk of implant revision after total replacement of the hip or knee: a population-based cohort study. Lancet, The, 2017, 389, 1424-1430.	13.7	518
41	Patient-reported outcome measures for patients with meniscal tears: a systematic review of measurement properties and evaluation with the COSMIN checklist. BMJ Open, 2017, 7, e017247.	1.9	23
42	Informed consent in randomised controlled trials: development and preliminary evaluation of a measure of Participatory and Informed Consent (PIC). Trials, 2017, 18, 327.	1.6	9
43	Feasibility of surgical randomised controlled trials with a placebo arm: a systematic review. BMJ Open, 2016, 6, e010194.	1.9	51
44	Floor and ceiling effects in the OHS: <i>an analysis of the NHS PROMs data set</i> . BMJ Open, 2015, 5, e007765.	1.9	201
45	Variations In Good Patient Reported Outcomes After Total Knee Arthroplasty. Journal of Arthroplasty, 2015, 30, 1364-1371.	3.1	32
46	Meaningful changes for the Oxford hip and knee scores after joint replacement surgery. Journal of Clinical Epidemiology, 2015, 68, 73-79.	5.0	334
47	Clinical effectiveness and cost-effectiveness of open and arthroscopic rotator cuff repair [the UK Rotator Cuff Surgery (UKUFF) randomised trial]. Health Technology Assessment, 2015, 19, 1-218.	2.8	104
48	Use of placebo controls in the evaluation of surgery: systematic review. BMJ, The, 2014, 348, g3253-g3253.	6.0	209
49	Attitudes and Beliefs about Placebo Surgery among Orthopedic Shoulder Surgeons in the United Kingdom. PLoS ONE, 2014, 9, e91699.	2.5	23
50	Knee replacement. Lancet, The, 2012, 379, 1331-1340.	13.7	860
51	Serious adverse event rates and reoperation after arthroscopic shoulder surgery: population based cohort study. BMJ, The, 0, , e069901.	6.0	6