

Hang Yuan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10792044/publications.pdf>

Version: 2024-02-01

38
papers

2,849
citations

331670

21
h-index

330143

37
g-index

38
all docs

38
docs citations

38
times ranked

4011
citing authors

#	ARTICLE	IF	CITATIONS
1	ROCK Inhibitor and Feeder Cells Induce the Conditional Reprogramming of Epithelial Cells. <i>American Journal of Pathology</i> , 2012, 180, 599-607.	3.8	646
2	Conditional reprogramming and long-term expansion of normal and tumor cells from human biospecimens. <i>Nature Protocols</i> , 2017, 12, 439-451.	12.0	253
3	Conditionally reprogrammed cells represent a stem-like state of adult epithelial cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 20035-20040.	7.1	252
4	Human papillomavirus E6 and Myc proteins associate <i>in vivo</i> and bind to and cooperatively activate the telomerase reverse transcriptase promoter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 8211-8216.	7.1	224
5	Use of Reprogrammed Cells to Identify Therapy for Respiratory Papillomatosis. <i>New England Journal of Medicine</i> , 2012, 367, 1220-1227.	27.0	153
6	Dihydroartemisinin Is Cytotoxic to Papillomavirus-Expressing Epithelial Cells <i>In vitro</i> and <i>In vivo</i> . <i>Cancer Research</i> , 2005, 65, 10854-10861.	0.9	147
7	Activation of the Canonical Wnt Pathway during Genital Keratinocyte Transformation: A Model for Cervical Cancer Progression. <i>Cancer Research</i> , 2005, 65, 6199-6206.	0.9	131
8	Immunization with a Pentameric L1 Fusion Protein Protects against Papillomavirus Infection. <i>Journal of Virology</i> , 2001, 75, 7848-7853.	3.4	130
9	The E6AP Ubiquitin Ligase Is Required for Transactivation of the hTERT Promoter by the Human Papillomavirus E6 Oncoprotein. <i>Journal of Biological Chemistry</i> , 2005, 280, 10807-10816.	3.4	99
10	Severe Papillomavirus Infection Progressing to Metastatic Squamous Cell Carcinoma in Bone Marrow-Transplanted X-Linked SCID Dogs. <i>Journal of Virology</i> , 2006, 80, 6621-6628.	3.4	87
11	Simian Virus 40 Small Tumor Antigen Activates AKT and Telomerase and Induces Anchorage-Independent Growth of Human Epithelial Cells. <i>Journal of Virology</i> , 2002, 76, 10685-10691.	3.4	81
12	Inhibition of Host RNA Polymerase II-Dependent Transcription by Vesicular Stomatitis Virus Results from Inactivation of TFIID. <i>Virology</i> , 1998, 251, 383-392.	2.4	64
13	An epidermotropic canine papillomavirus with malignant potential contains an E5 gene and establishes a unique genus. <i>Virology</i> , 2007, 359, 28-36.	2.4	60
14	Conditional Reprogramming for Patient-Derived Cancer Models and Next-Generation Living Biobanks. <i>Cells</i> , 2019, 8, 1327.	4.1	59
15	Conditionally reprogrammed normal and primary tumor prostate epithelial cells: a novel patient-derived cell model for studies of human prostate cancer. <i>Oncotarget</i> , 2017, 8, 22741-22758.	1.8	51
16	Myc and Human Papillomavirus Type 16 E7 Genes Cooperate To immortalize Human Keratinocytes. <i>Journal of Virology</i> , 2007, 81, 12689-12695.	3.4	44
17	The Canine Papillomavirus and Gamma HPV E7 Proteins Use an Alternative Domain to Bind and Destabilize the Retinoblastoma Protein. <i>PLoS Pathogens</i> , 2010, 6, e1001089.	4.7	39
18	Inhibition of Host Transcription by Vesicular Stomatitis Virus Involves a Novel Mechanism That Is Independent of Phosphorylation of TATA-Binding Protein (TBP) or Association of TBP with TBP-Associated Factor Subunits. <i>Journal of Virology</i> , 2001, 75, 4453-4458.	3.4	38

#	ARTICLE	IF	CITATIONS
19	HPV positive neuroendocrine cervical cancer cells are dependent on Myc but not E6/E7 viral oncogenes. <i>Scientific Reports</i> , 2017, 7, 45617.	3.3	38
20	Characterization of HPV16 L1 loop domains in the formation of a type-specific, conformational epitope. <i>BMC Microbiology</i> , 2004, 4, 29.	3.3	25
21	Complete Genome Sequence of Canine Papillomavirus Type 9. <i>Journal of Virology</i> , 2012, 86, 5966-5966.	3.4	22
22	Genomic Sequence of Canine Papillomavirus 19. <i>Genome Announcements</i> , 2016, 4, .	0.8	21
23	Generalized papillomatosis in three horses associated with a novel equine papillomavirus (Ec<scp>PV</scp>8). <i>Veterinary Dermatology</i> , 2018, 29, 72.	1.2	21
24	Viral genome integration of canine papillomavirus 16. <i>Papillomavirus Research (Amsterdam,)</i> Tj ETQq0 0 0 rgBT /Overlock 10 Jf 50 542 1	4.5	21
25	High-throughput screening identifies candidate drugs for the treatment of recurrent respiratory papillomatosis. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2019, 8, 100181.	4.5	18
26	Long-term expansion of primary equine keratinocytes that maintain the ability to differentiate into stratified epidermis. <i>Stem Cell Research and Therapy</i> , 2018, 9, 181.	5.5	17
27	Complete Genome Sequence of Canine Papillomavirus Type 16. <i>Genome Announcements</i> , 2015, 3, .	0.8	16
28	Keratinocyte Antiviral Response to Poly(dA:dT) Stimulation and Papillomavirus Infection in a Canine Model of X-Linked Severe Combined Immunodeficiency. <i>PLoS ONE</i> , 2014, 9, e102033.	2.5	15
29	Canine keratinocytes upregulate type I interferons and proinflammatory cytokines in response to poly(dA:dT) but not to canine papillomavirus. <i>Veterinary Immunology and Immunopathology</i> , 2013, 153, 177-186.	1.2	14
30	Complete Genome Sequence of Canine Papillomavirus Type 10. <i>Journal of Virology</i> , 2012, 86, 11407-11407.	3.4	13
31	Complete Genome Sequence of Canine Papillomavirus Virus Type 12. <i>Genome Announcements</i> , 2015, 3, .	0.8	13
32	The Canine Papillomavirus E5 Protein Signals from the Endoplasmic Reticulum. <i>Journal of Virology</i> , 2009, 83, 12833-12841.	3.4	12
33	Complete Genome Sequence of Canine Papillomavirus Type 11. <i>Genome Announcements</i> , 2014, 2, .	0.8	10
34	Divergent Human Papillomavirus Associated with Recurrent Respiratory Papillomatosis with Lung Involvement. <i>Genome Announcements</i> , 2013, 1, .	0.8	6
35	Multimodal treatment of a dog with disseminated cutaneous viral papillomatosis. <i>Veterinary Dermatology</i> , 2018, 29, 78-e31.	1.2	5
36	Abrogation of Constitutive and Induced Type I and Type III Interferons and Interferon-Stimulated Genes in Keratinocytes by Canine Papillomavirus 2 E6 and E7. <i>Viruses</i> , 2020, 12, 677.	3.3	2

#	ARTICLE	IF	CITATIONS
37	Canine Papillomavirus 2 E6 Does Not Interfere With UVB-Induced Upregulation of p53 and p53-Regulated Genes. <i>Frontiers in Veterinary Science</i> , 2021, 8, 570982.	2.2	2
38	Management of severe, progressive oral papillomatosis in a dog with CO ₂ laser ablation and canine papilloma virus L1 immunisation. <i>Veterinary Record Case Reports</i> , 0, , e168.	0.2	0