
F Gerard Moeller

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10797457/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Geostatistical modeling of positiveâ€definite matrices: An application to diffusion tensor imaging. Biometrics, 2022, 78, 548-559.	1.4	1
2	A serotonergic biobehavioral signature differentiates cocaine use disorder participants administered mirtazapine. Translational Psychiatry, 2022, 12, 187.	4.8	1
3	Attentional function and inhibitory control in different substance use disorders. Psychiatry Research, 2022, 313, 114591.	3.3	2
4	Sex Specific Sleep Parameters Among People With Substance Use Disorder. Frontiers in Psychiatry, 2022, 13, .	2.6	2
5	Resting-State Directional Connectivity and Anxiety and Depression Symptoms in Adult Cannabis Users. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2021, 6, 545-555.	1.5	8
6	Blunted prefrontal signature of proactive inhibitory control in cocaine use disorder. Drug and Alcohol Dependence, 2021, 218, 108402.	3.2	7
7	Clinical features and outcomes between African American and Caucasian patients with Takotsubo Syndrome. Minerva Cardiology and Angiology, 2021, 69, 750-759.	0.7	0
8	Development and Feasibility Study of an Addictionâ€Focused Phenotyping Assessment Battery. American Journal on Addictions, 2021, 30, 398-405.	1.4	21
9	Social Information Processing in Substance Use Disorders: Insights From an Emotional Go-Nogo Task. Frontiers in Psychiatry, 2021, 12, 672488.	2.6	Ο
10	Exploring the relationship between white matter integrity, cocaine use and GAD polymorphisms using Bayesian Model Averaging. PLoS ONE, 2021, 16, e0254776.	2.5	3
11	Safety and Preliminary Efficacy of Lorcaserin for Cocaine Use Disorder: A Phase I Randomized Clinical Trial. Frontiers in Psychiatry, 2021, 12, 666945.	2.6	14
12	The effects of combination levodopa-ropinirole on cognitive improvement and treatment outcome in individuals with cocaine use disorder: A bayesian mediation analysis. Drug and Alcohol Dependence, 2021, 225, 108800.	3.2	3
13	Citalopram for treatment of cocaine use disorder: A Bayesian drop-the-loser randomized clinical trial. Drug and Alcohol Dependence, 2021, 228, 109054.	3.2	7
14	Clinical features and outcomes between African American and Caucasian patients with Takotsubo Syndrome. Minerva Cardiology and Angiology, 2021, 69, 750-759.	0.7	3
15	Altered Effective Connectivity of Central Autonomic Network in Response to Negative Facial Expression in Adults With Cannabis Use Disorder. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2020, 5, 84-96.	1.5	8
16	Heart Rate Variability as a Link Between Brain-Elicited Substance Cues and Substance Use Severity. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2020, 5, 560-561.	1.5	0
17	Suppression of cocaine relapse-like behaviors upon pimavanserin and lorcaserin co-administration. Neuropharmacology, 2020, 168, 108009.	4.1	18
18	Methylation Patterns of the HTR2A Associate With Relapse-Related Behaviors in Cocaine-Dependent Participants. Frontiers in Psychiatry, 2020, 11, 532.	2.6	8

#	Article	IF	CITATIONS
19	Neurocognitive and Psychiatric Markers for Addiction: Common vs. Specific Endophenotypes for Heroin and Amphetamine Dependence. Current Topics in Medicinal Chemistry, 2020, 20, 585-597.	2.1	14
20	Serotonin 5-HT2C Receptor Cys23Ser Single Nucleotide Polymorphism Associates with Receptor Function and Localization In Vitro. Scientific Reports, 2019, 9, 16737.	3.3	4
21	Cingulo-hippocampal effective connectivity positively correlates with drug-cue attentional bias in opioid use disorder. Psychiatry Research - Neuroimaging, 2019, 294, 110977.	1.8	5
22	Cannabis Use as a Risk Factor for Takotsubo (Stress) Cardiomyopathy: Exploring the Evidence from Brain-Heart Link. Current Cardiology Reports, 2019, 21, 121.	2.9	9
23	Measures of possible allostatic load in comorbid cocaine and alcohol use disorder: Brain white matter integrity, telomere length, and anti-saccade performance. PLoS ONE, 2019, 14, e0199729.	2.5	17
24	Regional differences in white matter integrity in stimulant use disorders: A meta-analysis of diffusion tensor imaging studies. Drug and Alcohol Dependence, 2019, 201, 29-37.	3.2	27
25	Convergent neural connectivity in motor impulsivity and high-fat food binge-like eating in male Sprague-Dawley rats. Neuropsychopharmacology, 2019, 44, 1752-1761.	5.4	27
26	The 5-HT _{2A} Receptor (5-HT _{2A} R) Regulates Impulsive Action and Cocaine Cue Reactivity in Male Sprague-Dawley Rats. Journal of Pharmacology and Experimental Therapeutics, 2019, 368, 41-49.	2.5	26
27	Altered anterior cingulate cortex to hippocampus effective connectivity in response to drug cues in men with cocaine use disorder. Psychiatry Research - Neuroimaging, 2018, 271, 59-66.	1.8	17
28	Innovative Therapeutic Intervention For Opioid Use Disorder. Neuropsychopharmacology, 2018, 43, 220-221.	5.4	5
29	Stress Cardiomyopathy Diagnosis andÂTreatment. Journal of the American College of Cardiology, 2018, 72, 1955-1971.	2.8	355
30	Impulsivity and decision making in older and younger cocaineâ€dependent participants: A preliminary study. American Journal on Addictions, 2018, 27, 557-559.	1.4	5
31	Rapid Separation and Quantitation of Cocaine and its Metabolites in Human Serum by Differential Mobility Spectrometry–tandem Mass Spectrometry (DMS–MS-MS). Journal of Analytical Toxicology, 2018, 42, 518-524.	2.8	9
32	Future Directions Incorporating Novel Medications to Reduce Repeat Overdose. Current Treatment Options in Psychiatry, 2018, 5, 313-322.	1.9	0
33	Fronto-striatal effective connectivity of working memory in adults with cannabis use disorder. Psychiatry Research - Neuroimaging, 2018, 278, 21-34.	1.8	22
34	Lorcaserin Suppresses Oxycodone Self-Administration and Relapse Vulnerability in Rats. ACS Chemical Neuroscience, 2017, 8, 1065-1073.	3.5	83
35	A preliminary longitudinal study of white matter alteration in cocaine use disorder subjects. Drug and Alcohol Dependence, 2017, 173, 39-46.	3.2	18
36	PPARâ€gamma agonist pioglitazone modifies craving intensity and brain white matter integrity in patients with primary cocaine use disorder: a doubleâ€blind randomized controlled pilot trial. Addiction, 2017, 112, 1861-1868.	3.3	58

#	Article	IF	CITATIONS
37	Rapid-Response Impulsivity Predicts Depression and Posttraumatic Stress Disorder Symptomatology at 1-Year Follow-Up in Blast-Exposed Service Members. Archives of Physical Medicine and Rehabilitation, 2017, 98, 1646-1651.e1.	0.9	6
38	Lack of soluble circulating cardiodepressant factors in takotsubo cardiomyopathy. Autonomic Neuroscience: Basic and Clinical, 2017, 208, 170-172.	2.8	11
39	Drop-The-Loser: A practical bayesian adaptive design for a clinical trial of citalopram for cocaine use disorder. Clinical Research and Trials, 2017, 3, .	0.1	1
40	Laboratory impulsivity and depression in blast-exposed military personnel with post-concussion syndrome. Psychiatry Research, 2016, 246, 321-325.	3.3	10
41	Integrative Bayesian analysis of neuroimaging-genetic data with application to cocaine dependence. NeuroImage, 2016, 125, 813-824.	4.2	13
42	Measures of outcome for stimulant trials: ACTTION recommendations and research agenda. Drug and Alcohol Dependence, 2016, 158, 1-7.	3.2	49
43	Bradycardia as a Marker of Chronic Cocaine Use: A Novel Cardiovascular Finding. Behavioral Medicine, 2016, 42, 1-8.	1.9	14
44	Effects of caffeine and its metabolite paraxanthine on intracranial self-stimulation in male rats Experimental and Clinical Psychopharmacology, 2015, 23, 71-80.	1.8	8
45	Rapid-response impulsivity: Definitions, measurement issues, and clinical implications Personality Disorders: Theory, Research, and Treatment, 2015, 6, 168-181.	1.3	124
46	Individual Differences in Impulsive Action Reflect Variation in the Cortical Serotonin 5-HT2A Receptor System. Neuropsychopharmacology, 2015, 40, 1957-1968.	5.4	47
47	Evaluation of the dopamine β-hydroxylase (DβH) inhibitor nepicastat in participants who meet criteria for cocaine use disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2015, 59, 40-48.	4.8	18
48	Altered white matter in cocaine-dependent subjects with traumatic brain injury: A diffusion tensor imaging study. Drug and Alcohol Dependence, 2015, 151, 128-134.	3.2	13
49	Serotonin (5-HT) 5-HT _{2A} Receptor (5-HT _{2A} R):5-HT _{2C} R Imbalance in Medial Prefrontal Cortex Associates with Motor Impulsivity. ACS Chemical Neuroscience, 2015, 6, 1248-1258.	3.5	73
50	Neural correlates of impulsive aggressive behavior in subjects with a history of alcohol dependence Behavioral Neuroscience, 2015, 129, 183-196.	1.2	37
51	Anti-saccade error rates as a measure of attentional bias in cocaine dependent subjects. Behavioural Brain Research, 2015, 292, 493-499.	2.2	23
52	Choice impulsivity: Definitions, measurement issues, and clinical implications Personality Disorders: Theory, Research, and Treatment, 2015, 6, 182-198.	1.3	202
53	Effect of cocaine dependence on brain connections: clinical implications. Expert Review of Neurotherapeutics, 2015, 15, 1307-1319.	2.8	26
54	Effects of Intranasal Oxytocin on Aggressive Responding in Antisocial Personality Disorder. Psychological Record, 2015, 65, 691-703.	0.9	27

#	Article	IF	CITATIONS
55	Inhibitory behavioral control: A stochastic dynamic causal modeling study comparing cocaine dependent subjects and controls. NeuroImage: Clinical, 2015, 7, 837-847.	2.7	37
56	Inhibitory Behavioral Control: A Stochastic Dynamic Causal Modeling Study Using Network Discovery Analysis. Brain Connectivity, 2015, 5, 177-186.	1.7	15
57	Trait impulsivity and increased pre-attentional sensitivity to intense stimuli in bipolar disorder and controls. Journal of Psychiatric Research, 2015, 60, 73-80.	3.1	5
58	Comparison of Caffeine and d-amphetamine in Cocaine-Dependent Subjects: Differential Outcomes on Subjective and Cardiovascular Effects, Reward Learning, and Salivary Paraxanthine. Journal of Addiction Research & Therapy, 2014, 05, 176.	0.2	11
59	New developments in human neurocognition: clinical, genetic, and brain imaging correlates of impulsivity and compulsivity. CNS Spectrums, 2014, 19, 69-89.	1.2	394
60	Biomarkers for the Development of New Medications for Cocaine Dependence. Neuropsychopharmacology, 2014, 39, 202-219.	5.4	34
61	Chronic cocaine administration causes extensive white matter damage in brain: Diffusion tensor imaging and immunohistochemistry studies. Psychiatry Research - Neuroimaging, 2014, 221, 220-230.	1.8	40
62	Heroin and amphetamine users display opposite relationships between trait and neurobehavioral dimensions of impulsivity. Addictive Behaviors, 2014, 39, 652-659.	3.0	26
63	Functional Status of the Serotonin 5-HT2C Receptor (5-HT2CR) Drives Interlocked Phenotypes that Precipitate Relapse-Like Behaviors in Cocaine Dependence. Neuropsychopharmacology, 2014, 39, 360-372.	5.4	67
64	Personality traits and vulnerability or resilience to substance use disorders. Trends in Cognitive Sciences, 2014, 18, 211-217.	7.8	126
65	DTI-based segmentation and quantification of human brain lateral ventricular CSF volumetry and mean diffusivity: Validation, age, gender effects and biophysical implications. Magnetic Resonance Imaging, 2014, 32, 405-412.	1.8	24
66	A two-phased screening paradigm for evaluating candidate medications for cocaine cessation or relapse prevention: Modafinil, levodopa–carbidopa, naltrexone. Drug and Alcohol Dependence, 2014, 136, 100-107.	3.2	48
67	Stochastic dynamic causal modeling of working memory connections in cocaine dependence. Human Brain Mapping, 2014, 35, 760-778.	3.6	29
68	Antisocial personality disorder and borderline symptoms are differentially related to impulsivity and course of illness in bipolar disorder. Journal of Affective Disorders, 2013, 148, 384-390.	4.1	27
69	Pre-attentive information processing and impulsivity in bipolar disorder. Journal of Psychiatric Research, 2013, 47, 1917-1924.	3.1	22
70	Psychostimulant pharmacological profile of paraxanthine, the main metabolite of caffeine in humans. Neuropharmacology, 2013, 67, 476-484.	4.1	64
71	Norepinephrine and impulsivity: effects of acute yohimbine. Psychopharmacology, 2013, 229, 83-94.	3.1	54
72	The role of cortisol and psychopathy in the cycle of violence. Psychopharmacology, 2013, 227, 661-672.	3.1	31

#	Article	IF	CITATIONS
73	Synergism Between a Serotonin 5-HT2AReceptor (5-HT2AR) Antagonist and 5-HT2CR Agonist Suggests New Pharmacotherapeutics for Cocaine Addiction. ACS Chemical Neuroscience, 2013, 4, 110-121.	3.5	82
74	Aggression, Impulsivity, and Psychopathic Traits in Combined Antisocial Personality Disorder and Substance Use Disorder. Journal of Neuropsychiatry and Clinical Neurosciences, 2013, 25, 229-232.	1.8	44
75	Effects of escitalopram on attentional bias to cocaine-related stimuli and inhibitory control in cocaine-dependent subjects. Journal of Psychopharmacology, 2013, 27, 801-807.	4.0	10
76	Chronic tiagabine administration and aggressive responding in individuals with a history of substance abuse and antisocial behavior. Journal of Psychopharmacology, 2012, 26, 982-993.	4.0	6
77	Increased intra-individual reaction time variability in cocaine-dependent subjects: Role of cocaine-related cues. Addictive Behaviors, 2012, 37, 193-197.	3.0	20
78	Increased Orbitofrontal Brain Activation after Administration of a Selective Adenosine A2A Antagonist in Cocaine Dependent Subjects. Frontiers in Psychiatry, 2012, 3, 44.	2.6	21
79	Forced Abstinence from Cocaine Self-Administration is Associated with DNA Methylation Changes in Myelin Genes in the Corpus Callosum: a Preliminary Study. Frontiers in Psychiatry, 2012, 3, 60.	2.6	29
80	Combination of Modafinil and d-amphetamine for the Treatment of Cocaine Dependence: A Preliminary Investigation. Frontiers in Psychiatry, 2012, 3, 77.	2.6	53
81	The Influence of Baseline Marijuana Use on Treatment of Cocaine Dependence: Application of an Informative-Priors Bayesian Approach. Frontiers in Psychiatry, 2012, 3, 92.	2.6	6
82	Working memory load modulation of parietoâ€frontal connections: Evidence from dynamic causal modeling. Human Brain Mapping, 2012, 33, 1850-1867.	3.6	81
83	Differential relationships of impulsivity or antisocial symptoms on P50, N100, orÂP200 auditory sensory gating in controls and antisocial personality disorder. Journal of Psychiatric Research, 2012, 46, 743-750.	3.1	28
84	Neuropsychiatry of Aggression. Neurologic Clinics, 2011, 29, 49-64.	1.8	41
85	Selective serotonin 5-HT2C receptor activation suppresses the reinforcing efficacy of cocaine and sucrose but differentially affects the incentive-salience value of cocaine- vs. sucrose-associated cues. Neuropharmacology, 2011, 61, 513-523.	4.1	95
86	Criminal conviction, impulsivity, and course of illness in bipolar disorder. Bipolar Disorders, 2011, 13, 173-181.	1.9	36
87	Interacting mechanisms of impulsivity in bipolar disorder and antisocial personality disorder. Journal of Psychiatric Research, 2011, 45, 1477-1482.	3.1	22
88	Relationship between attentional bias to cocaine-related stimuli and impulsivity in cocaine-dependent subjects. American Journal of Drug and Alcohol Abuse, 2011, 37, 117-122.	2.1	69
89	Contingency management and levodopa-carbidopa for cocaine treatment: A comparison of three behavioral targets Experimental and Clinical Psychopharmacology, 2010, 18, 238-244.	1.8	29
90	Zolmitriptan and human aggression: interaction with alcohol. Psychopharmacology, 2010, 210, 521-531.	3.1	25

#	Article	IF	CITATIONS
91	Working memory fMRI activation in cocaine-dependent subjects: Association with treatment response. Psychiatry Research - Neuroimaging, 2010, 181, 174-182.	1.8	86
92	Effect of cocaine on structural changes in brain: MRI volumetry using tensor-based morphometry. Drug and Alcohol Dependence, 2010, 111, 191-199.	3.2	40
93	Relationship between impulsivity and decision making in cocaine dependence. Psychiatry Research, 2010, 178, 299-304.	3.3	94
94	The Role of Age, Gender, Education, and Intelligence in P50, N100, and P200 Auditory Sensory Gating. Journal of Psychophysiology, 2009, 23, 52-62.	0.7	49
95	Acute topiramate differentially affects human aggressive responding at low vs. moderate doses in subjects with histories of substance abuse and antisocial behavior. Pharmacology Biochemistry and Behavior, 2009, 92, 357-362.	2.9	18
96	Diffusion tensor imaging of cocaine-treated rodents. Psychiatry Research - Neuroimaging, 2009, 171, 242-251.	1.8	35
97	Trait impulsivity and response inhibition in antisocial personality disorder. Journal of Psychiatric Research, 2009, 43, 1057-1063.	3.1	140
98	Severity of bipolar disorder is associated with impairment of response inhibition. Journal of Affective Disorders, 2009, 116, 30-36.	4.1	80
99	Increased traitâ€like impulsivity and course of illness in bipolar disorder. Bipolar Disorders, 2009, 11, 280-288.	1.9	186
100	P50, N100, and P200 sensory gating: Relationships with behavioral inhibition, attention, and working memory. Psychophysiology, 2009, 46, 1059-1068.	2.4	259
101	Diffusion tensor imaging in cocaine dependence: Regional effects of cocaine on corpus callosum and effect of cocaine administration route. Drug and Alcohol Dependence, 2009, 104, 262-267.	3.2	70
102	Diminished P50, N100 and P200 auditory sensory gating in bipolar I disorder. Psychiatry Research, 2009, 167, 191-201.	3.3	56
103	Baseline Neurocognitive Profiles Differentiate Abstainers and Non-Abstainers in a Cocaine Clinical Trial. Journal of Addictive Diseases, 2009, 28, 250-257.	1.3	35
104	A Pilot Study Revealing Impaired P50 Gating in Antisocial Personality Disorder. Journal of Neuropsychiatry and Clinical Neurosciences, 2009, 21, 328-331.	1.8	18
105	High-Dose Naltrexone Therapy for Cocaine-Alcohol Dependence. American Journal on Addictions, 2009, 18, 356-362.	1.4	36
106	Comparison of 50- and 100-g l-tryptophan depletion and loading formulations for altering 5-HT synthesis: pharmacokinetics, side effects, and mood states. Psychopharmacology, 2008, 198, 431-445.	3.1	36
107	Use of stimulants to treat cocaine and methamphetamine abuse. Current Psychiatry Reports, 2008, 10, 385-391.	4.5	22
108	Impulsivity: Differential relationship to depression and mania in bipolar disorder. Journal of Affective Disorders, 2008, 106, 241-248.	4.1	182

#	Article	IF	CITATIONS
109	Levodopa pharmacotherapy for cocaine dependence: Choosing the optimal behavioral therapy platform. Drug and Alcohol Dependence, 2008, 94, 142-150.	3.2	112
110	Citalopram Combined with Behavioral Therapy Reduces Cocaine Use: A Double-Blind, Placebo-Controlled Trial. American Journal of Drug and Alcohol Abuse, 2007, 33, 367-378.	2.1	92
111	Behavioral Impulsivity in Adolescents With Conduct Disorder Who Use Marijuana. Addictive Disorders and Their Treatment, 2007, 6, 43-50.	0.5	7
112	Performance of Cocaine Dependent Individuals and Controls on a Response Inhibition Task with Varying Levels of Difficulty. American Journal of Drug and Alcohol Abuse, 2007, 33, 717-726.	2.1	74
113	Safety, tolerability and efficacy of levodopa–carbidopa treatment for cocaine dependence: Two double-blind, randomized, clinical trials. Drug and Alcohol Dependence, 2007, 88, 214-223.	3.2	40
114	Diffusion Tensor Imaging in MDMA Users and Controls: Association with Decision Making. American Journal of Drug and Alcohol Abuse, 2007, 33, 777-789.	2.1	38
115	Manic symptoms and impulsivity during bipolar depressive episodes. Bipolar Disorders, 2007, 9, 206-212.	1.9	129
116	Diffusion tensor imaging eigenvalues: Preliminary evidence for altered myelin in cocaine dependence. Psychiatry Research - Neuroimaging, 2007, 154, 253-258.	1.8	71
117	Gender Differences Among MDMA Users on Psychological and Drug History Variables. Addictive Disorders and Their Treatment, 2005, 4, 43-48.	0.5	6
118	Increased Impulsivity Associated With Severity of Suicide Attempt History in Patients With Bipolar Disorder. American Journal of Psychiatry, 2005, 162, 1680-1687.	7.2	349
119	Acute Yohimbine Increases Laboratory-Measured Impulsivity in Normal Subjects. Biological Psychiatry, 2005, 57, 1209-1211.	1.3	68
120	Agonist-Like or Antagonist-Like Treatment for Cocaine Dependence with Methadone for Heroin Dependence: Two Double-Blind Randomized Clinical Trials. Neuropsychopharmacology, 2004, 29, 969-981.	5.4	174
121	P300 Event-Related Potential Amplitude and Impulsivity in Cocaine-Dependent Subjects. Neuropsychobiology, 2004, 50, 167-173.	1.9	89
122	Impulsivity: a link between bipolar disorder and substance abuse. Bipolar Disorders, 2004, 6, 204-212.	1.9	235
123	Laboratory Measured Behavioral Impulsivity Relates to Suicide Attempt History. Suicide and Life-Threatening Behavior, 2004, 34, 374-385.	1.9	152
124	Functional MRI study of working memory in MDMA users. Psychopharmacology, 2004, 177, 185-194.	3.1	55
125	Suicidal behaviors and drug abuse: impulsivity and its assessment. Drug and Alcohol Dependence, 2004, 76, S93-S105.	3.2	69
126	Impulsivity and phase of illness in bipolar disorder. Journal of Affective Disorders, 2003, 73, 105-111.	4.1	242

#	Article	IF	CITATIONS
127	Behavioral impulsivity paradigms: a comparison in hospitalized adolescents with disruptive behavior disorders. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2003, 44, 1145-1157.	5.2	135
128	Familial Transmission of Continuous Performance Test Behavior: Attentional and Impulsive Response Characteristics. Journal of General Psychology, 2003, 130, 5-21.	2.8	34
129	Commission Error Rates on a Continuous Performance Test Are Related to Deficits Measured by the Benton Visual Retention Test. Assessment, 2003, 10, 3-12.	3.1	13
130	Validation of the Immediate and Delayed Memory Tasks in Hospitalized Adolescents with Disruptive Behavior Disorders. Psychological Record, 2003, 53, 509-532.	0.9	30
131	Heavy "Ecstasy―Use Is Associated With Increased Impulsivity. Addictive Disorders and Their Treatment, 2002, 1, 47-52.	0.5	19
132	Laboratory Measures of Impulsivity: A Comparison of Women with or Without Childhood Aggression. Psychological Record, 2002, 52, 289-303.	0.9	22
133	Impulsivity and Substance Abuse: What Is the Connection?. Addictive Disorders and Their Treatment, 2002, 1, 3-10.	0.5	113
134	Increased impulsivity in cocaine dependent subjects independent of antisocial personality disorder and aggression. Drug and Alcohol Dependence, 2002, 68, 105-111.	3.2	219
135	Two models of impulsivity: relationship to personality traits and psychopathology. Biological Psychiatry, 2002, 51, 988-994.	1.3	290
136	Laboratory-Measured Aggressive Behavior of Women Acute Tryptophan Depletion and Augmentation. Neuropsychopharmacology, 2002, 26, 660-671.	5.4	69
137	Serotonin 2a receptor T102C polymorphism and impaired impulse control. American Journal of Medical Genetics Part A, 2002, 114, 336-339.	2.4	73
138	Psychiatric Aspects of Impulsivity. American Journal of Psychiatry, 2001, 158, 1783-1793.	7.2	2,060
139	Dextroamphetamine for Cocaine-Dependence Treatment: A Double-Blind Randomized Clinical Trial. Journal of Clinical Psychopharmacology, 2001, 21, 522-526.	1.4	223
140	A Comparison Between Adults With Conduct Disorder And Normal Controls on a Continuous Performance Test: Differences in Impulsive Response Characteristics. Psychological Record, 2000, 50, 203-219.	0.9	74
141	Laboratory and questionnaire measures of aggression among female parolees with violent or nonviolent histories. Aggressive Behavior, 2000, 26, 291-307.	2.4	30
142	Effects of Moderate and High Doses of Alcohol on Attention, Impulsivity, Discriminability, and Response Bias in Immediate and Delayed Memory Task Performance. Alcoholism: Clinical and Experimental Research, 2000, 24, 1702-1711.	2.4	100
143	Alcohol Increases Commission Error Rates for a Continuous Performance Test. Alcoholism: Clinical and Experimental Research, 1999, 23, 1342-1351.	2.4	83
144	The effects of tryptophan depletion and loading on laboratory aggression in men: time course and a food-restricted control. Psychopharmacology, 1999, 142, 24-30.	3.1	114

#	Article	IF	CITATIONS
145	Prolactin response to buspirone was reduced in violent compared to nonviolent parolees. Psychopharmacology, 1999, 142, 144-148.	3.1	22
146	Plasma L-Tryptophan Depletion and Aggression. Advances in Experimental Medicine and Biology, 1999, 467, 57-65.	1.6	32
147	Antisocial Personality Disorder and Alcoholâ€Induced Aggression. Alcoholism: Clinical and Experimental Research, 1998, 22, 1898-1902.	2.4	62
148	Antisocial Personality Disorder and Alcohol-Induced Aggression. Alcoholism: Clinical and Experimental Research, 1998, 22, 1898.	2.4	18
149	Studies of violent and nonviolent male parolees: I. Laboratory and psychometric measurements of aggression. Biological Psychiatry, 1997, 41, 514-522.	1.3	157
150	Studies of violent and nonviolent male parolees: II. Laboratory and psychometric measurements of impulsivity. Biological Psychiatry, 1997, 41, 523-529.	1.3	162
151	Subjects with a history of drug dependence are more aggressive than subjects with no drug use history. Drug and Alcohol Dependence, 1997, 46, 95-103.	3.2	58
152	Laboratory measures of aggressive responding in male parolees with violent and nonviolent histories. Aggressive Behavior, 1996, 22, 27-36.	2.4	74
153	Pharmacotherapy of Clinical Aggression in Individuals with Psychopathic Disorders. , 0, , 397-416.		2