

Ray A Bressan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10800488/publications.pdf>

Version: 2024-02-01

202
papers

26,387
citations

4388

86
h-index

6471

157
g-index

209
all docs

209
docs citations

209
times ranked

18636
citing authors

#	ARTICLE	IF	CITATIONS
1	PLANTCELLULAR ANDMOLECULARRESPONSES TOHIGHSALINITY. Annual Review of Plant Biology, 2000, 51, 463-499.	14.3	3,766
2	Abscisic acid dynamics, signaling, and functions in plants. Journal of Integrative Plant Biology, 2020, 62, 25-54.	8.5	771
3	SIZ1-Mediated Sumoylation of ICE1 Controls CBF3/DREB1A Expression and Freezing Tolerance in Arabidopsis. Plant Cell, 2007, 19, 1403-1414.	6.6	652
4	The Arabidopsis SUMO E3 ligase SIZ1 controls phosphate deficiency responses. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 7760-7765.	7.1	556
5	The Salt Overly Sensitive (SOS) Pathway: Established and Emerging Roles. Molecular Plant, 2013, 6, 275-286.	8.3	528
6	ABA receptor PYL9 promotes drought resistance and leaf senescence. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 1949-1954.	7.1	508
7	Differential expression and function of Arabidopsis thaliana NHX Na ⁺ /H ⁺ antiporters in the salt stress response. Plant Journal, 2002, 30, 529-539.	5.7	491
8	Salt Cress. A Halophyte and Cryophyte Arabidopsis Relative Model System and Its Applicability to Molecular Genetic Analyses of Growth and Development of Extremophiles. Plant Physiology, 2004, 135, 1718-1737.	4.8	447
9	Characterization of Osmotin. Plant Physiology, 1987, 85, 529-536.	4.8	446
10	Regulation of protease inhibitors and plant defense. Trends in Plant Science, 1997, 2, 379-384.	8.8	428
11	Does proline accumulation play an active role in stress-induced growth reduction?. Plant Journal, 2002, 31, 699-712.	5.7	357
12	Molecular Aspects of Osmotic Stress in Plants. Critical Reviews in Plant Sciences, 1997, 16, 253-277.	5.7	356
13	The genome of the extremophile crucifer Thellungiella parvula. Nature Genetics, 2011, 43, 913-918.	21.4	318
14	AtHKT1 Facilitates Na ⁺ Homeostasis and K ⁺ Nutrition in Planta. Plant Physiology, 2004, 136, 2500-2511.	4.8	297
15	Involvement of <i>Arabidopsis</i> HOS15 in histone deacetylation and cold tolerance. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 4945-4950.	7.1	293
16	Mutations in a subfamily of abscisic acid receptor genes promote rice growth and productivity. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 6058-6063.	7.1	284
17	Molecular Cloning of Osmotin and Regulation of Its Expression by ABA and Adaptation to Low Water Potential. Plant Physiology, 1989, 90, 1096-1101.	4.8	273
18	Salicylic acid-mediated innate immunity in Arabidopsis is regulated by SIZ1 SUMO E3 ligase. Plant Journal, 2006, 49, 79-90.	5.7	271

#	ARTICLE	IF	CITATIONS
19	The AtNHX1 exchanger mediates potassium compartmentation in vacuoles of transgenic tomato. <i>Plant Journal</i> , 2010, 61, 495-506.	5.7	268
20	Salt causes ion disequilibrium-induced programmed cell death in yeast and plants. <i>Plant Journal</i> , 2002, 29, 649-659.	5.7	261
21	Loss of Halophytism by Interference with SOS1 Expression. <i>Plant Physiology</i> , 2009, 151, 210-222.	4.8	254
22	Proteins Associated with Adaptation of Cultured Tobacco Cells to NaCl. <i>Plant Physiology</i> , 1985, 79, 126-137.	4.8	252
23	Intracellular Compartmentation of Ions in Salt Adapted Tobacco Cells. <i>Plant Physiology</i> , 1988, 86, 607-614.	4.8	252
24	A Vacuolar β -Glucosidase Homolog That Possesses Glucose-Conjugated Abscisic Acid Hydrolyzing Activity Plays an Important Role in Osmotic Stress Responses in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2012, 24, 2184-2199.	6.6	251
25	An <i>Arabidopsis</i> homeodomain transcription factor gene, HOS9, mediates cold tolerance through a CBF-independent pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 9873-9878.	7.1	236
26	Metabolic Changes Associated with Adaptation of Plant Cells to Water Stress. <i>Plant Physiology</i> , 1986, 82, 890-903.	4.8	233
27	Antifungal activity of tobacco osmotin has specificity and involves plasma membrane permeabilization. <i>Plant Science</i> , 1996, 118, 11-23.	3.6	232
28	Control of DNA methylation and heterochromatic silencing by histone H2B deubiquitination. <i>Nature</i> , 2007, 447, 735-738.	27.8	225
29	Release of SOS2 kinase from sequestration with GIGANTEA determines salt tolerance in <i>Arabidopsis</i> . <i>Nature Communications</i> , 2013, 4, 1352.	12.8	220
30	The SUMO E3 ligase, <i>AtSIZ1</i> , regulates flowering by controlling a salicylic acid-mediated floral promotion pathway and through affects on <i>FLC</i> chromatin structure. <i>Plant Journal</i> , 2008, 53, 530-540.	5.7	216
31	Proline Accumulation and the Adaptation of Cultured Plant Cells to Water Stress. <i>Plant Physiology</i> , 1986, 80, 938-945.	4.8	214
32	Reactive oxygen species mediate Na ⁺ -induced <i>SOS1</i> mRNA stability in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2008, 53, 554-565.	5.7	214
33	Coordinate Accumulation of Antifungal Proteins and Hexoses Constitutes a Developmentally Controlled Defense Response during Fruit Ripening in Grape1. <i>Plant Physiology</i> , 1998, 117, 465-472.	4.8	213
34	OSM1/SYP61: A Syntaxin Protein in <i>Arabidopsis</i> Controls Abscisic Acid-Mediated and Non-Abscisic Acid-Mediated Responses to Abiotic Stress. <i>Plant Cell</i> , 2002, 14, 3009-3028.	6.6	204
35	Stress signaling through Ca ²⁺ /calmodulin-dependent protein phosphatase calcineurin mediates salt adaptation in plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 9681-9686.	7.1	202
36	The STT3a Subunit Isoform of the <i>Arabidopsis</i> Oligosaccharyltransferase Controls Adaptive Responses to Salt/Osmotic Stress. <i>Plant Cell</i> , 2003, 15, 2273-2284.	6.6	202

#	ARTICLE	IF	CITATIONS
37	YUCCA6 over-expression demonstrates auxin function in delaying leaf senescence in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2011, 62, 3981-3992.	4.8	195
38	Solutes Contributing to Osmotic Adjustment in Cultured Plant Cells Adapted to Water Stress. <i>Plant Physiology</i> , 1983, 73, 834-843.	4.8	185
39	Learning from the <i>Arabidopsis</i> Experience. The Next Gene Search Paradigm. <i>Plant Physiology</i> , 2001, 127, 1354-1360.	4.8	183
40	Osmotin Is a Homolog of Mammalian Adiponectin and Controls Apoptosis in Yeast through a Homolog of Mammalian Adiponectin Receptor. <i>Molecular Cell</i> , 2005, 17, 171-180.	9.7	179
41	A genomics approach towards salt stress tolerance. <i>Plant Physiology and Biochemistry</i> , 2001, 39, 295-311.	5.8	176
42	Alteration of the Physical and Chemical Structure of the Primary Cell Wall of Growth-Limited Plant Cells Adapted to Osmotic Stress. <i>Plant Physiology</i> , 1989, 91, 39-47.	4.8	174
43	Overexpression of <i>Arabidopsis</i> YUCCA6 in Potato Results in High-Auxin Developmental Phenotypes and Enhanced Resistance to Water Deficit. <i>Molecular Plant</i> , 2013, 6, 337-349.	8.3	174
44	HOS10 encodes an R2R3-type MYB transcription factor essential for cold acclimation in plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 9966-9971.	7.1	173
45	Ethylene signalling is involved in regulation of phosphate starvation-induced gene expression and production of acid phosphatases and anthocyanin in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2011, 189, 1084-1095.	7.3	172
46	Solute Accumulation in Tobacco Cells Adapted to NaCl. <i>Plant Physiology</i> , 1987, 84, 1408-1415.	4.8	168
47	Adaptation of Tobacco Cells to NaCl. <i>Plant Physiology</i> , 1985, 79, 118-125.	4.8	164
48	SIZ1 Small Ubiquitin-Like Modifier E3 Ligase Facilitates Basal Thermotolerance in <i>Arabidopsis</i> Independent of Salicylic Acid. <i>Plant Physiology</i> , 2006, 142, 1548-1558.	4.8	164
49	TsHKT1;2, a HKT1 Homolog from the Extremophile <i>Arabidopsis</i> Relative <i>Thellungiella salsuginea</i> , Shows K ⁺ Specificity in the Presence of NaCl. <i>Plant Physiology</i> , 2012, 158, 1463-1474.	4.8	161
50	Genes That Are Uniquely Stress Regulated in Salt Overly Sensitive (sos) Mutants. <i>Plant Physiology</i> , 2001, 126, 363-375.	4.8	160
51	Epigenetic switch from repressive to permissive chromatin in response to cold stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5400-E5409.	7.1	157
52	Uncoupling the Effects of Abscisic Acid on Plant Growth and Water Relations. Analysis of <i>sto1/nced3</i> , an Abscisic Acid-Deficient but Salt Stress-Tolerant Mutant in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2004, 136, 3134-3147.	4.8	156
53	Identification of a locus controlling <i>Verticillium</i> disease symptom response in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2003, 35, 574-587.	5.7	155
54	<i>Arabidopsis</i> Duodecuple Mutant of PYL ABA Receptors Reveals PYL Repression of ABA-Independent SnRK2 Activity. <i>Cell Reports</i> , 2018, 23, 3340-3351.e5.	6.4	153

#	ARTICLE	IF	CITATIONS
55	A Plant Defense Response Effector Induces Microbial Apoptosis. <i>Molecular Cell</i> , 2001, 8, 921-930.	9.7	151
56	<i>Arabidopsis thaliana</i> <i>ECERIFERUM9</i> Involvement in Cuticle Formation and Maintenance of Plant Water Status. <i>Plant Physiology</i> , 2012, 159, 930-944.	4.8	150
57	C-terminal domain phosphatase-like family members (AtCPLs) differentially regulate <i>Arabidopsis thaliana</i> abiotic stress signaling, growth, and development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 10893-10898.	7.1	146
58	Regulation of <i>miR399f</i> Transcription by <i>AtMYB2</i> Affects Phosphate Starvation Responses in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2012, 161, 362-373.	4.8	146
59	Intracellular consequences of <i>SOS1</i> deficiency during salt stress. <i>Journal of Experimental Botany</i> , 2010, 61, 1205-1213.	4.8	139
60	<i>yucca6</i> , a Dominant Mutation in <i>Arabidopsis</i> , Affects Auxin Accumulation and Auxin-Related Phenotypes. <i>Plant Physiology</i> , 2007, 145, 722-735.	4.8	138
61	Repression of stress-responsive genes by <i>FIERY2</i> , a novel transcriptional regulator in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 10899-10904.	7.1	137
62	Abscisic Acid Stimulated Osmotic Adjustment and Its Involvement in Adaptation of Tobacco Cells to NaCl. <i>Plant Physiology</i> , 1987, 85, 174-181.	4.8	133
63	An Osmotically Induced Cytosolic Ca ²⁺ Transient Activates Calcineurin Signaling to Mediate Ion Homeostasis and Salt Tolerance of <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2002, 277, 33075-33080.	3.4	133
64	An Enhancer Mutant of <i>Arabidopsis</i> salt overly sensitive 3 Mediates both Ion Homeostasis and the Oxidative Stress Response. <i>Molecular and Cellular Biology</i> , 2007, 27, 5214-5224.	2.3	127
65	<i>NRPD4</i> , a protein related to the <i>RPB4</i> subunit of RNA polymerase II, is a component of RNA polymerases IV and V and is required for RNA-directed DNA methylation. <i>Genes and Development</i> , 2009, 23, 318-330.	5.9	126
66	A comparative study of salt tolerance parameters in 11 wild relatives of <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2010, 61, 3787-3798.	4.8	126
67	Abiotic Stress and Plant Genome Evolution. Search for New Models. <i>Plant Physiology</i> , 2005, 138, 127-130.	4.8	124
68	In Defense against Pathogens. Both Plant Sentinels and Foot Soldiers Need to Know the Enemy,. <i>Plant Physiology</i> , 2003, 131, 1580-1590.	4.8	122
69	Osmotin, a Plant Antifungal Protein, Subverts Signal Transduction to Enhance Fungal Cell Susceptibility. <i>Molecular Cell</i> , 1998, 1, 807-817.	9.7	120
70	NaCl Regulation of Tonoplast ATPase 70-Kilodalton Subunit mRNA in Tobacco Cells. <i>Plant Physiology</i> , 1991, 97, 562-568.	4.8	115
71	Plants use calcium to resolve salt stress. <i>Trends in Plant Science</i> , 1998, 3, 411-412.	8.8	113
72	Osmotin Gene Expression Is Posttranscriptionally Regulated. <i>Plant Physiology</i> , 1992, 100, 409-415.	4.8	110

#	ARTICLE	IF	CITATIONS
73	Comparative Analysis of the Regulation of Expression and Structures of Two Evolutionarily Divergent Genes for 1-Pyrroline-5-Carboxylate Synthetase from Tomato. <i>Plant Physiology</i> , 1998, 118, 661-674.	4.8	108
74	Arabidopsis C-terminal domain phosphatase-like 1 and 2 are essential Ser-5-specific C-terminal domain phosphatases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 14539-14544.	7.1	108
75	Expressed sequence tags from <i>Thellungiella halophila</i> , a new model to study plant salt-tolerance. <i>Plant Science</i> , 2004, 166, 609-616.	3.6	108
76	Plant Defense Genes Are Synergistically Induced by Ethylene and Methyl Jasmonate. <i>Plant Cell</i> , 1994, 6, 1077.	6.6	107
77	Enrichment of vitronectin- and fibronectin-like proteins in NaCl-adapted plant cells and evidence for their involvement in plasma membrane-cell wall adhesion. <i>Plant Journal</i> , 1993, 3, 637-646.	5.7	106
78	Cell Walls of Tobacco Cells and Changes in Composition Associated with Reduced Growth upon Adaptation to Water and Saline Stress. <i>Plant Physiology</i> , 1989, 91, 48-53.	4.8	103
79	Crystal structure of osmotin, a plant antifungal protein. <i>Proteins: Structure, Function and Bioinformatics</i> , 2003, 54, 170-173.	2.6	101
80	Activated Calcineurin Confers High Tolerance to Ion Stress and Alters the Budding Pattern and Cell Morphology of Yeast Cells. <i>Journal of Biological Chemistry</i> , 1996, 271, 23061-23067.	3.4	99
81	A plant defensive cystatin (soyacystatin) targets cathepsin-like digestive cysteine proteinases (DvCALs) in the larval midgut of western corn rootworm (<i>Diabrotica virgifera virgifera</i>). <i>FEBS Letters</i> , 2000, 471, 67-70.	2.8	97
82	The Arabidopsis Tetratricopeptide Repeat-Containing Protein TTL1 Is Required for Osmotic Stress Responses and Abscisic Acid Sensitivity. <i>Plant Physiology</i> , 2006, 142, 1113-1126.	4.8	97
83	Genome Structures and Halophyte-Specific Gene Expression of the Extremophile <i>Thellungiella parvula</i> in Comparison with <i>Thellungiella salsuginea</i> (<i>Thellungiella halophila</i>) and Arabidopsis. <i>Plant Physiology</i> , 2010, 154, 1040-1052.	4.8	97
84	Improved germination under osmotic stress of tobacco plants overexpressing a cell wall peroxidase. <i>FEBS Letters</i> , 1999, 457, 80-84.	2.8	95
85	A Single Amino-Acid Substitution in the Sodium Transporter HKT1 Associated with Plant Salt Tolerance. <i>Plant Physiology</i> , 2016, 171, 2112-2126.	4.8	93
86	The miR165/166 Mediated Regulatory Module Plays Critical Roles in ABA Homeostasis and Response in Arabidopsis thaliana. <i>PLoS Genetics</i> , 2016, 12, e1006416.	3.5	91
87	Enhanced Net K ⁺ Uptake Capacity of NaCl-Adapted Cells. <i>Plant Physiology</i> , 1991, 95, 1265-1269.	4.8	90
88	Abscisic Acid Accelerates Adaptation of Cultured Tobacco Cells to Salt. <i>Plant Physiology</i> , 1985, 79, 138-142.	4.8	89
89	Fungal cell wall phosphomannans facilitate the toxic activity of a plant PR-5 protein. <i>Plant Journal</i> , 2000, 23, 375-383.	5.7	89
90	Induction of a Putative Ca ²⁺ -ATPase mRNA in NaCl-Adapted Cells. <i>Plant Physiology</i> , 1992, 100, 1471-1478.	4.8	87

#	ARTICLE	IF	CITATIONS
91	Analysis of structure and transcriptional activation of an osmotin gene. <i>Plant Molecular Biology</i> , 1992, 19, 577-588.	3.9	85
92	Functional characterization of the SIZ/PIAS-type SUMO E3 ligases, OsSIZ1 and OsSIZ2 in rice. <i>Plant, Cell and Environment</i> , 2010, 33, 1923-1934.	5.7	85
93	Phage display selection can differentiate insecticidal activity of soybean cystatins. <i>Plant Journal</i> , 1998, 14, 371-379.	5.7	84
94	The Phosphate Transporter PHT4;6 Is a Determinant of Salt Tolerance that Is Localized to the Golgi Apparatus of Arabidopsis. <i>Molecular Plant</i> , 2009, 2, 535-552.	8.3	83
95	Auxin-Mediated Ribosomal Biogenesis Regulates Vacuolar Trafficking in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2010, 22, 143-158.	6.6	82
96	A novel thiol-reductase activity of Arabidopsis YUC6 confers drought tolerance independently of auxin biosynthesis. <i>Nature Communications</i> , 2015, 6, 8041.	12.8	82
97	Stable NaCl Tolerance of Tobacco Cells Is Associated with Enhanced Accumulation of Osmotin. <i>Plant Physiology</i> , 1989, 91, 855-861.	4.8	78
98	Osmogenetics: Aristotle to Arabidopsis. <i>Plant Cell</i> , 2006, 18, 1542-1557.	6.6	78
99	Role and Functional Differences of HKT1-Type Transporters in Plants under Salt Stress. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1059.	4.1	78
100	Extracellular Polysaccharides and Proteins of Tobacco Cell Cultures and Changes in Composition Associated with Growth-Limiting Adaptation to Water and Saline Stress. <i>Plant Physiology</i> , 1989, 91, 54-61.	4.8	76
101	Characteristics of Cultured Tomato Cells after Prolonged Exposure to Medium Containing Polyethylene Glycol. <i>Plant Physiology</i> , 1982, 69, 514-521.	4.8	73
102	Carbon Assimilation in Carrot Cells in Liquid Culture. <i>Plant Physiology</i> , 1986, 82, 363-368.	4.8	73
103	Mutants of the Arabidopsis thaliana Cation/H ⁺ Antiporter AtNHX1 Conferring Increased Salt Tolerance in Yeast. <i>Journal of Biological Chemistry</i> , 2009, 284, 14276-14285.	3.4	71
104	Mutations in a Conserved Replication Protein Suppress Transcriptional Gene Silencing in a DNA-Methylation-Independent Manner in Arabidopsis. <i>Current Biology</i> , 2005, 15, 1912-1918.	3.9	68
105	Plasma-membrane H ⁺ -ATPase gene expression is regulated by NaCl in cells of the halophyte <i>Atriplex nummularia</i> L. <i>Planta</i> , 1993, 190, 433-8.	3.2	67
106	Arabidopsis AGDP1 links H3K9me2 to DNA methylation in heterochromatin. <i>Nature Communications</i> , 2018, 9, 4547.	12.8	66
107	Identification of plant stress-responsive determinants in arabidopsis by large-scale forward genetic screens. <i>Journal of Experimental Botany</i> , 2006, 57, 1119-1128.	4.8	65
108	Characterization and in situ localization of a salt-induced tomato peroxidase mRNA. <i>Plant Molecular Biology</i> , 1994, 25, 105-114.	3.9	64

#	ARTICLE	IF	CITATIONS
109	Histone hyperacetylation affects meiotic recombination and chromosome segregation in Arabidopsis. <i>Plant Journal</i> , 2010, 62, 796-806.	5.7	62
110	The <i>glossyhead1</i> Allele of <i>ACC1</i> Reveals a Principal Role for Multidomain Acetyl-Coenzyme A Carboxylase in the Biosynthesis of Cuticular Waxes by Arabidopsis. <i>Plant Physiology</i> , 2011, 157, 1079-1092.	4.8	62
111	Growth and Water Relations of Cultured Tomato Cells after Adjustment to Low External Water Potentials. <i>Plant Physiology</i> , 1982, 70, 1303-1309.	4.8	60
112	Molecular Aspects of Osmotic Stress in Plants. <i>Critical Reviews in Plant Sciences</i> , 1997, 16, 253-278.	5.7	60
113	Analysis of an osmotically regulated pathogenesis-related osmotin gene promoter. <i>Plant Molecular Biology</i> , 1993, 23, 1117-1128.	3.9	58
114	Rheostatic Control of ABA Signaling through HOS15-Mediated OST1 Degradation. <i>Molecular Plant</i> , 2019, 12, 1447-1462.	8.3	58
115	Elevated Accumulation of Proline in NaCl-Adapted Tobacco Cells Is Not Due to Altered γ -Pyrroline-5-Carboxylate Reductase. <i>Plant Physiology</i> , 1991, 96, 245-250.	4.8	57
116	Review: Unravelling the functional relationship between root anatomy and stress tolerance. <i>Functional Plant Biology</i> , 2001, 28, 999.	2.1	56
117	The Arabidopsis <i>RESURRECTION1</i> Gene Regulates a Novel Antagonistic Interaction in Plant Defense to Biotrophs and Necrotrophs. <i>Plant Physiology</i> , 2009, 151, 290-305.	4.8	56
118	Specific Domain Structures Control Abscisic Acid-, Salicylic Acid-, and Stress-Mediated SIZ1 Phenotypes. <i>Plant Physiology</i> , 2009, 151, 1930-1942.	4.8	55
119	A NaCl-regulated plant gene encoding a brain protein homolog that activates ADP ribosyltransferase and inhibits protein kinase C. <i>Plant Journal</i> , 1994, 6, 729-740.	5.7	54
120	Transgenic sorghum plants obtained after microprojectile bombardment of immature inflorescences. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 1997, 33, 92-100.	2.1	53
121	Resistance to the plant PR-5 protein osmotin in the model fungus <i>Saccharomyces cerevisiae</i> is mediated by the regulatory effects of SSD1 on cell wall composition. <i>Plant Journal</i> , 2001, 25, 271-280.	5.7	53
122	Sodium Stress in the Halophyte <i>Thellungiella halophila</i> and Transcriptional Changes in a <i>thso1</i> RNA Interference Line. <i>Journal of Integrative Plant Biology</i> , 2007, 49, 1484-1496.	8.5	53
123	Control of Plant Water Use by ABA Induction of Senescence and Dormancy: An Overlooked Lesson from Evolution. <i>Plant and Cell Physiology</i> , 2017, 58, 1319-1327.	3.1	51
124	A Nitrilase-Like Protein Interacts with GCC Box DNA-Binding Proteins Involved in Ethylene and Defense Responses. <i>Plant Physiology</i> , 1998, 118, 867-874.	4.8	50
125	Tissue-specific activation of the osmotin gene by ABA, C ₂ H ₄ and NaCl involves the same promoter region. <i>Plant Molecular Biology</i> , 1997, 34, 393-402.	3.9	48
126	HOS3, an ELO-Like Gene, Inhibits Effects of ABA and Implicates a S-1-P/Ceramide Control System for Abiotic Stress Responses in Arabidopsis thaliana. <i>Molecular Plant</i> , 2009, 2, 138-151.	8.3	48

#	ARTICLE	IF	CITATIONS
127	Heterotrimeric G-proteins of a filamentous fungus regulate cell wall composition and susceptibility to a plant PR-5 protein. <i>Plant Journal</i> , 2000, 22, 61-69.	5.7	45
128	Protease inhibitors from several classes work synergistically against <i>Callosobruchus maculatus</i> . <i>Journal of Insect Physiology</i> , 2007, 53, 734-740.	2.0	45
129	Isolation and Partial Characterization of a Seed Lectin from Tepary Bean that Delays Bruchid Beetle Development. <i>Plant Physiology</i> , 1990, 93, 1453-1459.	4.8	42
130	Photoautotrophic potato cells: Transition from heterotrophic to autotrophic growth. <i>Physiologia Plantarum</i> , 1984, 61, 279-286.	5.2	41
131	Overexpression of a cell wall glycoprotein in <i>Fusarium oxysporum</i> increases virulence and resistance to a plant PR-5 protein. <i>Plant Journal</i> , 2003, 36, 390-400.	5.7	41
132	Arabidopsis Carboxyl-Terminal Domain Phosphatase-Like Isoforms Share Common Catalytic and Interaction Domains But Have Distinct in Planta Functions. <i>Plant Physiology</i> , 2006, 142, 586-594.	4.8	41
133	Reduced Cell Expansion and Changes in Cell Walls of Plant Cells Adapted to NaCl. , 1990, , 137-171.		40
134	Identification of Regions of the Tomato $\hat{\beta}$ -Glutamyl Kinase That Are Involved in Allosteric Regulation by Proline. <i>Journal of Biological Chemistry</i> , 2003, 278, 14203-14210.	3.4	39
135	Identification and Molecular Properties of SUMO-Binding Proteins in Arabidopsis. <i>Molecules and Cells</i> , 2011, 32, 143-152.	2.6	39
136	BONZAI Proteins Control Global Osmotic Stress Responses in Plants. <i>Current Biology</i> , 2020, 30, 4815-4825.e4.	3.9	39
137	Unraveling salt tolerance in crops. <i>Nature Genetics</i> , 2005, 37, 1029-1030.	21.4	38
138	Clonal Variation for Tolerance to Polyethylene Glycol-Induced Water Stress in Cultured Tomato Cells. <i>Plant Physiology</i> , 1983, 72, 645-653.	4.8	37
139	Expression of Osmotin-Like Genes in the Halophyte <i>Atriplex nummularia</i> L.. <i>Plant Physiology</i> , 1992, 99, 329-337.	4.8	37
140	Control of osmotin gene expression by ABA and osmotic stress in vegetative tissues of wild-type and ABA-deficient mutants of tomato. <i>Physiologia Plantarum</i> , 1995, 93, 498-504.	5.2	36
141	Stress-adapted extremophiles provide energy without interference with food production. <i>Food Security</i> , 2011, 3, 93-105.	5.3	36
142	Adiponectin and Plant-Derived Mammalian Adiponectin Homolog Exert a Protective Effect in Murine Colitis. <i>Digestive Diseases and Sciences</i> , 2011, 56, 2818-2832.	2.3	33
143	In vivo and in vitro activity of truncated osmotin that is secreted into the extracellular matrix. <i>Plant Science</i> , 1996, 121, 123-131.	3.6	32
144	Bioengineering mint crop improvement. <i>Plant Cell, Tissue and Organ Culture</i> , 2001, 64, 133-144.	2.3	32

#	ARTICLE	IF	CITATIONS
145	The Role of the Epigenome in Gene Expression Control and the Epimark Changes in Response to the Environment. <i>Critical Reviews in Plant Sciences</i> , 2014, 33, 64-87.	5.7	31
146	AtPR5K2, a PR5-Like Receptor Kinase, Modulates Plant Responses to Drought Stress by Phosphorylating Protein Phosphatase 2Cs. <i>Frontiers in Plant Science</i> , 2019, 10, 1146.	3.6	31
147	The Arabidopsis Kinase-Associated Protein Phosphatase Regulates Adaptation to Na ⁺ Stress. <i>Plant Physiology</i> , 2008, 146, 612-622.	4.8	30
148	Cuticular Waxes on Arabidopsis thaliana Close Relatives Thellungiella halophila and Thellungiella parvula. <i>International Journal of Plant Sciences</i> , 2002, 163, 309-315.	1.3	29
149	It's Hard to Avoid Avoidance: Uncoupling the Evolutionary Connection between Plant Growth, Productivity and Stress "Tolerance". <i>International Journal of Molecular Sciences</i> , 2018, 19, 3671.	4.1	29
150	Title is missing!. <i>Molecular Breeding</i> , 2001, 8, 109-118.	2.1	28
151	Mutation in SUMO E3 ligase, SIZ1, Disrupts the Mature Female Gametophyte in Arabidopsis. <i>PLoS ONE</i> , 2012, 7, e29470.	2.5	28
152	Induction of pathogen resistance and pathogenesis-related genes in tobacco by a heat-stable Trichoderma mycelial extract and plant signal messengers. <i>Physiologia Plantarum</i> , 1997, 100, 341-352.	5.2	27
153	Control of osmotin gene expression by ABA and osmotic stress in vegetative tissues of wild-type and ABA-deficient mutants of tomato. <i>Physiologia Plantarum</i> , 1995, 93, 498-504.	5.2	26
154	Inorganic Cations Mediate Plant PR5 Protein Antifungal Activity through Fungal Mnn1- and Mnn4-Regulated Cell Surface Glycans. <i>Molecular Plant-Microbe Interactions</i> , 2004, 17, 780-788.	2.6	26
155	Estimation of Growth Yield and Maintenance Coefficient of Plant Cell Suspensions. <i>Biotechnology and Bioengineering</i> , 1991, 38, 1131-1136.	3.3	25
156	Identification of N-acetylglucosamine binding residues in Griffonia simplicifolia lectin II. <i>FEBS Letters</i> , 1996, 390, 271-274.	2.8	25
157	Interactions between the kernel N sink, grain yield and protein nutritional quality of maize. <i>Journal of the Science of Food and Agriculture</i> , 1983, 34, 255-263.	3.5	24
158	Moderately increased constitutive proline does not alter osmotic stress tolerance. <i>Physiologia Plantarum</i> , 1997, 101, 240-246.	5.2	24
159	Biotechnology for mechanisms that counteract salt stress in extremophile species: a genome-based view. <i>Plant Biotechnology Reports</i> , 2013, 7, 27-37.	1.5	24
160	Metabolic Adjustment of Arabidopsis Root Suspension Cells During Adaptation to Salt Stress and Mitotic Stress Memory. <i>Plant and Cell Physiology</i> , 2019, 60, 612-625.	3.1	24
161	Phage display selection of hairpin loop soyacystatin variants that mediate high affinity inhibition of a cysteine proteinase. <i>Plant Journal</i> , 2001, 27, 383-391.	5.7	23
162	The ascorbic acid cycle mediates signal transduction leading to stress-induced stomatal closure. <i>Functional Plant Biology</i> , 2002, 29, 845.	2.1	23

#	ARTICLE	IF	CITATIONS
163	Regulation of the Osmotin Gene Promoter. <i>Plant Cell</i> , 1992, 4, 513.	6.6	22
164	Carbon Use Efficiency and Cell Expansion of NaCl-Adapted Tobacco Cells. <i>Plant Physiology</i> , 1990, 93, 384-388.	4.8	21
165	Genotypic diversity enhances recovery of hybrids and fertile backcrosses of <i>Phaseolus vulgaris</i> L. \times $\frac{1}{2}$ <i>P. acutifolius</i> A. Gray. <i>Euphytica</i> , 1985, 34, 329-334.	1.2	20
166	Fine structure and function of the osmotin gene promoter. <i>Plant Molecular Biology</i> , 1995, 29, 1015-1026.	3.9	20
167	Alterations in cell membrane structure and expression of a membrane-associated protein after adaptation to osmotic stress. <i>Physiologia Plantarum</i> , 1996, 98, 505-516.	5.2	20
168	Tobacco and Arabidopsis SLT1 mediate salt tolerance of yeast. <i>Plant Molecular Biology</i> , 2001, 45, 489-500.	3.9	19
169	Soyacystatin N Inhibits Proteolysis of Wheat α -Amylase Inhibitor and Potentiates Toxicity Against Cowpea Weevil. <i>Journal of Economic Entomology</i> , 2004, 97, 2095-2100.	1.8	19
170	Use of the Plant Defense Protein Osmotin To Identify <i>Fusarium oxysporum</i> Genes That Control Cell Wall Properties. <i>Eukaryotic Cell</i> , 2010, 9, 558-568.	3.4	19
171	Alterations in cell membrane structure and expression of a membrane-associated protein after adaptation to osmotic stress. <i>Physiologia Plantarum</i> , 1996, 98, 505-516.	5.2	18
172	SOS1 and Halophytism. <i>Plant Signaling and Behavior</i> , 2009, 4, 1081-1083.	2.4	18
173	Chapter 11 Unexpected Turns and Twists in Structure/Function of PR-Proteins that Connect Energy Metabolism and Immunity. <i>Advances in Botanical Research</i> , 2009, 51, 439-489.	1.1	18
174	Modification of Proton Transport Kinetics of the Plasma Membrane H ⁺ -ATPase after Adaptation of Tobacco Cells to NaCl. <i>Journal of Plant Physiology</i> , 1993, 142, 312-318.	3.5	15
175	The effect of genomics on weed management in the 21st century. <i>Weed Science</i> , 2001, 49, 282-289.	1.5	15
176	Regulation of Plant Innate Immunity by SUMO E3 Ligase. <i>Plant Signaling and Behavior</i> , 2007, 2, 253-254.	2.4	14
177	Growth Yields and Maintenance Coefficients of Unadapted and NaCl-Adapted Tobacco Cells Grown in Semicontinuous Culture. <i>Plant Physiology</i> , 1991, 96, 1289-1293.	4.8	13
178	Osmotin gene expression is controlled by elicitor synergism. <i>Physiologia Plantarum</i> , 1995, 95, 620-626.	5.2	13
179	Efficient plant regeneration of native spearmint (<i>Mentha spicata</i> L.). <i>In Vitro Cellular and Developmental Biology - Plant</i> , 1999, 35, 333-338.	2.1	13
180	Genetic Engineering for Salinity Stress Tolerance. <i>Advances in Plant Biochemistry and Molecular Biology</i> , 2008, , 347-384.	0.5	13

#	ARTICLE	IF	CITATIONS
181	NKS1, Na ⁺ - and K ⁺ -sensitive 1, regulates ion homeostasis in an SOS-independent pathway in Arabidopsis. <i>Phytochemistry</i> , 2011, 72, 330-336.	2.9	12
182	A <i>Saccharomyces cerevisiae</i> Assay System to Investigate Ligand/AdipoR1 Interactions That Lead to Cellular Signaling. <i>PLoS ONE</i> , 2013, 8, e65454.	2.5	12
183	Osmotin gene expression is controlled by elicitor synergism. <i>Physiologia Plantarum</i> , 1995, 95, 620-626.	5.2	11
184	Soyacystatin N Inhibits Proteolysis of Wheat α -Amylase Inhibitor and Potentiates Toxicity Against Cowpea Weevil. <i>Journal of Economic Entomology</i> , 2004, 97, 2095-2100.	1.8	11
185	Structure, Regulation and Function of the Osmotin Gene. , 1994, , 381-414.		11
186	Highly efficient in vitro adventitious shoot regeneration of peppermint (<i>Mentha x piperita</i> L.) using internodal explants. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2009, 45, 435-440.	2.1	10
187	Structural and functional studies of SIZ1, a PIAS-type SUMO E3 ligase from <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2010, 5, 567-569.	2.4	10
188	The Long and Winding Road to Halotolerance Genes. , 2002, , 505-533.		10
189	Using Arabidopsis-Related Model Species (ARMS): Growth, Genetic Transformation, and Comparative Genomics. <i>Methods in Molecular Biology</i> , 2014, 1062, 27-51.	0.9	8
190	PHYSIOLOGICAL AND HERITABLE CHANGES IN CYCLIC AMP LEVELS ASSOCIATED WITH CHANGES IN FLAGELLAR FORMATION IN <i>CHLAMYDOMONAS REINHARDTII</i> (CHLOROPHYTA)1. <i>Journal of Phycology</i> , 1991, 27, 587-591.	2.3	7
191	Quantitative mRNA-PCR for expression analysis of low-abundance transcripts. <i>Plant Molecular Biology Reporter</i> , 1993, 11, 237-248.	1.8	7
192	Non-CG DNA methylation-deficiency mutations enhance mutagenesis rates during salt adaptation in cultured Arabidopsis cells. <i>Stress Biology</i> , 2021, 1, 1.	3.1	7
193	Transcription profiling of laser microdissected microsporocytes in an Arabidopsis mutant (<i>Atmcc1</i>) with enhanced histone acetylation. <i>Journal of Plant Biology</i> , 2012, 55, 281-289.	2.1	6
194	Pathogen Associated Molecular Pattern (PAMP)-Triggered Immunity Is Compromised under C-Limited Growth. <i>Molecules and Cells</i> , 2015, 38, 40-50.	2.6	6
195	An In-Gel Assay of a Recombinant Western Corn Rootworm (<i>Diabrotica virgifera virgifera</i>) Cysteine Proteinase Expressed in Yeast. <i>Analytical Biochemistry</i> , 2000, 282, 153-155.	2.4	5
196	Can the Quest for Drought Tolerant Crops Avoid Arabidopsis Any Longer?. <i>The Journal of Crop Improvement: Innovations in Practice and Research</i> , 2003, 7, 99-129.	0.4	4
197	Comparison of Chemical Characteristics of Three Soybean Cysteine Proteinase Inhibitors. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 1591-1597.	5.2	4
198	Consequences of SOS1 deficiency. <i>Plant Signaling and Behavior</i> , 2010, 5, 766-768.	2.4	4

#	ARTICLE	IF	CITATIONS
199	Large quantities of recombinant PR-5 proteins from the extracellular matrix of tobacco: Rapid production of microbial-recalcitrant proteins. <i>Plant Molecular Biology Reporter</i> , 1996, 14, 249-260.	1.8	3
200	Identification of a novel DNA-binding protein to osmotin promoter. <i>Science in China Series C: Life Sciences</i> , 1998, 41, 657-663.	1.3	3
201	Occurrence of cyclic adenosine 3',5'-monophosphate in the phytopathogenic fungi <i>Alternaria solani</i> and <i>Phymatotrichum omnivorum</i> . <i>Archives of Microbiology</i> , 1983, 135, 125-129.	2.2	1
202	The scope of things to come. , 2012, , 19-34.		1