

# Katharina M Main

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1081080/publications.pdf>

Version: 2024-02-01

154  
papers

12,502  
citations

22153

59  
h-index

25787

108  
g-index

155  
all docs

155  
docs citations

155  
times ranked

11088  
citing authors

#	ARTICLE	IF	CITATIONS
1	Decrease in Anogenital Distance among Male Infants with Prenatal Phthalate Exposure. <i>Environmental Health Perspectives</i> , 2005, 113, 1056-1061.	6.0	1,372
2	Human Breast Milk Contamination with Phthalates and Alterations of Endogenous Reproductive Hormones in Infants Three Months of Age. <i>Environmental Health Perspectives</i> , 2006, 114, 270-276.	6.0	599
3	Thyroid effects of endocrine disrupting chemicals. <i>Molecular and Cellular Endocrinology</i> , 2012, 355, 240-248.	3.2	504
4	Environmental chemicals and thyroid function. <i>European Journal of Endocrinology</i> , 2006, 154, 599-611.	3.7	430
5	Flame Retardants in Placenta and Breast Milk and Cryptorchidism in Newborn Boys. <i>Environmental Health Perspectives</i> , 2007, 115, 1519-1526.	6.0	342
6	Serum Levels of Anti-Müllerian Hormone as a Marker of Ovarian Function in 926 Healthy Females from Birth to Adulthood and in 172 Turner Syndrome Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 5003-5010.	3.6	304
7	Is human fecundity declining?. <i>Journal of Developmental and Physical Disabilities</i> , 2006, 29, 2-11.	3.6	270
8	Persistent Pesticides in Human Breast Milk and Cryptorchidism. <i>Environmental Health Perspectives</i> , 2006, 114, 1133-1138.	6.0	264
9	Childhood Exposure to Phthalates: Associations with Thyroid Function, Insulin-like Growth Factor I, and Growth. <i>Environmental Health Perspectives</i> , 2010, 118, 1458-1464.	6.0	249
10	Intrauterine exposure to mild analgesics is a risk factor for development of male reproductive disorders in human and rat. <i>Human Reproduction</i> , 2011, 26, 235-244.	0.9	234
11	Cryptorchidism: classification, prevalence and long-term consequences. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007, 96, 611-616.	1.5	209
12	Postnatal penile length and growth rate correlate to serum testosterone levels: a longitudinal study of 1962 normal boys. <i>European Journal of Endocrinology</i> , 2006, 154, 125-129.	3.7	204
13	Validity of Self-Assessment of Pubertal Maturation. <i>Pediatrics</i> , 2015, 135, 86-93.	2.1	198
14	Human urinary excretion of non-persistent environmental chemicals: an overview of Danish data collected between 2006 and 2012. <i>Reproduction</i> , 2014, 147, 555-565.	2.6	184
15	Cryptorchidism and hypospadias as a sign of testicular dysgenesis syndrome (TDS): Environmental connection. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2010, 88, 910-919.	1.6	177
16	Urinary Bisphenol A Levels in Young Men: Association with Reproductive Hormones and Semen Quality. <i>Environmental Health Perspectives</i> , 2014, 122, 478-484.	6.0	173
17	The 2014 Danish references from birth to 20 years for height, weight and body mass index. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 214-224.	1.5	167
18	Determination of phthalate monoesters in human milk, consumer milk, and infant formula by tandem mass spectrometry (LC-MS/MS). <i>Analytical and Bioanalytical Chemistry</i> , 2005, 382, 1084-1092.	3.7	158

#	ARTICLE	IF	CITATIONS
19	Testicular dysgenesis syndrome: foetal origin of adult reproductive problems. <i>Clinical Endocrinology</i> , 2009, 71, 459-465.	2.4	158
20	Quality of life in 70 women with disorders of sex development. <i>European Journal of Endocrinology</i> , 2006, 155, 877-885.	3.7	145
21	Impaired Reproductive Development in Sons of Women Occupationally Exposed to Pesticides during Pregnancy. <i>Environmental Health Perspectives</i> , 2008, 116, 566-572.	6.0	141
22	Testicular descent: INSL3, testosterone, genes and the intrauterine milieu. <i>Nature Reviews Urology</i> , 2011, 8, 187-196.	3.8	139
23	Low concentration of circulating antimüllerian hormone is not predictive of reduced fecundability in young healthy women: a prospective cohort study. <i>Fertility and Sterility</i> , 2012, 98, 1602-1608.e2.	1.0	139
24	Genital anomalies in boys and the environment. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2010, 24, 279-289.	4.7	132
25	Possible fetal determinants of male infertility. <i>Nature Reviews Endocrinology</i> , 2014, 10, 553-562.	9.6	129
26	Hormonal Changes in 3-Month-Old Cryptorchid Boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 953-958.	3.6	124
27	Bisphenol A and other phenols in urine from Danish children and adolescents analyzed by isotope diluted TurboFlow-LC-MS/MS. <i>International Journal of Hygiene and Environmental Health</i> , 2013, 216, 710-720.	4.3	124
28	Environmental factors in declining human fertility. <i>Nature Reviews Endocrinology</i> , 2022, 18, 139-157.	9.6	123
29	45,X/46,XY Mosaicism: Phenotypic Characteristics, Growth, and Reproductive Function—A Retrospective Longitudinal Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E1540-E1549.	3.6	121
30	Diagnostic Work-Up of 449 Consecutive Girls Who Were Referred to be Evaluated for Precocious Puberty. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 1393-1401.	3.6	120
31	Environmental chemicals and thyroid function: an update. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2009, 16, 385-391.	2.3	118
32	A Possible Role for Reproductive Hormones in Newborn Boys: Progressive Hypogonadism without the Postnatal Testosterone Peak. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 4905-4907.	3.6	117
33	Insulin-Like Factor 3 Levels in Cord Blood and Serum from Children: Effects of Age, Postnatal Hypothalamic-Pituitary-Gonadal Axis Activation, and Cryptorchidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 4020-4027.	3.6	116
34	Individual serum levels of anti-Müllerian hormone in healthy girls persist through childhood and adolescence: a longitudinal cohort study. <i>Human Reproduction</i> , 2012, 27, 861-866.	0.9	115
35	Analgesic use—prevalence, biomonitoring and endocrine and reproductive effects. <i>Nature Reviews Endocrinology</i> , 2016, 12, 381-393.	9.6	115
36	Current exposure of 200 pregnant Danish women to phthalates, parabens and phenols. <i>Reproduction</i> , 2014, 147, 443-453.	2.6	106

#	ARTICLE	IF	CITATIONS
37	Impact of exposure to endocrine disrupters in utero and in childhood on adult reproduction. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2002, 16, 289-309.	4.7	103
38	Temporal variability in urinary excretion of bisphenol A and seven other phenols in spot, morning, and 24-h urine samples. <i>Environmental Research</i> , 2013, 126, 164-170.	7.5	102
39	From mother to child: Investigation of prenatal and postnatal exposure to persistent bioaccumulating toxicants using breast milk and placenta biomonitoring. <i>Chemosphere</i> , 2007, 67, S256-S262.	8.2	96
40	Impaired kidney growth in low-birth-weight children: Distinct effects of maturity and weight for gestational age. <i>Kidney International</i> , 2005, 68, 731-740.	5.2	95
41	FSH, LH, inhibin B and estradiol levels in Turner syndrome depend on age and karyotype: longitudinal study of 70 Turner girls with or without spontaneous puberty. <i>Human Reproduction</i> , 2010, 25, 3134-3141.	0.9	95
42	Larger Testes and Higher Inhibin B Levels in Finnish than in Danish Newborn Boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2732-2737.	3.6	93
43	The pubertal transition in 179 healthy Danish children: associations between pubarche, adrenarche, gonadarche, and body composition. <i>European Journal of Endocrinology</i> , 2013, 168, 129-136.	3.7	91
44	AMH as Predictor of Premature Ovarian Insufficiency: A Longitudinal Study of 120 Turner Syndrome Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, E1030-E1038.	3.6	89
45	Concentrations of persistent organochlorine compounds in human milk and placenta are higher in Denmark than in Finland. <i>Human Reproduction</i> , 2007, 23, 201-210.	0.9	88
46	The influence of antenatal exposure to phthalates on subsequent female reproductive development in adolescence: a pilot study. <i>Reproduction</i> , 2014, 147, 379-390.	2.6	87
47	Sex Differences in Reproductive Hormones During Mini-Puberty in Infants With Normal and Disordered Sex Development. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3028-3037.	3.6	86
48	Mild Gestational Diabetes as a Risk Factor for Congenital Cryptorchidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 4862-4865.	3.6	84
49	Pathological and Incidental Findings on Brain MRI in a Single-Center Study of 229 Consecutive Girls with Early or Precocious Puberty. <i>PLoS ONE</i> , 2012, 7, e29829.	2.5	83
50	Early postnatal treatment of hypogonadotropic hypogonadism with recombinant human FSH and LH. <i>European Journal of Endocrinology</i> , 2002, 146, 75-79.	3.7	82
51	Risk Factors for Congenital Cryptorchidism in a Prospective Birth Cohort Study. <i>PLoS ONE</i> , 2008, 3, e3051.	2.5	79
52	Prenatal Exposure to Phthalates and Anogenital Distance in Male Infants from a Low-Exposed Danish Cohort (2010-2012). <i>Environmental Health Perspectives</i> , 2016, 124, 1107-1113.	6.0	78
53	Gender Difference in Breast Tissue Size in Infancy: Correlation with Serum Estradiol. <i>Pediatric Research</i> , 2002, 52, 682-686.	2.3	75
54	High normal testosterone levels in infants with non-mosaic Klinefelter's syndrome. <i>European Journal of Endocrinology</i> , 2007, 157, 345-350.	3.7	74

#	ARTICLE	IF	CITATIONS
55	Prenatal Triclosan Exposure and Anthropometric Measures Including Anogenital Distance in Danish Infants. <i>Environmental Health Perspectives</i> , 2016, 124, 1261-1268.	6.0	71
56	Cryptorchidism and Maternal Alcohol Consumption during Pregnancy. <i>Environmental Health Perspectives</i> , 2007, 115, 272-277.	6.0	69
57	Increase in maternal placental growth hormone during pregnancy and disappearance during parturition in normal and growth hormone-deficient pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 247-251.	1.3	68
58	Incidence, Prevalence, Diagnostic Delay, and Clinical Presentation of Female 46,XY Disorders of Sex Development. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4532-4540.	3.6	67
59	Association of placenta organotin concentrations with growth and ponderal index in 110 newborn boys from Finland during the first 18 months of life: a cohort study. <i>Environmental Health</i> , 2014, 13, 45.	4.0	66
60	Sex, age, pubertal development and use of oral contraceptives in relation to serum concentrations of DHEA, DHEAS, 17 $\beta$ -hydroxyprogesterone, 1 $\alpha$ -4-androstenedione, testosterone and their ratios in children, adolescents and young adults. <i>Clinica Chimica Acta</i> , 2014, 437, 6-13.	1.1	61
61	Male patients with partial androgen insensitivity syndrome: a longitudinal follow-up of growth, reproductive hormones and the development of gynaecomastia. <i>Archives of Disease in Childhood</i> , 2012, 97, 403-409.	1.9	60
62	Narrow intra-individual variation of maternal thyroid function in pregnancy based on a longitudinal study on 132 women. <i>European Journal of Endocrinology</i> , 2009, 161, 903-910.	3.7	59
63	Pubertal Onset in Boys and Girls Is Influenced by Pubertal Timing of Both Parents. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2667-2674.	3.6	58
64	Impaired Cognitive Function in Women with Congenital Adrenal Hyperplasia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 1376-1381.	3.6	56
65	Lower birth weight and increased body fat at school age in children prenatally exposed to modern pesticides: a prospective study. <i>Environmental Health</i> , 2011, 10, 79.	4.0	56
66	Longitudinal Study of Serum Placental GH in 455 Normal Pregnancies: Correlation to Gestational Age, Fetal Gender, and Weight. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 2734-2739.	3.6	54
67	Serum concentrations of Anti-Müllerian Hormone (AMH) in 95 patients with Klinefelter syndrome with or without cryptorchidism. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011, 100, 839-845.	1.5	54
68	Serum Insulin-Like Growth Factor-I (IGF-I) and Growth in Children Born after Assisted Reproduction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 4352-4360.	3.6	51
69	Reduced Serum Testosterone Levels in Infant Boys Conceived by Intracytoplasmic Sperm Injection. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2598-2603.	3.6	51
70	Anti-Müllerian Hormone and Its Clinical Use in Pediatrics with Special Emphasis on Disorders of Sex Development. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-10.	1.5	51
71	A Longitudinal Study of Urinary Phthalate Excretion in 58 Full-Term and 67 Preterm Infants from Birth through 14 Months. <i>Environmental Health Perspectives</i> , 2014, 122, 998-1005.	6.0	50
72	Circulating AMH Reflects Ovarian Morphology by Magnetic Resonance Imaging and 3D Ultrasound in 121 Healthy Girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 880-890.	3.6	50

#	ARTICLE	IF	CITATIONS
73	Pathogenesis of germ cell neoplasia in testicular dysgenesis and disorders of sex development. <i>Seminars in Cell and Developmental Biology</i> , 2015, 45, 124-137.	5.0	49
74	Maternal use of mild analgesics during pregnancy associated with reduced anogenital distance in sons: a cohort study of 1027 mother-child pairs. <i>Human Reproduction</i> , 2017, 32, 223-231.	0.9	48
75	Kidney growth in 717 healthy children aged 0?18½months: a longitudinal cohort study. <i>Pediatric Nephrology</i> , 2004, 19, 992-1003.	1.7	47
76	Association of In Utero Persistent Organic Pollutant Exposure With Placental Thyroid Hormones. <i>Endocrinology</i> , 2018, 159, 3473-3481.	2.8	46
77	Testicular adrenal rest tumours in boys, adolescents and adult men with congenital adrenal hyperplasia may be associated with the CYP21A2 mutation. <i>Journal of Developmental and Physical Disabilities</i> , 2010, 33, 521-527.	3.6	45
78	Increased kidney growth in formula-fed versus breast-fed healthy infants. <i>Pediatric Nephrology</i> , 2004, 19, 1137-44.	1.7	43
79	Association of placenta organotin concentrations with congenital cryptorchidism and reproductive hormone levels in 280 newborn boys from Denmark and Finland. <i>Human Reproduction</i> , 2013, 28, 1647-1660.	0.9	43
80	Testicular Growth During Puberty in Boys With and Without a History of Congenital Cryptorchidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2570-2577.	3.6	41
81	The Possible Impact of Antenatal Exposure to Ubiquitous Phthalates Upon Male Reproductive Function at 20%Years of Age. <i>Frontiers in Endocrinology</i> , 2018, 9, 288.	3.5	41
82	Paraoxonase 1 Polymorphism and Prenatal Pesticide Exposure Associated with Adverse Cardiovascular Risk Profiles at School Age. <i>PLoS ONE</i> , 2012, 7, e36830.	2.5	40
83	A Longitudinal Study of Growth, Sex Steroids, and IGF-1 in Boys With Physiological Gynecomastia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3752-3759.	3.6	38
84	Serum levels of insulin-like factor 3, anti-M¼Allerian hormone, inhibin B, and testosterone during pubertal transition in healthy boys: a longitudinal pilot study. <i>Reproduction</i> , 2014, 147, 529-535.	2.6	37
85	Populations, decreasing fertility, and reproductive health. <i>Lancet, The</i> , 2019, 393, 1500-1501.	13.7	36
86	No association between exposure to perfluorinated compounds and congenital cryptorchidism: a nested case-control study among 215 boys from Denmark and Finland. <i>Reproduction</i> , 2014, 147, 411-417.	2.6	34
87	Polychlorinated dibenzo-p-dioxins, furans, and biphenyls (PCDDs/PCDFs and PCBs) in breast milk and early childhood growth and IGF1. <i>Reproduction</i> , 2014, 147, 391-399.	2.6	33
88	Association between levels of persistent organic pollutants in adipose tissue and cryptorchidism in early childhood: a case-control study. <i>Environmental Health</i> , 2015, 14, 78.	4.0	33
89	Variations in repeated serum concentrations of UV filters, phthalates, phenols and parabens during pregnancy. <i>Environment International</i> , 2019, 123, 318-324.	10.0	32
90	Early Pituitary-Gonadal Activation before Clinical Signs of Puberty in 5- to 8-Year-Old Adopted Girls: A Study of 99 Foreign Adopted Girls and 93 Controls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2538-2544.	3.6	29

#	ARTICLE	IF	CITATIONS
91	Pubertal Onset in Girls is Strongly Influenced by Genetic Variation Affecting FSH Action. <i>Scientific Reports</i> , 2014, 4, 6412.	3.3	29
92	Uterine volume and endometrial thickness in healthy girls evaluated by ultrasound (3-dimensional) and magnetic resonance imaging. <i>Fertility and Sterility</i> , 2015, 104, 452-459.e2.	1.0	29
93	Interaction between prenatal pesticide exposure and a common polymorphism in the PON1 gene on DNA methylation in genes associated with cardio-metabolic disease risk—an exploratory study. <i>Clinical Epigenetics</i> , 2017, 9, 35.	4.1	29
94	Association of Thyroid Gland Volume, Serum Insulin-Like Growth Factor-I, and Anthropometric Variables in Euthyroid Prepubertal Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 4031-4035.	3.6	28
95	Effect of gender and lean body mass on kidney size in healthy 10-year-old children. <i>Pediatric Nephrology</i> , 2001, 16, 366-370.	1.7	27
96	Luteinizing hormone in testicular descent. <i>Molecular and Cellular Endocrinology</i> , 2007, 269, 34-37.	3.2	27
97	Anogenital distance as a phenotypic signature through infancy. <i>Pediatric Research</i> , 2018, 83, 573-579.	2.3	27
98	Delayed Diagnosis of Congenital Adrenal Hyperplasia with Salt Wasting Due to Type II 3 $\beta$ -Hydroxysteroid Dehydrogenase Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 2076-2080.	3.6	26
99	Enantiomeric ratios as an indicator of exposure processes for persistent pollutants in human placentas. <i>Chemosphere</i> , 2006, 62, 390-395.	8.2	25
100	Determination of thyroid hormones in placenta using isotope-dilution liquid chromatography quadrupole time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2018, 1534, 85-92.	3.7	25
101	Insulin-Like Growth Factor I (IGF-I) and IGF-Binding Protein 3 as Diagnostic Markers of Growth Hormone Deficiency in Infancy. <i>Hormone Research in Paediatrics</i> , 2005, 63, 15-21.	1.8	24
102	A Possible Role for Reproductive Hormones in Newborn Boys: Progressive Hypogonadism without the Postnatal Testosterone Peak. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 4905-4907.	3.6	24
103	Postnatal Changes in Testicular Position Are Associated With IGF-I and Function of Sertoli and Leydig Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 1429-1437.	3.6	22
104	The effects of long-term opioid treatment on the immune system in chronic non-cancer pain patients: A systematic review. <i>European Journal of Pain</i> , 2020, 24, 481-496.	2.8	21
105	Sweat secretion rates in growth hormone disorders. <i>Clinical Endocrinology</i> , 2000, 53, 601-608.	2.4	20
106	Genetic variations altering FSH action affect circulating hormone levels as well as follicle growth in healthy peripubertal girls. <i>Human Reproduction</i> , 2016, 31, 897-904.	0.9	20
107	Circannual rhythm in the incidence of cryptorchidism in Finland. <i>Journal of Developmental and Physical Disabilities</i> , 2005, 28, 53-57.	3.6	19
108	Anthropometry, DXA, and leptin reflect subcutaneous but not visceral abdominal adipose tissue on MRI in 197 healthy adolescents. <i>Pediatric Research</i> , 2017, 82, 620-628.	2.3	19

#	ARTICLE	IF	CITATIONS
109	Associations between male reproductive health and exposure to endocrine-disrupting chemicals. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2019, 7, 49-61.	1.4	19
110	Use of stored serum in the study of time trends and geographical differences in exposure of pregnant women to phthalates. <i>Environmental Research</i> , 2020, 184, 109231.	7.5	18
111	Associations between Prenatal Exposure to Phthalates and Timing of Menarche and Growth and Adiposity into Adulthood: A Twenty-Years Birth Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4725.	2.6	18
112	Endocrine Evaluation of Reproductive Function in Girls during Infancy, Childhood and Adolescence. <i>Endocrine Development</i> , 2012, 22, 24-39.	1.3	17
113	Androgen Receptor CAG Repeat Length Is Associated With Body Fat and Serum SHBG in Boys: A Prospective Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E605-E609.	3.6	17
114	Pegvisomant Treatment in a 4-Year-Old Girl with Neurofibromatosis Type 1. <i>Hormone Research in Paediatrics</i> , 2006, 65, 1-5.	1.8	16
115	FSHB-211 and FSHR 2039 are associated with serum levels of follicle-stimulating hormone and antimüllerian hormone in healthy girls: a longitudinal cohort study. <i>Fertility and Sterility</i> , 2013, 100, 1089-1095.	1.0	16
116	Morbidity, Mortality, and Socioeconomics in Females With 46,XY Disorders of Sex Development: A Nationwide Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 1418-1428.	3.6	16
117	Adrenal Suppression in Infants Treated with Topical Ocular Glucocorticoids. <i>Ophthalmology</i> , 2018, 125, 1638-1643.	5.2	16
118	Menstrual Pattern, Reproductive Hormones, and Transabdominal 3D Ultrasound in 317 Adolescent Girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3257-e3266.	3.6	16
119	Glandular breast tissue volume by magnetic resonance imaging in 100 healthy peripubertal girls: evaluation of clinical Tanner staging. <i>Pediatric Research</i> , 2016, 80, 526-530.	2.3	15
120	Genetic Variation of Follicle-Stimulating Hormone Action Is Associated With Age at Testicular Growth in Boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1740-1749.	3.6	15
121	Determination of adrenal volume by MRI in healthy children: associations with age, body size, pubertal stage and serum levels of adrenal androgens. <i>Clinical Endocrinology</i> , 2014, 81, 183-189.	2.4	13
122	The influence of prenatal exposure to phthalates on subsequent male growth and body composition in adolescence. <i>Environmental Research</i> , 2021, 195, 110313.	7.5	13
123	A complex phenotype in a family with a pathogenic SOX3 missense variant. <i>European Journal of Medical Genetics</i> , 2018, 61, 168-172.	1.3	12
124	Differential Impact of Genetic Loci on Age at Thelarche and Menarche in Healthy Girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 228-234.	3.6	12
125	Phthalates Are Metabolised by Primary Thyroid Cell Cultures but Have Limited Influence on Selected Thyroid Cell Functions In Vitro. <i>PLoS ONE</i> , 2016, 11, e0151192.	2.5	11
126	Serum Testosterone Levels in 3-Month-Old Boys Predict Their Semen Quality as Young Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 1965-1975.	3.6	10



#	ARTICLE	IF	CITATIONS
127	Genetic Variations in FSH Action Affect Sex Hormone Levels and Breast Tissue Size in Infant Girls: A Pilot Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 3191-3198.	3.6	9
128	Interaction between paraoxonase 1 polymorphism and prenatal pesticide exposure on metabolic markers in children using a multiplex approach. <i>Reproductive Toxicology</i> , 2015, 51, 22-30.	2.9	8
129	Familial Isolated Primary Pigmented Nodular Adrenocortical Disease Associated with a Novel Low Penetrance &PRKAR1A& Gene Splice Site Mutation. <i>Hormone Research in Paediatrics</i> , 2010, 73, 115-119.	1.8	7
130	Ovarian morphology and function during growth hormone therapy of short girls born small for gestational age. <i>Fertility and Sterility</i> , 2014, 102, 1733-1741.	1.0	7
131	Associations between exposure to perfluoroalkyl substances and body fat evaluated by DXA and MRI in 109 adolescent boys. <i>Environmental Health</i> , 2021, 20, 73.	4.0	7
132	Patient reported outcomes and neuropsychological testing in patients with chronic non-cancer pain in long-term opioid therapy: a pilot study. <i>Scandinavian Journal of Pain</i> , 2019, 19, 533-543.	1.3	6
133	Brain tumours result in sleep disorders in children and adolescents. <i>Sleep Medicine</i> , 2021, 88, 13-21.	1.6	6
134	The association between phthalate exposure and atopic dermatitis with a discussion of phthalate induced secretion of interleukin-1 <sup>2</sup> and thymic stromal lymphopoietin. <i>Expert Review of Clinical Immunology</i> , 2016, 12, 609-616.	3.0	5
135	Prenatal pesticide exposure associated with glycated haemoglobin and markers of metabolic dysfunction in adolescents. <i>Environmental Research</i> , 2018, 166, 71-77.	7.5	4
136	Low saturated fat and low cholesterol diet does not alter pubertal development and hormonal status in adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 321-327.	1.5	4
137	Disorders of sex development – the tip of the iceberg?. <i>Nature Reviews Endocrinology</i> , 2011, 7, 504-505.	9.6	3
138	Transition in Pediatric and Adolescent Hypogonadal Girls: Gynecological Aspects, Estrogen Replacement Therapy, and Contraception. <i>Endocrine Development</i> , 2018, 33, 113-127.	1.3	3
139	Pubarche and Gonadarche Onset and Progression Are Differently Associated With Birth Weight and Infancy Growth Patterns. <i>Journal of the Endocrine Society</i> , 2021, 5, vbab108.	0.2	3
140	Aortic distensibility is equal in prepubertal girls and boys and increases with puberty in girls. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2022, 323, H312-H321.	3.2	3
141	Influence of Gender on the Correlation between Plasma Growth Hormone Profiles and Urinary Growth Hormone Excretion. <i>Hormone Research</i> , 1997, 48, 16-22.	1.8	2
142	Re: The True Incidence of Cryptorchidism in Denmark. <i>Journal of Urology</i> , 2009, 181, 922-924.	0.4	2
143	Association of Endocrine Disrupting Chemicals With Male Reproductive Health. , 2019, , 802-811.		2
144	Long-term opioid treatment and endocrine measures in chronic non-cancer pain patients: A systematic review and meta-analysis. <i>European Journal of Pain</i> , 2021, 25, 1859-1875.	2.8	2

#	ARTICLE	IF	CITATIONS
145	Response to the comment by M. Jensen et al. Birth Defects Research Part A: Clinical and Molecular Teratology, 2011, 91, 127-127.	1.6	1
146	Normal Sweat Secretion Despite Impaired Growth Hormone-Insulin-Like Growth Factor-I Axis in Obese Subjects. International Journal of Endocrinology, 2011, 2011, 1-5.	1.5	1
147	Hormonal disturbances due to severe and mild forms of congenital adrenal hyperplasia are already detectable in neonatal life. Acta Paediatrica, International Journal of Paediatrics, 2015, 104, e57-e62.	1.5	1
148	Migration of phthalates on culture plates – an important challenge to consider for <i>in vitro</i> studies. Scandinavian Journal of Clinical and Laboratory Investigation, 2016, 76, 165-171.	1.2	1
149	Clinical assessment of blood pressure in 60 girls with Turner syndrome compared to 1888 healthy Danish girls. Clinical Endocrinology, 2022, , .	2.4	1
150	Prepubertal and pubertal gonadal morphology, expression of cell lineage markers and hormonal evaluation in two 46,XY siblings with 17 $\beta$ -hydroxysteroid dehydrogenase 3 deficiency. Journal of Pediatric Endocrinology and Metabolism, 2022, 35, 953-961.	0.9	1
151	Dynamic Changes in LH/FSH Ratios in Infants with Normal Sex Development. European Journal of Endocrinology, 2022, , .	3.7	1
152	Cryptorchidism: Main et al. Respond. Environmental Health Perspectives, 2008, 116, .	6.0	0
153	PBDEs and Cryptorchidism: Main et al. Respond. Environmental Health Perspectives, 2008, 116, .	6.0	0
154	Non-Classic Congenital Adrenal Hyperplasia in Two Adolescents With Gender Dysphoria. Journal of Psychosexual Health, 2021, 3, 275-279.	0.6	0