## Nihar R Pandey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10817550/publications.pdf

Version: 2024-02-01

		566801	752256
20	775	15	20
papers	citations	h-index	g-index
		22	1000
20	20	20	1292
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Synchronous activation of ERK 1/2, p38mapk and PKB/Akt signaling by H2O2 in vascular smooth muscle cells: potential involvement in vascular disease (review). International Journal of Molecular Medicine, 2003, 11, 229-34.	1.8	89
2	Insulino-mimetic and anti-diabetic effects of zinc. Journal of Inorganic Biochemistry, 2013, 120, 8-17.	1.5	87
3	Chronic Stress Induces Anxiety via an Amygdalar Intracellular Cascade that Impairs Endocannabinoid Signaling. Neuron, 2015, 85, 1319-1331.	3.8	81
4	H2O2-Induced Phosphorylation of ERK1/2 and PKB Requires Tyrosine Kinase Activity of Insulin Receptor and c-Src. Antioxidants and Redox Signaling, 2005, 7, 1014-1020.	2.5	67
5	IRF2BP2 Reduces Macrophage Inflammation and Susceptibility to Atherosclerosis. Circulation Research, 2015, 117, 671-683.	2.0	64
6	Functional properties of Claramine: A novel PTP1B inhibitor and insulin-mimetic compound. Biochemical and Biophysical Research Communications, 2015, 458, 21-27.	1.0	60
7	Distinct Roles of Ca2+, Calmodulin, and Protein Kinase C in H2O2-Induced Activation of ERK1/2, p38 MAPK, and Protein Kinase B Signaling in Vascular Smooth Muscle Cells. Antioxidants and Redox Signaling, 2004, 6, 353-366.	2.5	53
8	The LIM Domain Only 4 Protein Is a Metabolic Responsive Inhibitor of Protein Tyrosine Phosphatase 1B That Controls Hypothalamic Leptin Signaling. Journal of Neuroscience, 2013, 33, 12647-12655.	1.7	47
9	CaMKII knockdown attenuates H2O2-induced phosphorylation of ERK1/2, PKB/Akt, and IGF-1R in vascular smooth muscle cells. Free Radical Biology and Medicine, 2009, 47, 858-866.	1.3	40
10	LIM Domain Only 4 (LMO4) Regulates Calcium-Induced Calcium Release and Synaptic Plasticity in the Hippocampus. Journal of Neuroscience, 2012, 32, 4271-4283.	1.7	38
11	Linoleic Acid-Enriched Phospholipids Act through Peroxisome Proliferator-Activated Receptors α To Stimulate Hepatic Apolipoprotein A-I Secretion. Biochemistry, 2008, 47, 1579-1587.	1.2	29
12	LMO4 is required to maintain hypothalamic insulin signaling. Biochemical and Biophysical Research Communications, 2014, 450, 666-672.	1.0	22
13	Cell-type-specific roles of IGF-1R and EGFR in mediating Zn2+-induced ERK1/2 and PKB phosphorylation. Journal of Biological Inorganic Chemistry, 2010, 15, 399-407.	1.1	19
14	Cross talk between Leishmania donovani CpG DNA and Toll-like receptor 9: An immunoinformatics approach. Biochemical and Biophysical Research Communications, 2015, 459, 424-429.	1.0	18
15	Effects of PPAR-Î <sup>3</sup> Knock-down and Hyperglycemia on Insulin Signaling in Vascular Smooth Muscle Cells From Hypertensive Rats. Journal of Cardiovascular Pharmacology, 2007, 49, 346-354.	0.8	16
16	LMO4 Is Essential for Paraventricular Hypothalamic Neuronal Activity and Calcium Channel Expression to Prevent Hyperphagia. Journal of Neuroscience, 2014, 34, 140-148.	1.7	14
17	Hepatic High-Density Lipoprotein Secretion Regulates the Mobilization of Cell-Surface Hepatic Lipase. Biochemistry, 2009, 48, 5994-6001.	1.2	10
18	Phospholipids as cardiovascular therapeutics. Current Opinion in Investigational Drugs, 2008, 9, 281-5.	2.3	8

#	Article	IF	CITATION
19	Phosphatidylinositol acts through mitogen-activated protein kinase to stimulate hepatic apolipoprotein A-I secretion. Metabolism: Clinical and Experimental, 2008, 57, 1677-1684.	1.5	7
20	An Induction in Hepatic HDL Secretion Associated with Reduced ATPase Expression. American Journal of Pathology, 2009, 175, 1777-1787.	1.9	6