
Annette Denzinger

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10818988/publications.pdf Version: 2024-02-01



ANNETTE DENZINCER

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The resting frequency of echolocation signals changes with body temperature in the hipposiderid bat <i>Hipposideros armiger</i> . Journal of Experimental Biology, 2022, 225, . | 1.7 | 3 |
| 2 | Bat Diversity in Cat Ba Biosphere Reserve, Northeastern Vietnam: A Review with New Records from Mangrove Ecosystem. Diversity, 2021, 13, 376. | 1.7 | 6 |
| 3 | High frequency social calls indicate food source defense in foraging Common pipistrelle bats. Scientific Reports, 2020, 10, 5764. | 3.3 | 16 |
| 4 | Social calls of Myotis nattereri during swarming: Call structure mirrors the different behavioral context. PLoS ONE, 2019, 14, e0221792. | 2.5 | 6 |
| 5 | Precise Doppler shift compensation in the hipposiderid bat, Hipposideros armiger. Scientific Reports, 2018, 8, 4598. | 3.3 | 17 |
| 6 | The role of echolocation strategies for niche differentiation in bats. Canadian Journal of Zoology, 2018, 96, 171-181. | 1.0 | 51 |
| 7 | Reduction of emission level in approach signals of greater mouse-eared bats (Myotis myotis): No evidence for a closed loop control system for intensity compensation. PLoS ONE, 2018, 13, e0194600. | 2.5 | 5 |
| 8 | No evidence for spectral jamming avoidance in echolocation behavior of foraging pipistrelle bats. Scientific Reports, 2016, 6, 30978. | 3.3 | 28 |
| 9 | Guild Structure and Niche Differentiation in Echolocating Bats. Springer Handbook of Auditory Research, 2016, , 141-166. | 0.7 | 17 |
| 10 | Bidirectional Echolocation in the Bat Barbastella barbastellus: Different Signals of Low Source Level Are Emitted Upward through the Nose and Downward through the Mouth. PLoS ONE, 2015, 10, e0135590. | 2.5 | 23 |
| 11 | Distress Calls of a Fast-Flying Bat (Molossus molossus) Provoke Inspection Flights but Not Cooperative Mobbing. PLoS ONE, 2015, 10, e0136146. | 2.5 | 29 |
| 12 | Echolocation behaviour of the big brown bat (Eptesicus fuscus) in an obstacle avoidance task of increasing difficulty. Journal of Experimental Biology, 2014, 217, 2876-84. | 1.7 | 40 |
| 13 | Bat guilds, a concept to classify the highly diverse foraging and echolocation behaviors of microchiropteran bats. Frontiers in Physiology, 2013, 4, 164. | 2.8 | 350 |
| 14 | Scanning Behavior in Echolocating Common Pipistrelle Bats (Pipistrellus pipistrellus). PLoS ONE, 2013, 8, e60752. | 2.5 | 43 |
| 15 | A new species of <i>Hipposideros</i> (Chiroptera: Hipposideridae) from Vietnam. Journal of Mammalogy, 2012, 93, 1-11. | 1.3 | 26 |
| 16 | Systematics of the <i>Hipposideros turpis</i> complex and a description of a new subspecies from Vietnam. Mammal Review, 2012, 42, 166-192. | 4.8 | 39 |
| 17 | Auditory fovea and Doppler shift compensation: adaptations for flutter detection in echolocating bats using CF-FM signals. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2011, 197, 541-559. | 1.6 | 123 |
| 18 | The Voice of Bats: How Greater Mouse-eared Bats Recognize Individuals Based on Their Echolocation Calls. PLoS Computational Biology, 2009, 5, e1000400. | 3.2 | 80 |

Annette Denzinger

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Variability of the approach phase of landing echolocating Greater Mouse-eared bats. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2009, 195, 69-77. | 1.6 | 14 |
| 20 | Spatial unmasking in the echolocating Big Brown Bat, Eptesicus fuscus. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2009, 195, 463-472. | 1.6 | 31 |
| 21 | Absolute Threshold. , 2008, , 3-3. | | 0 |
| 22 | Aerial hawking and landing: approach behaviour in Natterer's bats, Myotis nattereri (Kuhl 1818). Journal of Experimental Biology, 2007, 210, 4457-4464. | 1.7 | 53 |
| 23 | Voices of the dead: complex nonlinear vocal signals from the larynx of an ultrasonic frog. Journal of Experimental Biology, 2006, 209, 4984-4993. | 1.7 | 75 |
| 24 | Echolocation signals of the plecotine bat, Plecotus macrobullaris Kuzyakin, 1965. Acta Chiropterologica, 2006, 8, 465-475. | 0.6 | 17 |
| 25 | Old World frog and bird vocalizations contain prominent ultrasonic harmonics. Journal of the Acoustical Society of America, 2004, 115, 910-913. | 1.1 | 136 |
| 26 | From spatial orientation to food acquisition in echolocating bats. Trends in Ecology and Evolution, 2003, 18, 386-394. | 8.7 | 609 |
| 27 | Echolocation by the barbastelle bat, Barbastella barbastellus. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2001, 187, 521-528. | 1.6 | 50 |