

# Gregory W Evans

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10830071/publications.pdf>

Version: 2024-02-01

63  
papers

11,140  
citations

87888

38  
h-index

118850

62  
g-index

63  
all docs

63  
docs citations

63  
times ranked

11583  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Intensive Blood-Pressure Control in Type 2 Diabetes Mellitus. <i>New England Journal of Medicine</i> , 2010, 362, 1575-1585.	27.0	3,117
2	Arterial Wall Thickness Is Associated With Prevalent Cardiovascular Disease in Middle-Aged Adults. <i>Stroke</i> , 1995, 26, 386-391.	2.0	690
3	Effect of Rosuvastatin on Progression of Carotid Intima-Media Thickness in Low-Risk Individuals With Subclinical Atherosclerosis. <i>JAMA - Journal of the American Medical Association</i> , 2007, 297, 1344.	7.4	636
4	Common Carotid Intima-Media Thickness Measurements in Cardiovascular Risk Prediction. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 796.	7.4	622
5	Arterial Stiffness: A New Cardiovascular Risk Factor?. <i>American Journal of Epidemiology</i> , 1994, 140, 669-682.	3.4	436
6	Torcetrapib and carotid intima-media thickness in mixed dyslipidaemia (RADIANCE 2 study): a randomised, double-blind trial. <i>Lancet</i> , The, 2007, 370, 153-160.	13.7	432
7	The Population Dynamics of a Long-Lived Conifer ( <i>Pinus palustris</i> ). <i>American Naturalist</i> , 1988, 131, 491-525.	2.1	429
8	Hypertension, Blood Pressure, and Heart Rate Variability. <i>Hypertension</i> , 2003, 42, 1106-1111.	2.7	363
9	Carotid Intima-Media Thickness Measurements in Intervention Studies. <i>Stroke</i> , 2003, 34, 2985-2994.	2.0	318
10	Risk Factors for Progression of Common Carotid Atherosclerosis: The Atherosclerosis Risk in Communities Study, 1987-1998. <i>American Journal of Epidemiology</i> , 2002, 155, 38-47.	3.4	281
11	Diabetes, Glucose, Insulin, and Heart Rate Variability: The Atherosclerosis Risk in Communities (ARIC) study. <i>Diabetes Care</i> , 2005, 28, 668-674.	8.6	269
12	Lower Heart Rate Variability Is Associated With the Development of Coronary Heart Disease in Individuals With Diabetes. <i>Diabetes</i> , 2002, 51, 3524-3531.	0.6	263
13	Serum Uric Acid Predicts Incident Hypertension in a Biethnic Cohort. <i>Hypertension</i> , 2006, 48, 1037-1042.	2.7	224
14	Outcomes of Combined Cardiovascular Risk Factor Management Strategies in Type 2 Diabetes: The ACCORD Randomized Trial. <i>Diabetes Care</i> , 2014, 37, 1721-1728.	8.6	217
15	Final Report of a Trial of Intensive versus Standard Blood-Pressure Control. <i>New England Journal of Medicine</i> , 2021, 384, 1921-1930.	27.0	214
16	Effects of fire season on flowering of forbs and shrubs in longleaf pine forests. <i>Oecologia</i> , 1988, 76, 353-363.	2.0	193
17	Blood Pressure Measurement in SPRINT (Systolic Blood Pressure Intervention Trial). <i>Hypertension</i> , 2018, 71, 848-857.	2.7	190
18	Mechanical Ventilation in a Cohort of Elderly Patients Admitted to an Intensive Care Unit. <i>Annals of Internal Medicine</i> , 1999, 131, 96.	3.9	158

#	ARTICLE	IF	CITATIONS
19	Cholesteryl Ester Transfer Protein Inhibitor Torcetrapib and Off-Target Toxicity. <i>Circulation</i> , 2008, 118, 2515-2522.	1.6	141
20	Repeatability of heart rate variability measures. <i>Journal of Electrocardiology</i> , 2004, 37, 163-172.	0.9	138
21	Rationale and Design for the Blood Pressure Intervention of the Action to Control Cardiovascular Risk in Diabetes (ACCORD) Trial. <i>American Journal of Cardiology</i> , 2007, 99, S44-S55.	1.6	125
22	Premature atherosclerosis in pediatric systemic lupus erythematosus: Risk factors for increased carotid intima-media thickness in the atherosclerosis prevention in pediatric lupus erythematosus cohort. <i>Arthritis and Rheumatism</i> , 2009, 60, 1496-1507.	6.7	125
23	Multiple imputation of missing repeated outcome measurements did not add to linear mixed-effects models. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 686-695.	5.0	121
24	Variation of common carotid artery elasticity with intimal-medial thickness: The aric study. <i>Ultrasound in Medicine and Biology</i> , 1997, 23, 157-164.	1.5	105
25	Orthostatic Hypotension in the ACCORD (Action to Control Cardiovascular Risk in Diabetes) Blood Pressure Trial. <i>Hypertension</i> , 2016, 68, 888-895.	2.7	103
26	Hypertension and arterial stiffness: the atherosclerosis risk in communities study*1. <i>American Journal of Hypertension</i> , 2000, 13, 317-323.	2.0	86
27	Intensive Blood Pressure Control, Falls, and Fractures in Patients with Type 2 Diabetes: The ACCORD Trial. <i>Journal of General Internal Medicine</i> , 2014, 29, 1599-1606.	2.6	69
28	The effect of tibolone and continuous combined conjugated equine oestrogens plus medroxyprogesterone acetate on progression of carotid intima-media thickness: the Osteoporosis Prevention and Arterial effects of tiboLone (OPAL) study. <i>European Heart Journal</i> , 2006, 27, 746-755.	2.2	67
29	Measuring Effects on Intima Media Thickness: An Evaluation of Rosuvastatin in Subclinical Atherosclerosisâ€”The Rationale and Methodology of the METEOR Study. <i>Cardiovascular Drugs and Therapy</i> , 2004, 18, 231-238.	2.6	66
30	Syncope, Hypotension, and Falls in the Treatment of Hypertension: Results from the Randomized Clinical Systolic Blood Pressure Intervention Trial. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 679-686.	2.6	62
31	Common carotid artery wall thickness and external diameter as predictors of prevalent and incident cardiac events in a large population study. <i>Cardiovascular Ultrasound</i> , 2007, 5, 11.	1.6	60
32	Carotid Intima-media Thickness Measurements. <i>Chinese Medical Journal</i> , 2016, 129, 215-226.	2.3	59
33	Acoustic shadowing on B-mode ultrasound of the carotid artery predicts CHD. <i>Ultrasound in Medicine and Biology</i> , 2001, 27, 357-365.	1.5	57
34	Orthostatic Hypotension, Cardiovascular Outcomes, and Adverse Events. <i>Hypertension</i> , 2020, 75, 660-667.	2.7	57
35	Orthostatic changes in systolic blood pressure among SPRINT participants at baseline. <i>Journal of the American Society of Hypertension</i> , 2016, 10, 847-856.	2.3	56
36	Correlates of the shift in heart rate variability with an active postural change in a healthy population sample: The Atherosclerosis Risk In Communities study. <i>American Heart Journal</i> , 2002, 143, 808-813.	2.7	54

#	ARTICLE	IF	CITATIONS
37	Does the Cardiac Autonomic Response to Postural Change Predict Incident Coronary Heart Disease and Mortality? : The Atherosclerosis Risk in Communities Study. <i>American Journal of Epidemiology</i> , 2002, 155, 48-56.	3.4	45
38	Common carotid arterial interadventitial distance (diameter) as an indicator of the damaging effects of age and atherosclerosis, a cross-sectional study of the Atherosclerosis Risk in Community Cohort Limited Access Data (ARICLAD), 1987â€“89. <i>Cardiovascular Ultrasound</i> , 2006, 4, 1.	1.6	44
39	Arterial distensibility and physical activity in the ARIC study. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 2065-2071.	0.4	35
40	Designs of RADIANCE 1 and 2:carotid ultrasound studies comparing the effects of torcetrapib/atorvastatin with atorvastatin alone on atherosclerosis. <i>Current Medical Research and Opinion</i> , 2007, 23, 885-894.	1.9	35
41	The Osteoporosis Prevention and Arterial effects of tiboLone (OPAL) study: design and baseline characteristics. <i>Contemporary Clinical Trials</i> , 2003, 24, 752-775.	1.9	34
42	Population-based study of heart rate variability and prevalent myocardial infarction. <i>Journal of Electrocardiology</i> , 1996, 29, 189-198.	0.9	32
43	Intensive Blood Pressure Treatment Does Not Improve Cardiovascular Outcomes in Centrally Obese Hypertensive Individuals With Diabetes. <i>Diabetes Care</i> , 2012, 35, 1401-1405.	8.6	31
44	Effects of Lovastatin and Warfarin on Early Carotid Atherosclerosis. <i>Circulation</i> , 1999, 100, e14-7.	1.6	29
45	Extensive or Restricted Ultrasound Protocols to Measure Carotid Intima-Media Thickness: Analysis of Completeness Rates and Impact on Observed Rates of Change Over Time. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 91-100.	2.8	24
46	Algorithms to measure carotid intimaâ€“media thickness in trials. <i>Journal of Hypertension</i> , 2011, 29, 2181-2193.	0.5	23
47	Familial Aggregation and Genome-Wide Linkage Analysis of Carotid Artery Plaque: The NHLBI Family Heart Study. <i>Human Heredity</i> , 2004, 57, 80-89.	0.8	21
48	Carotid intima-media thickness in low-risk individuals with asymptomatic atherosclerosis: baseline data from the METEOR study. <i>Current Medical Research and Opinion</i> , 2007, 23, 641-648.	1.9	20
49	Completeness of Carotid Intima Media Thickness Measurements Depends on Body Composition: The RADIANCE 1 and 2 trials. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010, 17, 526-535.	2.0	20
50	Effect of Rosuvastatin on the Echolucency of the Common Carotid Intima-Media in Low-Risk Individuals: The METEOR Trial. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 1120-1127.e1.	2.8	20
51	The Use of Plaque Score Measurements to Assess Changes in Atherosclerotic Plaque Burden Induced by Lipid-Lowering Therapy Over Time: The METEOR Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011, 18, 784-795.	2.0	19
52	Systolic Blood Pressure Control Among Individuals With Type 2 Diabetes: A Comparative Effectiveness Analysis of Three Interventions. <i>American Journal of Hypertension</i> , 2015, 28, 995-1009.	2.0	18
53	Bilateral common carotid artery ultrasound for prediction of incident strokes using intima-media thickness and external diameter: an observational study. <i>Cardiovascular Ultrasound</i> , 2013, 11, 22.	1.6	14
54	Carotid Intimaâ€“Media Thickness is Associated With Incident Heart Failure Among Middleâ€“Aged Whites and Blacks: The Atherosclerosis Risk in Communities Study. <i>Journal of the American Heart Association</i> , 2014, 3, e000797.	3.7	14

#	ARTICLE	IF	CITATIONS
55	Diabetes status modifies the association between carotid intima-media thickness and incident heart failure: The Atherosclerosis Risk in Communities study. <i>Diabetes Research and Clinical Practice</i> , 2017, 128, 58-66.	2.8	11
56	Impact of Body Mass Index on Changes in Common Carotid Artery Wall Thickness. <i>Obesity</i> , 2002, 10, 1000-1007.	4.0	10
57	Does baseline carotid intima-media thickness modify the effect of rosuvastatin when compared with placebo on carotid intima-media thickness progression? The METEOR study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 223-229.	2.8	10
58	Sample size requirements in trials using repeated measurements and the impact of trial design. <i>Current Medical Research and Opinion</i> , 2012, 28, 681-688.	1.9	9
59	Effect of number of ultrasound examinations on the assessment of carotid intima-media thickness changes over time: the example of the METEOR study. <i>Journal of Hypertension</i> , 2011, 29, 1145-1154.	0.5	8
60	Striking Increases in Carotid Artery Wall Thickness in Healthy Subjects. <i>Cerebrovascular Diseases</i> , 2010, 30, 448-455.	1.7	5
61	Biologically implausible carotid intima-media thickness measurement values: effects on rate of change over time. <i>Current Medical Research and Opinion</i> , 2012, 28, 891-899.	1.9	3
62	Impact of Intensive Blood Pressure Therapy on Concern about Falling: Longitudinal Results from the Systolic Blood Pressure Intervention Trial (SPRINT). <i>Journal of the American Geriatrics Society</i> , 2020, 68, 614-618.	2.6	3
63	Intensive BP Control, Falls, and Fractures: Response to Jolobe (MS #17620). <i>Journal of General Internal Medicine</i> , 2015, 30, 547-547.	2.6	0