

Joseph J Gallo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10834143/publications.pdf>

Version: 2024-02-01

139
papers

7,435
citations

61984

43
h-index

56724

83
g-index

139
all docs

139
docs citations

139
times ranked

7743
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnoses and Treatment After Depression Screening in Primary Care Among Youth. <i>American Journal of Preventive Medicine</i> , 2022, 62, 511-518.	3.0	5
2	Mitigating End-of-Life Burden: Parallel Perspectives of Physician-Patients & Family Caregivers. <i>Journal of Pain and Symptom Management</i> , 2022, 63, 590-598.	1.2	1
3	One size does not fit all. <i>American Journal of Geriatric Psychiatry</i> , 2022, , .	1.2	1
4	Mobile health school screening and telemedicine referral to improve access to specialty care in rural Alaska: a cluster- randomised controlled trial. <i>The Lancet Global Health</i> , 2022, 10, e1023-e1033.	6.3	19
5	Exploring Health Literacy and the Correlates of Pap Testing Among African Immigrant Women: Findings from the AfroPap Study. <i>Journal of Cancer Education</i> , 2021, 36, 441-451.	1.3	17
6	An Idea Whose Time Has Come: Promoting Health Equity by Preventing the Syndemic of Depression and Medical Comorbidity. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 12-14.	1.2	8
7	Racial disparities in depression incidence, management, and mortality after prostate cancer diagnosis.. <i>Journal of Clinical Oncology</i> , 2021, 39, 201-201.	1.6	1
8	The Role of Sources and Types of Health Information in Shaping Health Literacy in Cervical Cancer Screening Among African Immigrant Women: A Mixed-Methods Study. <i>Health Literacy Research and Practice</i> , 2021, 5, e96-e108.	0.9	3
9	Advancing discussion of ethics in mixed methods health services research. <i>BMC Health Services Research</i> , 2021, 21, 577.	2.2	3
10	Does it Matter Who Decides? Outcomes of Surrogate Decision-Making for Community-Dwelling, Cognitively Impaired Older Adults Near the End of Life. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 1126-1134.	1.2	4
11	Long-term depression incidence and associated mortality among African American and White prostate cancer survivors. <i>Cancer</i> , 2021, 127, 3476-3485.	4.1	9
12	Evaluating the association of adverse childhood experiences, mood and anxiety disorders, and suicidal ideation among behavioral health patients at a large federally qualified health center. <i>PLoS ONE</i> , 2021, 16, e0254385.	2.5	4
13	Depression Subtypes in Individuals With or at Risk for Symptomatic Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2020, 72, 669-678.	3.4	19
14	Sources of Information for Learning and Decision-Making in Men With Localized Prostate Cancer. <i>American Journal of Men's Health</i> , 2020, 14, 155798832094546.	1.6	12
15	Hearing Norton Sound: community involvement in the design of a mixed methods community randomized trial in 15 Alaska Native communities. <i>Research Involvement and Engagement</i> , 2020, 6, 67.	2.9	14
16	â€œWe canâ€™t carry the weight of the whole worldâ€ illness experiences among Peruvian older adults with symptoms of depression and anxiety. <i>International Journal of Mental Health Systems</i> , 2020, 14, 49.	2.7	5
17	Mood disorders, childhood maltreatment, and medical morbidity in US adults: An observational study. <i>Journal of Psychosomatic Research</i> , 2020, 137, 110207.	2.6	7
18	Residence in urban and rural areas over the life course and depression among Ghanaian and South African older adults. <i>Health and Place</i> , 2020, 63, 102349.	3.3	5

#	ARTICLE	IF	CITATIONS
19	What matters when doctors die: A qualitative study of family perspectives. PLoS ONE, 2020, 15, e0235138.	2.5	3
20	Association between disease progression and depression onset in persons with radiographic knee osteoarthritis. Rheumatology, 2020, 59, 3390-3399.	1.9	17
21	Role of persistent and worsening sleep disturbance in depression remission and suicidal ideation among older primary care patients: the PROSPECT study. Sleep, 2020, 43, .	1.1	8
22	What matters when doctors die: A qualitative study of family perspectives. , 2020, 15, e0235138.		0
23	What matters when doctors die: A qualitative study of family perspectives. , 2020, 15, e0235138.		0
24	What matters when doctors die: A qualitative study of family perspectives. , 2020, 15, e0235138.		0
25	What matters when doctors die: A qualitative study of family perspectives. , 2020, 15, e0235138.		0
26	Patient-Centered Approach to Develop the Patient's Preferences for Prostate Cancer Care (PreProCare) Tool. MDM Policy and Practice, 2019, 4, 238146831985537.	0.9	4
27	A Framework of Minority Stress: From Physiological Manifestations to Cognitive Outcomes. Gerontologist, The, 2019, 59, 1017-1023.	3.9	57
28	Mixed methods grant applications in the health sciences: An analysis of reviewer comments. PLoS ONE, 2019, 14, e0225308.	2.5	11
29	Reply to A. Vickers et al. Journal of Clinical Oncology, 2019, 37, 3463-3464.	1.6	0
30	Hearing Norton Sound: mixed methods protocol of a community randomised trial to address childhood hearing loss in rural Alaska. BMJ Open, 2019, 9, e023081.	1.9	19
31	Assessing urban-rural differences in the relationship between social capital and depression among Ghanaian and South African older adults. PLoS ONE, 2019, 14, e0218620.	2.5	14
32	Social role functioning in Parkinson's disease: A mixed-methods systematic review. International Journal of Geriatric Psychiatry, 2019, 34, 1128-1138.	2.7	78
33	Patient-Centered Preference Assessment to Improve Satisfaction With Care Among Patients With Localized Prostate Cancer: A Randomized Controlled Trial. Journal of Clinical Oncology, 2019, 37, 964-973.	1.6	35
34	Hearing Norton Sound: a community randomised trial protocol to address childhood hearing loss in rural Alaska. BMJ Open, 2019, 9, e023078.	1.9	19
35	Advance Directives, Medical Conditions, and Preferences for End-of-Life Care Among Physicians: 12-year Follow-Up of the Johns Hopkins Precursors Study. Journal of Pain and Symptom Management, 2019, 57, 556-565.	1.2	8
36	Urbanicity of residence and depression among adults 50 years and older in Ghana and South Africa: an analysis of the WHO Study on Global AGEing and Adult Health (SAGE). Aging and Mental Health, 2019, 23, 660-669.	2.8	15

#	ARTICLE	IF	CITATIONS
37	Process Evaluation of a Retreat for Scholars in the First Cohort: The NIH Mixed Methods Research Training Program for the Health Sciences. <i>Journal of Mixed Methods Research</i> , 2019, 13, 52-68.	2.6	13
38	A mixed methods exploratory assessment of the usefulness of Baltimore City Health Department's trauma-informed care training intervention.. <i>American Journal of Orthopsychiatry</i> , 2019, 89, 228-236.	1.5	9
39	Barriers and facilitators for access to mental health services by traumatized youth. <i>Children and Youth Services Review</i> , 2018, 85, 273-278.	1.9	15
40	Heart Failure Rehospitalization and Delayed Decision Making. <i>Journal of Cardiovascular Nursing</i> , 2018, 33, 30-39.	1.1	33
41	The impact of peer mentor communication with older adults on depressive symptoms and working alliance: A pilot study. <i>Patient Education and Counseling</i> , 2018, 101, 665-671.	2.2	10
42	“Conversational Advice” A mixed-methods analysis of medical residents' experiences co-managing primary care patients with behavioral health providers. <i>Patient Education and Counseling</i> , 2018, 101, 85-91.	2.2	1
43	Models of care for populations with chronic conditions and mental/behavioral health comorbidity. <i>International Review of Psychiatry</i> , 2018, 30, 157-169.	2.8	7
44	Mixed Methods in Geriatrics and Gerontology Research. , 2018, , 129-142.		1
45	Using vignettes to understand heart failure self-care. <i>Journal of Clinical Nursing</i> , 2018, 27, 3554-3560.	3.0	6
46	Skills Development and Academic Productivity of Scholars in the NIH Mixed Methods Research Training Program for the Health Sciences. <i>International Journal of Multiple Research Approaches</i> , 2018, 10, 373-389.	0.1	4
47	Cardiovascular risk factors and risk of incident depression throughout adulthood among men: The Johns Hopkins Precursors Study. <i>Journal of Affective Disorders</i> , 2017, 214, 60-66.	4.1	25
48	Multimorbidity and Mental Health. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 520-521.	1.2	7
49	Decision making about Pap test use among Korean immigrant women: A qualitative study. <i>Health Expectations</i> , 2017, 20, 685-695.	2.6	16
50	Comparative effectiveness of prostate cancer treatments for patient-centered outcomes. <i>Medicine (United States)</i> , 2017, 96, e6790.	1.0	18
51	Development of a Self-Rated Mixed Methods Skills Assessment: The National Institutes of Health Mixed Methods Research Training Program for the Health Sciences. <i>Journal of Continuing Education in the Health Professions</i> , 2017, 37, 76-82.	1.3	11
52	Costs of substance use disorders from claims data for Medicare recipients from a population-based sample. <i>Journal of Substance Abuse Treatment</i> , 2017, 77, 174-177.	2.8	3
53	Physical Activity in Midlife is not Associated with Cognitive Health in Later Life Among Cognitively Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 1349-1358.	2.6	20
54	Physician Preferences for Aggressive Treatment at the End of Life and Area-Level Health Care Spending: The Johns Hopkins Precursors Study. <i>Gerontology and Geriatric Medicine</i> , 2017, 3, 233372141772232.	1.5	7

#	ARTICLE	IF	CITATIONS
55	Patient-centred outcomes research: perspectives of patient stakeholders. <i>JRSM Open</i> , 2017, 8, 205427041773851.	0.5	5
56	Residents' Confidence Providing Primary Care With Behavioral Health Integration. <i>Family Medicine</i> , 2017, 49, 361-368.	0.5	7
57	Does a Depression Management Program Decrease Mortality in Older Adults with Specific Medical Conditions in Primary Care? An Exploratory Analysis. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 126-131.	2.6	9
58	Substance use, mental illness, and familial conflict non-negotiation among HIV-positive African-Americans: latent class regression and a new syndemic framework. <i>Journal of Behavioral Medicine</i> , 2016, 39, 1-12.	2.1	37
59	An Innovative Model of Depression Care Delivery: Peer Mentors in Collaboration with a Mental Health Professional to Relieve Depression in Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 407-416.	1.2	34
60	Multimorbidity, Depression, and Mortality in Primary Care: Randomized Clinical Trial of an Evidence-Based Depression Care Management Program on Mortality Risk. <i>Journal of General Internal Medicine</i> , 2016, 31, 380-386.	2.6	84
61	A systematic review of physical illness, functional disability, and suicidal behaviour among older adults. <i>Aging and Mental Health</i> , 2016, 20, 166-194.	2.8	260
62	Death Ideation and Suicidal Ideation in a Community Sample Who Do Not Meet Criteria for Major Depression. <i>Crisis</i> , 2016, 37, 161-165.	1.2	20
63	What Does Depression Mean for Korean American Elderly?: A Qualitative Follow-Up Study. <i>Psychiatry Investigation</i> , 2016, 13, 558.	1.6	14
64	COSTS OF DEPRESSION FROM CLAIMS DATA FOR MEDICARE RECIPIENTS IN A POPULATION-BASED SAMPLE. <i>Journal of Health and Human Services Administration</i> , 2016, 39, 72-94.	0.0	5
65	Treatment preference and patient centered prostate cancer care: Design and rationale. <i>Contemporary Clinical Trials</i> , 2015, 45, 296-301.	1.8	16
66	Concordance Between Clinical Diagnosis and Medicare Claims of Depression Among Older Primary Care Patients. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 726-734.	1.2	20
67	Prevention of Depression in Medical Conditions. , 2015, , 33-56.		0
68	Accuracy of Reports of Lifetime Mental and Physical Disorders. <i>JAMA Psychiatry</i> , 2014, 71, 273.	11.0	178
69	Depressive symptoms among adolescents and older adults in Mexico City. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 953-960.	3.1	7
70	Towards Personalizing Treatment for Depression. <i>Patient</i> , 2013, 6, 35-43.	2.7	17
71	Late-life depressive symptoms: Prediction models of change. <i>Journal of Affective Disorders</i> , 2013, 150, 886-894.	4.1	37
72	Factors associated with help-seeking behaviors in Mexican older individuals with depressive symptoms: a cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 1260-1269.	2.7	9

#	ARTICLE	IF	CITATIONS
73	Long term effect of depression care management on mortality in older adults: follow-up of cluster randomized clinical trial in primary care. <i>BMJ, The</i> , 2013, 346, f2570-f2570.	6.0	126
74	Non-pharmacological prevention of major depression among community-dwelling older adults: A systematic review of the efficacy of psychotherapy interventions. <i>Archives of Gerontology and Geriatrics</i> , 2012, 55, 522-529.	3.0	37
75	The burden of depression in prostate cancer. <i>Psycho-Oncology</i> , 2012, 21, 1338-1345.	2.3	118
76	Depressive Symptoms Impair Everyday Problem-Solving Ability Through Cognitive Abilities in Late Life. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 142-150.	1.2	64
77	Alcohol Consumption and Domain-Specific Cognitive Function in Older Adults: Longitudinal Data From the Johns Hopkins Precursors Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2011, 66B, 39-47.	3.9	30
78	Depressive symptoms and APOE polymorphisms in an elderly population-based sample. <i>Psychiatric Genetics</i> , 2010, 20, 215-220.	1.1	6
79	Depression and cancer risk: 24 years of follow-up of the Baltimore Epidemiologic Catchment Area sample. <i>Cancer Causes and Control</i> , 2010, 21, 191-199.	1.8	115
80	Disparity in Use of Psychotherapy Offered in Primary Care Between Older African-American and White Adults: Results from a Practice-Based Depression Intervention Trial. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 154-160.	2.6	23
81	Towards Patient-Centered Care for Depression. <i>Patient</i> , 2010, 3, 145-157.	2.7	35
82	TOWARDS PATIENT-CENTERED CARE FOR DEPRESSION: CONJOINT METHODS TO TAILOR TREATMENT BASED ON PREFERENCES. <i>Patient</i> , 2010, 3, 145-157.	2.7	29
83	Funding and Publishing Integrated Studies: Writing Effective Mixed Methods Manuscripts and Grant Proposals. , 2010, , 775-802.		14
84	Bridging Psychiatric and Anthropological Approaches: The Case of "Nerves" in the United States. <i>Ethos</i> , 2009, 37, 282-313.	0.2	5
85	Depressive Symptoms Among Older Adults in Mexico City. <i>Journal of General Internal Medicine</i> , 2008, 23, 1973-1980.	2.6	60
86	Stability of Preferences for End-of-Life Treatment After 3 Years of Follow-up. <i>Archives of Internal Medicine</i> , 2008, 168, 2125.	3.8	61
87	Usefulness of two instruments in assessing depression among elderly Mexicans in population studies and for primary care. <i>Salud Publica De Mexico</i> , 2008, 50, 447-456.	0.4	17
88	ApoE4 Allele Is Associated With Late-Life Depression: A Population-Based Study. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 858-868.	1.2	55
89	The Effect of a Primary Care Practice-Based Depression Intervention on Mortality in Older Adults. <i>Annals of Internal Medicine</i> , 2007, 146, 689.	3.9	142
90	The role of patient personality in the identification of depression in older primary care patients. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 1095-1100.	2.7	7

#	ARTICLE	IF	CITATIONS
91	The Role of Cardiovascular Disease in the Identification and Management of Depression by Primary Care Physicians. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 71-78.	1.2	36
92	Chronic Medical Conditions and Wishes to Die among Older Primary Care Patients. <i>International Journal of Psychiatry in Medicine</i> , 2006, 36, 183-198.	1.8	46
93	A Mixed-Methods Approach to Understanding Loneliness and Depression in Older Adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2006, 61, S329-S339.	3.9	184
94	Brief report: Patient cognitive status and the identification and management of depression by primary care physicians. <i>Journal of General Internal Medicine</i> , 2006, 21, 1042-1044.	2.6	5
95	Unwritten Rules of Talking to Doctors About Depression: Integrating Qualitative and Quantitative Methods. <i>Annals of Family Medicine</i> , 2006, 4, 302-309.	1.9	83
96	Patient Characteristics Associated with Participation in a Practice-Based Study of Depression in Late Life: The Spectrum Study. <i>International Journal of Psychiatry in Medicine</i> , 2005, 35, 41-57.	1.8	26
97	Personal characteristics and depression-related attitudes of older adults and participation in stages of implementation of a multi-site effectiveness trial (PRISM-E). <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 927-937.	2.7	19
98	Patient Ethnicity and the Identification and Active Management of Depression in Late Life. <i>Archives of Internal Medicine</i> , 2005, 165, 1962.	3.8	68
99	Using a Bayesian latent growth curve model to identify trajectories of positive affect and negative events following myocardial infarction. <i>Biostatistics</i> , 2005, 6, 119-143.	1.5	65
100	Depression, Cardiovascular Disease, Diabetes, and Two-Year Mortality Among Older, Primary-Care Patients. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 748-755.	1.2	78
101	Depression, Cardiovascular Disease, Diabetes, and Two-Year Mortality Among Older, Primary-Care Patients. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 748-755.	1.2	83
102	The Role of Physicians in Assessing Older Drivers: Barriers, Opportunities, and Strategies. <i>Journal of the American Board of Family Medicine</i> , 2004, 17, 38-43.	1.5	34
103	Primary Care Clinicians Evaluate Integrated and Referral Models of Behavioral Health Care For Older Adults: Results From a Multisite Effectiveness Trial (PRISM-E). <i>Annals of Family Medicine</i> , 2004, 2, 305-309.	1.9	109
104	Personal Characteristics of Older Primary Care Patients Who Provide a Buccal Swab for Apolipoprotein E Testing and Banking of Genetic Material: The Spectrum Study. <i>Public Health Genomics</i> , 2004, 7, 202-210.	1.0	40
105	Physical Functioning, Depression, and Preferences for Treatment at the End of Life: The Johns Hopkins Precursors Study. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 577-582.	2.6	64
106	Computer-assisted assessment of depression and function in older primary care patients. <i>Computer Methods and Programs in Biomedicine</i> , 2004, 73, 165-171.	4.7	22
107	Are higher rates of depression in women accounted for by differential symptom reporting?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 126-132.	3.1	69
108	Hopelessness, depression, substance disorder, and suicidality. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 497-501.	3.1	161

#	ARTICLE	IF	CITATIONS
109	Life-Sustaining Treatments: What Do Physicians Want and Do They Express Their Wishes to Others?. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 961-969.	2.6	58
110	The Association of Alcohol Use and Depression Among Puerto Ricans in the United States and in Puerto Rico. <i>Journal of Ethnicity in Substance Abuse</i> , 2003, 2, 1-13.	0.9	5
111	The Acceptability of Treatment for Depression Among African-American, Hispanic, and White Primary Care Patients. <i>Medical Care</i> , 2003, 41, 479-489.	2.4	594
112	Education and Sex Differences in the Mini-Mental State Examination: Effects of Differential Item Functioning. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2002, 57, P548-P558.	3.9	108
113	Do Family Physicians and Internists Differ in Knowledge, Attitudes, and Self-Reported Approaches for Depression?. <i>International Journal of Psychiatry in Medicine</i> , 2002, 32, 1-20.	1.8	27
114	Anxiety Disorders and Disability Secondary to Urinary Incontinence among Adults over Age 50. <i>International Journal of Psychiatry in Medicine</i> , 2002, 32, 141-154.	1.8	41
115	Suicidal and Death Ideation in Older Primary Care Patients With Depression, Anxiety, and At-Risk Alcohol Use. <i>American Journal of Geriatric Psychiatry</i> , 2002, 10, 417-427.	1.2	152
116	Urinary Incontinence and Psychological Distress in Community-Dwelling Older Adults. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 489-495.	2.6	106
117	Urinary Incontinence, Condition-Specific Functional Loss, and Psychological Distress. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 1311-1311.	2.6	5
118	Prospective study of brief neuropsychological measures to assess crash risk in older primary care patients. <i>The Journal of the American Board of Family Practice</i> , 2002, 15, 11-9.	0.3	22
119	Suicidal and death ideation in older primary care patients with depression, anxiety, and at-risk alcohol use. <i>American Journal of Geriatric Psychiatry</i> , 2002, 10, 417-27.	1.2	59
120	Education Bias in the Mini-Mental State Examination. <i>International Psychogeriatrics</i> , 2001, 13, 299-310.	1.0	67
121	The systematic assessment of depressed elderly primary care patients. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 560-569.	2.7	39
122	Dimensions of the Mini-Mental State Examination among community dwelling older adults. <i>Psychological Medicine</i> , 2000, 30, 605-618.	4.5	81
123	Cognitive impairment and syndromal depression in estimates of active life expectancy: the 13-year follow-up of the Baltimore Epidemiologic Catchment Area sample. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 265-273.	4.5	7
124	Understanding the heterogeneity of depression through the triad of symptoms, course and risk factors: a longitudinal, population-based study. <i>Journal of Affective Disorders</i> , 2000, 59, 1-11.	4.1	138
125	Major depression and cancer: the 13-year follow-up of the Baltimore epidemiologic catchment area sample (United States). <i>Cancer Causes and Control</i> , 2000, 11, 751-758.	1.8	70
126	The Challenge of Depression in Late Life. <i>JAMA - Journal of the American Medical Association</i> , 2000, 284, 1570.	7.4	49

#	ARTICLE	IF	CITATIONS
127	Cognitive impairment and syndromal depression in estimates of active life expectancy: the 13-year follow-up of the Baltimore Epidemiologic Catchment Area sample. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 265-273.	4.5	7
128	Consensus Statement on the Upcoming Crisis in Geriatric Mental Health. <i>Archives of General Psychiatry</i> , 1999, 56, 848.	12.3	480
129	The Driving Habits of Adults Aged 60 Years and Older. <i>Journal of the American Geriatrics Society</i> , 1999, 47, 335-341.	2.6	127
130	The Epidemiology of Common Late-Life Mental Disorders in the Community: Themes for the New Century. <i>Psychiatric Services</i> , 1999, 50, 1158-1166.	2.0	219
131	Mental Health Service Utilization by African Americans and Whites. <i>Medical Care</i> , 1999, 37, 1034-1045.	2.4	195
132	Depression in late life: a hidden public health problem for Mexico?. <i>Salud Publica De Mexico</i> , 1999, 41, 189-202.	0.4	15
133	The "Research Magnificent"™ in Late Life: Psychiatric Epidemiology and the Primary Health Care of Older Adults. <i>International Journal of Psychiatry in Medicine</i> , 1997, 27, 185-204.	1.8	31
134	Symptom profiles of depression among general medical service users compared with speciality mental health service users. <i>Psychological Medicine</i> , 1997, 27, 1051-1063.	4.5	49
135	Depression Without Sadness: Functional Outcomes of Nondysphoric Depression in Later Life. <i>Journal of the American Geriatrics Society</i> , 1997, 45, 570-578.	2.6	261
136	Clinical Diagnosis: A Marker for Disease?. <i>Journal of Nervous and Mental Disease</i> , 1997, 185, 739-747.	1.0	15
137	Depression, Psychotropic Medication, and Risk of Myocardial Infarction. <i>Circulation</i> , 1996, 94, 3123-3129.	1.6	545
138	Epidemiology of Mental Disorders in Middle Age and Late Life: Conceptual Issues. <i>Epidemiologic Reviews</i> , 1995, 17, 83-94.	3.5	14
139	Age Differences in the Symptoms of Depression: A Latent Trait Analysis. <i>Journal of Gerontology</i> , 1994, 49, P251-P264.	1.9	323