
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10849739/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Pravastatin in elderly individuals at risk of vascular disease (PROSPER): a randomised controlled trial. Lancet, The, 2002, 360, 1623-1630.	13.7	3,147
2	Pragmatic Trials. New England Journal of Medicine, 2016, 375, 454-463.	27.0	948
3	Coronary CT Angiography and 5-Year Risk of Myocardial Infarction. New England Journal of Medicine, 2018, 379, 924-933.	27.0	898
4	Pravastatin and the Development of Diabetes Mellitus. Circulation, 2001, 103, 357-362.	1.6	824
5	C-Reactive Protein Is an Independent Predictor of Risk for the Development of Diabetes in the West of Scotland Coronary Prevention Study. Diabetes, 2002, 51, 1596-1600.	0.6	667
6	Effectiveness of early lens extraction for the treatment of primary angle-closure glaucoma (EAGLE): a randomised controlled trial. Lancet, The, 2016, 388, 1389-1397.	13.7	385
7	Clinical effectiveness and cost-effectiveness of surgical options for the management of anterior and/or posterior vaginal wall prolapse: two randomised controlled trials within a comprehensive cohort study – results from the PROSPECT Study. Health Technology Assessment, 2016, 20, 1-452.	2.8	348
8	Vaginal progesterone prophylaxis for preterm birth (the OPPTIMUM study): a multicentre, randomised, double-blind trial. Lancet, The, 2016, 387, 2106-2116.	13.7	319
9	The Effectiveness of Cognitive Behavior Therapy for Borderline Personality Disorder: Results from the Borderline Personality Disorder Study of Cognitive Therapy (BOSCOT) Trial. Journal of Personality Disorders, 2006, 20, 450-465.	1.4	306
10	Medical expulsive therapy in adults with ureteric colic: a multicentre, randomised, placebo-controlled trial. Lancet, The, 2015, 386, 341-349.	13.7	289
11	Progesterone for the prevention of preterm birth in twin pregnancy (STOPPIT): a randomised, double-blind, placebo-controlled study and meta-analysis. Lancet, The, 2009, 373, 2034-2040.	13.7	273
12	Fractional flow reserve vs. angiography in guiding management to optimize outcomes in non-ST-segment elevation myocardial infarction: the British Heart Foundation FAMOUS-NSTEMI randomized trial. European Heart Journal, 2015, 36, 100-111.	2.2	241
13	Mortality in adults with newly diagnosed and chronic epilepsy: a retrospective comparative study. Lancet Neurology, The, 2006, 5, 481-487.	10.2	215
14	Antimicrobial catheters for reduction of symptomatic urinary tract infection in adults requiring short-term catheterisation in hospital: a multicentre randomised controlled trial. Lancet, The, 2012, 380, 1927-1935.	13.7	203
15	Individualised pelvic floor muscle training in women with pelvic organ prolapse (POPPY): a multicentre randomised controlled trial. Lancet, The, 2014, 383, 796-806.	13.7	201
16	Comparison of the two most commonly used treatments for pyoderma gangrenosum: results of the STOP GAP randomised controlled trial. BMJ, The, 2015, 350, h2958-h2958.	6.0	192
17	Mesh, graft, or standard repair for women having primary transvaginal anterior or posterior compartment prolapse surgery: two parallel-group, multicentre, randomised, controlled trials (PROSPECT). Lancet, The, 2017, 389, 381-392.	13.7	190
18	A Randomized Trial Comparing Treatments for Varicose Veins. New England Journal of Medicine, 2014, 371, 1218-1227.	27.0	170

#	Article	IF	CITATIONS
19	Mortality in epilepsy. Epilepsy and Behavior, 2007, 10, 363-376.	1.7	167
20	Comparison of stapled haemorrhoidopexy with traditional excisional surgery for haemorrhoidal disease (eTHoS): a pragmatic, multicentre, randomised controlled trial. Lancet, The, 2016, 388, 2375-2385.	13.7	147
21	Evaluating Progestogens for Preventing Preterm birth International Collaborative (EPPPIC): meta-analysis of individual participant data from randomised controlled trials. Lancet, The, 2021, 397, 1183-1194.	13.7	110
22	Urinary incontinence in men after formal one-to-one pelvic-floor muscle training following radical prostatectomy or transurethral resection of the prostate (MAPS): two parallel randomised controlled trials. Lancet, The, 2011, 378, 328-337.	13.7	105
23	Guiding Therapy by Coronary CT Angiography Improves Outcomes in Patients With StableÂChest Pain. Journal of the American College of Cardiology, 2019, 74, 2058-2070.	2.8	99
24	Glyceryl trinitrate to reduce the need for manual removal of retained placenta following vaginal delivery: the GOT-IT RCT. Health Technology Assessment, 2019, 23, 1-72.	2.8	92
25	Model inconsistency, illustrated by the cox proportional hazards model. Statistics in Medicine, 1995, 14, 735-746.	1.6	89
26	Cognitive therapy <i>v.</i> usual treatment for borderline personality disorder: prospective 6-year follow-up. British Journal of Psychiatry, 2010, 197, 456-462.	2.8	86
27	Sex-Specific Thresholds of High-Sensitivity Troponin in Patients With Suspected Acute Coronary Syndrome. Journal of the American College of Cardiology, 2019, 74, 2032-2043.	2.8	84
28	Five-Year Outcomes of a Randomized Trial of Treatments for Varicose Veins. New England Journal of Medicine, 2019, 381, 912-922.	27.0	75
29	Cognitive behavioural therapy in clozapine-resistant schizophrenia (FOCUS): an assessor-blinded, randomised controlled trial. Lancet Psychiatry,the, 2018, 5, 633-643.	7.4	71
30	Assessing methods to specify the target difference for a randomised controlled trial: DELTA (Difference ELicitation in TriAls) review. Health Technology Assessment, 2014, 18, v-vi, 1-175.	2.8	68
31	Effect of Theophylline as Adjunct to Inhaled Corticosteroids on Exacerbations in Patients With COPD. JAMA - Journal of the American Medical Association, 2018, 320, 1548.	7.4	67
32	The effectiveness of early lens extraction with intraocular lens implantation for the treatment of primary angle-closure glaucoma (EAGLE): study protocol for a randomized controlled trial. Trials, 2011, 12, 133.	1.6	62
33	The Cost-Effectiveness of Cognitive Behavior Therapy for Borderline Personality Disorder: Results from the BOSCOT Trial. Journal of Personality Disorders, 2006, 20, 466-481.	1.4	60
34	A Randomized Controlled Trial of Cognitive Behavior Therapy for Borderline Personality Disorder: Rationale for Trial, Method, and Description of Sample. Journal of Personality Disorders, 2006, 20, 431-449.	1.4	53
35	Clinical outcomes and response of patients applying topical therapy for pyoderma gangrenosum: A prospective cohort study. Journal of the American Academy of Dermatology, 2016, 75, 940-949.	1.2	53
36	The "PRIM―study: A randomized comparison of prostaglandin E2 gel with the nitric oxide donor isosorbide mononitrate for cervical ripening before the induction of labor at term. American Journal of Obstetrics and Gynecology, 2006, 194, 1012-1021.	1.3	51

#	Article	IF	CITATIONS
37	Antipsychotic medication versus psychological intervention versus a combination of both in adolescents with first-episode psychosis (MAPS): a multicentre, three-arm, randomised controlled pilot and feasibility study. Lancet Psychiatry,the, 2020, 7, 788-800.	7.4	51
38	Effectiveness of pelvic floor muscle training with and without electromyographic biofeedback for urinary incontinence in women: multicentre randomised controlled trial. BMJ, The, 2020, 371, m3719.	6.0	50
39	Atrial cellular electrophysiological changes in patients with ventricular dysfunction may predispose to AF. Heart Rhythm, 2009, 6, 445-451.	0.7	48
40	Chronic beta-adrenoceptor blockade and human atrial cell electrophysiology: evidence of pharmacological remodelling. Cardiovascular Research, 2003, 58, 518-525.	3.8	47
41	Outcomes of a Noninferiority Randomised Controlled Trial of Surgery for Men with Urodynamic Stress Incontinence After Prostate Surgery (MASTER). European Urology, 2021, 79, 812-823.	1.9	46
42	The role of covariates in estimating treatment effects and risk in long-term clinical trials. Statistics in Medicine, 2002, 21, 2899-2908.	1.6	45
43	Post-Operative Atrial Fibrillation Is Influenced by Beta-Blocker Therapy But Not by Pre-Operative Atrial Cellular Electrophysiology. Journal of Cardiovascular Electrophysiology, 2006, 17, 1230-1238.	1.7	45
44	Transcriptionâ€less analysis of aphasic discourse: A clinician's dream or a possibility?. Aphasiology, 2007, 21, 355-374.	2.2	42
45	Treatment of Advanced Glaucoma Study: a multicentre randomised controlled trial comparing primary medical treatment with primary trabeculectomy for people with newly diagnosed advanced glaucoma—study protocol. British Journal of Ophthalmology, 2018, 102, 922-928.	3.9	42
46	Using Patient-Reported Outcomes in Schizophrenia: The Scottish Schizophrenia Outcomes Study. Psychiatric Services, 2009, 60, 240-245.	2.0	40
47	A Prospective Study of Pravastatin in the Elderly at Risk (PROSPER): Screening Experience and Baseline Characteristics. Current Controlled Trials in Cardiovascular Medicine, 2002, 3, 8.	1.5	38
48	Male synthetic sling versus artificial urinary sphincter trial for men with urodynamic stress incontinence after prostate surgery (MASTER): study protocol for a randomised controlled trial. Trials, 2018, 19, 131.	1.6	36
49	STOPPIT Baby Follow-Up Study: The Effect of Prophylactic Progesterone in Twin Pregnancy on Childhood Outcome. PLoS ONE, 2015, 10, e0122341.	2.5	36
50	Picture description in neurologically normal adults: Concepts and topic coherence. Aphasiology, 2007, 21, 340-354.	2.2	34
51	Laparoscopic supracervical hysterectomy versus endometrial ablation for women with heavy menstrual bleeding (HEALTH): a parallel-group, open-label, randomised controlled trial. Lancet, The, 2019, 394, 1425-1436.	13.7	33
52	Fool's gold? Why blinded trials are not always best. BMJ, The, 2020, 368, l6228.	6.0	29
53	Primary trabeculectomy for advanced glaucoma: pragmatic multicentre randomised controlled trial (TACS). BMJ, The, 2021, 373, n1014.	6.0	29
54	Single-Incision Mini-Slings for Stress Urinary Incontinence in Women. New England Journal of Medicine, 2022, 386, 1230-1243.	27.0	29

#	Article	IF	CITATIONS
55	The home as an appropriate setting for women undertaking cervical ripening before the induction of labour. Midwifery, 2011, 27, 30-35.	2.3	25
56	Trial Steering Committees in randomised controlled trials: A survey of registered clinical trials units to establish current practice and experiences. Clinical Trials, 2015, 12, 664-676.	1.6	24
57	Use of effective contraception following provision of the progestogen-only pill for women presenting to community pharmacies for emergency contraception (Bridge-It): a pragmatic cluster-randomised crossover trial. Lancet, The, 2020, 396, 1585-1594.	13.7	24
58	Early Signs Monitoring to Prevent Relapse in Psychosis and Promote Well-Being, Engagement, and Recovery: Protocol for a Feasibility Cluster Randomized Controlled Trial Harnessing Mobile Phone Technology Blended With Peer Support. JMIR Research Protocols, 2020, 9, e15058.	1.0	24
59	Attenuation of endothelin-1 induced vasoconstriction by 17β estradiol is not sustained during long-term therapy in postmenopausal women with coronary heart disease. Journal of the American College of Cardiology, 2001, 37, 1367-1373.	2.8	23
60	Exploring the role and function of trial steering committees: results of an expert panel meeting. Trials, 2015, 16, 597.	1.6	23
61	Conflict of Evidence: Resolving Discrepancies When Findings from Randomized Controlled Trials and Meta-analyses Disagree. European Urology, 2017, 71, 811-819.	1.9	23
62	Effect of hands-on interprofessional simulation training for local emergencies in Scotland: the THISTLE stepped-wedge design randomised controlled trial. BMJ Quality and Safety, 2020, 29, 122-134.	3.7	23
63	Early lens extraction with intraocular lens implantation for the treatment of primary angle closure glaucoma: an economic evaluation based on data from the EAGLE trial. BMJ Open, 2017, 7, e013254.	1.9	22
64	Trial protocol OPPTIMUM– Does progesterone prophylaxis for the prevention of preterm labour improve outcome?. BMC Pregnancy and Childbirth, 2012, 12, 79.	2.4	21
65	Usefulness of Fractional Flow Reserve to Improve Diagnostic Efficiency in Patients With Non-ST Elevation Myocardial Infarction. American Journal of Cardiology, 2013, 111, 45-50.	1.6	21
66	Texting to Reduce Alcohol Misuse (TRAM): main findings from a randomized controlled trial of a text message intervention to reduce binge drinking among disadvantaged men. Addiction, 2018, 113, 1609-1618.	3.3	21
67	How to deal with a temporary suspension and restarting your trial: our experiences and lessons learnt. Trials, 2020, 21, 765.	1.6	21
68	Evaluation of the Arabin cervical pessary for prevention of preterm birth in women with a twin pregnancy and short cervix (STOPPIT-2): An open-label randomised trial and updated meta-analysis. PLoS Medicine, 2021, 18, e1003506.	8.4	21
69	Does progesterone prophylaxis to prevent preterm labour improve outcome? A randomised double-blind placebo-controlled trial (OPPTIMUM). Health Technology Assessment, 2018, 22, 1-304.	2.8	21
70	Use of low-dose oral theophylline as an adjunct to inhaled corticosteroids in preventing exacerbations of chronic obstructive pulmonary disease: study protocol for a randomised controlled trial. Trials, 2015, 16, 267.	1.6	20
71	Surgical Treatment for Recurrent Bulbar Urethral Stricture: A Randomised Open-label Superiority Trial of Open Urethroplasty Versus Endoscopic Urethrotomy (the OPEN Trial). European Urology, 2020, 78, 572-580.	1.9	20
72	Basic versus biofeedback-mediated intensive pelvic floor muscle training for women with urinary incontinence: the OPAL RCT. Health Technology Assessment, 2020, 24, 1-144.	2.8	19

#	Article	IF	CITATIONS
73	Clinical endpoint adjudication. Lancet, The, 2020, 395, 1878-1882.	13.7	18
74	Development and validation of a risk prediction model of preterm birth for women with preterm labour symptoms (the QUIDS study): A prospective cohort study and individual participant data meta-analysis. PLoS Medicine, 2021, 18, e1003686.	8.4	18
75	Shockwave Lithotripsy Versus Ureteroscopic Treatment as Therapeutic Interventions for Stones of the Ureter (TISU): A Multicentre Randomised Controlled Non-inferiority Trial. European Urology, 2021, 80, 46-54.	1.9	18
76	Validation of the myocardial-ischaemic-injury-index machine learning algorithm to guide the diagnosis of myocardial infarction in a heterogenous population: a prespecified exploratory analysis. The Lancet Digital Health, 2022, 4, e300-e308.	12.3	18
77	The Scottish 700 Outcomes Study: A Comparative Evaluation of the Health of the Nation Outcome Scale (HoNOS), the Avon Mental Health Measure (AVON), and an Idiographic Scale (OPUS) in adult mental health. Journal of Mental Health, 2004, 13, 93-105.	1.9	17
78	Design and protocol for the Focusing on Clozapine Unresponsive Symptoms (FOCUS) trial: a randomised controlled trial. BMC Psychiatry, 2016, 16, 280.	2.6	16
79	Cognitive–behavioural therapy for clozapine-resistant schizophrenia: the FOCUS RCT. Health Technology Assessment, 2019, 23, 1-144.	2.8	16
80	Surgical interventions for uterine prolapse and for vault prolapse: the two VUE RCTs. Health Technology Assessment, 2020, 24, 1-220.	2.8	16
81	Digital smartphone intervention to recognise and manage early warning signs in schizophrenia to prevent relapse: the EMPOWER feasibility cluster RCT. Health Technology Assessment, 2022, 26, 1-174.	2.8	16
82	IMOP: randomised placebo controlled trial of outpatient cervical ripening with isosorbide mononitrate (IMN) prior to induction of labour – clinical trial with analyses of efficacy, cost effectiveness and acceptability. BMC Pregnancy and Childbirth, 2006, 6, 25.	2.4	15
83	Influence of therapist competence and quantity of cognitive behavioural therapy on suicidal behaviour and inpatient hospitalisation in a randomised controlled trial in borderline personality disorder: Further analyses of treatment effects in the <scp>BOSCOT</scp> study. Psychology and Psychotherapy: Theory, Research and Practice, 2013, 86, 280-293.	2.5	15
84	TISU: Extracorporeal shockwave lithotripsy, as first treatment option, compared with direct progression to ureteroscopic treatment, for ureteric stones: study protocol for a randomised controlled trial. Trials, 2018, 19, 286.	1.6	14
85	Effectiveness and cost-effectiveness of basic versus biofeedback-mediated intensive pelvic floor muscle training for female stress or mixed urinary incontinence: protocol for the OPAL randomised trial. BMJ Open, 2019, 9, e024153.	1.9	14
86	Open urethroplasty versus endoscopic urethrotomy - clarifying the management of men with recurrent urethral stricture (the OPEN trial): study protocol for a randomised controlled trial. Trials, 2015, 16, 600.	1.6	13
87	The challenge of implementing AI models in the ICU. Lancet Respiratory Medicine,the, 2018, 6, 886-888.	10.7	13
88	The EMPOWER blended digital intervention for relapse prevention in schizophrenia: a feasibility cluster randomised controlled trial in Scotland and Australia. Lancet Psychiatry,the, 2022, 9, 477-486.	7.4	13
89	Study of progesterone for the prevention of preterm birth in twins (STOPPIT): Findings from a trial-based cost-effectiveness analysis. International Journal of Technology Assessment in Health Care, 2010, 26, 141-148.	0.5	12
90	Mortality prediction in ICU: a methodological advance. Lancet Respiratory Medicine, the, 2015, 3, 5-6.	10.7	12

#	Article	IF	CITATIONS
91	THISTLE: trial of hands-on Interprofessional simulation training for local emergencies: a research protocol for a stepped-wedge clustered randomised controlled trial. BMC Pregnancy and Childbirth, 2017, 17, 294.	2.4	12
92	Alcohol and disadvantaged men: A feasibility trial of an intervention delivered by mobile phone. Drug and Alcohol Review, 2017, 36, 468-476.	2.1	11
93	A pragmatic, multicentre, randomised controlled trial comparing stapled haemorrhoidopexy to traditional excisional surgery for haemorrhoidal disease (eTHoS): study protocol for a randomised controlled trial. Trials, 2014, 15, 439.	1.6	10
94	A mobile phone intervention to reduce binge drinking among disadvantaged men: study protocol for a randomised controlled cost-effectiveness trial. Trials, 2014, 15, 494.	1.6	10
95	Emergency contraception from the pharmacy 20 years on: a mystery shopper study. BMJ Sexual and Reproductive Health, 2021, 47, 55-60.	1.7	10
96	Primary trabeculectomy versus primary glaucoma eye drops for newly diagnosed advanced glaucoma: TAGS RCT. Health Technology Assessment, 2021, 25, 1-158.	2.8	10
97	The SIMS trial: adjustable anchored single-incision mini-slings versus standard tension-free midurethral slings in the surgical management of female stress urinary incontinence. A study protocol for a pragmatic, multicentre, non-inferiority randomised controlled trial. BMJ Open, 2017, 7, e015111.	1.9	9
98	Cost Effectiveness of Stapled Haemorrhoidopexy and Traditional Excisional Surgery for the Treatment of Haemorrhoidal Disease. PharmacoEconomics - Open, 2018, 2, 271-280.	1.8	9
99	Protocol for a multicentre randomised controlled parallel-group trial to compare the effectiveness of remotely delivered cognitive-behavioural and graded exercise interventions with usual care alone to lessen the impact of fatigue in inflammatory rheumatic diseases (LIFT). BMJ Open, 2019, 9, e026793.	1.9	9
100	Pragmatic cluster randomised cohort cross-over trial to determine the effectiveness of bridging from emergency to regular contraception: the Bridge-It study protocol. BMJ Open, 2019, 9, e029978.	1.9	8
101	Open randomised trial of the (Arabin) pessary to prevent preterm birth in twin pregnancy with health economics and acceptability: STOPPIT-2—a study protocol. BMJ Open, 2018, 8, e026430.	1.9	8
102	Is speed of healing a good predictor of eventual healing of pyoderma gangrenosum?. Journal of the American Academy of Dermatology, 2016, 75, 1216-1220.e2.	1.2	7
103	Psychological intervention, antipsychotic medication or a combined treatment for adolescents with a first episode of psychosis: the MAPS feasibility three-arm RCT. Health Technology Assessment, 2021, 25, 1-124.	2.8	7
104	Laparoscopic supracervical hysterectomy compared with second-generation endometrial ablation for heavy menstrual bleeding: the HEALTH RCT. Health Technology Assessment, 2019, 23, 1-108.	2.8	7
105	Open urethroplasty versus endoscopic urethrotomy for recurrent urethral stricture in men: the OPEN RCT. Health Technology Assessment, 2020, 24, 1-110.	2.8	7
106	Text message intervention to reduce frequency of binge drinking among disadvantaged men: the TRAM RCT. Public Health Research, 2018, 6, 1-156.	1.3	7
107	Risky Single-Occasion Drinking and Disadvantaged Men: Will Recruitment Through Primary Care Miss Hazardous Drinkers?. Alcoholism: Clinical and Experimental Research, 2013, 37, 1577-1581.	2.4	5
108	Quantitative fibronectin to help decision-making in women with symptoms of preterm labour (QUIDS) part 1: Individual participant data meta-analysis and health economic analysis. BMJ Open, 2018, 8, e020796.	1.9	5

#	ARTICLE	IF	CITATIONS
109	HEALTH: laparoscopic supracervical hysterectomy versus second-generation endometrial ablation for the treatment of heavy menstrual bleeding: study protocol for a randomised controlled trial. Trials, 2018, 19, 63.	1.6	5
110	A programme of research to set priorities and reduce uncertainties for the prevention and treatment of skin disease. Programme Grants for Applied Research, 2016, 4, 1-488.	1.0	5
111	Study protocol: quantitative fibronectin to help decision-making in women with symptoms of preterm labour (QUIDS) part 2, UK Prospective Cohort Study. BMJ Open, 2018, 8, e020795.	1.9	4
112	PRINCIPLE: a community-based COVID-19 platform trial. Lancet Respiratory Medicine, the, 2021, 9, 943-945.	10.7	4
113	A pragmatic group sequential, placebo-controlled, randomised trial to determine the effectiveness of glyceryl trinitrate for retained placenta (GOT-IT): a study protocol. BMJ Open, 2017, 7, e017134.	1.9	3
114	17ß Oestradiol Does Not Attenuate the Response to Angiotensin I and II During Long Term Therapy in Postmenopausal Women. Cardiovascular Drugs and Therapy, 2004, 18, 31-36.	2.6	2
115	ICON-6: the danger of changing study design midstream. Lancet, The, 2016, 387, 1031-1032.	13.7	2
116	Provision of the progestogen-only pill by community pharmacies as bridging contraception for women receiving emergency contraception: the Bridge-it RCT. Health Technology Assessment, 2021, 25, 1-92.	2.8	2
117	Shockwave lithotripsy compared with ureteroscopic stone treatment for adults with ureteric stones: the TISU non-inferiority RCT. Health Technology Assessment, 2022, 26, 1-70.	2.8	2
118	Use of the oral beta blocker bisoprolol to reduce the rate of exacerbation in people with chronic obstructive pulmonary disease (COPD): a randomised controlled trial (BICS). Trials, 2022, 23, 307.	1.6	2
119	Ureteric colic and clinical evidence $\hat{a} \in$ "Authors' reply. Lancet, The, 2015, 386, 1823.	13.7	1
120	A cohort examination to establish reporting of the remit and function of Trial Steering Committees in randomised controlled trials. Trials, 2017, 18, 590.	1.6	1
121	The Arabin pessary to prevent preterm birth in women with a twin pregnancy and a short cervix: the STOPPIT 2 RCT. Health Technology Assessment, 2021, 25, 1-66.	2.8	1
122	A prognostic model, including quantitative fetal fibronectin, to predict preterm labour: the QUIDS meta-analysis and prospective cohort study. Health Technology Assessment, 2021, 25, 1-168.	2.8	1
123	Study of progesterone for the prevention of preterm birth in twins (STOPPIT): Findings from a trial-based cost-effectiveness analysis—Erratum. International Journal of Technology Assessment in Health Care, 2010, 26, 473-474.	0.5	0
124	Assessing catheter-associated urinary tract infection – Authors' reply. Lancet, The, 2013, 381, 1536.	13.7	0
125	Nitroglycerin for treatment of retained placenta: A randomised, placebo-controlled, multicentre, double-blind trial in the UK. PLoS Medicine, 2019, 16, e1003001.	8.4	0
126	Remotely delivered cognitive-behavioural and personalized exercise interventions to lessen the impact of fatigue: a qualitative evaluation. Rheumatology Advances in Practice, 2022, 6, .	0.7	0