Magali M Moretto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1085466/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Aging Mice Exhibit a Functional Defect in Mucosal Dendritic Cell Response against an Intracellular Pathogen. Journal of Immunology, 2008, 181, 7977-7984.	0.8	94
2	T cell exhaustion in protozoan disease. Trends in Parasitology, 2012, 28, 377-384.	3.3	71
3	Induction of a Rapid and Strong Antigen-Specific Intraepithelial Lymphocyte Response during Oral <i>Encephalitozoon cuniculi</i> Infection. Journal of Immunology, 2004, 172, 4402-4409.	0.8	66
4	Role of Gamma Interferon in Cellular Immune Response against Murine <i>Encephalitozoon cuniculi</i> Infection. Infection and Immunity, 1999, 67, 1887-1893.	2.2	66
5	Lack of CD4 + T Cells Does Not Affect Induction of CD8 + T-Cell Immunity against Encephalitozoon cuniculi Infection. Infection and Immunity, 2000, 68, 6223-6232.	2.2	57
6	IFN-γ-Producing Dendritic Cells Are Important for Priming of Gut Intraepithelial Lymphocyte Response Against Intracellular Parasitic Infection. Journal of Immunology, 2007, 179, 2485-2492.	0.8	57
7	Î ³ δT Cell-Deficient Mice Have a Down-Regulated CD8+ T Cell Immune Response Against <i>Encephalitozoon cuniculi</i> Infection. Journal of Immunology, 2001, 166, 7389-7397.	0.8	54
8	Toxoplasma gondii: CD8 T Cells Cry for CD4 Help. Frontiers in Cellular and Infection Microbiology, 2019, 9, 136.	3.9	38
9	Lack of Interleukin-12 in p40-Deficient Mice Leads to Poor CD8 ⁺ T-Cell Immunity against <i>Encephalitozoon cuniculi</i> Infection. Infection and Immunity, 2010, 78, 2505-2511.	2.2	26
10	Optimal CD8 T-Cell Response against <i>Encephalitozoon cuniculi</i> Is Mediated by Toll-Like Receptor 4 Upregulation by Dendritic Cells. Infection and Immunity, 2010, 78, 3097-3102.	2.2	25
11	Gastrointestinal Cell Mediated Immunity and the Microsporidia. PLoS Pathogens, 2012, 8, e1002775.	4.7	24
12	Toxoplasma: Immunity and Pathogenesis. Current Clinical Microbiology Reports, 2019, 6, 44-50.	3.4	24
13	Intrinsic TGF-Î ² signaling promotes age-dependent CD8+ T cell polyfunctionality attrition. Journal of Clinical Investigation, 2014, 124, 2441-2455.	8.2	24
14	IL-21 Is Important for Induction of KLRG1+ Effector CD8 T Cells during Acute Intracellular Infection. Journal of Immunology, 2016, 196, 375-384.	0.8	22
15	Downregulated IL-21 Response and T Follicular Helper Cell Exhaustion Correlate with Compromised CD8 T Cell Immunity during Chronic Toxoplasmosis. Frontiers in Immunology, 2017, 8, 1436.	4.8	21
16	Effector CD8 T cell immunity in microsporidial infection: a lone defense mechanism. Seminars in Immunopathology, 2015, 37, 281-287.	6.1	10
17	Interleukin-12-Producing CD103 ⁺ CD11b ^{â^'} CD8 ⁺ Dendritic Cells Are Responsible for Eliciting Gut Intraepithelial Lymphocyte Response against Encephalitozoon cuniculi. Infection and Immunity, 2015, 83, 4719-4730.	2.2	10
18	<i>Encephalitozoon</i> : Tissue Culture, Cryopreservation, and Murine Infection. Current Protocols in Microbiology, 2019, 52, e72.	6.5	9

Magali M Moretto

#	Article	IF	CITATIONS
19	Purified PTP1 protein induces antigen-specific protective immunity against Encephalitozoon cuniculi. Microbes and Infection, 2010, 12, 574-579.	1.9	6
20	Complex and Multilayered Role of IL-21 Signaling during Thymic Development. Journal of Immunology, 2019, 203, 1242-1251.	0.8	5
21	Nfkbid-mediated humoral immunity during secondary toxoplasmosis. Trends in Parasitology, 2022, 38, 272-273.	3.3	1
22	Immune Response to Microsporidia. Experientia Supplementum (2012), 2022, 114, 373-388.	0.9	0