

# Chung-Yuen Hui

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1086640/publications.pdf>

Version: 2024-02-01

309  
papers

12,464  
citations

25423

59  
h-index

40945

97  
g-index

313  
all docs

313  
docs citations

313  
times ranked

9085  
citing authors

#	ARTICLE	IF	CITATIONS
1	Lubricated Sliding of a Rigid Cylinder on a Viscoelastic Half Space. Tribology Letters, 2022, 70, 1.	1.2	11
2	Increased Sliding Friction of a Lubricated Soft Solid Using an Embedded Structure. Tribology Letters, 2022, 70, 1.	1.2	5
3	Steady state crack growth in viscoelastic solids: A comparative study. Journal of the Mechanics and Physics of Solids, 2022, 159, 104748.	2.3	17
4	Lubricated soft normal elastic contact of a sphere: a new numerical method and experiment. Soft Matter, 2022, 18, 1219-1227.	1.2	3
5	Effects of Hydration on the Mechanical Response of a PVA Hydrogel. Conference Proceedings of the Society for Experimental Mechanics, 2022, , 73-78.	0.3	0
6	Enhancement of hydrodynamic friction by periodic variation of contact stiffness. Extreme Mechanics Letters, 2022, 54, 101735.	2.0	1
7	Dynamics of Hydrogels with a Variable Ratio of Permanent and Transient Cross-Links: Constitutive Model and Its Molecular Interpretation. Macromolecules, 2022, 55, 3550-3562.	2.2	0
8	Elastocapillarity at Cell-Matrix Contacts. Physical Review X, 2022, 12, .	2.8	1
9	The Fracture of Highly Deformable Soft Materials: A Tale of Two Length Scales. Annual Review of Condensed Matter Physics, 2021, 12, 71-94.	5.2	103
10	Constitutive modeling of strain-dependent bond breaking and healing kinetics of chemical polyampholyte (PA) gel. Soft Matter, 2021, 17, 4161-4169.	1.2	6
11	Friction Force During Lubricated Steady Sliding of a Rigid Cylinder on a Viscoelastic Substrate. Tribology Letters, 2021, 69, 1.	1.2	8
12	Constitutive modeling of bond breaking and healing kinetics of physical Polyampholyte (PA) gel. Extreme Mechanics Letters, 2021, 43, 101184.	2.0	12
13	Meso-scale dislocations and friction of shape-complementary soft interfaces. Journal of the Royal Society Interface, 2021, 18, 20200940.	1.5	4
14	Metamodeling of constitutive model using Gaussian process machine learning. Journal of the Mechanics and Physics of Solids, 2021, 154, 104532.	2.3	17
15	A clean cut. Extreme Mechanics Letters, 2021, 46, 101343.	2.0	5
16	Effect of drying on the viscoelastic response of a dual-crosslinked PVA hydrogel. Mechanics of Materials, 2021, 160, 103984.	1.7	5
17	Energetics of cracks and defects in soft materials: The role of surface stress. Extreme Mechanics Letters, 2021, 48, 101424.	2.0	1
18	A surface flattening method for characterizing the surface stress, drained Poisson's ratio and diffusivity of poroelastic gels. Soft Matter, 2021, 17, 7332-7340.	1.2	2

#	ARTICLE	IF	CITATIONS
19	How chain dynamics affects crack initiation in double-network gels. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	12
20	Physically motivated models of polymer networks with dynamic cross-links: comparative study and future outlook. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2021, 477, .	1.0	6
21	Effect of elastocapillarity on the swelling kinetics of hydrogels. Journal of the Mechanics and Physics of Solids, 2020, 145, 104132.	2.3	14
22	Energy release rate of a single edge cracked specimen subjected to large deformation. International Journal of Fracture, 2020, 226, 71-79.	1.1	8
23	How surface stress transforms surface profiles and adhesion of rough elastic bodies. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2020, 476, 20200477.	1.0	7
24	Time dependent fracture of soft materials: linear versus nonlinear viscoelasticity. Soft Matter, 2020, 16, 6163-6179.	1.2	24
25	Extreme cavity expansion in soft solids: Damage without fracture. Science Advances, 2020, 6, eaaz0418.	4.7	45
26	Modeling of surface mechanical behaviors of soft elastic solids: theory and examples. Soft Matter, 2020, 16, 6875-6889.	1.2	13
27	Fiber-Reinforced Viscoelastomers Show Extraordinary Crack Resistance That Exceeds Metals. Advanced Materials, 2020, 32, e1907180.	11.1	77
28	Droplets on an elastic membrane: Configurational energy balance and modified Young equation. Journal of the Mechanics and Physics of Solids, 2020, 138, 103902.	2.3	20
29	Lubricated steady sliding of a rigid sphere on a soft elastic substrate: hydrodynamic friction in the Hertz limit. Soft Matter, 2020, 16, 2760-2773.	1.2	17
30	Mechanical behavior of unidirectional fiber reinforced soft composites. Extreme Mechanics Letters, 2020, 35, 100642.	2.0	13
31	Enhancement of elastohydrodynamic friction by elastic hysteresis in a periodic structure. Soft Matter, 2020, 16, 1627-1635.	1.2	12
32	The surface stress of biomedical silicones is a stimulant of cellular response. Science Advances, 2020, 6, eaay0076.	4.7	23
33	Coupled flow and deformation fields due to a line load on a poroelastic half space: effect of surface stress and surface bending. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2020, 476, 20190761.	1.0	6
34	Mechanics of zero degree peel test on a tape – effects of large deformation, material nonlinearity, and finite bond length. Extreme Mechanics Letters, 2019, 32, 100518.	2.0	16
35	The stress field near the tip of a plane stress crack in a gel consisting of chemical and physical cross-links. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2019, 475, 20180863.	1.0	4
36	Size effect on elastic stress concentrations in unidirectional fiber reinforced soft composites. Extreme Mechanics Letters, 2019, 33, 100573.	2.0	16

#	ARTICLE	IF	CITATIONS
37	Crack propagation in a PVA dual-crosslink hydrogel: Crack tip fields measured using digital image correlation. <i>Mechanics of Materials</i> , 2019, 138, 103158.	1.7	15
38	Crack propagation pattern and trapping mechanism of rolling a rigid cylinder on a periodically structured surface. <i>Extreme Mechanics Letters</i> , 2019, 29, 100475.	2.0	6
39	Superior fracture resistance of fiber reinforced polyampholyte hydrogels achieved by extraordinarily large energy-dissipative process zones. <i>Journal of Materials Chemistry A</i> , 2019, 7, 13431-13440.	5.2	40
40	Crack tip stress based kinetic fracture model of a PVA dual-crosslink hydrogel. <i>Extreme Mechanics Letters</i> , 2019, 29, 100457.	2.0	19
41	A surface with stress, extensional elasticity, and bending stiffness. <i>Soft Matter</i> , 2019, 15, 3817-3827.	1.2	13
42	Mechanical stress compromises multicomponent efflux complexes in bacteria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 25462-25467.	3.3	18
43	Finite strain theory of a Mode III crack in a rate dependent gel consisting of chemical and physical cross-links. <i>International Journal of Fracture</i> , 2019, 215, 77-89.	1.1	7
44	Effects of strain-dependent surface stress on the adhesive contact of a rigid sphere to a compliant substrate. <i>Soft Matter</i> , 2019, 15, 2223-2231.	1.2	10
45	Effect of large deformation and surface stiffening on the transmission of a line load on a neo-Hookean half space. <i>Soft Matter</i> , 2018, 14, 1847-1855.	1.2	18
46	Hydrodynamics govern the pre-fusion docking time of synaptic vesicles. <i>Journal of the Royal Society Interface</i> , 2018, 15, 20170818.	1.5	0
47	Indentation versus Rolling: Dependence of Adhesion on Contact Geometry for Biomimetic Structures. <i>Langmuir</i> , 2018, 34, 3827-3837.	1.6	8
48	Fracture mechanics of a self-healing hydrogel with covalent and physical crosslinks: A numerical study. <i>Journal of the Mechanics and Physics of Solids</i> , 2018, 120, 79-95.	2.3	41
49	Mechanics of an adhesive tape in a zero degree peel test: effect of large deformation and material nonlinearity. <i>Soft Matter</i> , 2018, 14, 9681-9692.	1.2	21
50	Time-temperature equivalence in a PVA dual cross-link self-healing hydrogel. <i>Journal of Rheology</i> , 2018, 62, 991-1000.	1.3	25
51	Friction of Poroelastic Contacts with Thin Hydrogel Films. <i>Langmuir</i> , 2018, 34, 9617-9626.	1.6	26
52	The effect of surface bending and surface stress on the transmission of a vertical line force in soft materials. <i>Extreme Mechanics Letters</i> , 2018, 23, 9-16.	2.0	3
53	Effect of surface bending and stress on the transmission of line force to an elastic substrate. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2018, 474, 20170775.	1.0	4
54	Spontaneous Droplet Motion on a Periodically Compliant Substrate. <i>Langmuir</i> , 2017, 33, 4942-4947.	1.6	13

#	ARTICLE	IF	CITATIONS
55	A closed form large deformation solution of plate bending with surface effects. <i>Soft Matter</i> , 2017, 13, 386-393.	1.2	9
56	Interaction of Droplets Separated by an Elastic Film. <i>Langmuir</i> , 2017, 33, 75-81.	1.6	12
57	Elastocapillarity: Surface Tension and the Mechanics of Soft Solids. <i>Annual Review of Condensed Matter Physics</i> , 2017, 8, 99-118.	5.2	247
58	Adhesion Enhancement of a Gel-Elastomer Interface by Shape Complementarity. <i>Biologically-inspired Systems</i> , 2017, , 291-301.	0.4	1
59	Adhesion and Friction Enhancement of Film-Terminated Structures against Rough Surfaces. <i>Tribology Letters</i> , 2017, 65, 1.	1.2	8
60	Elastocapillary levelling of thin viscous films on soft substrates. <i>Physical Review Fluids</i> , 2017, 2, .	1.0	13
61	Effect of surface tension on the relaxation of a viscoelastic half-space perturbed by a point load. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 274-280.	2.4	7
62	Wetting of a partially immersed compliant rod. <i>Journal of Applied Physics</i> , 2016, 120, 195301.	1.1	3
63	Strongly Modulated Friction of a Film-Terminated Ridge-Channel Structure. <i>Scientific Reports</i> , 2016, 6, 26867.	1.6	13
64	Geometry of defects at shape-complementary soft interfaces. <i>Extreme Mechanics Letters</i> , 2016, 9, 74-83.	2.0	2
65	Surface tension measurement from the indentation of clamped thin films. <i>Soft Matter</i> , 2016, 12, 5121-5126.	1.2	16
66	Mechanics of a Dual Cross-Link Gel with Dynamic Bonds: Steady State Kinetics and Large Deformation Effects. <i>Macromolecules</i> , 2016, 49, 3497-3507.	2.2	74
67	Skin stretching by a balloon tissue expander: Interplay between contact mechanics and skin growth. <i>Extreme Mechanics Letters</i> , 2016, 9, 175-187.	2.0	10
68	Effect of surface tension on the adhesion between a rigid flat punch and a semi-infinite neo-Hookean half-space. <i>Extreme Mechanics Letters</i> , 2016, 9, 310-316.	2.0	15
69	Fibrous nonlinear elasticity enables positive mechanical feedback between cells and ECMs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 14043-14048.	3.3	267
70	Fracture toughness of hydrogels: measurement and interpretation. <i>Soft Matter</i> , 2016, 12, 8069-8086.	1.2	181
71	Force sensing using 3D displacement measurements in linear elastic bodies. <i>Computational Mechanics</i> , 2016, 58, 91-105.	2.2	7
72	Large deformation effect in Mode I crack opening displacement of an Agar gel: A comparison of experiment and theory. <i>Extreme Mechanics Letters</i> , 2016, 9, 66-73.	2.0	16

#	ARTICLE	IF	CITATIONS
73	How does surface tension affect energy release rate of cracks loaded in Mode I?. <i>Extreme Mechanics Letters</i> , 2016, 6, 31-36.	2.0	11
74	Fracture of dual crosslink gels with permanent and transient crosslinks. <i>Extreme Mechanics Letters</i> , 2016, 6, 52-59.	2.0	87
75	Coarse-Grained Model of the Snare Complex Determines the Number of Snares Required for Docking. <i>Biophysical Journal</i> , 2015, 108, 154a.	0.2	3
76	Crack tip fields in soft elastic solids subjected to large quasi-static deformation – A review. <i>Extreme Mechanics Letters</i> , 2015, 4, 131-155.	2.0	104
77	Enhancement of Friction against a Rough Surface by a Ridge-Channel Surface Microstructure. <i>Langmuir</i> , 2015, 31, 7581-7589.	1.6	4
78	Coarse-Grained Model of SNARE-Mediated Docking. <i>Biophysical Journal</i> , 2015, 108, 2258-2269.	0.2	16
79	Indentation of a rigid sphere into an elastic substrate with surface tension and adhesion. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2015, 471, 20140727.	1.0	60
80	A continuum model of docking of synaptic vesicle to plasma membrane. <i>Journal of the Royal Society Interface</i> , 2015, 12, 20141119.	1.5	4
81	Adhesive contact of a rigid circular cylinder to a soft elastic substrate – the role of surface tension. <i>Soft Matter</i> , 2015, 11, 3844-3851.	1.2	24
82	Rheology of a dual crosslink self-healing gel: Theory and measurement using parallel-plate torsional rheometry. <i>Journal of Rheology</i> , 2015, 59, 643-665.	1.3	46
83	Planar equilibrium shapes of a liquid drop on a membrane. <i>Soft Matter</i> , 2015, 11, 8960-8967.	1.2	31
84	Deformation of a Solid Film with Surface Tension by a Liquid Drop. <i>Procedia IUTAM</i> , 2015, 12, 116-123.	1.2	9
85	An adaptive algorithm for tracking 3D bead displacements: application in biological experiments. <i>Measurement Science and Technology</i> , 2014, 25, 055701.	1.4	15
86	Flattening of a patterned compliant solid by surface stress. <i>Soft Matter</i> , 2014, 10, 4084-4090.	1.2	52
87	Frictional auto-roughening of a surface with spatially varying stiffness. <i>Soft Matter</i> , 2014, 10, 2169-2177.	1.2	10
88	Effects of surface tension on the adhesive contact of a rigid sphere to a compliant substrate. <i>Soft Matter</i> , 2014, 10, 4625-4632.	1.2	69
89	The energy release rate of a pressurized crack in soft elastic materials: effects of surface tension and large deformation. <i>Soft Matter</i> , 2014, 10, 7723-7729.	1.2	27
90	Time Dependent Behavior of a Dual Cross-Link Self-Healing Gel: Theory and Experiments. <i>Macromolecules</i> , 2014, 47, 7243-7250.	2.2	166

#	ARTICLE	IF	CITATIONS
91	Nonlinear viscoelastic contact mechanics of long rectangular membranes. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2014, 470, 20140528.	1.0	7
92	Deformation near a liquid contact line on an elastic substrate. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2014, 470, 20140085.	1.0	42
93	Toward single cell traction microscopy within 3D collagen matrices. Experimental Cell Research, 2013, 319, 2396-2408.	1.2	78
94	Surface Tension, Surface Energy, and Chemical Potential Due to Their Difference. Langmuir, 2013, 29, 11310-11316.	1.6	37
95	In situ measurement of the viscoelastic modulus of gels using pure twist-theory. Soft Matter, 2013, 9, 913-920.	1.2	3
96	Dynamic 3D Cell Traction Microscopy of Single Cells within a Collagen Extracellular Matrix. Biophysical Journal, 2013, 104, 479a.	0.2	1
97	Large Deformation and Adhesive Contact Studies of Axisymmetric Membranes. Langmuir, 2013, 29, 1407-1419.	1.6	18
98	Gravity and Surface Tension Effects on the Shape Change of Soft Materials. Langmuir, 2013, 29, 8665-8674.	1.6	44
99	Solid surface tension measured by a liquid drop under a solid film. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 10541-10545.	3.3	82
100	Large deformation contact mechanics of long rectangular membranes. I. Adhesionless contact. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2013, 469, 20130424.	1.0	21
101	Stress Relaxation Near the Tip of a Stationary Mode I Crack in a Poroelastic Solid. Journal of Applied Mechanics, Transactions ASME, 2013, 80, .	1.1	22
102	Large deformation contact mechanics of a pressurized long rectangular membrane. II. Adhesive contact. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2013, 469, 20130425.	1.0	10
103	Microstructures: Structure and Energetics of Dislocations at Micro-Structured Complementary Interfaces Govern Adhesion (Adv. Funct. Mater. 27/2013). Advanced Functional Materials, 2013, 23, 3452-3452.	7.8	3
104	Structure and Energetics of Dislocations at Micro-Structured Complementary Interfaces Govern Adhesion. Advanced Functional Materials, 2013, 23, 3453-3462.	7.8	7
105	Adhesion energy can regulate vesicle fusion and stabilize partially fused states. Journal of the Royal Society Interface, 2012, 9, 1555-1567.	1.5	12
106	Crack buckling in soft gels under compression. Acta Mechanica Sinica/Lixue Xuebao, 2012, 28, 1098-1105.	1.5	4
107	A constitutive model for the large deformation of a self-healing gel. Soft Matter, 2012, 8, 8209.	1.2	63
108	Direct Extraction of Work of Adhesion from Contact Experiments: Generalization of JKR Theory to Flexible Structures and Large Deformation. Journal of Adhesion, 2012, 88, 70-85.	1.8	7

#	ARTICLE	IF	CITATIONS
109	Adhesion of Microchannel-Based Complementary Surfaces. <i>Langmuir</i> , 2012, 28, 4213-4222.	1.6	20
110	Mapping Three-Dimensional Stress and Strain Fields within a Soft Hydrogel Using a Fluorescence Microscope. <i>Biophysical Journal</i> , 2012, 102, 2241-2250.	0.2	40
111	Crack tip fields in a viscoplastic solid: monotonic and cyclic loading. <i>International Journal of Fracture</i> , 2012, 175, 39-51.	1.1	3
112	Axisymmetric membrane in adhesive contact with rigid substrates: Analytical solutions under large deformation. <i>International Journal of Solids and Structures</i> , 2012, 49, 672-683.	1.3	32
113	Adhesive contact between a rippled elastic surface and a rigid spherical indenter: from partial to full contact. <i>Soft Matter</i> , 2011, 7, 10728.	1.2	41
114	Nucleation and Propagation of Quasi-Static Interfacial Slip Pulses. <i>Journal of Adhesion</i> , 2011, 87, 504-529.	1.8	8
115	Effects of Gel Thickness on Microscopic Indentation Measurements of Gel Modulus. <i>Biophysical Journal</i> , 2011, 101, 643-650.	0.2	108
116	Cohesive Zone Models and Fracture. <i>Journal of Adhesion</i> , 2011, 87, 1-52.	1.8	48
117	Adhesion, friction, and compliance of bio-mimetic and bio-inspired structured interfaces. <i>Materials Science and Engineering Reports</i> , 2011, 72, 253-253.	14.8	44
118	Adhesion Selectivity Using Rippled Surfaces. <i>Advanced Functional Materials</i> , 2011, 21, 547-555.	7.8	68
119	Finite strain analysis of crack tip fields in incompressible hyperelastic solids loaded in plane stress. <i>Journal of the Mechanics and Physics of Solids</i> , 2011, 59, 672-695.	2.3	55
120	An easy-to-implement numerical simulation method for adhesive contact problems involving asymmetric adhesive contact. <i>Journal Physics D: Applied Physics</i> , 2011, 44, 405303.	1.3	14
121	Effects of finite chain extensibility on the stress fields near the tip of a mode III crack. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2011, 467, 3170-3187.	1.0	6
122	Adhesion selectivity by electrostatic complementarity. II. Two-dimensional analysis. <i>Journal of Applied Physics</i> , 2011, 110, 054903.	1.1	6
123	Numerical study of shearing of a microfibre during friction testing of a microfibre array. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2011, 467, 1372-1389.	1.0	10
124	The effect of aspect ratio on adhesion and stiffness for soft elastic fibres. <i>Journal of the Royal Society Interface</i> , 2011, 8, 1166-1175.	1.5	34
125	Barnacles resist removal by crack trapping. <i>Journal of the Royal Society Interface</i> , 2011, 8, 868-879.	1.5	25
126	Propagation of a brittle fracture in a viscoelastic fluid. <i>Soft Matter</i> , 2011, 7, 9474.	1.2	36



#	ARTICLE	IF	CITATIONS
127	Adhesion selectivity by electrostatic complementarity. I. One-dimensional stripes of charge. Journal of Applied Physics, 2011, 110, 054902.	1.1	7
128	Size Effect on Failure of Pre-stretched Free-Standing Nanomembranes. Nanoscale Research Letters, 2010, 5, 1236-1239.	3.1	4
129	Probing in Real Time the Soft Crystallization of DNA-Capped Nanoparticles. Angewandte Chemie - International Edition, 2010, 49, 380-384.	7.2	71
130	Large deformation adhesive contact mechanics of circular membranes with a flat rigid substrate. Journal of the Mechanics and Physics of Solids, 2010, 58, 1225-1242.	2.3	69
131	Delamination of moisture saturated graphite/polyimide composites due to rapid heating. Composites Part B: Engineering, 2010, 41, 568-577.	5.9	17
132	An experimental investigation of fracture by cavitation of model elastomeric networks. Journal of Polymer Science, Part B: Polymer Physics, 2010, 48, 1409-1422.	2.4	60
133	Buckling of sheared and compressed microfibrils. Journal of the Royal Society Interface, 2010, 7, 1581-1589.	1.5	12
134	Effects of triaxiality on the growth of crack-like cavities in soft incompressible elastic solids. Soft Matter, 2010, 6, 1238.	1.2	11
135	Bonding strength of pressurized microchannels fabricated by polydimethylsiloxane and silicon. Journal of Micromechanics and Microengineering, 2010, 20, 115032.	1.5	3
136	Adhesion of a Fibrillar Interface on Wet and Rough Surfaces. Journal of Adhesion, 2010, 86, 39-61.	1.8	32
137	A model for static friction in a film-terminated microfibril array. Journal of Applied Physics, 2009, 106, 053520.	1.1	6
138	The effect of preload on the pull-off force in indentation tests of microfibre arrays. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2009, 465, 961-981.	1.0	18
139	Effect of fibril arrangement on crack trapping in a film-terminated fibrillar interface. Journal of Polymer Science, Part B: Polymer Physics, 2009, 47, 2368-2384.	2.4	9
140	Finite strain stress fields near the tip of an interface crack between a soft incompressible elastic material and a rigid substrate. European Physical Journal E, 2009, 29, 61-72.	0.7	17
141	Mechanism of Sliding Friction on a Film-Terminated Fibrillar Interface. Langmuir, 2009, 25, 2772-2780.	1.6	23
142	Effect of Rate on Adhesion and Static Friction of a Film-Terminated Fibrillar Interface. Langmuir, 2009, 25, 2765-2771.	1.6	48
143	Fracture and large strain behavior of self-assembled triblock copolymer gels. Soft Matter, 2009, 5, 447-456.	1.2	120
144	Detachment of stretched viscoelastic fibrils. European Physical Journal E, 2008, 25, 253-266.	0.7	35

#	ARTICLE	IF	CITATIONS
145	Strength statistics of adhesive contact between a fibrillar structure and a rough substrate. <i>Journal of the Royal Society Interface</i> , 2008, 5, 441-448.	1.5	23
146	Compliance of a microfibril subjected to shear and normal loads. <i>Journal of the Royal Society Interface</i> , 2008, 5, 1087-1097.	1.5	20
147	Mechanically tunable dry adhesive from wrinkled elastomers. <i>Soft Matter</i> , 2008, 4, 1830.	1.2	207
148	Model-Independent Extraction of Adhesion Energy from Indentation Experiments. <i>Langmuir</i> , 2008, 24, 9401-9409.	1.6	29
149	Strongly enhanced static friction using a film-terminated fibrillar interface. <i>Soft Matter</i> , 2008, 4, 618.	1.2	53
150	Large deformation of soft elastic materials in adhesive contact with a rigid cylindrical flat punch. <i>Soft Matter</i> , 2008, 4, 1909.	1.2	17
151	Modeling the soft backing layer thickness effect on adhesion of elastic microfiber arrays. <i>Journal of Applied Physics</i> , 2008, 104, 044301.	1.1	60
152	Finite Strain Crack Tip Fields in Soft Incompressible Elastic Solids. <i>Langmuir</i> , 2008, 24, 14245-14253.	1.6	54
153	Peeling Single-Stranded DNA from Graphite Surface to Determine Oligonucleotide Binding Energy by Force Spectroscopy. <i>Nano Letters</i> , 2008, 8, 4365-4372.	4.5	176
154	A two-dimensional model for enhanced adhesion of film-terminated fibrillar interfaces by crack trapping. <i>Journal of Applied Physics</i> , 2008, 104, .	1.1	18
155	Biologically inspired crack trapping for enhanced adhesion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 10786-10791.	3.3	234
156	Design of bio-inspired fibrillar interfaces for contact and adhesion " theory and experiments. <i>Journal of Adhesion Science and Technology</i> , 2007, 21, 1259-1280.	1.4	35
157	Contact measurement of internal fluid flow within poly(n-isopropylacrylamide) gels. <i>Journal of Chemical Physics</i> , 2007, 127, 094906.	1.2	37
158	Mechanics of Bioinspired and Biomimetic Fibrillar Interfaces. <i>MRS Bulletin</i> , 2007, 32, 492-495.	1.7	28
159	Effect of backing layer thickness on adhesion of single-level elastomer fiber arrays. <i>Applied Physics Letters</i> , 2007, 91, .	1.5	57
160	Enhanced adhesion and compliance of film-terminated fibrillar surfaces. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2007, 463, 2631-2654.	1.0	71
161	Design of an electrostatic rotary comb actuator. <i>Journal of Micro/ Nanolithography, MEMS, and MOEMS</i> , 2006, 5, 023008.	1.0	6
162	A contact mechanics method for characterizing the elastic properties and permeability of gels. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 359-370.	2.4	57

#	ARTICLE	IF	CITATIONS
163	Effect of heating rate on steam pressure induced in crack-like cavities in moisture saturated polymer matrix composites. <i>International Journal of Solids and Structures</i> , 2006, 43, 6085-6099.	1.3	7
164	A flow through porous media model for pore pressure during heating of polymer matrix composites. <i>Composites Science and Technology</i> , 2006, 66, 1409-1417.	3.8	10
165	A technique for studying interacting cracks of complex geometry in 2D. <i>Engineering Fracture Mechanics</i> , 2006, 73, 1086-1114.	2.0	9
166	Machine compliance and hardening effects on cavity growth in soft adhesives. <i>International Journal of Adhesion and Adhesives</i> , 2006, 26, 117-124.	1.4	3
167	Mechanical and swelling properties of PDMS interpenetrating polymer networks. <i>Polymer</i> , 2006, 47, 6226-6235.	1.8	48
168	Line of charges in electrolyte solution near a half-space. <i>Journal of Colloid and Interface Science</i> , 2006, 299, 564-571.	5.0	7
169	Line of charges in electrolyte solution near a half-space. <i>Journal of Colloid and Interface Science</i> , 2006, 299, 572-579.	5.0	9
170	Steam Pressure Generated in a Spherical Cavity in a Moisture Saturated Polymer Matrix Composite during Rapid Heating. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2006, 128, 50-54.	0.8	4
171	Buckling Analysis of Delaminated and Stitched Composite Plate System Under Hygrothermal Pressure. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2006, 128, 117-122.	0.8	2
172	Adhesive contact driven by electrostatic forces. <i>Journal of Applied Physics</i> , 2006, 99, 054906.	1.1	13
173	Stability Analysis of Stitched Composite Plate System with Delamination Under Hygrothermal Pressure. <i>AIAA Journal</i> , 2006, 44, 1579-1585.	1.5	7
174	Controlling Interfacial Interpenetration and Fracture Properties of Polyimide/Epoxy Interfaces. <i>Journal of Adhesion</i> , 2006, 82, 239-266.	1.8	12
175	Thermal Fluctuations Limit the Adhesive Strength of Compliant Solids. <i>Journal of Adhesion</i> , 2006, 82, 671-696.	1.8	28
176	Adhesion enhancement in a biomimetic fibrillar interface. <i>Acta Biomaterialia</i> , 2005, 1, 367-375.	4.1	75
177	Characterization of a fracture specimen for crack growth in epoxy due to thermal fatigue. <i>Engineering Fracture Mechanics</i> , 2005, 72, 791-805.	2.0	13
178	Steam pressure induced in crack-like cavities in moisture saturated polymer matrix composites during rapid heating. <i>International Journal of Solids and Structures</i> , 2005, 42, 1055-1072.	1.3	20
179	Decohesion of a rigid punch from an elastic layer: Transition from "flaw sensitive" to "flaw insensitive" regime. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 3628-3637.	2.4	16
180	Collapse of single-walled carbon nanotubes. <i>Journal of Applied Physics</i> , 2005, 97, 074310.	1.1	76

#	ARTICLE	IF	CITATIONS
181	Adhesion between single-walled carbon nanotubes. <i>Journal of Applied Physics</i> , 2005, 97, 074304.	1.1	52
182	How Compliance Compensates for Surface Roughness in Fibrillar Adhesion. <i>Journal of Adhesion</i> , 2005, 81, 699-721.	1.8	58
183	Can a fibrillar interface be stronger and tougher than a non-fibrillar one?. <i>Journal of the Royal Society Interface</i> , 2005, 2, 505-516.	1.5	113
184	Electric fields in an electrolyte solution near a strip of fixed potential. <i>Journal of Chemical Physics</i> , 2005, 123, 134705.	1.2	4
185	Gel mechanics: A comparison of the theories of Biot and Tanaka, Hocker, and Benedek. <i>Journal of Chemical Physics</i> , 2005, 123, 154905.	1.2	55
186	Collapse of microchannels during anodic bonding: Theory and experiments. <i>Journal of Applied Physics</i> , 2004, 95, 2800-2808.	1.1	38
187	Impact dynamics of micromachined bidirectional electrothermal vibromotors. <i>Journal of Applied Physics</i> , 2004, 96, 7603-7611.	1.1	3
188	Elastica solution for a nanotube formed by self-adhesion of a folded thin film. <i>Journal of Applied Physics</i> , 2004, 96, 3429-3434.	1.1	51
189	Cavity growth from crack-like defects in soft materials. <i>International Journal of Fracture</i> , 2004, 126, 205-221.	1.1	73
190	Stability of Nanoporous Materials. <i>Macromolecular Rapid Communications</i> , 2004, 25, 1487-1490.	2.0	34
191	Surface energy effects for cavity growth and nucleation in an incompressible neo-Hookean material—modeling and experiment. <i>International Journal of Solids and Structures</i> , 2004, 41, 6111-6127.	1.3	53
192	Failure of Elastomeric Polymers Due to Rate Dependent Bond Rupture. <i>Langmuir</i> , 2004, 20, 6052-6064.	1.6	31
193	Effect of Stamp Deformation on the Quality of Microcontact Printing: A Theory and Experiment. <i>Langmuir</i> , 2004, 20, 6430-6438.	1.6	141
194	Design of biomimetic fibrillar interfaces: 1. Making contact. <i>Journal of the Royal Society Interface</i> , 2004, 1, 23-33.	1.5	362
195	Design of biomimetic fibrillar interfaces: 2. Mechanics of enhanced adhesion. <i>Journal of the Royal Society Interface</i> , 2004, 1, 35-48.	1.5	250
196	Crack blunting and the strength of soft elastic solids. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2003, 459, 1489-1516.	1.0	195
197	Modeling and Characterization of Micromachined Bi-Directional Electro-Thermal Vibromotors. , 2003, , ,		0
198	Effect of Nonlinear Elastic Behavior on Bilayer Decohesion of Thin Metal Films From Nonmetal Substrates. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2002, 69, 407-414.	1.1	8

#	ARTICLE	IF	CITATIONS
199	Rheological properties and adhesive failure of thin viscoelastic layers. <i>Journal of Rheology</i> , 2002, 46, 273-294.	1.3	24
200	Constraints on Microcontact Printing Imposed by Stamp Deformation. <i>Langmuir</i> , 2002, 18, 1394-1407.	1.6	396
201	Bonding of a viscoelastic periodic rough surface to a rigid layer. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2002, 40, 545-561.	2.4	11
202	Effect of the copolymer composition on the $K$ and constants of the Mark-Houwink equation: Styrene-methyl methacrylate random copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2002, 40, 562-571.	2.4	10
203	Mechanics of contact and adhesion between viscoelastic spheres: An analysis of hysteresis during loading and unloading. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2002, 40, 772-793.	2.4	50
204	Modeling the failure of an adhesive layer in a peel test. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2002, 40, 2277-2291.	2.4	21
205	Adhesion and Fracture of Interfaces Between Immiscible Polymers: from the Molecular to the Continuum Scal. <i>Advances in Polymer Science</i> , 2001, , 53-136.	0.4	141
206	Effect of water incorporation on the diffusion of sodium in Type I silica glass. <i>Journal of Non-Crystalline Solids</i> , 2001, 286, 146-161.	1.5	18
207	Effect of water incorporation on the diffusion of sodium in an alkaline-earth boroaluminosilicate glass. <i>Journal of Non-Crystalline Solids</i> , 2001, 296, 123-134.	1.5	8
208	Bulk diffusion measurements to study the effectiveness of barrier layers: I. Mathematical treatment. <i>Journal of Applied Physics</i> , 2001, 90, 3799-3809.	1.1	6
209	Experimental Investigations of a Stress Intensity Factor Based Description of the Adhesion of Viscoelastic Materials. <i>Langmuir</i> , 2001, 17, 681-687.	1.6	6
210	The mechanics of contact and adhesion of periodically rough surfaces. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2001, 39, 1195-1214.	2.4	60
211	The Role of Viscoelastic Adhesive Contact in the Sintering of Polymeric Particles. <i>Journal of Colloid and Interface Science</i> , 2001, 237, 267-282.	5.0	38
212	Process zone size effects on naturally curving cracks. <i>Engineering Fracture Mechanics</i> , 2001, 68, 1181-1205.	2.0	11
213	Title is missing!. <i>International Journal of Fracture</i> , 2001, 110, 101-121.	1.1	19
214	Title is missing!. <i>International Journal of Fracture</i> , 2001, 109, 1-28.	1.1	26
215	Hydro-thermal fatigue of polymer interfaces. <i>Acta Materialia</i> , 2001, 49, 3309-3320.	3.8	10
216	The mechanics of tack: Viscoelastic contact on a rough surface. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2000, 38, 1485-1495.	2.4	76

#	ARTICLE	IF	CITATIONS
217	A Monte Carlo solution method for linear elasticity. <i>International Journal of Solids and Structures</i> , 2000, 37, 6085-6105.	1.3	8
218	Statistics of fragmentation in a single-fiber composite under matrix yielding and debonding with application to the strength of multi-fiber composites. <i>Composites Science and Technology</i> , 2000, 60, 2107-2128.	3.8	16
219	A simple model relating crack growth resistance to fracture process parameters in elastic-plastic solids. <i>Scripta Materialia</i> , 2000, 42, 1001-1005.	2.6	9
220	Title is missing!. <i>International Journal of Fracture</i> , 2000, 104, 387-407.	1.1	26
221	The accuracy of the geometric assumptions in the JKR (JohnsonKendallRoberts) theory of adhesion. <i>Journal of Adhesion Science and Technology</i> , 2000, 14, 1297-1319.	1.4	29
222	A Reexamination of Residual Stresses in Thin Films and of the Validity of Stoney's Estimate. <i>Journal of Electronic Packaging, Transactions of the ASME</i> , 2000, 122, 267-273.	1.2	18
223	Calculation of electrostatic forces and torques in MEMS using path-independent integrals. <i>Journal of Micromechanics and Microengineering</i> , 2000, 10, 477-482.	1.5	11
224	Electrostatic model for an asymmetric combdrive. <i>Journal of Microelectromechanical Systems</i> , 2000, 9, 126-135.	1.7	78
225	Viscoelastic contract, work of adhesion and the JKR technique. <i>Journal Physics D: Applied Physics</i> , 1999, 32, 2250-2260.	1.3	51
226	Viscoelastic crack healing and adhesion. <i>Journal of Applied Physics</i> , 1999, 86, 4232-4241.	1.1	33
227	Estimation of interfacial shear strength: an application of a new statistical theory for single fiber composite test. <i>Composites Science and Technology</i> , 1999, 59, 2037-2046.	3.8	24
228	Cohesive properties of nickel-alumina interfaces determined via simulation of ductile bridging experiments. <i>International Journal of Solids and Structures</i> , 1999, 36, 5573-5595.	1.3	15
229	Title is missing!. <i>Journal of Materials Science</i> , 1999, 34, 3695-3707.	1.7	11
230	Effects of finite notch width on the fracture of chevron " notched specimens. <i>International Journal of Fracture</i> , 1998, 94, 189-198.	1.1	14
231	An interface model for the prediction of Young's modulus of layered silicate-elastomer nanocomposites. <i>Polymer Composites</i> , 1998, 19, 608-617.	2.3	179
232	Simple formulae for the effective moduli of unidirectional aligned composites. <i>Polymer Engineering and Science</i> , 1998, 38, 774-782.	1.5	122
233	The single-filament-composite test: a new statistical theory for estimating the interfacial shear strength and Weibull parameters for fiber strength. <i>Composites Science and Technology</i> , 1998, 57, 1707-1725.	3.8	56
234	Rate dependence of the peel force in peel-apart imaging films. <i>Journal of Adhesion Science and Technology</i> , 1998, 12, 71-94.	1.4	7

#	ARTICLE	IF	CITATIONS
235	Measurement of Interfacial Fracture Toughness Under Combined Mechanical and Thermal Stresses. Journal of Electronic Packaging, Transactions of the ASME, 1998, 120, 349-353.	1.2	35
236	A Thermo-Mechanical Approach for Fatigue Testing of Polymer Bimaterial Interfaces. Journal of Electronic Packaging, Transactions of the ASME, 1998, 120, 372-378.	1.2	17
237	Williams meets von Karman: Mode coupling and nonlinearity in the fracture of thin plates. , 1998, , 409-429.		1
238	Analysis of adhesion and interface debonding in laminated safety glass. Journal of Adhesion Science and Technology, 1997, 11, 49-63.	1.4	46
239	Effect of the Monomer Ratio on the Strengthening of Polymer Phase Boundaries by Random Copolymers. Macromolecules, 1997, 30, 6727-6736.	2.2	32
240	Strengthening Polymer Interfaces with Triblock Copolymers. Macromolecules, 1997, 30, 549-560.	2.2	46
241	A cohesive zone model for the adhesion of cylinders. Journal of Adhesion Science and Technology, 1997, 11, 393-406.	1.4	73
242	Detailed simulation of craze fibril failure at a crack tip in a glassy polymer. Acta Materialia, 1997, 45, 3555-3563.	3.8	37
243	Evaluation of hypersingular integrals in the boundary element method by complex variable techniques. International Journal of Solids and Structures, 1997, 34, 203-221.	1.3	19
244	Size effects in the distribution for strength of brittle matrix fibrous composites. International Journal of Solids and Structures, 1997, 34, 545-568.	1.3	101
245	Chevron Notched Toughness of Materials with Rising Fracture Resistance Curves. Journal of the American Ceramic Society, 1997, 80, 1319-1322.	1.9	7
246	Fracture Toughness and Failure Mechanisms of Epoxy/Rubber-Modified Polystyrene (HIPS) Interfaces Reinforced by Grafted Chains. Macromolecules, 1996, 29, 4728-4736.	2.2	50
247	Fracture Toughness of Polymer Interface Reinforced With Diblock Copolymer: Effect of Homopolymer Molecular Weight. Macromolecules, 1996, 29, 7536-7543.	2.2	44
248	Theory of Chain Pull-Out and Stability of Weak Polymer Interfaces. 2. Macromolecules, 1996, 29, 4101-4106.	2.2	4
249	Theory of Chain Pull-Out and Stability of Weak Polymer Interfaces. 1. Macromolecules, 1996, 29, 4090-4100.	2.2	14
250	Residual thermal stresses and calculation of the critical metal particle size for interfacial crack extension in metal-ceramic matrix composites. Acta Materialia, 1996, 44, 279-287.	3.8	37
251	A method for thermo-mechanical analysis of steady state dynamic crack growth. International Journal of Solids and Structures, 1996, 33, 1867-1889.	1.3	1
252	Stress and induction field of a spheroidal inclusion or a penny-shaped crack in a transversely isotropic piezo-electric material. International Journal of Solids and Structures, 1996, 33, 2719-2737.	1.3	98

#	ARTICLE	IF	CITATIONS
253	Analysis of fragmentation in the single filament composite: Roles of fiber strength distributions and exclusion zone models. <i>Journal of the Mechanics and Physics of Solids</i> , 1996, 44, 1715-1737.	2.3	23
254	Adhesive contact of cylindrical lens and a flat sheet. <i>Journal of Applied Physics</i> , 1996, 80, 30-37.	1.1	195
255	Why K? High order singularities and small scale yielding. <i>International Journal of Fracture</i> , 1995, 72, 97-120.	1.1	62
256	Molecular weight dependence of the fracture toughness of glassy polymers arising from crack propagation through a craze. <i>Polymer Engineering and Science</i> , 1995, 35, 419-425.	1.5	27
257	An exact closed form solution for fragmentation of Weibull fibers in a single filament composite with applications to fiber-reinforced ceramics. <i>Journal of the Mechanics and Physics of Solids</i> , 1995, 43, 1551-1585.	2.3	115
258	Dai et al. Reply. <i>Physical Review Letters</i> , 1995, 74, 2837-2837.	2.9	7
259	Continuum and Discrete Modeling of Craze Failure at a Crack Tip in a Glassy Polymer. <i>Macromolecules</i> , 1995, 28, 2450-2459.	2.2	83
260	On creep of unidirectional fiber composites with fiber damage. <i>Acta Metallurgica Et Materialia</i> , 1995, 43, 2615-2623.	1.9	16
261	Stress Intensity Factors for Plate Bending and Shearing Problems. <i>Journal of Applied Mechanics, Transactions ASME</i> , 1994, 61, 719-722.	1.1	18
262	Asymptotic Stress Field of a Mode III Crack Growing Along an Elastic/Elastic Power-Law Creeping Bimaterial Interface. <i>Journal of Applied Mechanics, Transactions ASME</i> , 1994, 61, 384-389.	1.1	7
263	Reinforcement of Polymer Interfaces with Random Copolymers. <i>Physical Review Letters</i> , 1994, 73, 2472-2475.	2.9	154
264	Plane strain asymptotic fields of a crack growing along an elastic-elastic power-law creeping bi-material interface. <i>Journal of the Mechanics and Physics of Solids</i> , 1994, 42, 181-214.	2.3	8
265	A boundary element method for calculating the K field for cracks along a bimaterial interface. <i>Computational Mechanics</i> , 1994, 15, 58-78.	2.2	20
266	Chain Pullout Fracture of Polymer Interfaces. <i>Macromolecules</i> , 1994, 27, 2019-2024.	2.2	108
267	Strengthening polymer interfaces. <i>Faraday Discussions</i> , 1994, 98, 31.	1.6	69
268	Interplay between intermolecular interactions and chain pullout in the adhesion of elastomer. <i>Macromolecules</i> , 1994, 27, 608-609.	2.2	26
269	Phase Angle Effects on Fracture Toughness of Polymer Interfaces Reinforced with Block Copolymers. <i>Macromolecules</i> , 1994, 27, 4382-4390.	2.2	43
270	Interface shear stresses induced by non-uniform heating of a film on a substrate. <i>Thin Solid Films</i> , 1993, 224, 159-167.	0.8	66



#	ARTICLE	IF	CITATIONS
271	Analyses of the fiber push-out test. International Journal of Solids and Structures, 1993, 30, 1313-1329.	1.3	13
272	Near tip fields for a stationary mode III crack between a linear elastic and an elastic power law hardening material. International Journal of Fracture, 1993, 64, 1-26.	1.1	5
273	A theory for the fracture of thin plates subjected to bending and twisting moments. International Journal of Fracture, 1993, 61, 211-229.	1.1	76
274	The cohesive zone problem: A comparison between de gennes' approach and the weight function derivation. International Journal of Fracture, 1993, 61, R51-R54.	1.1	1
275	Measurement of the fracture toughness of polymer-non-polymer interfaces. Journal of Materials Science, 1993, 28, 4234-4244.	1.7	30
276	Analysis of a mixed mode fracture specimen: the asymmetric double cantilever beam. Journal of Materials Science, 1993, 28, 5620-5629.	1.7	99
277	Transverse fracture in laminated fiber-reinforced brittle matrix composites. Mechanics of Materials, 1993, 15, 183-199.	1.7	3
278	Fracture mechanisms of polymer interfaces reinforced with block copolymers: transition from chain pullout to crazing. Macromolecules, 1993, 26, 2928-2934.	2.2	97
279	Optimum toughening of homopolymer interfaces with block copolymers. Macromolecules, 1993, 26, 6011-6020.	2.2	59
280	Evaluation of a Complex Stress Intensity Factor of Interface Cracks: A Perturbation Approach. Journal of Applied Mechanics, Transactions ASME, 1993, 60, 221-222.	1.1	0
281	A fracture model for a weak interface in a viscoelastic material (small scale yielding analysis). Journal of Applied Physics, 1992, 72, 3294-3304.	1.1	73
282	Interface fracture and viscoelastic deformation in finite size specimens. Journal of Applied Physics, 1992, 72, 3305-3316.	1.1	48
283	Micromechanics of crack growth into a craze in a polymer glass. Macromolecules, 1992, 25, 3948-3955.	2.2	92
284	Failure mechanisms of polymer interfaces reinforced with block copolymers. Macromolecules, 1992, 25, 3075-3088.	2.2	428
285	Mechanics of sintering thin films " II. Cracking due to self-stress. Mechanics of Materials, 1991, 11, 221-234.	1.7	51
286	A micromechanical model of crack growth along polymer interfaces. Mechanics of Materials, 1991, 11, 257-268.	1.7	76
287	Aspects of cohesive zone models and crack growth in rate-dependent materials. International Journal of Fracture, 1991, 52, 119-144.	1.1	29
288	Small-scale crack blunting at a bimaterial interface with Coulomb friction. International Journal of Fracture, 1991, 52, 293-306.	1.1	7

#	ARTICLE	IF	CITATIONS
289	Mechanics of sintering thin films " I. Formulation and analytical results. Mechanics of Materials, 1990, 9, 107-119.	1.7	40
290	Load transfer in a composite containing a broken fiber with imperfect bonding. Mechanics of Materials, 1990, 10, 161-172.	1.7	4
291	Stress Fields of Interface Dislocations. Journal of Applied Mechanics, Transactions ASME, 1990, 57, 247-248.	1.1	4
292	The Effective Thermal Conductivity of a Packing of Spheres. Journal of Applied Mechanics, Transactions ASME, 1990, 57, 789-791.	1.1	25
293	Effects of a Frictional Interface on the Load Diffusion from a Broken Filament in a Fibrous Composite. Materials Research Society Symposia Proceedings, 1989, 170, 59.	0.1	1
294	Chemically Driven Deformation of Polymers. Journal of Electronic Packaging, Transactions of the ASME, 1989, 111, 68-73.	1.2	3
295	Temperature dependence of case II diffusion. Polymer, 1988, 29, 1131-1136.	1.8	42
296	The transient stress field near the tip of a stationary crack in a material undergoing creep-constraint grain boundary cavitation. International Journal of Solids and Structures, 1988, 24, 301-312.	1.3	0
297	The initial stages of Case II diffusion at low penetrant activities. Polymer, 1988, 29, 673-679.	1.8	78
298	Case-II diffusion in polymers. II. Steady-state front motion. Journal of Applied Physics, 1987, 61, 5137-5149.	1.1	142
299	A Complex-Variable Method for Two-Dimensional Internal Stress Problems and Its Applications to Crack Growth in Nonelastic Materials: Part II " Applications. Journal of Applied Mechanics, Transactions ASME, 1987, 54, 65-71.	1.1	3
300	A Complex-Variable Method for Two-Dimensional Internal Stress Problems and Its Applications to Crack Growth in Nonelastic Materials: Part I " Theory. Journal of Applied Mechanics, Transactions ASME, 1987, 54, 59-64.	1.1	4
301	Case-II diffusion in polymers. I. Transient swelling. Journal of Applied Physics, 1987, 61, 5129-5136.	1.1	162
302	The "visco-plastic" approximation to Hart's constitutive law for inelastic deformation. International Journal of Solids and Structures, 1987, 23, 693-709.	1.3	0
303	The determination of fracture toughness for a porous elastic-plastic solid. International Journal of Fracture, 1987, 33, 111-124.	1.1	11
304	The mechanics of a constantly growing crack in an elastic power-law creeping material. International Journal of Fracture, 1986, 31, 3-16.	1.1	10
305	The mechanics of self-similar crack growth in an elastic power-law creeping material. International Journal of Solids and Structures, 1986, 22, 357-372.	1.3	24
306	Eddy Current Flow Near Cracks in Thin Plates. Journal of Applied Mechanics, Transactions ASME, 1985, 52, 841-846.	1.1	2

#	ARTICLE	IF	CITATIONS
307	The extension of cracks at high temperature by growth and coalescence of voids. International Journal of Fracture, 1984, 25, 53-67.	1.1	15
308	The asymptotic stress and strain field near the tip of a growing crack under creep conditions. International Journal of Fracture, 1981, 17, 409-425.	1.1	202
309	Characterization of underfill/passivation interfacial adhesion for direct chip attach assemblies using fracture toughness and hydro-thermal fatigue measurements. , 0, , .		14