Patrick C Phillips

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1086993/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Metformin treatment of diverse <i>Caenorhabditis</i> species reveals the importance of genetic background in longevity and healthspan extension outcomes. Aging Cell, 2022, 21, e13488.	6.7	17
2	Slow Recovery from Inbreeding Depression Generated by the Complex Genetic Architecture of Segregating Deleterious Mutations. Molecular Biology and Evolution, 2022, 39, .	8.9	4
3	Post-insemination selection dominates pre-insemination selection in driving rapid evolution of male competitive ability. PLoS Genetics, 2022, 18, e1010063.	3.5	1
4	Genetic diversity estimates for the Intervention Testing Program screening panel MicroPublication Biology, 2022, 2022, .	0.1	4
5	Complex pleiotropic genetic architecture of evolved heat stress and oxidative stress resistance in the nematode <i>Caenorhabditis remanei</i> . G3: Genes, Genomes, Genetics, 2021, 11, .	1.8	4
6	Evaluating human autosomal loci for sexually antagonistic viability selection in two large biobanks. Genetics, 2021, 217, 1-10.	2.9	19
7	Intervention Testing Program: the herbicide diuron does not robustly extend lifespan in nematodes. MicroPublication Biology, 2021, 2021, .	0.1	1
8	Rapid Self-Selecting and Clone-Free Integration of Transgenes into Engineered CRISPR Safe Harbor Locations in <i>Caenorhabditis elegans</i> . G3: Genes, Genomes, Genetics, 2020, 10, 3775-3782.	1.8	13
9	Chromosome-Level Assembly of the <i>Caenorhabditis remanei</i> Genome Reveals Conserved Patterns of Nematode Genome Organization. Genetics, 2020, 214, 769-780.	2.9	28
10	Intervention Testing Program: the creatine analog β-guanidinopropionic acid does not extend lifespan in nematodes. MicroPublication Biology, 2020, 2020, .	0.1	9
11	Intervention Testing Program: the farnesoid X receptor agonist obeticholic acid does not robustly extend lifespan in nematodes. MicroPublication Biology, 2020, 2020, .	0.1	7
12	A simplified design for the lifespan machine. Journal of Biological Methods, 2020, 7, e137.	0.6	0
13	A simplified design for the C. elegans lifespan machine. Journal of Biological Methods, 2020, 7, e137.	0.6	4
14	A large close relative of C. elegans is slow-developing but not long-lived. BMC Evolutionary Biology, 2019, 19, 74.	3.2	13
15	Environmental and Evolutionary Drivers of the Modular Gene Regulatory Network Underlying Phenotypic Plasticity for Stress Resistance in the Nematode <i>Caenorhabditis remanei</i> . G3: Genes, Genomes, Genetics, 2019, 9, 969-982.	1.8	22
16	The Stress-Chip: A microfluidic platform for stress analysis in Caenorhabditis elegans. PLoS ONE, 2019, 14, e0216283.	2.5	27
17	Limits to Genomic Divergence Under Sexually Antagonistic Selection. G3: Genes, Genomes, Genetics, 2019, 9, 3813-3824.	1.8	42
18	Males, Outcrossing, and Sexual Selection in <i>Caenorhabditis</i> Nematodes. Genetics, 2019, 213, 27-57.	2.9	49

2

#	Article	IF	CITATIONS
19	Automated lifespan determination across Caenorhabditis strains and species reveals assay-specific effects of chemical interventions. GeroScience, 2019, 41, 945-960.	4.6	27
20	Intervention Testing Program: the tyrosine kinase inhibitor imatinib mesylate does not extend lifespan in nematodes. MicroPublication Biology, 2019, 2019, .	0.1	9
21	Rapid Gene Family Evolution of a Nematode Sperm Protein Despite Sequence Hyper-conservation. G3: Genes, Genomes, Genetics, 2018, 8, 353-362.	1.8	10
22	Field studies reveal a close relative of C. elegans thrives in the fresh figs of Ficus septica and disperses on its Ceratosolen pollinating wasps. BMC Ecology, 2018, 18, 26.	3.0	21
23	Dramatic evolution of body length due to postembryonic changes in cell size in a newly discovered close relative of <i>Caenorhabditis elegans</i> . Evolution Letters, 2018, 2, 427-441.	3.3	13
24	Proteomic and evolutionary analyses of sperm activation identify uncharacterized genes in Caenorhabditis nematodes. BMC Genomics, 2018, 19, 593.	2.8	3
25	Auxin-Mediated Sterility Induction System for Longevity and Mating Studies in <i>Caenorhabditis elegans</i> . G3: Genes, Genomes, Genetics, 2018, 8, 2655-2662.	1.8	42
26	Impact of genetic background and experimental reproducibility on identifying chemical compounds with robust longevity effects. Nature Communications, 2017, 8, 14256.	12.8	102
27	Experimental Evolution with <i>Caenorhabditis</i> Nematodes. Genetics, 2017, 206, 691-716.	2.9	94
28	Genomic Signatures of Sexual Conflict. Journal of Heredity, 2017, 108, 780-790.	2.4	40
29	Metagenome-Assembled Draft Genome Sequence of a Novel Microbial Stenotrophomonas maltophilia Strain Isolated from <i>Caenorhabditis remanei</i> Tissue. Genome Announcements, 2017, 5, .	0.8	14
30	A long journey to reproducible results. Nature, 2017, 548, 387-388.	27.8	104
31	Quantifying male and female pheromone-based mate choice in Caenorhabditis nematodes using a novel microfluidic technique. PLoS ONE, 2017, 12, e0189679.	2.5	17
32	High-specificity detection of rare alleles with Paired-End Low Error Sequencing (PELE-Seq). BMC Genomics, 2016, 17, 464.	2.8	14
33	Evolution: Five Heads Are Better Than One. Current Biology, 2016, 26, R283-R285.	3.9	6
34	Comparative genomic analysis of upstream miRNA regulatory motifs in Caenorhabditis. Rna, 2016, 22, 968-978.	3.5	2
35	Coevolutionary interactions with parasites constrain the spread of selfâ€fertilization into outcrossing host populations. Evolution; International Journal of Organic Evolution, 2016, 70, 2632-2639.	2.3	25
36	Intrinsic differences between males and females determine sex-specific consequences of inbreeding. BMC Evolutionary Biology, 2016, 16, 36.	3.2	29

#	Article	IF	CITATIONS
37	Reproductive Mode and the Evolution of Genome Size and Structure in Caenorhabditis Nematodes. PLoS Genetics, 2015, 11, e1005323.	3.5	102
38	Cell Biology: Scaling and the Emergence of Evolutionary Cell Biology. Current Biology, 2015, 25, R223-R225.	3.9	4
39	Environmentally induced changes in correlated responses to selection reveal variable pleiotropy across a complex genetic network. Evolution; International Journal of Organic Evolution, 2015, 69, 1128-1142.	2.3	30
40	Natural and experimental evolution of sexual conflict within Caenorhabditis nematodes. BMC Evolutionary Biology, 2015, 15, 93.	3.2	47
41	A Recent Global Selective Sweep on the <i>age-1</i> Phosphatidylinositol 3-OH Kinase Regulator of the Insulin-Like Signaling Pathway Within <i>Caenorhabditis remanei</i> . G3: Genes, Genomes, Genetics, 2014, 4, 1123-1133.	1.8	12
42	Rapid Evolution of Phenotypic Plasticity and Shifting Thresholds of Genetic Assimilation in the Nematode <i>Caenorhabditis remanei</i> . G3: Genes, Genomes, Genetics, 2014, 4, 1103-1112.	1.8	66
43	The transgenerational effects of heat stress in the nematode Caenorhabditis remanei are negative and rapidly eliminated under direct selection for increased stress resistance in larvae. Genomics, 2014, 104, 438-446.	2.9	29
44	Hermaphrodite life history and the maintenance of partial selfing in experimental populations of Caenorhabditis elegans. BMC Evolutionary Biology, 2014, 14, 117.	3.2	27
45	Daily temperature fluctuations unpredictably influence developmental rate and morphology at a critical early larval stage in a frog. BMC Ecology, 2013, 13, 18.	3.0	29
46	Natural Variation for Lifespan and Stress Response in the Nematode Caenorhabditis remanei. PLoS ONE, 2013, 8, e58212.	2.5	21
47	Self-fertilization sweeps up variation in the worm genome. Nature Genetics, 2012, 44, 237-238.	21.4	5
48	More Than the Sum of Its Parts: A Complex Epistatic Network Underlies Natural Variation in Thermal Preference Behavior in <i>Caenorhabditis elegans</i> . Genetics, 2012, 192, 1533-1542.	2.9	85
49	Variance in Epistasis Links Gene Regulation and Evolutionary Rate in the Yeast Genetic Interaction Network. Genome Biology and Evolution, 2012, 4, 1080-1087.	2.5	4
50	Fertility/longevity tradeâ€offs under limiting-male conditions in mating populations of Caenorhabditis elegans. Experimental Gerontology, 2012, 47, 759-763.	2.8	14
51	EXPERIMENTAL EVOLUTION OF THEâ€,CAENORHABDITIS ELEGANSâ€,SEX DETERMINATION PATHWAY. Evolution; International Journal of Organic Evolution, 2012, 66, 82-93.	2.3	32
52	INDEPENDENT AXES OF GENETIC VARIATION AND PARALLEL EVOLUTIONARY DIVERGENCE OF OPERCLE BONE SHAPE IN THREESPINE STICKLEBACK. Evolution; International Journal of Organic Evolution, 2012, 66, 419-434.	2.3	35
53	Microfluidic Devices for Analysis of Spatial Orientation Behaviors in Semi-Restrained Caenorhabditis elegans. PLoS ONE, 2011, 6, e25710.	2.5	61
54	Expression Level Drives the Pattern of Selective Constraints along the Insulin/Tor Signal Transduction Pathway in Caenorhabditis. Genome Biology and Evolution, 2011, 3, 715-722.	2.5	20

#	Article	IF	CITATIONS
55	FITNESS RECOVERY AND COMPENSATORY EVOLUTION IN NATURAL MUTANT LINES OF C. ELEGANS. Evolution; International Journal of Organic Evolution, 2011, 65, 2335-2344.	2.3	40
56	Does thermoregulatory behavior maximize reproductive fitness of natural isolates of Caenorhabditis elegans?. BMC Evolutionary Biology, 2011, 11, 157.	3.2	51
57	Genetic Dissection of Late-Life Fertility in Caenorhabditis elegans. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 842-854.	3.6	28
58	Experimental Evolution Reveals Antagonistic Pleiotropy in Reproductive Timing but Not Life Span in Caenorhabditis elegans. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 1300-1308.	3.6	47
59	A TEST OF THE CONJECTURE THAT G-MATRICES ARE MORE STABLE THAN B-MATRICES. Evolution; International Journal of Organic Evolution, 2010, 64, 2601-2613.	2.3	29
60	Purging Deleterious Mutations under Self Fertilization: Paradoxical Recovery in Fitness with Increasing Mutation Rate in Caenorhabditis elegans. PLoS ONE, 2010, 5, e14473.	2.5	11
61	Selective sweeps and parallel mutation in the adaptive recovery from deleterious mutation in <i>Caenorhabditis elegans</i> . Genome Research, 2010, 20, 1663-1671.	5.5	34
62	<i>Caenorhabditis elegans</i> as a platform for molecular quantitative genetics and the systems biology of natural variation. Genetical Research, 2010, 92, 331-348.	0.9	61
63	Using Population Genomics to Detect Selection in Natural Populations: Key Concepts and Methodological Considerations. International Journal of Plant Sciences, 2010, 171, 1059-1071.	1.3	165
64	Outcrossing and the Maintenance of Males within C. elegans Populations. Journal of Heredity, 2010, 101, S62-S74.	2.4	101
65	Genotype to Phenotype: A Complex Problem. Science, 2010, 328, 469-469.	12.6	358
66	High Nucleotide Divergence in Developmental Regulatory Genes Contrasts With the Structural Elements of Olfactory Pathways in Caenorhabditis. Genetics, 2009, 181, 1387-1397.	2.9	37
67	Mutation load and rapid adaptation favour outcrossing over self-fertilization. Nature, 2009, 462, 350-352.	27.8	191
68	SEXUAL PARTNERS FOR THE STRESSED: FACULTATIVE OUTCROSSING IN THE SELF-FERTILIZING NEMATODE <i>CAENORHABDITIS ELEGANS</i> . Evolution; International Journal of Organic Evolution, 2009, 63, 1473-1482.	2.3	76
69	Evolutionary rates and centrality in the yeast gene regulatory network. Genome Biology, 2009, 10, R35.	9.6	64
70	Who shouldn't be your daddy. Nature, 2008, 451, 640-641.	27.8	2
71	Epistasis — the essential role of gene interactions in the structure and evolution of genetic systems. Nature Reviews Genetics, 2008, 9, 855-867.	16.3	1,262
72	Beyond induced mutants: using worms to study natural variation in genetic pathways. Trends in Genetics, 2008, 24, 178-185.	6.7	46

#	Article	IF	CITATIONS
73	Thermal preference of <i>Caenorhabditis elegans</i> : a null model and empirical tests. Journal of Experimental Biology, 2007, 210, 3107-3116.	1.7	70
74	What maintains genetic variation in natural populations? A commentary on â€~The maintenance of genetic variability by mutation in a polygenic character with linked loci' by Russell Lande. Genetical Research, 2007, 89, 371-372.	0.9	3
75	Selection against males in Caenorhabditis elegans under two mutational treatments. Proceedings of the Royal Society B: Biological Sciences, 2007, 274, 417-424.	2.6	21
76	NATURAL TRANSFORMATION INCREASES THE RATE OF ADAPTATION IN THE HUMAN PATHOGEN HELICOBACTER PYLORI. Evolution; International Journal of Organic Evolution, 2007, 62, 071101082849001-???.	2.3	89
77	ECOLOGICAL AND DEVELOPMENTAL CONTEXT OF NATURAL SELECTION: MATERNAL EFFECTS AND THERMALLY INDUCED PLASTICITY IN THE FROG BOMBINA ORIENTALIS. Evolution; International Journal of Organic Evolution, 2006, 60, 142-156.	2.3	80
78	ALLELIC DIVERGENCE PRECEDES AND PROMOTES GENE DUPLICATION. Evolution; International Journal of Organic Evolution, 2006, 60, 881-892.	2.3	57
79	GENETIC VARIATION FOR OUTCROSSING AMONG CAENORHABDITIS ELEGANS ISOLATES. Evolution; International Journal of Organic Evolution, 2006, 60, 1300-1305.	2.3	71
80	VARIATION IN PLEIOTROPY AND THE MUTATIONAL UNDERPINNINGS OF THE G-MATRIX. Evolution; International Journal of Organic Evolution, 2006, 60, 2655-2660.	2.3	21
81	Studies of threespine stickleback developmental evolution: progress and promise. Genetica, 2006, 129, 105-126.	1.1	102
82	Relaxed Selection Among Duplicate Floral Regulatory Genes in Lamiales. Journal of Molecular Evolution, 2006, 63, 493-503.	1.8	27
83	One perfect worm. Trends in Genetics, 2006, 22, 405-407.	6.7	15
84	ALLELIC DIVERGENCE PRECEDES AND PROMOTES GENE DUPLICATION. Evolution; International Journal of Organic Evolution, 2006, 60, 881.	2.3	12
85	ECOLOGICAL AND DEVELOPMENTAL CONTEXT OF NATURAL SELECTION: MATERNAL EFFECTS AND THERMALLY INDUCED PLASTICITY IN THE FROG BOMBINA ORIENTALIS. Evolution; International Journal of Organic Evolution, 2006, 60, 142.	2.3	22
86	GENETIC VARIATION FOR OUTCROSSING AMONG CAENORHABDITIS ELEGANS ISOLATES. Evolution; International Journal of Organic Evolution, 2006, 60, 1300.	2.3	22
87	VARIATION IN PLEIOTROPY AND THE MUTATIONAL UNDERPINNINGS OF THE G-MATRIX. Evolution; International Journal of Organic Evolution, 2006, 60, 2655.	2.3	7
88	Genetic variation for outcrossing among Caenorhabditis elegans isolates. Evolution; International Journal of Organic Evolution, 2006, 60, 1300-5.	2.3	46
89	Accuracy and Power of the Likelihood Ratio Test for Comparing Evolutionary Rates Among Genes. Journal of Molecular Evolution, 2005, 60, 426-433.	1.8	10
90	Functional constraint and divergence in the G protein family in Caenorhabditis elegans and Caenorhabditis briggsae. Molecular Genetics and Genomics, 2005, 273, 299-310.	2.1	8

#	Article	IF	CITATIONS
91	Testing hypotheses regarding the genetics of adaptation. Genetica, 2005, 123, 15-24.	1.1	39
92	Spontaneous Mutational Correlations for Life-History, Morphological and Behavioral Characters in Caenorhabditis elegans. Genetics, 2005, 170, 645-653.	2.9	92
93	Duplication of floral regulatory genes in the Lamiales. American Journal of Botany, 2005, 92, 1284-1293.	1.7	27
94	Behavioral Degradation Under Mutation Accumulation in Caenorhabditis elegans. Genetics, 2005, 170, 655-660.	2.9	38
95	The Opportunity for Canalization and the Evolution of Genetic Networks. American Naturalist, 2005, 165, 147-162.	2.1	104
96	Testing hypotheses regarding the genetics of adaptation. , 2005, , 15-24.		0
97	Evolution and development of facial bone morphology in threespine sticklebacks. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 5791-5796.	7.1	115
98	Network thinking in ecology and evolution. Trends in Ecology and Evolution, 2005, 20, 345-353.	8.7	728
99	Evolution of Sarcomeric Myosin Heavy Chain Genes: Evidence from Fish. Molecular Biology and Evolution, 2004, 21, 1042-1056.	8.9	66
100	Mutation Accumulation in Populations of Varying Size: The Distribution of Mutational Effects for Fitness Correlates in <i>Caenorhabditis elegans</i> . Genetics, 2004, 166, 1269-1279.	2.9	100
101	POWER AND POTENTIAL BIAS IN FIELD STUDIES OF NATURAL SELECTION. Evolution; International Journal of Organic Evolution, 2004, 58, 479.	2.3	8
102	Parallel genetic basis for repeated evolution of armor loss in Alaskan threespine stickleback populations. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 6050-6055.	7.1	319
103	POWER AND POTENTIAL BIAS IN FIELD STUDIES OF NATURAL SELECTION. Evolution; International Journal of Organic Evolution, 2004, 58, 479-485.	2.3	112
104	Molecular evolution and quantitative variation for chemosensory behaviour in the nematode genus Caenorhabditis. Molecular Ecology, 2003, 12, 1325-1337.	3.9	82
105	PERSISTENCE OF CHANGES IN THE GENETIC COVARIANCE MATRIX AFTER A BOTTLENECK. Evolution; International Journal of Organic Evolution, 2002, 56, 1968.	2.3	19
106	Comparative quantitative genetics: evolution of the G matrix. Trends in Ecology and Evolution, 2002, 17, 320-327.	8.7	467
107	PERSISTENCE OF CHANGES IN THE GENETIC COVARIANCE MATRIX AFTER A BOTTLENECK. Evolution; International Journal of Organic Evolution, 2002, 56, 1968-1975.	2.3	57
108	Selection and Maintenance of Androdioecy in <i>Caenorhabditis elegans</i> . Genetics, 2002, 160, 975-982.	2.9	107

#	Article	IF	CITATIONS
109	Inbreeding Changes the Shape of the Genetic Covariance Matrix in <i>Drosophila melanogaster</i> . Genetics, 2001, 158, 1137-1145.	2.9	156
110	The exquisite corpse: a shifting view of the shifting balance. Trends in Ecology and Evolution, 2000, 15, 347-348.	8.7	59
111	Hierarchical Comparison of Genetic Variance-Covariance Matrices. I. Using the Flury Hierarchy. Evolution; International Journal of Organic Evolution, 1999, 53, 1506.	2.3	145
112	From complex traits to complex alleles. Trends in Genetics, 1999, 15, 6-8.	6.7	45
113	Hierarchical Comparison of Genetic Variance-Covariance Matrices. II. Coastal-Inland Divergence in the Garter Snake, Thamnophis elegans. Evolution; International Journal of Organic Evolution, 1999, 53, 1516.	2.3	74
114	HIERARCHICAL COMPARISON OF GENETIC VARIANCE OVARIANCE MATRICES. I. USING THE FLURY HIERARCHY Evolution; International Journal of Organic Evolution, 1999, 53, 1506-1515.	· 2.3	309
115	HIERARCHICAL COMPARISON OF GENETIC VARIANCEâ€COVARIANCE MATRICES. II COASTALâ€INLAND DIVERGEN IN THE GARTER SNAKE, <i>THAMNOPHIS ELEGANS</i> . Evolution; International Journal of Organic Evolution, 1999, 53, 1516-1527.	ICE 2.3	98
116	Designing Experiments to Maximize the Power of Detecting Correlations. Evolution; International Journal of Organic Evolution, 1998, 52, 251.	2.3	7
117	DESIGNING EXPERIMENTS TO MAXIMIZE THE POWER OF DETECTING CORRELATIONS. Evolution; International Journal of Organic Evolution, 1998, 52, 251-255.	2.3	29
118	The Language of Gene Interaction. Genetics, 1998, 149, 1167-1171.	2.9	235
119	The Population Genetics of Synthetic Lethals. Genetics, 1998, 150, 449-458.	2.9	44
120	The rise and fall of new mutations. Trends in Ecology and Evolution, 1997, 12, 466-468.	8.7	6
121	Maintenance of Polygenic Variation Via a Migration-Selection Balance Under Uniform Selection. Evolution; International Journal of Organic Evolution, 1996, 50, 1334.	2.3	13
122	MAINTENANCE OF POLYGENIC VARIATION VIA A MIGRATION-SELECTION BALANCE UNDER UNIFORM SELECTION. Evolution; International Journal of Organic Evolution, 1996, 50, 1334-1339.	2.3	23
123	Waiting for a compensatory mutation: phase zero of the shifting-balance process. Genetical Research, 1996, 67, 271-283.	0.9	70
124	Gene Interaction Affects the Additive Genetic Variance in Subdivided Populations with Migration and Extinction. Evolution; International Journal of Organic Evolution, 1993, 47, 1758.	2.3	26
125	PEAK SHIFTS AND POLYMORPHISM DURING PHASE THREE OF WRIGHT'S SHIFTING-BALANCE PROCESS. Evolution; International Journal of Organic Evolution, 1993, 47, 1733-1743.	2.3	15
126	GENE INTERACTION AFFECTS THE ADDITIVE GENETIC VARIANCE IN SUBDIVIDED POPULATIONS WITH MIGRATION AND EXTINCTION. Evolution; International Journal of Organic Evolution, 1993, 47, 1758-1769.	2.3	72

#	Article	IF	CITATIONS
127	Peak Shifts and Polymorphism During Phase Three of Wright's Shifting- Balance Process. Evolution; International Journal of Organic Evolution, 1993, 47, 1733.	2.3	20
128	Visualizing Multivariate Selection. Evolution; International Journal of Organic Evolution, 1989, 43, 1209.	2.3	206
129	VISUALIZING MULTIVARIATE SELECTION. Evolution; International Journal of Organic Evolution, 1989, 43, 1209-1222.	2.3	507
130	Standardized Protocols from the Caenorhabditis Intervention Testing Program 2013-2016: Conditions and Assays used for Quantifying the Development, Fertility and Lifespan of Hermaphroditic Caenorhabditis Strains. Protocol Exchange, 0, , .	0.3	8