

Jane B Ford

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1087672/publications.pdf>

Version: 2024-02-01

117
papers

4,148
citations

117625

34
h-index

123424

61
g-index

117
all docs

117
docs citations

117
times ranked

4473
citing authors

#	ARTICLE	IF	CITATIONS
1	Trends in postpartum hemorrhage in high resource countries: a review and recommendations from the International Postpartum Hemorrhage Collaborative Group. <i>BMC Pregnancy and Childbirth</i> , 2009, 9, 55.	2.4	512
2	Population-based trends in pregnancy hypertension and pre-eclampsia: an international comparative study. <i>BMJ Open</i> , 2011, 1, e000101-e000101.	1.9	218
3	Quality of Data in Perinatal Population Health Databases. <i>Medical Care</i> , 2012, 50, e7-e20.	2.4	197
4	Increased postpartum hemorrhage rates in Australia. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 98, 237-243.	2.3	164
5	Hypertensive disorders in pregnancy: a population-based study. <i>Medical Journal of Australia</i> , 2005, 182, 332-335.	1.7	161
6	The Accuracy of Reporting of the Hypertensive Disorders of Pregnancy in Population Health Data. <i>Hypertension in Pregnancy</i> , 2008, 27, 285-297.	1.1	159
7	Monitoring the quality of maternity care: how well are labour and delivery events reported in population health data?. <i>Paediatric and Perinatal Epidemiology</i> , 2009, 23, 144-152.	1.7	109
8	Population-Based Study of Sleep Apnea in Pregnancy and Maternal and Infant Outcomes. <i>Journal of Clinical Sleep Medicine</i> , 2016, 12, 871-877.	2.6	102
9	Antecedents of Abnormally Invasive Placenta in Primiparous Women. <i>Obstetrics and Gynecology</i> , 2018, 131, 227-233.	2.4	100
10	Epidemiology and trends for Caesarean section births in New South Wales, Australia: A population-based study. <i>BMC Pregnancy and Childbirth</i> , 2011, 11, 8.	2.4	97
11	Trends in adverse maternal outcomes during childbirth: a population-based study of severe maternal morbidity. <i>BMC Pregnancy and Childbirth</i> , 2009, 9, 7.	2.4	94
12	Trends in postpartum haemorrhage. <i>Australian and New Zealand Journal of Public Health</i> , 2006, 30, 151-156.	1.8	82
13	Investigating linkage rates among probabilistically linked birth and hospitalization records. <i>BMC Medical Research Methodology</i> , 2012, 12, 149.	3.1	82
14	Blood Transfusion During Pregnancy, Birth, and the Postnatal Period. <i>Obstetrics and Gynecology</i> , 2014, 123, 126-133.	2.4	77
15	Trends and outcomes of postpartum haemorrhage, 2003-2011. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 334.	2.4	69
16	Characteristics of unmatched maternal and baby records in linked birth records and hospital discharge data. <i>Paediatric and Perinatal Epidemiology</i> , 2006, 20, 329-337.	1.7	66
17	Trends in induction of labour, 1998-2007: A population-based study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2009, 49, 599-605.	1.0	66
18	Trends in obstetric anal sphincter injuries and associated risk factors for vaginal singleton term births in New South Wales 2001-2009. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 9-16.	1.0	64

#	ARTICLE	IF	CITATIONS
19	Postpartum haemorrhage occurrence and recurrence: a population-based study. <i>Medical Journal of Australia</i> , 2007, 187, 391-393.	1.7	63
20	Using hospital discharge data for determining neonatal morbidity and mortality: a validation study. <i>BMC Health Services Research</i> , 2007, 7, 188.	2.2	60
21	Maternal and neonatal outcomes following abnormally invasive placenta: a population-based record linkage study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 1373-1381.	2.8	58
22	Unexplained variation in hospital caesarean section rates. <i>Medical Journal of Australia</i> , 2013, 199, 348-353.	1.7	55
23	Women's expectations and experiences of maternity care in NSW – What women highlight as most important. <i>Women and Birth</i> , 2014, 27, 214-219.	2.0	55
24	The accuracy of population health data for monitoring trends and outcomes among women with diabetes in pregnancy. <i>Diabetes Research and Clinical Practice</i> , 2008, 81, 105-109.	2.8	51
25	Maternal mortality in Australia, 1973-1996. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004, 44, 452-457.	1.0	47
26	Use of hospitalisation history (lookback) to determine prevalence of chronic diseases: impact on modelling of risk factors for haemorrhage in pregnancy. <i>BMC Medical Research Methodology</i> , 2011, 11, 68.	3.1	43
27	Trends in planned early birth: a population-based study. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 207, 186.e1-186.e8.	1.3	43
28	Pathways to a rising caesarean section rate: a population-based cohort study. <i>BMJ Open</i> , 2012, 2, e001725.	1.9	42
29	Are babies getting bigger? An analysis of birthweight trends in New South Wales, 1990–2005. <i>Medical Journal of Australia</i> , 2009, 190, 312-315.	1.7	40
30	Motor vehicle accidents during pregnancy: a population-based study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 499-503.	2.3	40
31	Labor Before a Primary Cesarean Delivery. <i>Obstetrics and Gynecology</i> , 2008, 112, 1061-1066.	2.4	39
32	Women's views about maternity care: How do women conceptualise the process of continuity?. <i>Midwifery</i> , 2015, 31, 25-30.	2.3	38
33	Outcomes of Gallstone Disease during Pregnancy: a Population-based Data Linkage Study. <i>Paediatric and Perinatal Epidemiology</i> , 2017, 31, 522-530.	1.7	37
34	Seasonal variation in pregnancy hypertension is correlated with sunlight intensity. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 203, 215.e1-215.e5.	1.3	36
35	Obstetric anal sphincter injury rates among primiparous women with different modes of vaginal delivery. <i>International Journal of Gynecology and Obstetrics</i> , 2015, 131, 260-264.	2.3	35
36	Pregnancy outcomes in women with juvenile idiopathic arthritis: a population-based study. <i>Rheumatology</i> , 2013, 52, 1119-1125.	1.9	34

#	ARTICLE	IF	CITATIONS
37	Maternal exposure to short-to medium-term outdoor air pollution and obstetric and neonatal outcomes: A systematic review. <i>Environmental Pollution</i> , 2019, 244, 915-925.	7.5	34
38	Trends and morbidity associated with oxytocin use in labour in nulliparas at term. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012, 52, 173-178.	1.0	31
39	Trends and outcomes of induction of labour among nullipara at term. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011, 51, 510-517.	1.0	30
40	Variation in hospital caesarean section rates for women with at least one previous caesarean section: a population based cohort study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 179.	2.4	28
41	Variation in hospital rates of induction of labour: a population-based record linkage study. <i>BMJ Open</i> , 2015, 5, e008755.	1.9	27
42	Early-onset preeclampsia appears to discourage subsequent pregnancy but the risks may be overestimated. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 785.e1-785.e8.	1.3	26
43	Maternal exposure to fine particulate matter from a large coal mine fire is associated with gestational diabetes mellitus: A prospective cohort study. <i>Environmental Research</i> , 2020, 183, 108956.	7.5	26
44	The impact of the Baby Bonus payment in New South Wales: who is having 'one for the country'?. <i>Medical Journal of Australia</i> , 2009, 190, 238-241.	1.7	25
45	Decreasing length of maternal hospital stay is not associated with increased readmission rates. <i>Australian and New Zealand Journal of Public Health</i> , 2012, 36, 430-434.	1.8	22
46	Epidural Analgesia in Labour and Risk of Caesarean Delivery. <i>Paediatric and Perinatal Epidemiology</i> , 2014, 28, 400-411.	1.7	22
47	Red cell and platelet transfusions in neonates: a population-based study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2015, 100, F411-F415.	2.8	22
48	Outcomes of breech birth by mode of delivery: a population linkage study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2016, 56, 453-459.	1.0	21
49	Women's Experiences of Care and Their Concerns and Needs Following a Significant Primary Postpartum Hemorrhage. <i>Birth</i> , 2011, 38, 327-335.	2.2	20
50	Trends and recurrence of placenta praevia: A population-based study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012, 52, 483-486.	1.0	20
51	Patterns and outcomes of preterm hospital admissions during pregnancy in NSW, 2001-2008. <i>Medical Journal of Australia</i> , 2012, 196, 261-265.	1.7	19
52	Heart Valve Prostheses in Pregnancy: Outcomes for Women and Their Infants. <i>Journal of the American Heart Association</i> , 2014, 3, e000953.	3.7	18
53	The association between haemoglobin levels in the first 20 weeks of pregnancy and pregnancy outcomes. <i>PLoS ONE</i> , 2019, 14, e0225123.	2.5	18
54	Population rates of haemorrhage and transfusions among obstetric patients in NSW: A short communication. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2009, 49, 296-298.	1.0	17

#	ARTICLE	IF	CITATIONS
55	Prevalence of pre-eclampsia, pregnancy hypertension and gestational diabetes in population-based data: Impact of different ascertainment methods on outcomes. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 91-95.	1.0	17
56	Maternal exposure to fine particulate matter from a coal mine fire and birth outcomes in Victoria, Australia. Environment International, 2019, 127, 233-242.	10.0	17
57	Rate of spontaneous onset of labour before planned repeat caesarean section at term. BMC Pregnancy and Childbirth, 2014, 14, 125.	2.4	16
58	Hospital Data Reporting on Postpartum Hemorrhage: Under-Estimates Recurrence and Over-Estimates the Contribution of Uterine Atony. Maternal and Child Health Journal, 2012, 16, 1542-1548.	1.5	15
59	Red blood cell transfusion after postpartum haemorrhage and breastmilk feeding at discharge: A population-based study. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2016, 56, 591-598.	1.0	15
60	Inter-hospital variations in labor induction and outcomes for nullipara: an Australian population-based linkage study. Acta Obstetrica Et Gynecologica Scandinavica, 2016, 95, 411-419.	2.8	15
61	Long-term childhood outcomes of breech presentation by intended mode of delivery: a population record linkage study. Acta Obstetrica Et Gynecologica Scandinavica, 2017, 96, 342-351.	2.8	15
62	Trends in the use of epidural analgesia in Australia. International Journal of Gynecology and Obstetrics, 2008, 102, 253-258.	2.3	14
63	Variation in hospital caesarean section rates for preterm births. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2015, 55, 350-356.	1.0	14
64	Rates of stillbirth by maternal region of birth and gestational age in New South Wales, Australia 2004-2015. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2020, 60, 425-432.	1.0	14
65	Development of a maternity hospital classification for use in perinatal research. NSW Public Health Bulletin, 2012, 23, 12.	0.3	13
66	Perineal management techniques among midwives at five hospitals in New South Wales: A cross-sectional survey. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2015, 55, 251-256.	1.0	12
67	Age of blood and adverse outcomes in a maternity population. Transfusion, 2015, 55, 2730-2737.	1.6	12
68	Preterm birth, unplanned hospital contact, and mortality in infants born to teenage mothers in five countries: An administrative data cohort study. Paediatric and Perinatal Epidemiology, 2020, 34, 645-654.	1.7	12
69	Maternal factors and risk of spontaneous preterm birth due to high ambient temperatures in New South Wales, Australia. Paediatric and Perinatal Epidemiology, 2022, 36, 4-12.	1.7	12
70	Characteristics in the First Vaginal Birth and Their Association with Mode of Delivery in the Subsequent Birth. Paediatric and Perinatal Epidemiology, 2013, 27, 109-117.	1.7	11
71	Adjustment for compliance behavior in trials of epidural analgesia in labor using instrumental variable meta-analysis. Journal of Clinical Epidemiology, 2015, 68, 525-533.	5.0	11
72	The impact of first birth obstetric anal sphincter injury on the subsequent birth: a population-based linkage study. BMC Pregnancy and Childbirth, 2015, 15, 31.	2.4	11

#	ARTICLE	IF	CITATIONS
73	Blood transfusion following intended vaginal birth after cesarean vs elective repeat cesarean section in women with a prior primary cesarean: A population-based record linkage study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 382-389.	2.8	11
74	Benefits of not smoking during pregnancy for Australian Aboriginal and Torres Strait Islander women and their babies: a retrospective cohort study using linked data. <i>BMJ Open</i> , 2019, 9, e032763.	1.9	11
75	Methods for dealing with discrepant records in linked population health datasets: a cross-sectional study. <i>BMC Health Services Research</i> , 2007, 7, 12.	2.2	10
76	A survey of acute self-reported infections in pregnancy. <i>BMJ Open</i> , 2011, 1, e000083-e000083.	1.9	10
77	Single-unit transfusions in the obstetric setting: a qualitative study. <i>Transfusion</i> , 2016, 56, 1716-1722.	1.6	10
78	Contribution of maternal age, medical and obstetric history to maternal and perinatal morbidity/mortality for women aged 35 or older. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018, 58, 91-97.	1.0	10
79	Outcomes of Subsequent Births After Placenta Accreta Spectrum. <i>Obstetrics and Gynecology</i> , 2020, 136, 745-755.	2.4	10
80	Trends in Postpartum Hemorrhage in High Resource Countries: A Review and Recommendations From the International Postpartum Hemorrhage Collaborative Group. <i>Obstetrical and Gynecological Survey</i> , 2010, 65, 211-212.	0.4	9
81	Increased planned delivery contributes to declining rates of pregnancy hypertension in Australia: a population-based record linkage study. <i>BMJ Open</i> , 2015, 5, e009313.	1.9	9
82	Uptake of external cephalic version for term breech presentation: an Australian population study, 2002-2012. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 244.	2.4	9
83	Haemoglobin concentration following postpartum haemorrhage and the association between blood transfusion and breastfeeding: a retrospective cohort study. <i>BMC Research Notes</i> , 2018, 11, 686.	1.4	9
84	Outcomes associated with transfusion in low-risk women with obstetric haemorrhage. <i>Vox Sanguinis</i> , 2018, 113, 678-685.	1.5	9
85	Multifetal pregnancies: preterm admissions and outcomes. <i>Australian Health Review</i> , 2012, 36, 437.	1.1	8
86	Triggers for Preeclampsia Onset: a Case-Crossover Study. <i>Paediatric and Perinatal Epidemiology</i> , 2016, 30, 555-562.	1.7	8
87	Assessing the Accuracy of Reporting of Maternal Red Blood Cell Transfusion at Birth Reported in Routinely Collected Hospital Data. <i>Maternal and Child Health Journal</i> , 2016, 20, 1878-1885.	1.5	8
88	Cervical cerclage placed before 14 weeks gestation in women with one previous midtrimester loss: A population-based cohort study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2017, 57, 593-598.	1.0	8
89	Intrahepatic cholestasis of pregnancy is not associated with stillbirth in an Australian maternity population. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 176, 204-205.	1.1	7
90	A prevalence survey of every-day activities in pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2010, 10, 41.	2.4	6

#	ARTICLE	IF	CITATIONS
91	Cross-sectional reporting of previous Cesarean birth was validated using longitudinal linked data. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 672-678.	5.0	6
92	Outcomes of subsequent pregnancy following obstetric transfusion in a first birth. <i>PLoS ONE</i> , 2018, 13, e0203195.	2.5	6
93	Pregnancy outcomes for women with a history of stroke: A population-based record linkage study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021, 61, 239-243.	1.0	6
94	Reporting postpartum haemorrhage with transfusion: a comparison of NSW birth and hospital data. <i>Humanities Research</i> , 2014, 24, 153-8.	0.1	6
95	Trends and recurrence of stillbirths in NSW. <i>Australian and New Zealand Journal of Public Health</i> , 2014, 38, 384-389.	1.8	5
96	Childhood health and education outcomes following early term induction for large-for-gestational age: A population-based record linkage study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 423-432.	2.8	5
97	Comparison of selected reasons for hospitalization of children among children's/tertiary hospitals, Australia, 1996-97 and 1997-98. <i>Journal of Paediatrics and Child Health</i> , 2004, 40, 374-379.	0.8	4
98	Reporting of routinely collected data by public and private hospitals. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2008, 48, 521-522.	1.0	4
99	Characteristics, causes and treatment of postpartum haemorrhage in first and second pregnancies. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 90-93.	1.0	4
100	Neonatal exchange transfusions in tertiary and non-tertiary hospital settings, New South Wales, 2001-2012. <i>Journal of Paediatrics and Child Health</i> , 2017, 53, 447-450.	0.8	4
101	Comparison of neonatal red cell transfusion reporting in neonatal intensive care units with blood product issue data: a validation study. <i>BMC Pediatrics</i> , 2018, 18, 86.	1.7	4
102	Gestational age, morbidity and mortality among twin births in New South Wales, Australia 2003-2014: A cohort study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020, 60, 541-547.	1.0	4
103	Mode of delivery may be the risk factor for infant infectious morbidity: Table 1. <i>Archives of Disease in Childhood</i> , 2012, 97, 759.1-759.	1.9	3
104	Rates of neonatal morbidity by maternal region of birth and gestational age in New South Wales, Australia 2003-2016. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 331-338.	2.8	3
105	Are Babies Getting Bigger: An Analysis of Birth Weight Trends in New South Wales, 1990-2005. <i>Obstetrical and Gynecological Survey</i> , 2009, 64, 445-447.	0.4	2
106	Are women birthing in New South Wales hospitals satisfied with their care?. <i>BMC Research Notes</i> , 2015, 8, 106.	1.4	2
107	Assessing the effect of risk factors on rates of obstetric transfusion over time using two methodological approaches. <i>BMC Medical Research Methodology</i> , 2018, 18, 139.	3.1	2
108	Determining a strategy to reduce smoking in pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020, 60, 935-941.	1.0	2

#	ARTICLE	IF	CITATIONS
109	Factors associated with changes into public or private maternity care for a second pregnancy. Australian Health Review, 2013, 37, 495.	1.1	2
110	A composite neonatal adverse outcome indicator using population-based data: an update. International Journal of Population Data Science, 2020, 5, 1337.	0.1	2
111	Peripartum antidepressant use is associated with an increased risk of postpartum haemorrhage. Evidence-Based Medicine, 2014, 19, 79-79.	0.6	1
112	Sleep in multiple pregnancy: Obstructive sleep apnoea and beyond. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2019, 59, E15-E16.	1.0	1
113	Defining a study population using enhanced reporting of Aboriginality and the effects on study outcomes. International Journal of Population Data Science, 2020, 5, 1114.	0.1	1
114	Monitoring severe maternal morbidity in Australia. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2008, 48, 355-356.	1.0	0
115	Postpartum haemorrhage occurrence and recurrence: a population-based study. Medical Journal of Australia, 2008, 188, 731-731.	1.7	0
116	Further research supports association between antidepressant use and elevated risk of postpartum haemorrhage. Evidence-based Nursing, 2017, 20, 76-76.	0.2	0
117	Response to "Postpartum hemorrhage and blood transfusion among parturients with scarred uterus" the evidence is there™. Acta Obstetrica Et Gynecologica Scandinavica, 2019, 98, 536-537.	2.8	0