

M Z Atassi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10893873/publications.pdf>

Version: 2024-02-01

293
papers

9,200
citations

36303
51
h-index

64796
79
g-index

293
all docs

293
docs citations

293
times ranked

1382
citing authors

#	ARTICLE	IF	CITATIONS
1	Antigenic structure of myoglobin: The complete immunochemical anatomy of a protein and conclusions relating to antigenic structures of proteins. <i>Immunochemistry</i> , 1975, 12, 423-438.	1.2	499
2	Precise determination of the entire antigenic structure of lysozyme: Molecular features of protein antigenic structures and potential of "surface-simulation" synthesis a powerful new concept for protein binding sites. <i>Immunochemistry</i> , 1978, 15, 909-936.	1.2	271
3	Antigenic structures of proteins. Their determination has revealed important aspects of immune recognition and generated strategies for synthetic mimicking of protein binding sites. <i>FEBS Journal</i> , 1984, 145, 1-20.	0.2	238
4	Immunochemistry of sperm whale myoglobin. I. Specific interaction of some tryptic peptides and of peptides containing all the reactive regions of the antigen. <i>Biochemistry</i> , 1968, 7, 688-698.	2.5	188
5	A proposal for the nomenclature of antigenic sites in peptides and proteins. <i>Immunochemistry</i> , 1978, 15, 609-610.	1.2	169
6	[49] Reaction of proteins with citraconic anhydride. <i>Methods in Enzymology</i> , 1972, 25, 546-553.	1.0	160
7	Enzymic and immunochemical properties of lysozyme. Evaluation of several amino group reversible blocking reagents. <i>Biochemistry</i> , 1970, 9, 4939-4944.	2.5	142
8	The precise and entire antigenic structure of native lysozyme. <i>Biochemical Journal</i> , 1978, 171, 429-434.	3.7	115
9	Immunochemistry of sperm-whale myoglobins prepared with various modified porphyrins and metalloporphyrins. <i>Biochemical Journal</i> , 1967, 103, 29-35.	2.8	114
10	A novel and comprehensive synthetic approach for the elucidation of protein antigenic structures. Determination of the full antigenic profile of the β -chain of human haemoglobin. <i>Biochemical Journal</i> , 1980, 191, 261-264.	3.7	110
11	Properties of Components of Myoglobin of the Sperm Whale. <i>Nature</i> , 1964, 202, 496-498.	27.8	108
12	Periodate oxidation of sperm-whale myoglobin and the role of the methionine residues in the antigen-antibody reaction. <i>Biochemical Journal</i> , 1967, 102, 478-487.	2.8	108
13	Genetic control of immune response to sperm whale myoglobin in mice. II. T lymphocyte proliferative response to the synthetic antigenic sites. <i>Journal of Immunology</i> , 1979, 123, 182-8.	0.8	106
14	Immunochemistry of sperm-whale myoglobin XVI: Accurate delineation of the single region in sequence 1-55 by immunochemical studies of synthetic peptides. Some conclusions concerning antigenic structures of proteins. <i>Immunochemistry</i> , 1974, 11, 1-8.	1.2	100
15	Region of peptide 125-147 of acetylcholine receptor alpha subunit is exposed at neuromuscular junction and induces experimental autoimmune myasthenia gravis, T-cell immunity, and modulating autoantibodies.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985, 82, 8805-8809.	7.1	100
16	Precise determination of protein antigenic structures has unravelled the molecular immune recognition of proteins and provided a prototype for synthetic mimicking of other protein binding sites. <i>Molecular and Cellular Biochemistry</i> , 1980, 32, 21-43.	3.1	96
17	Enzymic and immunochemical properties of lysozyme. I. Derivatives modified at tyrosine. Influence of nature of modification on activity. <i>Biochemistry</i> , 1969, 8, 1385-1393.	2.5	93
18	Localization and synthesis of the acetylcholine-binding site in the β -chain of the <i>Torpedo californica</i> acetylcholine receptor. <i>Biochemical Journal</i> , 1984, 224, 995-1000.	3.7	92

#	ARTICLE	IF	CITATIONS
19	Clinico-immunologic aspects of botulinum toxin type B treatment of cervical dystonia. <i>Neurology</i> , 2006, 67, 2233-2235.	1.1	92
20	Use of immunoadsorbents for the study of antibody binding to sperm whale myoglobin and its synthetic antigenic sites. <i>Journal of Immunological Methods</i> , 1979, 30, 139-151.	1.4	91
21	Immunochemistry of sperm whale myoglobin. IV. Role of the arginine residues in the conformation and differentiation of their roles in the antigenic reactivity. <i>Biochemistry</i> , 1969, 8, 3385-3394.	2.5	87
22	Structurally inherent antigenic sites. Localization of the antigenic sites of the β -chain of human haemoglobin in three host species by a comprehensive synthetic approach. <i>Biochemical Journal</i> , 1982, 203, 201-208.	3.7	82
23	Lack of immunochemical cross-reaction between lysozyme and β -lactalbumin and comparison of their conformations. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1970, 200, 184-187.	1.7	80
24	Conformational studies on modified proteins and peptides. Artificial myoglobins prepared with modified and metalloporphyrins. <i>Biochemistry</i> , 1970, 9, 2268-2275.	2.5	77
25	Segment β 182-198 of <i>Torpedo californica</i> acetylcholine receptor contains a second toxin-binding region and binds anti-receptor antibodies. <i>FEBS Letters</i> , 1986, 199, 68-74.	2.8	74
26	Immunochemistry of sperm whale myoglobin VI. Preparation and conformational analysis of eight mammalian myoglobins. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1970, 221, 612-622.	1.7	73
27	Suppression of Experimental Autoimmune Myasthenia Gravis by Epitope-Specific Neonatal Tolerance to Synthetic Region β 146-162 of Acetylcholine Receptor. <i>Clinical Immunology and Immunopathology</i> , 1993, 66, 230-238.	2.0	73
28	Localization, synthesis, and activity of an antigenic site on influenza virus hemagglutinin.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983, 80, 840-844.	7.1	71
29	Design of peptide enzymes (pepzymes): surface-simulation synthetic peptides that mimic the chymotrypsin and trypsin active sites exhibit the activity and specificity of the respective enzyme.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 8282-8286.	7.1	71
30	Autoimmune T cell recognition of human acetylcholine receptor: the sites of T cell recognition in myasthenia gravis on the extracellular part of the β subunit. <i>European Journal of Immunology</i> , 1990, 20, 2563-2569.	2.9	70
31	Structure, activity, and immune (T and B cell) recognition of botulinum neurotoxins. <i>Critical Reviews in Immunology</i> , 1999, 19, 219-60.	0.5	70
32	Genetic control of immune response to sperm whale myoglobin in mice. I. T lymphocyte proliferative response under H-2-linked Ir gene control. <i>Journal of Immunology</i> , 1978, 121, 866-8.	0.8	69
33	Congenital myasthenic syndromes: II. Syndrome attributed to abnormal interaction of acetylcholine with its receptor. <i>Muscle and Nerve</i> , 1993, 16, 1293-1301.	2.2	68
34	The antibody response to myoglobin is independent of the immunized species. Analysis in terms of replacements in the antigenic sites and in environmental residues of the cross-reactions of fifteen myoglobins with sperm-whale myoglobin antisera raised in different species. <i>Biochemical Journal</i> , 1980, 191, 681-697.	3.7	67
35	Localization and synthesis of the hormone-binding regions of the human thyrotropin receptor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 3613-3617.	7.1	66
36	Enzymic and immunochemical properties of lysozyme XVI. A novel synthetic approach to an antigenic reactive site by direct linkage of the relevant conformationally adjacent residues constituting the site. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1976, 427, 745-751.	1.7	65

#	ARTICLE	IF	CITATIONS
37	Enzymic and immunochemical properties of lysozyme. Accurate definition of the antigenic site around the disulphide bridge 30-115 (site 3) by α -surface simulation TM synthesis. Biochemical Journal, 1977, 167, 571-581.	3.7	65
38	Genetic control of the immune response to myoglobin. IV. Mouse antibodies in outbred and congenic strains against sperm-whale myoglobin recognize the same antigenic sites that are recognized by antibodies raised in other species. Molecular Immunology, 1981, 18, 447-450.	2.2	64
39	Immunochemistry of sperm whale myoglobin. III. Modification of the three tyrosine residues and their role in the conformation and differentiation of their roles in the antigenic reactivity. Biochemistry, 1968, 7, 3078-3085.	2.5	60
40	Enzymic and immunochemical properties of lysozyme. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1971, 236, 131-141.	1.7	60
41	Delineation of the third antigenic site of lysozyme by application of a novel α -surface-simulation TM synthetic approach directly linking the conformationally adjacent residues forming the site. Biochemical Journal, 1976, 159, 89-93.	3.7	60
42	Mapping of the antibody-binding regions on botulinum neurotoxin H-chain domain 855 α -1296 with antitoxin antibodies from three host species. The Protein Journal, 1996, 15, 691-700.	1.1	60
43	T lymphocyte recognition of acetylcholine receptor: Localization of the full T cell recognition profile on the extracellular part of the β chain of Torpedo californica acetylcholine receptor. European Journal of Immunology, 1987, 17, 1697-1702.	2.9	59
44	Hemoglobin binding with haptoglobin: Delineation of the haptoglobin binding site on the γ -chain of human hemoglobin. The Protein Journal, 1990, 9, 735-742.	1.1	59
45	Molecular Localization of the Full Profile of the Continuous Regions Recognized by Myoglobin Primed T-Cells Using Synthetic Overlapping Peptides Encompassing the Entire Molecule. Immunological Investigations, 1983, 12, 593-603.	0.8	57
46	Prediction and conformation by synthesis of two antigenic sites in human haemoglobin by extrapolation from the known antigenic structure of sperm-whale myoglobin. Biochemical Journal, 1977, 167, 275-278.	3.7	56
47	Immunochemistry of serum albumin. X. five major antigenic sites of human serum albumin are extrapolated from bovine albumin and confirmed by synthetic peptides. Molecular Immunology, 1980, 17, 139-142.	2.2	56
48	Immunochemistry of some artificial human hemoglobins. Immunochemistry, 1969, 6, 25-34.	1.2	55
49	Localization and verification by synthesis of five antigenic sites of bovine serum albumin. Biochemical Journal, 1979, 179, 327-331.	3.7	54
50	Immunochemistry of sperm whale myoglobin. IX. Specific interaction of peptides obtained by cleavage at arginine peptide bonds. Biochemistry, 1971, 10, 1756-1762.	2.5	52
51	T CELL RECOGNITION OF MYOGLOBIN : LOCALIZATION OF THE SITES STIMULATING T CELL PROLIFERATIVE RESPONSES BY SYNTHETIC OVERLAPPING PEPTIDES ENCOMPASSING THE ENTIRE MOLECULE. International Journal of Immunogenetics, 1984, 11, 339-353.	1.2	52
52	Immunochemistry of sperm whale myoglobin. II. Modification of the two tryptophan residues and their role in the conformation and antigen-antibody reaction. Biochemistry, 1968, 7, 699-706.	2.5	51
53	Conformational studies on modified proteins and peptides. II. Conformation of peptides with intact and overlapping helices obtained by cleavage of myoglobin at proline peptide bonds. Biochemistry, 1970, 9, 4252-4259.	2.5	51
54	T cell clones reactive with sperm whale myoglobin. Isolation of clones with specificity for individual determinants on myoglobin.. Journal of Experimental Medicine, 1981, 154, 1342-1356.	8.5	51

#	ARTICLE	IF	CITATIONS
55	A fragment comprising the last third of bovine serum albumin which accounts for almost all the antigenic reactivity of the native protein.. Journal of Biological Chemistry, 1976, 251, 4616-4621.	3.4	51
56	Conformational studies on modified proteins and peptides. 3. Conformation of peptides obtained by cleavage of myoglobin at arginine peptide bonds. Journal of Biological Chemistry, 1970, 245, 5122-8.	3.4	51
57	The short-neurotoxin-binding regions on the $\hat{1}\pm$ -chain of human and Torpedo californica acetylcholine receptors. Biochemical Journal, 1991, 274, 849-854.	3.7	50
58	Enzymic and immunochemical properties of lysozymeâ€™V derivatives modified at lysine residues by guanidination, acetylation, succinylation or maleylation. Immunochemistry, 1971, 8, 1047-1059.	1.2	47
59	A fragment comprising the last third of bovine serum albumin which accounts for almost all the antigenic reactivity of the native protein. Journal of Biological Chemistry, 1976, 251, 4616-21.	3.4	47
60	Antibodies with specificities to preselected protein regions evoked by free synthetic peptides representing protein antigenic sites or other surface locations: Demonstration with myoglobin. Molecular Immunology, 1983, 20, 567-570.	2.2	46
61	Profile of the $\hat{1}\pm$ -bungarotoxin-binding regions on the extracellular part of the $\hat{1}\pm$ -chain of Torpedo californica acetylcholine receptor. Biochemical Journal, 1987, 248, 847-852.	3.7	46
62	Immunochemistry of sperm whale myoglobin VII. Correlation of immunochemical cross-reaction of eight myoglobins with structural similarity and its dependence on conformation. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1970, 221, 623-635.	1.7	45
63	Production of Monoclonal Antibodies to Surface Regions that are Non-Immunogenic in a Protein Using Free Synthetic Peptide as Immunogens: Demonstration with Sperm-Whale Myoglobin. Immunological Investigations, 1983, 12, 161-175.	0.8	45
64	Epitope-specific suppression of antibody response in experimental autoimmune myasthenia gravis by a monomethoxypolyethylene glycol conjugate of a myasthenogenic synthetic peptide.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 5852-5856.	7.1	45
65	Immune recognition of serum albuminâ€™XIII. Autoreactivity with rabbit serum albumin of rabbit antibodies against bovine or human serum albumins and autoimmune recognition of rabbit serum albumin. Molecular Immunology, 1981, 18, 961-967.	2.2	44
66	Antibodies to Sperm-Whale Myoglobin Evoked by Free Synthetic Peptides of an Antigenic Site. Immunological Investigations, 1982, 11, 9-16.	0.8	44
67	Preparation of T-lymphocyte lines and clones with specificities to preselected protein sites by in vitro passage with free synthetic peptides: Demonstration with myoglobin sites. Molecular Immunology, 1983, 20, 1133-1137.	2.2	44
68	T cell recognition of ragweed allergen Ra3: Localization of the full T cell recognition profile by synthetic overlapping peptides representing the entire protein chain. European Journal of Immunology, 1986, 16, 236-240.	2.9	44
69	Profile of the continuous antigenic regions on the extracellular part of the alpha chain of an acetylcholine receptor.. Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 3633-3637.	7.1	44
70	Specific cleavage of tryptophyl peptide bonds with periodate in sperm whale myoglobin. Archives of Biochemistry and Biophysics, 1967, 120, 56-59.	3.0	43
71	Antigenic structure of human haemoglobin. Localization of the antigenic sites of the $\hat{1}^2$ -chain in three host species by synthetic overlapping peptides representing the entire chain. Biochemical Journal, 1986, 234, 441-447.	3.7	43
72	Conformational studies on modified proteins and peptides. VI. Conformation and immunochemistry of methylated and carboxymethylated derivatives of lysozyme. Biochemistry, 1973, 12, 2690-2695.	2.5	42

#	ARTICLE	IF	CITATIONS
73	Antibody recognition of ragweed allergen Ra3: Localization of the full profile of the continuous antigenic sites by synthetic overlapping peptides representing the entire protein chain. European Journal of Immunology, 1986, 16, 229-235.	2.9	42
74	Reaction of β -propiolactone with amino acids and its specificity for methionine. Biochemical Journal, 1968, 106, 829-834.	3.1	40
75	Immunochemistry of sperm-whale myoglobin: Accurate delineation of the single reactive region in sequence 80-103 by immunochemical studies of synthetic peptides. Immunochemistry, 1975, 12, 285-290.	1.2	40
76	Immunochemistry of serum albumin. Immunochemistry, 1976, 13, 547-555.	1.2	40
77	The regions of γ -neurotoxin binding on the extracellular part of the γ -subunit of human acetylcholine receptor. The Protein Journal, 1988, 7, 173-177.	1.1	40
78	Boundary refinement of the lysozyme antigenic site around the disulphide bond 6-127 (site 1) by α -surface-simulation synthesis. Biochemical Journal, 1978, 171, 419-427.	3.7	39
79	Biological activities of rabbit antibodies against synthetic human thyrotropin receptor peptides representing thyrotropin binding regions. Biochemical and Biophysical Research Communications, 1992, 182, 1369-1375.	2.1	39
80	Production of monoclonal antibodies with preselected submolecular binding specificities to protein antigenic sites: Antibodies to sperm whale myoglobin sites. Molecular Immunology, 1983, 20, 719-726.	2.2	38
81	Enzymic and immunochemical properties of lysozyme. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1977, 495, 354-368.	1.7	37
82	Genetic Control and Intersite Influences on the Immune Response to Sperm Whale Myoglobin. Advances in Experimental Medicine and Biology, 1982, 150, 97-125.	1.6	37
83	GENETIC CONTROL OF THE IMMUNE RESPONSE TO HEN'S EGG-WHITE LYSOZYME IN MICE: I. ANTIBODY AND T-LYMPHOCYTE PROLIFERATIVE RESPONSES TO THE NATIVE PROTEIN. International Journal of Immunogenetics, 1979, 6, 447-452.	1.2	36
84	A NOVEL APPROACH FOR LOCALIZATION OF THE CONTINUOUS PROTEIN ANTIGENIC SITES BY COMPREHENSIVE SYNTHETIC SURFACE SCANNING: ANTIBODY AND T-CELL ACTIVITY TO SEVERAL INFLUENZA HEMAGGLUTININ SYNTHETIC SITES. Immunological Investigations, 1984, 13, 539-551.	0.8	36
85	The Complete Antigenic Structure of Myoglobin: Approaches and Conclusions for Antigenic Structures of Proteins. , 1977, , 77-176.		36
86	High yield coupling of peptides to protein carriers. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1981, 670, 300-302.	1.7	34
87	Immunochemistry of sperm whale myoglobin. VIII. Specific interaction of peptides obtained by cleavage at proline peptide bonds. Biochemistry, 1970, 9, 3854-3861.	2.5	33
88	Production of monoclonal antibodies with pre-selected submolecular binding specificities to protein determinants: Demonstration with sperm whale myoglobin. Molecular Immunology, 1982, 19, 1699-1702.	2.2	33
89	Antibodies against protein antigenic sites that are identical in the homologous protein of the immunized animal Autoreactivity in rabbits of antibodies to sperm whale myoglobin. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1977, 494, 277-282.	1.7	32
90	Mapping by synthetic peptides of the binding sites for acetylcholine receptor on α -bungarotoxin. The Protein Journal, 1988, 7, 655-666.	1.1	32

#	ARTICLE	IF	CITATIONS
91	Acetylcholine receptor-alpha-bungarotoxin interactions: determination of the region-to-region contacts by peptide-peptide interactions and molecular modeling of the receptor cavity.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 6156-6160.	7.1	32
92	Conformational studies on modified proteins and peptides. VII. Conformation of Îµ-prototoxin and Îµ-toxin from Clostridium perfringens. Conformational changes associated with toxicity. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1973, 322, 245-250.	1.7	31
93	Enzymic and immunochemical properties of lysozymeâ€”XII Delineation of the reactive site around the two central disulfides by immunochemical and conformational studies of derivatives of the two-disulfide peptide. Immunochemistry, 1976, 13, 7-14.	1.2	31
94	Conformational studies on modified proteins and peptides. IV. Conformation of lysozyme derivatives modified at tyrosine or at tryptophan residues. Journal of Biological Chemistry, 1971, 246, 3291-6.	3.4	31
95	T CELL RECOGNITION OF LYSOZYME IV. LOCALIZATION AND GENETIC CONTROL OF THE CONTINUOUS T CELL RECOGNITION SITES BY SYNTHETIC OVERLAPPING PEPTIDES REPRESENTING THE ENTIRE PROTEIN CHAIN. International Journal of Immunogenetics, 1984, 11, 327-337.	1.2	30
96	B-cell activation in vitro by helper T cells specific to region alpha 146-162 of Torpedo californica nicotinic acetylcholine receptor. Journal of Immunology, 1996, 157, 3192-9.	0.8	30
97	Specific reduction of carboxyl groups in peptides and proteins by diborane. Biochemical Journal, 1969, 111, 593-601.	3.1	29
98	Enzymic and immunochemical properties of lysozymeâ€”VI Conformation, enzymic activity and immunochemistry of derivatives modified at arginine residues. Immunochemistry, 1972, 9, 907-920.	1.2	29
99	Enzymic and immunochemical properties of lysozyme. XIII. Accurate delineation of the reactive site around the disulfide 6-127 by immunochemical study of Î²-propiolactone lysozyme derivative and of synthetic disulfide peptides. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1976, 420, 358-375.	1.7	28
100	Genetic control of the immune response to myoglobin. VI. Inter-site influences in T-lymphocyte proliferative response from analysis of cross-reactions of ten myoglobins in terms of substitutions in the antigenic sites and in environmental residues of the sites. Molecular Immunology, 1981, 18, 945-948.	2.2	28
101	Haemoglobin binding with haptoglobin. Localization of the haptoglobin-binding sites on the Î²2-chain of human haemoglobin by synthetic overlapping peptides encompassing the entire chain. Biochemical Journal, 1986, 234, 453-456.	3.7	28
102	Immune recognition of botulinum neurotoxin type A: Regions recognized by T cells and antibodies against the protective HC fragment (residues 855â€”1296) of the toxin. Molecular Immunology, 1997, 34, 1031-1040.	2.2	28
103	The Antigenic Structure of Hen Egg-White Lysozyme: A Model for Disulfide-Containing Proteins. , 1977, , 177-264.		28
104	Specific reduction of carboxyl groups in peptides. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1967, 147, 410-412.	1.7	27
105	Nearest-neighbour analysis of myoglobin antigenic sites. Nearest-neighbour residues whose replacement can alter the environment of binding-site residue(s) and thus change their characteristics and binding capability. Biochemical Journal, 1980, 191, 673-680.	3.7	27
106	Distance calculation of residues neighbouring to lysozyme antigenic sites. Site-neighbouring residues whose evolutionary substitution can modify the characteristics and binding energy of the sites. Biochemical Journal, 1980, 187, 163-172.	3.7	27
107	Site recognition by protein-primed T cells shows a non-specific peptide size requirement beyond the essential residues of the site Demonstration by defining an immunodominant T site in myoglobin. Biochemical Journal, 1986, 240, 139-146.	3.7	27
108	Antibodies and T cells against synthetic peptides of the C-terminal domain (Hc) of botulinum neurotoxin type A and their cross-reaction with Hc. Immunology Letters, 1998, 60, 7-12.	2.5	27

#	ARTICLE	IF	CITATIONS
109	Antigen presentation of lysozyme: T-cell recognition of peptide and intact protein after priming with synthetic overlapping peptides comprising the entire protein chain. <i>Immunology</i> , 1985, 56, 103-12.	4.4	27
110	Immunochemistry of sperm-whale myoglobin. 18. Accurate delineation of the single reactive region in sequence 120-153 by study of synthetic peptides. <i>Biochimica Et Biophysica Acta</i> , 1973, 328, 289-302.	1.3	27
111	Chemical studies on haemoglobins A1 and A0. <i>Biochemical Journal</i> , 1964, 93, 189-197.	2.8	26
112	Studies on myoglobin from the finback whale (<i>Balaenoptera physalus</i>). Preparation, physicochemical and immunochemical characterization, differentiation from sperm-whale myoglobin, amino acid composition and end-terminal analyses. <i>Biochemical Journal</i> , 1966, 98, 82-93.	2.8	26
113	Production of autoantibodies by immunization with rabbit myoglobin. <i>Immunochemistry</i> , 1978, 15, 67-70.	1.2	26
114	Immune recognition of cytochrome c. I. Investigation by synthesis whether antigenic sites of polymeric cytochrome coincide with locations of sequence differences between the immunizing and host cytochromes. <i>Molecular Immunology</i> , 1981, 18, 1021-1025.	2.2	26
115	GENETIC CONTROL OF THE IMMUNE RESPONSE TO HAEMOGLOBIN: III. VARIANT A [?] (bm 12) BUT NOT A ^e (D2.GD) Ia POLYPEPTIDES ALTER IMMUNE RESPONSIVENESS TOWARDS THE α -SUBUNIT OF HUMAN HAEMOGLOBIN. <i>International Journal of Immunogenetics</i> , 1981, 8, 471-476.	1.2	26
116	Profile of the regions of acetylcholine receptor β chain recognized by T-lymphocytes and by antibodies in eamg-susceptible and non-susceptible mouse strains after different periods of immunization with the receptor. <i>Molecular Immunology</i> , 1994, 31, 833-843.	2.2	26
117	Antigen mimicry in autoimmune disease. Can immune responses to microbial antigens that mimic acetylcholine receptor act as initial triggers of myasthenia gravis?. <i>Human Immunology</i> , 2000, 61, 255-265.	2.4	26
118	Immunochemistry of sperm whale myoglobin β V. Specific modification of the methionine residues with β -propiolactone. <i>Immunochemistry</i> , 1969, 6, 801-810.	1.2	25
119	Non-specific peptide size effects in the recognition by site-specific T-cell clones. Demonstration with a T site of myoglobin. <i>Biochemical Journal</i> , 1987, 246, 307-312.	3.7	25
120	Haemoglobin binding with haptoglobin. Unequivocal demonstration that the β -chains of human haemoglobin bind to haptoglobin. <i>Biochemical Journal</i> , 1980, 185, 285-287.	3.7	24
121	GENETIC CONTROL OF THE IMMUNE RESPONSE TO HAEMOGLOBIN: I. DEMONSTRATION OF SEPARATE GENETIC CONTROL OF THE RESPONSES TO THE α - AND β -SUBUNITS BY IN VITRO LYMPHOCYTE PROLIFERATION. <i>International Journal of Immunogenetics</i> , 1981, 8, 315-322.	1.2	24
122	[8] Preparation of monoclonal antibodies to preselected protein regions. <i>Methods in Enzymology</i> , 1986, 121, 69-95.	1.0	24
123	Antibody-combining sites can be mimicked synthetically. Surface-simulation synthesis of the immunoglobulin new combining site to the gamma-hydroxyl derivative of vitamin K1. <i>Journal of Biological Chemistry</i> , 1978, 253, 5259-62.	3.4	24
124	Role of the Amino Groups and C-Terminal of Sperm-Whale Myoglobin in the Antigen β Antibody Reaction. <i>Nature</i> , 1966, 209, 1209-1211.	27.8	23
125	Desulfurization of sulfur amino acids and proteins with Raney nickel. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1971, 236, 174-182.	1.7	23
126	Immunochemistry of serum albumin. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1979, 576, 322-332.	1.7	23

#	ARTICLE	IF	CITATIONS
127	Synthesis of tolerogenic monomethoxypolyethylene glycol and polyvinyl alcohol conjugates of peptides. The Protein Journal, 1991, 10, 623-627.	1.1	23
128	Localization of the regions on the C-terminal domain of the heavy chain of botulinum toxin a recognized by t lymphocytes and by antibodies after immunization of mice with pentavalent toxoid. Immunological Investigations, 1997, 26, 491-504.	2.0	23
129	Enzymic and immunochemical properties of lysozyme. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1975, 400, 423-432.	1.7	22
130	An immunodominant site of acetylcholine receptor in experimental myasthenia mapped with T lymphocyte clones and synthetic peptides. Immunology Letters, 1989, 20, 199-204.	2.5	22
131	Peptides with strong immunochemical inhibitory activity from bovine serum albumin. Application of a novel approach. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1974, 342, 389-395.	1.7	21
132	Immune recognition of serum albumin. 11. Mouse antibodies against bovine serum albumin recognize the same antigenic sites that are recognized by rabbit antibodies. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1980, 625, 159-162.	1.7	21
133	Haemoglobin binding with haptoglobin. Localization of the haptoglobin-binding site on the α -chain of human haemoglobin. Biochemical Journal, 1981, 197, 507-510.	3.7	20
134	Immune recognition of serum albumin. 15. BBA - Proteins and Proteomics, 1982, 704, 552-555.	2.1	20
135	GENETIC CONTROL OF THE IMMUNE RESPONSE TO MYOGLOBIN: IX. OVERCOMING GENETIC CONTROL OF ANTIBODY RESPONSE TO ANTIGENIC SITES BY INCREASING THE DOSE OF ANTIGEN USED IN IMMUNIZATION. International Journal of Immunogenetics, 1982, 9, 343-351.	1.2	20
136	III. RECOGNITION OF THE ?SURFACE-SIMULATION? SYNTHETIC ANTIGENIC STIES. International Journal of Immunogenetics, 1984, 11, 245-250.	1.2	20
137	Protection against α -bungarotoxin poisoning by immunization with synthetic toxin peptides. Molecular Immunology, 1996, 33, 681-689.	2.2	20
138	Immunochemistry of sperm-whale myoglobin. 1. Conformation and immunochemistry of derivative reduced at some carboxyl groups by diborane. Biochemistry, 1972, 11, 3984-3990.	2.5	19
139	Determination of the Entire Antigenic Structure of Native Lysozyme by Surface-Simulation Synthesis, A Novel Concept in Molecular Recognitio. CRC Critical Reviews in Biochemistry, 1979, 6, 371-400.	2.0	19
140	GENETIC CONTROL OF THE IMMUNE RESPONSE TO HAEMOGLOBIN:... International Journal of Immunogenetics, 1981, 8, 395-403.	1.2	19
141	HLA-DR peptide inhibits HIV-induced syncytia. Immunology Letters, 1990, 24, 127-131.	2.5	19
142	Immunochemical cross-reaction of fragments from the first third and the last third of bovine serum albumin. Immunochemistry, 1977, 14, 449-457.	1.2	18
143	Antigen presentation of myoglobin: profiles of T cell proliferative responses following priming with synthetic overlapping peptides encompassing the entire molecule. European Journal of Immunology, 1985, 15, 917-922.	2.9	18
144	Profile of the regions on the α -chain of human acetylcholine receptor recognized by autoantibodies in myasthenia gravis. Molecular Immunology, 1992, 29, 1507-1514.	2.2	18

#	ARTICLE	IF	CITATIONS
145	Protection of mice against lethal viral infection by synthetic peptides corresponding to B- and T-cell recognition sites of influenza A hemagglutinin. <i>Vaccine</i> , 1995, 13, 927-932.	3.8	18
146	Can an antibody-combining site be mimicked synthetically? The possible surface simulation synthesis of two antibody-combining sites complementary to two antigenic sites of lysozyme. <i>Journal of Biological Chemistry</i> , 1977, 252, 8784-7.	3.4	18
147	Neuraminic acid and its relation to chronic bronchitis III. Carbohydrate constituents of sputum. <i>Clinica Chimica Acta</i> , 1959, 4, 823-827.	1.1	17
148	T-LYMPHOCYTE RECOGNITION OF SPERM-WHALE MYOGLOBIN. SPECIFICITY OF T-CELL RECOGNITION FOLLOWING NEONATAL TOLERANCE WITH EITHER MYOGLOBIN OR SYNTHETIC PEPTIDES OF AN ANTIGENIC SITE. <i>International Journal of Immunogenetics</i> , 1983, 10, 161-169.	1.2	17
149	Antibodies with Preselected Specificities to Protein Regions Evoked by Immunization with Free Synthetic Peptides: Dose Response to Myoglobin Antigenic Sites Reveal an Optimum Dose for Each Antigenic Site. <i>Immunological Investigations</i> , 1983, 12, 419-428.	0.8	17
150	Antibody Response To Transfusion With Pyridoxalated Polymerized Hemoglobin Solution. <i>Military Medicine</i> , 1987, 152, 473-477.	0.8	17
151	Chemical Modification and Cleavage of Proteins and Chemical Strategy in Immunochemical Studies of Proteins. , 1977,, 1-161.		17
152	Dissection of the Molecular Parameters for T-Cell Recognition of a Myoglobin Antigenic Site. <i>Advances in Experimental Medicine and Biology</i> , 1982, 150, 73-93.	1.6	17
153	Mucoproteins of Bronchial Mucus. <i>Nature</i> , 1961, 192, 1269-1270.	27.8	16
154	Reaction of myoglobin with 3,3-tetramethyleneglutaric anhydride. <i>Biochemical Journal</i> , 1967, 102, 488-491.	2.8	16
155	Immunochemistry of sperm whale myoglobin. X. Regions responsible for immunochemical cross-reaction with finback whale myoglobin. General conclusions concerning immunochemical cross-reaction of proteins. <i>Biochemistry</i> , 1971, 10, 4740-4747.	2.5	16
156	2,3-dioxo-5-indolinesulfonic acid, a new highly specific reagent for modification of tryptophan in peptides and proteins. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1975, 386, 233-238.	1.7	16
157	T-LYMPHOCYTE RECOGNITION OF SPERM-WHALE MYOGLOBIN. RESPONSES OF T-CELLS FROM MOUSE STRAINS PRIMED WITH SYNTHETIC PEPTIDE CARRYING ANTIGENIC SITE 5 AND RELATION TO ANTIGEN PRESENTATION. <i>International Journal of Immunogenetics</i> , 1983, 10, 151-160.	1.2	16
158	Immune recognition of human major histocompatibility antigens: localization by a comprehensive synthetic strategy of the continuous antigenic sites in the first domain of HLA-DR2 I ² chain. <i>European Journal of Immunology</i> , 1987, 17, 497-502.	2.9	16
159	First Consequences of the Determination of the Entire Antigenic Structure of Sperm-Whale Myoglobin. <i>Advances in Experimental Medicine and Biology</i> , 1978, 98, 19-40.	1.6	16
160	Conformational studies on modified proteins and peptides. V. Conformation of myoglobin derivatives modified at two carboxyl groups. <i>Journal of Biological Chemistry</i> , 1972, 247, 5980-6.	3.4	16
161	Effect of amino acid substitutions within the region 62-76 of I-A beta b on binding with and antigen presentation of Torpedo acetylcholine receptor alpha-chain peptide 146-162. <i>Journal of Immunology</i> , 1995, 154, 5245-54.	0.8	16
162	Infra-Red Spectral Analysis of the Apoproteins of Some Haemoglobins and Myoglobins. <i>Nature</i> , 1966, 209, 1211-1213.	27.8	15

#	ARTICLE	IF	CITATIONS
163	Immunochemistry of sperm whale myoglobin. XI. Modification of two glutamic acid residues and their role in the antigenic reactivity. <i>Immunochemistry</i> , 1972, 9, 1057-1066.	1.2	15
164	Enzymic and immunochemical properties of lysozyme. VIII. Modification of two carboxyl groups and their role in the antigenic reactivity. <i>Immunochemistry</i> , 1974, 11, 495-500.	1.2	15
165	Enzymic and immunochemical properties of lysozyme. XV. <i>Immunochemistry</i> , 1976, 13, 681-687.	1.2	15
166	HIV envelope protein is recognized as an alloantigen by human DR-specific alloreactive T cells. <i>Human Immunology</i> , 1992, 34, 31-38.	2.4	15
167	Immunochemistry of sperm-whale myoglobin. XIX. Accurate delineation of the single reactive region in sequence 54-85 by immunochemical study of synthetic peptides. <i>Biochimica Et Biophysica Acta</i> , 1974, 342, 21-9.	1.3	15
168	Immunochemical studies of hemoglobin and the role of the sulfhydryl groups. <i>Immunochemistry</i> , 1965, 2, 379-389.	1.2	14
169	Significance of the amino acid composition of proteins 1. Composition of hemoglobins and myoglobins in relation to their structure, function and evolution. <i>Journal of Theoretical Biology</i> , 1966, 11, 227-241.	1.7	14
170	Immunochemistry of sperm whale myoglobin. XV. Accurate delineation of the single antigenic reactive region in sequence 1-55 of myoglobin by chemical derivatives of the peptide carrying the region: Conclusions relating to antigenic structures of proteins. <i>Immunochemistry</i> , 1974, 11, 63-70.	1.2	14
171	Enzymic and immunochemical properties of lysozyme. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1975, 405, 452-463.	1.7	14
172	Antibody combining sites can be mimicked synthetically. Surface-simulation synthesis of the phosphorylcholine-combining site of myeloma protein M-603. <i>Biochemical Journal</i> , 1980, 187, 661-666.	3.7	14
173	Synthesis of an antigenic site of native acetylcholine receptor peptide 159-169 of <i>Torpedo</i> acetylcholine receptor α -chain. <i>Biochemical Journal</i> , 1985, 226, 193-197.	3.7	14
174	Molecular Recognition of Human Insulin Receptor by Autoantibodies in a Human Serum. <i>Immunological Investigations</i> , 1988, 17, 237-242.	2.0	14
175	T cells specific for alpha-beta interface regions of hemoglobin recognize the isolated subunit but not the tetramer and indicate presentation without processing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 6729-6733.	7.1	14
176	Effects of amino acid substitutions outside an antigenic site on protein binding to monoclonal antibodies of predetermined specificity obtained by peptide immunization: Demonstration with region 94-100 (antigenic site 3) of myoglobin. <i>The Protein Journal</i> , 1992, 11, 433-444.	1.1	14
177	Autoimmune T-cell recognition sites of human thyrotropin receptor in Graves' disease. <i>Molecular and Cellular Endocrinology</i> , 1993, 92, 77-82.	3.2	14
178	Antibody and T-cell recognition of α -bungarotoxin and its synthetic loop-peptides. <i>Molecular Immunology</i> , 1995, 32, 919-929.	2.2	14
179	Discovery and implications of the immunogenicity of free small synthetic peptides: powerful tools for manipulating the immune system and for production of antibodies and T cells of preselected submolecular specificities. <i>Critical Reviews in Immunology</i> , 1985, 5, 387-409.	0.5	14
180	Immunochemistry of sperm-whale myoglobin. 13. Conformation and immunochemistry of derivatives prepared by reaction with diazonium-1H-tetrazole. Evaluation of the specificity of the reagent. <i>Biochemistry</i> , 1973, 12, 942-947.	2.5	13

#	ARTICLE	IF	CITATIONS
181	Subunit interacting surfaces of human haemoglobin. Localization of the α -subunit- β -subunit interacting surfaces on the β -chain by a comprehensive synthetic strategy. <i>Biochemical Journal</i> , 1986, 234, 457-461.	3.7	13
182	Human haptoglobin binds to human myoglobin. <i>BBA - Proteins and Proteomics</i> , 1986, 873, 312-315.	2.1	13
183	Comparison of Peptide-Coating Conditions in Solid Phase Plate Assays for Detection of Anti-Peptide Antibodies. <i>Immunological Investigations</i> , 1989, 18, 841-851.	2.0	13
184	Conformation, enzymic activity, and immunochemistry of a lysozyme derivative modified at tryptophan 123 by reaction with 2,3-dioxo-5-indolinesulfonic acid.. <i>Journal of Biological Chemistry</i> , 1976, 251, 1653-1658.	3.4	13
185	Localization of the functional sites on the alpha chain of acetylcholine receptor. <i>Federation Proceedings</i> , 1987, 46, 2538-47.	1.3	13
186	The Antigenic Structure of Myoglobin and Initial Consequences of Its Precise Determinatio. <i>CRC Critical Reviews in Biochemistry</i> , 1979, 6, 337-369.	2.0	12
187	Genetic control of the immune response to myoglobin. 3. Autoimmune T-lymphocyte proliferative response to mouse myoglobin. <i>Molecular Immunology</i> , 1980, 17, 1079-1082.	2.2	12
188	Immune recognition of serum albuminâ€”XIV. Cross-reactivity by T-lymphocyte proliferation of subdomains 3, 6 and 9 of bovine serum albumin. <i>Molecular Immunology</i> , 1982, 19, 313-321.	2.2	12
189	T- LYMPHOCYTE RECOGNITION OF SPERM-WHALE MYOGLOBIN. RECOGNITION OF SYNTHETIC PEPTIDES CARRYING ANTIGENIC SITE 5 BY MYOGLOBIN-PRIMED T-CELLS. <i>International Journal of Immunogenetics</i> , 1983, 10, 139-149.	1.2	12
190	Localization of the continuous allergenic sites of ragweed allergen Ra3 by a comprehensive synthetic strategy. <i>FEBS Letters</i> , 1985, 188, 96-100.	2.8	12
191	T cell response to myoglobin: a comparison of T cell clones in high-responder and low-responder mice. <i>European Journal of Immunology</i> , 1988, 18, 1329-1335.	2.9	12
192	Recognition of inter-transmembrane regions of acetylcholine receptor α subunit by antibodies, T cells and neurotoxins implications for membrane-subunit organization. <i>FEBS Letters</i> , 1988, 228, 295-300.	2.8	12
193	Immunochemistry of sperm-whale myoglobin-XXII. Accurate delineation of the single reactive region in sequence 103-120 by immunochemical studies of synthetic peptides: the complete antigenic structure of the protein. <i>Immunochemistry</i> , 1975, 12, 735-40.	1.2	12
194	Conformation, enzymic activity, and immunochemistry of a lysozyme derivative modified at tryptophan 123 by reaction with 2,3-dioxo-5-indolinesulfonic acid. <i>Journal of Biological Chemistry</i> , 1976, 251, 1653-8.	3.4	12
195	Nitration of the vinyl groups of ferriheme. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1969, 177, 663-665.	2.4	11
196	T-cell recognition of human haemoglobin. Localization of the full T-cell recognition profile of the β -chain by a comprehensive synthetic strategy. <i>Biochemical Journal</i> , 1986, 234, 449-452.	3.7	11
197	Suppression of experimental myasthenia gravis by monoclonal antibodies against MHC peptide region involved in presentation of a pathogenic T-cell epitope. <i>Journal of Neuroimmunology</i> , 2000, 105, 131-144.	2.3	11
198	In vitro responses of primed rabbit lymph node cells to myoglobin and its synthetic antigenic peptides: Production of macrophage inhibitory factor and antibody to myoglobin. <i>Immunochemistry</i> , 1975, 12, 959-965.	1.2	10

#	ARTICLE	IF	CITATIONS
199	Immunochemistry of serum albuminâ€”VIII. Molecular Immunology, 1979, 16, 703-709.	2.2	10
200	Surface-simulation synthesis of the substrate-binding site of an enzyme. Demonstration with trypsin. Biochemical Journal, 1985, 226, 477-485.	3.7	10
201	The continuous antigenic regions in the second domain of the Î² chain of human MHC DR2 antigen: antigenic profile of the entire extracellular part of the chain. European Journal of Immunology, 1987, 17, 769-773.	2.9	10
202	Characteristics of peptides which compete for presented antigen-binding sites on antigen-presenting cells. European Journal of Immunology, 1990, 20, 953-960.	2.9	10
203	Intersite helper function of t cells specific for a protein epitope that is not recognized by antibodies. Immunological Investigations, 1997, 26, 473-489.	2.0	10
204	The Precise and Entire Antigenic Structure of Lysozyme: Implications of Surface-Simulation Synthesis and the Molecular Features of Protein Antigenic Sites. Advances in Experimental Medicine and Biology, 1978, 98, 41-99.	1.6	10
205	Enzymic and immunochemical properties of lysozyme. VII. Location of all the antigenic reactive regions. A new approach to study immunochemistry of tight proteins. Biochimica Et Biophysica Acta, 1973, 303, 203-9.	1.3	10
206	Autoimmune responses against acetylcholine receptor: T and B cell collaboration and manipulation by synthetic peptides. Critical Reviews in Immunology, 1997, 17, 481-95.	0.5	10
207	Sterically selective reduction of protein carboxyl groups by disiamylborane or by 9-borabicyclo[3,3,1] nonane. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1973, 303, 379-384.	1.7	9
208	Differentiation of the contribution of the two subunits of lutropin to its in vivo activity. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1978, 533, 257-262.	1.7	9
209	T Cell Recognition of Lysozyme. II. Shift in Specificity During Long-Term Culture Determined by Synthetic Overlapping Peptides Comprising the Entire Protein Chain. Immunological Investigations, 1984, 13, 161-172.	0.8	9
210	T Cells of Mice Treated with mPEG-Myasthenogenic Peptide Conjugate are Involved in Protection against EAMG by Stimulating Lower Pathogenic Antibody Responses. Autoimmunity, 2000, 32, 45-55.	2.6	9
211	Structure and activity of ragweed antigen E *III. Allergenic crossreactivity of the subunits. Journal of Allergy and Clinical Immunology, 1979, 64, 539-545.	2.9	8
212	Immune recognition of serum albuminâ€”XII. Evidence for time-dependent immunochemical cross-reactivity of subdomains 3, 6 and 9 of bovine serum albumin by quantitative immunoabsorbent titration studies. Molecular Immunology, 1981, 18, 553-560.	2.2	8
213	Genetic Control of the Immune Response to Myoglobin. V. Analysis of the Cross-Reactivity of 12 Myoglobins with Sperm-Whale Myoglobin Antisera of Inbred Mouse Strains in Terms of Substitutions in the Antigenic Sites and in the Environmental Residues of the Sites. Immunological Investigations, 1981, 10, 359-365.	0.8	8
214	Cytotoxic T lymphocyte recognition sites on influenza virus hemagglutinin. Immunology Letters, 1988, 19, 49-53.	2.5	8
215	Mapping of the full profile of T cell allorecognition regions on HLA-DR2Î² subunit. European Journal of Immunology, 1990, 20, 713-721.	2.9	8
216	Effects of amino acid substitutions outside an antigenic site on protein binding to monoclonal antibodies of predetermined specificity obtained by peptide immunization: Demonstration with region 15?22 (antigenic site 1) of myoglobin. The Protein Journal, 1992, 11, 445-454.	1.1	8

#	ARTICLE	IF	CITATIONS
217	Biological Activities of Rat Antisera Raised against Synthetic Peptides of Human Thyrotropin Receptor.. Endocrine Journal, 1993, 40, 607-612.	1.6	8
218	Molecular basis of immunogenicity to botulinum neurotoxins andÂuses of the defined antigenic regions. Toxicon, 2015, 107, 50-58.	1.6	8
219	Neuraminic acid and its relation to chronic bronchitis IV. isolation of homogeneous mucoproteins. Clinica Chimica Acta, 1962, 7, 588-591.	1.1	7
220	GENETIC CONTROL OF THE IMMUNE RESPONSE TO HAEMOGLOBIN.. International Journal of Immunogenetics, 1984, 11, 33-43.	1.2	7
221	Conformation-Dependent Recognition of a Protein by T-Lymphocytes: Apomyoglobin-Specific T-Cell Clone Recognizes Conformational Changes Between Apomyoglobin and Myoglobin. Immunological Investigations, 1988, 17, 337-342.	2.0	7
222	Conformation-dependent recognition of a protein by T cells requires presentation without processing. Biochemical Journal, 1989, 259, 731-735.	3.7	7
223	Mapping the extracellular topography of the Î±-chain in free and in membrane-bound acetylcholine receptor by antibodies against overlapping peptides spanning the entire extracellular parts of the chain. The Protein Journal, 1994, 13, 37-47.	1.1	7
224	T Cell Responses in EAMG-Susceptible and Non-Susceptible Mouse Strains After Immunization with Overlapping Peptides Encompassing the Extracellular Part of Torpedo Californica Acetylcholine Receptor Î± Chain. Implication to Role in Myasthenia Gravis of Autoimmune T-Cell Responses Against Receptor Degradation Products. Autoimmunity, 1998, 27, 79-90.	2.6	7
225	T-cell recognition of lysozyme. I. Localization of regions stimulating T-cell proliferative response by synthetic overlapping peptides encompassing the entire molecule. Experimental and Clinical Immunogenetics, 1984, 1, 99-111.	1.2	7
226	Neuraminic acid and its relation to chronic bronchitis V. Glass column electrophoresis of sputum. Clinica Chimica Acta, 1962, 7, 706-709.	1.1	6
227	Immunochemistry of sperm whale myoglobinâ€”XIV. Role of histidines 12 and 24 in the antigenic structure. Immunochemistry, 1973, 10, 601-606.	1.2	6
228	Separation of active subunits of ragweed antigen E. Immunochemistry, 1978, 15, 199-202.	1.2	6
229	Immunochemistry of serum albuminâ€”V. Molecular Immunology, 1979, 16, 451-456.	2.2	6
230	Binding with lysozyme of antibodies against surface-simulation peptides representing the lysozyme antigenic sites. Biochemical Journal, 1982, 201, 669-672.	3.7	6
231	Effects of amino acid substitutions outside an antigenic site on protein binding to monoclonal antibodies of predetermined specificity obtained by peptide immunization: Demonstration with region 145?151 (antigenic site 5) of myoglobin. The Protein Journal, 1992, 11, 687-698.	1.1	6
232	Analysis of exposed regions on the main extracellular domain of mouse acetylcholine receptor Î± subunit in live muscle cells by binding profiles of anti-peptide antibodies. The Protein Journal, 1994, 13, 715-722.	1.1	6
233	Cytotoxic and Helper T-Lymphocyte Responses to Antibody Recognition Regions on Influenza Virus Hemagglutinin. , 1989, 251, 49-63.		6
234	Immunochemistry of sperm-whale myoglobin--XXIII. Investigation of the independence of the five antigenic reactive regions by immunoabsorbent studies. Immunochemistry, 1975, 12, 741-4.	1.2	6

#	ARTICLE	IF	CITATIONS
235	Immunochemistry of serum albuminâ€”VII. Molecular Immunology, 1979, 16, 457-464.	2.2	5
236	Antibodies to synthetic antibody-combining sites antibodies against a surface-simulation peptide with antibody-combining activity toward lysozyme antigenic site 3 react with lysozyme antibodies. Biochimica Et Biophysica Acta (BBA) - Protein Structure, 1980, 624, 573-578.	1.7	5
237	Time-dependence study of the antibody response to sperm-whale myoglobin: Recognition of the antigenic sites is unaltered over an extended period of immunization. Molecular Immunology, 1981, 18, 473-479.	2.2	5
238	Genetic Control of the Immune Response to Myoglobin. VII. Antibody Responses to Myoglobin Variants Reveal that Gene Restriction of the Antibody Responses to Myoglobin Antigenic Sites is Dependent on the Chemical Properties of the Sites. Immunological Investigations, 1981, 10, 483-498.	0.8	5
239	GENETIC CONTROL OF THE IMMUNE RESPONSE TO MYOGLOBIN: VIII. CONTROL OF ANTIBODY AFFINITY. International Journal of Immunogenetics, 1981, 8, 387-394.	1.2	5
240	Immune recognition of serum albumin. XVI. role of adjuvant in the autoimmune response to mouse serum albumin. Molecular Immunology, 1982, 19, 1509-1512.	2.2	5
241	GENETIC CONTROL OF THE IMMUNE RESPONSE TO HAEMOGLOBIN: IV. Ly-1+ T-CELLS AND APPROPRIATE NON-H-2 GENES ARE REQUIRED FOR IN VITRO RESPONSES TO ? - AND ?-SUBUNITS OF HUMAN ADULT HAEMOGLOBIN. International Journal of Immunogenetics, 1982, 9, 93-100.	1.2	5
242	GENETIC CONTROL OF THE IMMUNE RESPONSE TO MYOGLOBIN: XVI. CONTROL OF ANTIBODIES WITH PRESELECTED SPECIFICITIES FOLLOWING IMMUNIZATION WITH FREE SYNTHETIC PEPTIDES REPRESENTING THE ANTIGENIC SITES OR SURFACE NON-IMMUNOGENIC LOCATIONS IN THE PROTEIN. International Journal of Immunogenetics, 1983, 10, 453-464.	1.2	5
243	Effects of amino acid substitutions outside an antigenic site on protein binding to monoclonal antibodies of predetermined specificity obtained by peptide immunization: Demonstration with region 113?120 (antigenic site 4) of myoglobin. The Protein Journal, 1992, 11, 677-686.	1.1	5
244	Effects of amino acid substitutions outside an antigenic site on protein binding to monoclonal antibodies of predetermined specificity obtained by peptide immunization: Demonstration with region 56?62 (antigenic site 2) of myoglobin. The Protein Journal, 1992, 11, 455-465.	1.1	5
245	Anti-Urokinase-Type Plasminogen Activator Monoclonal Antibodies Inhibit the Proliferation of Human Breast Cancer Cell Lines in vitro. Tumor Biology, 1998, 19, 229-237.	1.8	5
246	Structure and activity of ragweed antigen Eâ€”III. Molecular Immunology, 1980, 17, 281-286.	2.2	4
247	T-Cell Dependency of the Antibody Response to Free Small Synthetic Peptides of a Protein: Demonstration With an Antigenic Site of Myoglobin. Immunological Investigations, 1985, 14, 1-5.	2.0	4
248	Generation of species-specific antihemoglobin antibodies by immunization with synthetic peptides of human hemoglobin. The Protein Journal, 1989, 8, 767-778.	1.1	4
249	T-cell recognition and antigen presentation of myoglobin. Protein recognition by site-specific T-cell clones is influenced by amino acid substitutions outside the site. Biochemical Journal, 1989, 258, 645-651.	3.7	4
250	Localization and synthesis of an insulin-binding region on human insulin receptor. The Protein Journal, 1990, 9, 229-233.	1.1	4
251	B-Cell Activation<i>In Vitro</i>by Helper T Cells Specific to a Protein Region that is Recognized Both by T Cells and by Antibodies. Immunological Investigations, 1998, 27, 121-134.	2.0	4
252	Mapping of the Polypeptide Chain Organization of the Main Extracellular Domain of the Î±-Subunit in Membrane-Bound Acetylcholine Receptor by Anti-Peptide Antibodies Spanning the Entire Domain. Advances in Experimental Medicine and Biology, 1994, 347, 221-228.	1.6	4

#	ARTICLE	IF	CITATIONS
253	Autoimmune Recognition Profile of the Alpha Chain of Human Acetylcholine Receptor in Myasthenia Gravis. <i>Advances in Experimental Medicine and Biology</i> , 1991, 303, 255-261.	1.6	4
254	Enzymic and immunochemical properties of lysozyme. XI. Conformation and immunochemistry of the two-disulfide peptide and the tryptophan and lysine residues in its antigenic reactivity. <i>Biochimica Et Biophysica Acta</i> , 1975, 405, 464-74.	1.3	4
255	Immunochemistry of sperm-whale myoglobin-XXI. Conformation and immunochemistry of derivatives modified at certain histidine residues. <i>Immunochemistry</i> , 1975, 12, 727-33.	1.2	4
256	Fully automated simple analytical peptide chromatography on the amino acid analyzer at the 10 ⁻⁸ mole level. <i>Analytical Biochemistry</i> , 1972, 49, 164-172.	2.4	3
257	Alloreactive T cell recognition of the HLA-DR ¹ N-terminal polymorphic region. <i>Immunology Letters</i> , 1989, 21, 285-290.	2.5	3
258	Molecular recognition of acetylcholine receptor. Recognition by $\hat{1}\pm$ -neurotoxins and by immune and autoimmune responses and manipulation of the responses. <i>Advances in Neuroimmunology</i> , 1994, 4, 403-432.	1.8	3
259	In vitro inhibition of human malignant brain tumour cell line proliferation by anti-urokinase-type plasminogen activator monoclonal antibodies. <i>British Journal of Cancer</i> , 1998, 78, 1578-1585.	6.4	3
260	Presynaptic and postsynaptic neurotoxins. Investigation of the structures of the immune recognition sections. <i>Chemistry of Natural Compounds</i> , 1998, 34, 15-28.	0.8	3
261	Subunit interacting surfaces of human hemoglobin in solution: localization of the alpha-beta subunit interacting surfaces on the alpha-chain by a comprehensive synthetic strategy. <i>The Protein Journal</i> , 1999, 18, 179-185.	1.1	3
262	Suppression of Experimental Autoimmune Myasthenia Gravis by Epitope-Specific Neonatal Tolerance. <i>Advances in Experimental Medicine and Biology</i> , 1994, 347, 65-75.	1.6	3
263	Conformation of lysozyme derivatives modified at two carboxyl groups. <i>Journal of Biological Chemistry</i> , 1974, 249, 4802-6.	3.4	3
264	Synthetic myoglobin peptides inhibit spontaneous anamnestic antibody responses by myoglobin-primed rabbit lymph node cells. <i>Cellular Immunology</i> , 1979, 45, 195-198.	3.0	2
265	Evidence for cellular but not serologic cross-reactivity between keyhole limpet hemocyanin and sperm-whale myoglobin. <i>Cellular Immunology</i> , 1979, 46, 384-397.	3.0	2
266	The role of the thiol group and the disulfide bond in the conformation and the IgE and IgG binding activities of ragweed allergen Ra3. <i>Molecular Immunology</i> , 1981, 18, 991-997.	2.2	2
267	Antigenicity of synthetic peptides 159-169 and 151-169 of Torpedo acetylcholine receptor $\hat{1}\pm$ chain. <i>Biochemical Journal</i> , 1985, 231, 245-246.	3.7	2
268	Antigenic Regions on the $\hat{1}^2$ Chain of Human Chorionic Gonadotropin and Development of Hormone Specific Antibodies. <i>Immunological Investigations</i> , 1987, 16, 607-618.	2.0	2
269	Presentation of Antigen to T Lymphocytes by Non-Immune B-Cell Hybridoma Clones: Evidence for Specific and Nonspecific Presentations. <i>Immunological Investigations</i> , 1989, 18, 651-656.	2.0	2
270	Antigen Presentation by Non-Immune B-Cell Hybridoma Clones: Presentation of Synthetic Antigenic Sites Reveals Clones that Exhibit no Specificity and Clones that Present Only One Epitope. <i>Immunological Investigations</i> , 1989, 18, 987-992.	2.0	2

#	ARTICLE	IF	CITATIONS
271	Binding of thyroid hormones to human hemoglobin and localization of the binding site. The Protein Journal, 1990, 9, 743-750.	1.1	2
272	In vitro Efficacy of Anti-glial Fibrillary Acidic Protein Monoclonal Antibodies against Human Malignant Glioma Cell Lines. Japanese Journal of Cancer Research, 1997, 88, 1094-1099.	1.7	2
273	In Vitro Responses of Myoglobin-Primed Lymph Node Cells to Myoglobin and Myoglobin Synthetic Antigenic Peptides. Advances in Experimental Medicine and Biology, 1978, 98, 199-223.	1.6	2
274	Preparation and Characterization of Antisera and of Murine Monoclonal Antibodies to Human Glioma-Associated Antigen(s). Advances in Experimental Medicine and Biology, 1991, 303, 271-283.	1.6	2
275	Perspectives of the Immunology of Proteins. Advances in Experimental Medicine and Biology, 1985, 185, 1-25.	1.6	2
276	Myoglobin-Reactive T Cell Clones. Advances in Experimental Medicine and Biology, 1982, 150, 159-167.	1.6	2
277	T-Cell Recognition and Antigen Presentaion of Myoglobin. Advances in Experimental Medicine and Biology, 1987, 225, 65-87.	1.6	2
278	Immunochemistry of sperm-whale myoglobin. XVII. Conformation and immunochemistry of derivatives modified at lysines 98, 140 and 145 by reaction with 3,3-tetramethyleneglutaric anhydride. Biochimica Et Biophysica Acta, 1973, 328, 278-88.	1.3	2
279	DRÎ ² peptides block the antigen-specific response but not the alloresponse of a dual-reactive T-cell clone. Immunology Letters, 1990, 24, 43-47.	2.5	1
280	Amino acid substitutions outside a preselected antigenic region in hemoglobin affect the binding to monoclonal antibodies obtained by immunization with the synthetic region. The Protein Journal, 1993, 12, 403-412.	1.1	1
281	Autoimmune Recognition of Acetylcholine Receptor and Manipulation of the Autoimmune Responses by Synthetic Peptides. Advances in Experimental Medicine and Biology, 1995, 383, 141-156.	1.6	1
282	Genetic Control of the Immune Response to Hemoglobin and its Subunits. Advances in Experimental Medicine and Biology, 1982, 150, 127-140.	1.6	1
283	T-Cell Recognition and Antigen Presentation of Lysozyme. Advances in Experimental Medicine and Biology, 1987, 225, 89-101.	1.6	1
284	Chemical Strategy for Studying the Antigenic Structures of Disulfide-Containing Proteins: Hen Egg-White Lysozyme as a Model. Advances in Experimental Medicine and Biology, 1977, 86A, 89-137.	1.6	1
285	Presentation of Antigen to T Lymphocytes by Non-Immune B-Cell Hybridoma Clones: Evidence for Specific and Non-Specific Presentation. Immunological Investigations, 1988, 17, 615-620.	2.0	0
286	MPSA short communications. The Protein Journal, 1994, 13, 431-512.	1.1	0
287	Synthesis of two peptides of Î±-bungarotoxin and the participation of the amino acid residue Trp-28 of the neurotoxin in the antigenicity of the molecule. Chemistry of Natural Compounds, 1997, 33, 485-487.	0.8	0
288	Capacity of antibodies to synthetic peptides of Î±-bungarotoxin for recognizing conformational sections of the neurotoxin molecule. Chemistry of Natural Compounds, 1999, 35, 448-451.	0.8	0

#	ARTICLE	IF	CITATIONS
289	Amonoclonal IgM with antibody activity for human albumin in a patient with chronic lymphocytic leukemia. Japanese Journal of Clinical Immunology, 1982, 5, 167-171.	0.0	0
290	The Regions of T-cell Recognition on the Extracellular Part of the $\alpha\epsilon$ Chain of Torpedo Californica Acetylcholine Receptor. Advances in Experimental Medicine and Biology, 1987, 225, 103-113.	1.6	0
291	A VH Region Synthetic Peptide Induces Antibodies Which Bind Native Immunoglobulins and Augment an Immune Response to Antigen. , 1989, 251, 129-143.		0
292	Mapping of the subunit interacting surfaces of oligomeric proteins in solution by a comprehensive synthetic strategy. The Protein Journal, 1998, 17, 553-5.	1.1	0
293	On the initial trigger of myasthenia gravis and suppression of the disease by antibodies against the MHC peptide region involved in the presentation of a pathogenic T-cell epitope. Critical Reviews in Immunology, 2001, 21, 1-27.	0.5	0