
Dae-Shik Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10904685/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	MRI-Based Classification of Neuropsychiatric Systemic Lupus Erythematosus Patients With Self-Supervised Contrastive Learning. Frontiers in Neuroscience, 2022, 16, 695888.	2.8	3
2	Prediction of motor recovery using indirect connectivity in a lesion network after ischemic stroke. Therapeutic Advances in Neurological Disorders, 2020, 13, 175628642092567.	3.5	4
3	Learning for Goal-Directed Actions Using RNNPB: Developmental Change of "What to Imitate― IEEE Transactions on Cognitive and Developmental Systems, 2018, 10, 545-556.	3.8	9
4	Alteration and Role of Interhemispheric and Intrahemispheric Connectivity in Motor Network After Stroke. Brain Topography, 2018, 31, 708-719.	1.8	31
5	Optogenetic control of body movements via flexible vertical light-emitting diodes on brain surface. Nano Energy, 2018, 44, 447-455.	16.0	68
6	Modulating Brain Connectivity by Simultaneous Dual-Mode Stimulation over Bilateral Primary Motor Cortices in Subacute Stroke Patients. Neural Plasticity, 2018, 2018, 1-9.	2.2	11
7	A 2.048 Mb/s Full-Duplex Free-Space Optical Transceiver IC for a Real-Time <italic>In Vivo</italic> Brain–Computer Interface Mouse Experiment Under Social Interaction. IEEE Journal of Solid-State Circuits, 2017, 52, 1007-1020.	5.4	0
8	Hierarchical ordering with partial pairwise hierarchical relationships on the macaque brain data sets. PLoS ONE, 2017, 12, e0177373.	2.5	0
9	Functional reorganization and prediction of motor recovery after a stroke: A graph theoretical analysis of functional networks. Restorative Neurology and Neuroscience, 2015, 33, 785-793.	0.7	16
10	Graph Independent Component Analysis Reveals Repertoires of Intrinsic Network Components in the Human Brain. PLoS ONE, 2014, 9, e82873.	2.5	20
11	Quantification and reduction of visual load during BCI operation. , 2014, , .		4
12	Dissociation and convergence of the dorsal and ventral visual working memory streams in the human prefrontal cortex. Neurolmage, 2013, 65, 488-498.	4.2	44
13	Motor trajectory decoding based on fMRI-based BCI — A simulation study. , 2013, , .		4
14	Histological Validation of DW-MRI Tractography in Human Postmortem Tissue. Cerebral Cortex, 2013, 23, 442-450.	2.9	93
15	Divide et impera: Acceleration of DTI tractography using multiâ€GPU parallel processing. International Journal of Imaging Systems and Technology, 2013, 23, 256-264.	4.1	6
16	Pattern-Based Granger Causality Mapping in fMRI. Brain Connectivity, 2013, 3, 569-577.	1.7	7
17	Visual System. , 2012, , 1301-1327.		8

18 Learning spatio-temporally invariant representations from video. , 2012, , .

1

#	Article	IF	CITATIONS
19	Predictive Coding Strategies for Developmental Neurorobotics. Frontiers in Psychology, 2012, 3, 134.	2.1	6
20	An efficient method for effective connectivity of brain regions. Concepts in Magnetic Resonance Part A: Bridging Education and Research, 2012, 40A, 14-24.	0.5	2
21	Guest editorial: Special issue on neuroimaging. International Journal of Imaging Systems and Technology, 2010, 20, 1-1.	4.1	0
22	Computerâ€based morphometry of brain. International Journal of Imaging Systems and Technology, 2010, 20, 117-125.	4.1	1
23	Global and local fMRI signals driven by neurons defined optogenetically by type and wiring. Nature, 2010, 465, 788-792.	27.8	659
24	Lee et al. reply. Nature, 2010, 468, E4-E5.	27.8	3
25	A framework to analyze partial volume effect on gray matter mean diffusivity measurements. NeuroImage, 2009, 44, 136-144.	4.2	33
26	How falsely believing you are in control can shape brain responses to aversive stimuli using functional magnetic resonance imaging. FASEB Journal, 2009, 23, 70.2.	0.5	0
27	Motor outcome prediction using diffusion tensor tractography in pontine infarct. Annals of Neurology, 2008, 64, 460-465.	5.3	65
28	High-resolution diffusion tensor imaging and tractography of the human optic chiasm at 9.4ÂT. Neurolmage, 2008, 39, 157-168.	4.2	92
29	Diffusion tensor spectroscopy and imaging of the arcuate fasciculus. NeuroImage, 2008, 39, 1-9.	4.2	66
30	Effective and Structural Connectivity in the Human Auditory Cortex. Journal of Neuroscience, 2008, 28, 3341-3349.	3.6	83
31	Dissociated Pathways for Successful Memory Retrieval from the Human Parietal Cortex: Anatomical and Functional Connectivity Analyses. Cerebral Cortex, 2008, 18, 1771-1778.	2.9	30
32	Introduction to Medical Imaging and Image Analysis: A Multidisciplinary Paradigm. , 2008, , 1-8.		0
33	Corticospinal tract location in internal capsule of human brain: diffusion tensor tractography and functional MRI study. NeuroReport, 2008, 19, 817-820.	1.2	44
34	Recent Advances in Functional Magnetic Resonance Imaging. , 2008, , 267-287.		3
35	Recent Advances in Diffusion Magnetic Resonance Imaging. , 2008, , 289-309.		4

Future Trends in Medical and Molecular Imaging. , 2008, , 829-843.

4

#	Article	IF	CITATIONS
37	Principles of Magnetic Resonance Imaging. , 2008, , 99-127.		ο
38	Function and Connectivity in Human Primary Auditory Cortex: A Combined fMRI and DTI Study at 3 Tesla. Cerebral Cortex, 2007, 17, 2420-2432.	2.9	58
39	Motor outcome according to the integrity of the corticospinal tract determined by diffusion tensor tractography in the early stage of corona radiata infarct. Neuroscience Letters, 2007, 426, 123-127.	2.1	121
40	Diffusion tensor studies dissociated two fronto-temporal pathways in the human memory system. Neurolmage, 2007, 34, 827-838.	4.2	53
41	Spatial resolution dependence of DTI tractography in human occipito-callosal region. NeuroImage, 2006, 32, 1243-1249.	4.2	48
42	Anatomical correlates of the functional organization in the human occipitotemporal cortex. Magnetic Resonance Imaging, 2006, 24, 583-590.	1.8	67
43	Motor control in basal ganglia circuits using fMRI and brain atlas approaches. Cerebral Cortex, 2006, 16, 149-161.	2.9	227
44	Combining Functional and Diffusion Tensor MRI. Annals of the New York Academy of Sciences, 2005, 1064, 1-15.	3.8	24
45	How does DWI correlate with white matter structures?. Magnetic Resonance in Medicine, 2005, 54, 317-323.	3.0	23
46	The Cutting Edge of fMRI and Highâ€Field fMRI. International Review of Neurobiology, 2005, 66, 147-166.	2.0	2
47	3-D Diffusion Tensor Axonal Tracking shows Distinct SMA and Pre-SMA Projections to the Human Striatum. Cerebral Cortex, 2004, 14, 1302-1309.	2.9	260
48	A Comparison of Hemodynamic and Neural Responses in Cat Visual Cortex Using Complex Stimuli. Cerebral Cortex, 2004, 14, 881-891.	2.9	98
49	Robust fiber tracking method by vector selection criterion in diffusion tensor images. , 2004, 2004, 1080-3.		5
50	Diffusion tensor fiber tracking shows distinct corticostriatal circuits in humans. Annals of Neurology, 2004, 55, 522-529.	5.3	498
51	Spatial relationship between neuronal activity and BOLD functional MRI. NeuroImage, 2004, 21, 876-885.	4.2	108
52	Visual System. , 2004, , 1280-1305.		7
53	In vivo mapping of functional domains and axonal connectivity in cat visual cortex using magnetic resonance imaging. Magnetic Resonance Imaging, 2003, 21, 1131-1140.	1.8	28
54	Investigating directed cortical interactions in time-resolved fMRI data using vector autoregressive modeling and Granger causality mapping. Magnetic Resonance Imaging, 2003, 21, 1251-1261.	1.8	599

#	Article	IF	CITATIONS
55	High-field magnetic resonance techniques for brain research. Current Opinion in Neurobiology, 2003, 13, 612-619.	4.2	30
56	Retinotopic mapping in cat visual cortex using high-field functional magnetic resonance imaging. Journal of Neuroscience Methods, 2003, 131, 161-170.	2.5	21
57	How accurate is magnetic resonance imaging of brain function?. Trends in Neurosciences, 2003, 26, 108-114.	8.6	173
58	Mirror-Symmetric Tonotopic Maps in Human Primary Auditory Cortex. Neuron, 2003, 40, 859-869.	8.1	421
59	Spatial specificity of CBF and BOLD responses induced by neural activity. International Congress Series, 2002, 1235, 39-47.	0.2	0
60	Functional Mapping in the Cat Primary Visual Cortex Using High Magnetic Fields. , 2002, , 195-220.		1
61	Origin of Negative Blood Oxygenation Level—Dependent fMRI Signals. Journal of Cerebral Blood Flow and Metabolism, 2002, 22, 908-917.	4.3	329
62	Coincidence of ipsilateral ocular dominance peaks with orientation pinwheel centers in cat visual cortex. NeuroReport, 2000, 11, 3337-3343.	1.2	6
63	Spatiotemporal dynamics of the BOLD fMRI signals: Toward mapping submillimeter cortical columns using the early negative response. Magnetic Resonance in Medicine, 2000, 44, 231-242.	3.0	181
64	Differential effects of neurotrophins on ocular dominance plasticity in developing and adult cat visual cortex. European Journal of Neuroscience, 2000, 12, 3315-3330.	2.6	36
65	High-resolution mapping of iso-orientation columns by fMRI. Nature Neuroscience, 2000, 3, 164-169.	14.8	366
66	Reply to "Can current fMRI techniques reveal the micro-architecture of cortex?― Nature Neuroscience, 2000, 3, 414-414.	14.8	20
67	Magnetic Resonance Studies of Brain Function and Neurochemistry. Annual Review of Biomedical Engineering, 2000, 2, 633-660.	12.3	84
68	Orientation topography of layer 4 lateral networks revealed by optical imaging in cat visual cortex (area 18). European Journal of Neuroscience, 1999, 11, 4291-4308.	2.6	49
69	GABA-mediated representation of temporal information in rat barrel cortex. NeuroReport, 1999, 10, 1973-1979.	1.2	9
70	Geometrical and topological relationships between multiple functional maps in cat primary visual cortex. NeuroReport, 1999, 10, 2515-2522.	1.2	60
71	The layout of orientation and ocular dominance domains in area 17 of strabismic cats. European Journal of Neuroscience, 1998, 10, 2629-2643.	2.6	54
72	Cortical direction selectivity without directional experience. NeuroReport, 1997, 8, 1187-1191.	1.2	31

#	Article	IF	CITATIONS
73	Functional Specificity of Long-Range Intrinsic and Interhemispheric Connections in the Visual Cortex of Strabismic Cats. Journal of Neuroscience, 1997, 17, 5480-5492.	3.6	116
74	Development of Orientation Preference Maps in Area 18 of Kitten Visual Cortex. European Journal of Neuroscience, 1997, 9, 1754-1762.	2.6	70
75	Brain-derived Neurotrophic Factor Reverses Experience-dependent Synaptic Modifications in Kitten Visual Cortex. European Journal of Neuroscience, 1996, 8, 1554-1559.	2.6	102
76	Optical Imaging of the Layout of Functional Domains in Area 17 and Across the Area 17/18 Border in Cat Visual Cortex. European Journal of Neuroscience, 1995, 7, 1973-1988.	2.6	161
77	Reverse occlusion leads to a precise restoration of orientation preference maps in visual cortex. Nature, 1994, 370, 370-372.	27.8	95
78	Relationship Between Lateral Inhibitory Connections and the Topography of the Orientation Map in Cat Visual Cortex. European Journal of Neuroscience, 1994, 6, 1619-1632.	2.6	117
79	Diffusion tensor imaging in developmental clinical neuroscience. , 0, , 314-325.		0
80	A Multiple‣tate Ion Synaptic Transistor Applicable to Abnormal Car Detection with Transfer Learning. Advanced Intelligent Systems, 0, , 2100231.	6.1	1