
Lander Egaña-Gorroño

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10923759/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Receptor for Advanced Glycation End Products (RAGE) and Mechanisms and Therapeutic Opportunities in Diabetes and Cardiovascular Disease: Insights From Human Subjects and Animal Models. Frontiers in Cardiovascular Medicine, 2020, 7, 37.	2.4	134
2	Differential MicroRNA Expression Profile between Stimulated PBMCs from HIV-1 Infected Elite Controllers and Viremic Progressors. PLoS ONE, 2014, 9, e106360.	2.5	52
3	Small-molecule antagonism of the interaction of the RAGE cytoplasmic domain with DIAPH1 reduces diabetic complications in mice. Science Translational Medicine, 2021, 13, eabf7084.	12.4	28
4	Allograft inflammatory factor-1 supports macrophage survival and efferocytosis and limits necrosis in atherosclerotic plaques. Atherosclerosis, 2019, 289, 184-194.	0.8	26
5	MicroRNA Profile in CD8+ T-Lymphocytes from HIV-Infected Individuals: Relationship with Antiviral Immune Response and Disease Progression. PLoS ONE, 2016, 11, e0155245.	2.5	22
6	Inhibition of Smooth Muscle β-Catenin Hinders Neointima Formation After Vascular Injury. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 879-888.	2.4	17
7	Cholesterol efflux responds to viral load and CD4 counts in HIV+ patients and is dampened in HIV exposed. Journal of Lipid Research, 2018, 59, 2108-2115.	4.2	10
8	Allograft inflammatory factor-1-like is not essential for age dependent weight gain or HFD-induced obesity and glucose insensitivity. Scientific Reports, 2020, 10, 3594.	3.3	10
9	Utility of Systematic Isolation of immune cell subsets from HIV-infected individuals for miRNA profiling. Journal of Immunological Methods, 2017, 442, 12-19.	1.4	7
10	PLX3397, a CSF1 receptor inhibitor, limits allotransplantation-induced vascular remodelling. Cardiovascular Research, 2022, 118, 2718-2731.	3.8	6
11	Association study of lipoprotein(a) genetic markers, traditional risk factors, and coronary heart disease in HIV-1-infected patients. Frontiers in Immunology, 2012, 3, 367.	4.8	1
12	Abstract 584: Allograft Inflammatory Factor-1 is Required for Nfl̂ºB Pathway Activity in Macrophages and Atherosclerosis. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, .	2.4	0