

Ingela Wiklund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10932342/publications.pdf>

Version: 2024-02-01

90
papers

6,705
citations

81900

39
h-index

60623

81
g-index

90
all docs

90
docs citations

90
times ranked

6156
citing authors

#	ARTICLE	IF	CITATIONS
1	“An Undesired Life Event”: A retrospective interview study of Swedish women’s experiences of Caesarean Section in the 1970s and 1980s. <i>Sexual and Reproductive Healthcare</i> , 2021, 27, 100581.	1.2	2
2	Appropriate use of caesarean section globally requires a different approach. <i>Lancet, The</i> , 2018, 392, 1288-1289.	13.7	17
3	Mode of delivery among Swedish midwives and obstetricians and their attitudes towards caesarean section. <i>Sexual and Reproductive Healthcare</i> , 2017, 11, 112-116.	1.2	7
4	Patient-Reported Outcomes in Chronic Heart Failure. <i>JACC: Heart Failure</i> , 2016, 4, 791-804.	4.1	41
5	Incorporating development of a patient-reported outcome instrument in a clinical drug development program: examples from a heart failure program. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 131.	2.4	4
6	Health-related quality of life five years after birth of the first child. <i>Sexual and Reproductive Healthcare</i> , 2015, 6, 101-107.	1.2	23
7	The importance of patient-reported outcomes: a call for their comprehensive integration in cardiovascular clinical trials. <i>European Heart Journal</i> , 2014, 35, 2001-2009.	2.2	274
8	Single versus pairwise interpretation of cardiotochography, a comparative study from six Swedish delivery units. <i>Sexual and Reproductive Healthcare</i> , 2014, 5, 195-198.	1.2	1
9	Is home-based pelvic floor muscle training effective in treatment of urinary incontinence after birth in primiparous women? A randomized controlled trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 909-915.	2.8	41
10	Evidence on the global measurement model of the Minnesota Living with Heart Failure Questionnaire. <i>Quality of Life Research</i> , 2013, 22, 2675-2684.	3.1	38
11	Content Validity of CASA-Q Cough Domains and UCSD-SOBQ for Use in Patients with Idiopathic Pulmonary Fibrosis. <i>Global Journal of Health Science</i> , 2013, 5, 131-41.	0.2	23
12	Tests of the Responsiveness of the COPD Assessment Test Following Acute Exacerbation and Pulmonary Rehabilitation. <i>Chest</i> , 2012, 142, 134-140.	0.8	139
13	Indications for cesarean section on maternal request “ Guidelines for counseling and treatment. <i>Sexual and Reproductive Healthcare</i> , 2012, 3, 99-106.	1.2	48
14	Swedish midwives' rating of risks during labour progress and their attitudes toward performing intrapartum interventions: a web-based survey. <i>Midwifery</i> , 2012, 28, e516-e520.	2.3	8
15	Planned Vaginal Delivery Versus Planned Caesarean Section: Short-Term Medical Outcome Analyzed According to Intended Mode of Delivery. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2011, 33, 796-802.	0.7	18
16	Evaluation of a brief cognitive intervention in patients with signs of postnatal depression: a randomized controlled trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 1100-1104.	2.8	20
17	Transcultural and Measurement Evaluation of the Asthma Quality-of-Life Questionnaire. <i>Health Outcomes Research in Medicine</i> , 2010, 1, e69-e79.	0.6	1
18	Disease-specific health-related quality of life questionnaires for heart failure: a systematic review with meta-analyses. <i>Quality of Life Research</i> , 2009, 18, 71-85.	3.1	153

#	ARTICLE	IF	CITATIONS
19	First-time mothers and changes in personality in relation to mode of delivery. <i>Journal of Advanced Nursing</i> , 2009, 65, 1636-1644.	3.3	25
20	Multinational Trials—Recommendations on the Translations Required, Approaches to Using the Same Language in Different Countries, and the Approaches to Support Pooling the Data: The ISPOR Patient-Reported Outcomes Translation and Linguistic Validation Good Research Practices Task Force Report. <i>Value in Health</i> , 2009, 12, 430-440.	0.3	232
21	Specific HRQL instruments and symptom scores were more responsive than preference-based generic instruments in patients with GERD. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 102-110.	5.0	10
22	Epidural analgesia: Breast-feeding success and related factors. <i>Midwifery</i> , 2009, 25, e31-e38.	2.3	74
23	Improving the process and outcome of care in COPD: development of a standardised assessment tool. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2009, 18, 208-215.	2.3	103
24	Planned cesarean section versus planned vaginal delivery: comparison of lower urinary tract symptoms. <i>International Urogynecology Journal</i> , 2008, 19, 459-465.	1.4	40
25	An International Comparison of the Burden of Illness in Patients with Dyspepsia. <i>Digestive Diseases</i> , 2008, 26, 264-273.	1.9	22
26	The Work Productivity and Activity Impairment Questionnaire for Patients with Gastroesophageal Reflux Disease (WPAI-GERD). <i>Pharmacoeconomics</i> , 2007, 25, 385-396.	3.3	31
27	Gastroesophageal Reflux Symptoms and Well-Being in a Random Sample of the General Population of a Swedish Community. <i>American Journal of Gastroenterology</i> , 2006, 101, 18-28.	0.4	120
28	Personality and mode of delivery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 1225-1230.	2.8	38
29	Outcome research in gastroenterology: the case of gastroesophageal reflux disease (GERD). <i>Drug Development Research</i> , 2006, 67, 251-259.	2.9	1
30	Patient reported outcomes in gastroesophageal reflux disease: An overview of available measures. <i>Quality of Life Research</i> , 2005, 14, 21-33.	3.1	28
31	The impact of illness in patients with moderate to severe gastro-esophageal reflux disease. <i>BMC Gastroenterology</i> , 2005, 5, 23.	2.0	23
32	Managing Gastroesophageal Reflux Disease in Primary Care: The Patient Perspective. <i>Journal of the American Board of Family Medicine</i> , 2005, 18, 393-400.	1.5	59
33	Assessing Symptoms in Gastroesophageal Reflux Disease: How Well Do Clinicians' Assessments Agree with Those of Their Patients?. <i>American Journal of Gastroenterology</i> , 2005, 100, 11-18.	0.4	102
34	Beyond heartburn: a systematic review of the extra-oesophageal spectrum of reflux-induced disease. <i>Family Practice</i> , 2005, 22, 591-603.	1.9	38
35	Felodipine—Metoprolol Combination Tablet: Maintained Health-Related Quality of Life in the Presence of Substantial Blood Pressure Reduction. <i>American Journal of Hypertension</i> , 2005, 18, 1313-1319.	2.0	15
36	The influence of demographic factors and health-related quality of life on treatment satisfaction in patients with gastroesophageal reflux disease treated with esomeprazole. <i>Health and Quality of Life Outcomes</i> , 2005, 3, 4.	2.4	16

#	ARTICLE	IF	CITATIONS
37	Review of the Quality of Life and Burden of Illness in Gastroesophageal Reflux Disease. <i>Digestive Diseases</i> , 2004, 22, 108-114.	1.9	171
38	Assessment of patient-reported outcomes in clinical trials: the example of health-related quality of life. <i>Fundamental and Clinical Pharmacology</i> , 2004, 18, 351-363.	1.9	170
39	A Randomized Multicenter Trial to Evaluate Simple Utility Elicitation Techniques in Patients With Gastroesophageal Reflux Disease. <i>Medical Care</i> , 2004, 42, 1132-1142.	2.4	34
40	Factor structure of the Quality of Life in Reflux and Dyspepsia (QOLRAD) questionnaire evaluated in patients with heartburn predominant reflux disease. <i>Quality of Life Research</i> , 2003, 12, 699-708.	3.1	32
41	What is a minimal important difference in patient-reported outcomes in the treatment of reflux disease?. <i>Clinical Therapeutics</i> , 2003, 25, D41-D42.	2.5	3
42	What is a clinically relevant difference in patient-reported outcomes in the treatment of reflux disease?. <i>Clinical Therapeutics</i> , 2003, 25, D42-D43.	2.5	2
43	What is a clinically relevant change in patient-reported outcomes in the treatment of reflux disease?. <i>Clinical Therapeutics</i> , 2003, 25, D47-D48.	2.5	5
44	Update on health-related quality of life in patients with gastroesophageal reflux disease. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2003, 3, 341-350.	1.4	35
45	Cognitive Function and Health-Related Quality of Life in Elderly Patients with Hypertension - Baseline Data from the Study on COgnition and Prognosis in the Elderly (SCOPE). <i>Blood Pressure</i> , 2002, 11, 157-165.	1.5	32
46	Validity of a Work Productivity and Activity Impairment Questionnaire for Patients with Symptoms of Gastro-Esophageal Reflux Disease (WPAI-GERD) – Results from a Cross-Sectional Study. <i>Value in Health</i> , 2002, 5, 106-113.	0.3	133
47	Health-related quality of life and gastrointestinal disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002, 17, S72-S84.	2.8	65
48	Quality of life in patients with gastroesophageal reflux disease. <i>American Journal of Gastroenterology</i> , 2001, 96, S46-S53.	0.4	62
49	Relief of symptoms and improvement of health-related quality of life five years after coronary artery bypass graft in women and men. <i>Clinical Cardiology</i> , 2001, 24, 385-392.	1.8	32
50	Quality of life in patients with endoscopy-negative heartburn: reliability and sensitivity of disease-specific instruments. <i>American Journal of Gastroenterology</i> , 2001, 96, 1998-2004.	0.4	165
51	Impact of a History of Hypertension on Symptoms and Quality of Life Prior to and at Five Years after Coronary Artery Bypass Grafting. <i>Blood Pressure</i> , 2000, 9, 52-63.	1.5	3
52	Impact of a history of diabetes on the improvement of symptoms and quality of life during 5 years after coronary artery bypass grafting. <i>Journal of Diabetes and Its Complications</i> , 2000, 14, 314-321.	2.3	20
53	Effects of estrogen therapy on well-being in postmenopausal women without vasomotor complaints. <i>Maturitas</i> , 2000, 36, 123-130.	2.4	13
54	Methods of assessing the impact of climacteric complaints on quality of life. <i>Maturitas</i> , 1998, 29, 41-50.	2.4	50

#	ARTICLE	IF	CITATIONS
55	Does endoscopy have a positive impact on quality of life in dyspepsia?. <i>Gastrointestinal Endoscopy</i> , 1998, 47, 449-454.	1.0	103
56	Gastro-oesophageal reflux disease in primary care. <i>European Journal of Gastroenterology and Hepatology</i> , 1998, 10, 119-124.	1.6	408
57	Improvement in various estimates of quality of life after coronary artery bypass grafting in patients with and without a history of hypertension. <i>Journal of Hypertension</i> , 1997, 15, 1033-1039.	0.5	5
58	Does Lowering the Blood Pressure Improve the Mood? Quality-of-Life Results from the Hypertension Optimal Treatment (HOT) Study. <i>Blood Pressure</i> , 1997, 6, 357-364.	1.5	138
59	Reliability and validity of the Gastrointestinal Symptom Rating Scale in patients with gastroesophageal reflux disease. <i>Quality of Life Research</i> , 1997, 7, 75-83.	3.1	474
60	A quality of life perspective on who benefits from estradiol replacement therapy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1995, 74, 367-372.	2.8	52
61	Effects of 12 weeks of ramipril treatment on the quality of life in patients with moderate congestive heart failure: Results of a placebo-controlled trial. <i>Cardiovascular Drugs and Therapy</i> , 1995, 9, 589-594.	2.6	21
62	Relationship between quality of life and exercise test findings after coronary artery bypass surgery. <i>International Journal of Cardiology</i> , 1995, 51, 221-232.	1.7	21
63	Prognosis and gender differences in chest pain patients discharged from an ED. <i>American Journal of Emergency Medicine</i> , 1995, 13, 127-132.	1.6	24
64	Effects of felodipine extended release on quality of life—an analysis of four clinical trials. <i>Current Therapeutic Research</i> , 1995, 56, 81-94.	1.2	5
65	Coenzyme Q10 as an adjunctive in the treatment of chronic congestive heart failure. <i>Journal of Cardiac Failure</i> , 1995, 1, 101-107.	1.7	154
66	Prognosis, severity of symptoms, and aspects of well-being among patients in whom myocardial infarction was ruled out. <i>Clinical Cardiology</i> , 1994, 17, 427-431.	1.8	32
67	Moricizine and quality of life in the Cardiac Arrhythmia Suppression Trial II (CAST II). <i>Contemporary Clinical Trials</i> , 1994, 15, 437-449.	1.9	13
68	Decreased psychological well-being in adult patients with growth hormone deficiency. <i>Clinical Endocrinology</i> , 1994, 40, 111-116.	2.4	294
69	A double-blind comparison of the effect on quality of life of a combination of vital substances including standardized ginseng G115 and placebo. <i>Current Therapeutic Research</i> , 1994, 55, 32-42.	1.2	36
70	Prognosis and Symptoms One Year After Discharge From the Emergency Department in Patients With Acute Chest Pain. <i>Chest</i> , 1994, 105, 1442-1447.	0.8	23
71	Health-Related Quality of Life in Old Age. A Study among 76-Year-Old Swedish Urban Citizens. <i>Scandinavian Journal of Public Health</i> , 1994, 22, 7-14.	0.6	64
72	Quality of Life Assessments in Clinical Trials of Angina Pectoris. <i>Developments in Cardiovascular Medicine</i> , 1994, , 31-40.	0.1	1

#	ARTICLE	IF	CITATIONS
73	Psychosocial predictors of mortality in the Cardiac Arrhythmia Suppression Trial-1 (CAST-1). American Journal of Cardiology, 1993, 71, 263-267.	1.6	100
74	Quality of life of postmenopausal women on a regimen of transdermal estradiol therapy: A double-blind placebo-controlled study. American Journal of Obstetrics and Gynecology, 1993, 168, 824-830.	1.3	264
75	The Influence of Urinary Incontinence on the Quality of Life of Elderly Women. Age and Ageing, 1993, 22, 82-89.	1.6	360
76	Is sexual life influenced by transdermal estrogen therapy?: A double blind placebo controlled study in postmenopausal women. Acta Obstetrica Et Gynecologica Scandinavica, 1993, 72, 656-660.	2.8	110
77	A Swedish version of the Women's Health Questionnaire: A measure of postmenopausal complaints. Acta Obstetrica Et Gynecologica Scandinavica, 1993, 72, 648-655.	2.8	38
78	Perceived Health in Hip-fracture Patients: A Prospective Follow-up of 100 Patients. Age and Ageing, 1992, 21, 109-116.	1.6	38
79	Cross-cultural adaptation of health measures. Health Policy, 1991, 19, 33-44.	3.0	260
80	Evaluation of quality of life in clinical trials. Contemporary Clinical Trials, 1991, 12, S204-S216.	1.9	119
81	Long-term Follow-up of Health-related Quality of Life in Patients with Suspected Acute Myocardial Infarction when the Diagnosis was not Confirmed. Scandinavian Journal of Primary Health Care, 1991, 9, 47-52.	1.5	8
82	Factors of importance when evaluating quality of life in clinical trials. Contemporary Clinical Trials, 1990, 11, 169-179.	1.9	87
83	Quality of Life in Postmyocardial Infarction Patients in relation to Drug Therapy. Scandinavian Journal of Primary Health Care, 1989, 7, 13-18.	1.5	15
84	Self-assessed disability in patients with arthrosis of the hip joint: Reliability of the Swedish version of the Nottingham Health Profile. International Disability Studies, 1988, 10, 159-163.	0.4	152
85	PROGNOSTIC IMPORTANCE OF SOMATIC AND PSYCHOSOCIAL VARIABLES AFTER A FIRST MYOCARDIAL INFARCTION. American Journal of Epidemiology, 1988, 128, 786-795.	3.4	75
86	Cross-cultural variation in the weighting of health statements: A comparison of English and Swedish valuations. Health Policy, 1987, 8, 227-235.	3.0	131
87	Self-assessment of quality of life in severe heart failure: An instrument for clinical use. Scandinavian Journal of Psychology, 1987, 28, 220-225.	1.5	105
88	Assessment of Quality of Life in Clinical Trials. Acta Medica Scandinavica, 1986, 220, 1-3.	0.0	13
89	Coping with myocardial infarction: A model with clinical applications, a literature review. International Rehabilitation Medicine, 1985, 7, 167-175.	0.6	13
90	Psychosocial outcome one year after a first myocardial infarction. Journal of Psychosomatic Research, 1984, 28, 309-321.	2.6	87