

Fabrice Odobel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1095693/publications.pdf>

Version: 2024-02-01

194
papers

10,825
citations

23567

58
h-index

39675

94
g-index

197
all docs

197
docs citations

197
times ranked

9583
citing authors

#	ARTICLE	IF	CITATIONS
1	Push-Pull Phenoxazine-Based Sensitizers for p-Type DSSCs: Effect of Acceptor Units on Photovoltaic Performance. <i>ChemSusChem</i> , 2022, 15, .	6.8	6
2	Photoelectrochemical properties of dyads composed of porphyrin/ruthenium catalyst grafted on metal oxide semiconductors. <i>Dyes and Pigments</i> , 2021, 185, 108908.	3.7	9
3	Click Chemistry on NiO Photocathode to Postfunctionalize a Diketopyrrolopyrrole Sensitizer by Naphthalene Diimide Electron Acceptor. <i>ACS Applied Energy Materials</i> , 2021, 4, 2629-2636.	5.1	5
4	Antenna Doping: The Key for Achieving Efficient Optical Wavelength Conversion in Crystalline Chromophoric Heterolayers. <i>Advanced Materials Interfaces</i> , 2021, 8, 2100262.	3.7	4
5	Study of Cytotoxic and Photodynamic Activities of Dyads Composed of a Zinc Phthalocyanine Appended to an Organotin. <i>Pharmaceuticals</i> , 2021, 14, 413.	3.8	6
6	Carbon Dioxide Reduction to Methanol with a Molecular Cobalt-Catalyst-Loaded Porous Carbon Electrode Assisted by a CIGS Photovoltaic Cell**. <i>ChemPhotoChem</i> , 2021, 5, 705-710.	3.0	4
7	Molecular Triad Containing a TEMPO Catalyst Grafted on Mesoporous Indium Tin Oxide as a Photoelectrocatalytic Anode for Visible Light-Driven Alcohol Oxidation. <i>ChemSusChem</i> , 2021, 14, 2902-2913.	6.8	3
8	Antenna Effect in BODIPY-(Zn)Porphyrin Entities Promotes H ₂ Evolution in Dye-Sensitized Photocatalytic Systems. <i>ACS Applied Energy Materials</i> , 2021, 4, 10042-10049.	5.1	16
9	Dye-Sensitized Photoelectrosynthesis Cells for Benzyl Alcohol Oxidation Using a Zinc Porphyrin Sensitizer and TEMPO Catalyst. <i>ACS Catalysis</i> , 2021, 11, 12075-12086.	11.2	38
10	Synergetic anticancer activity of gold porphyrin appended to phenyl tin malonate organometallic complexes. <i>Dalton Transactions</i> , 2021, 50, 4583-4592.	3.3	12
11	Photoinduced Delamination of Metal-Organic Framework Thin Films by Spatioselective Generation of Reactive Oxygen Species. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 57768-57773.	8.0	2
12	Mutual influence of gold and silver nanoparticles on Tris-(2,2'-bipyridine)-Ru(II) core complexes: Post-functionalization processes, optical and electrochemical investigations. <i>Applied Surface Science</i> , 2020, 499, 143847.	6.1	3
13	Synthesis of p-type N-doped TiO ₂ thin films by co-reactive magnetron sputtering. <i>Plasma Processes and Polymers</i> , 2020, 17, 1900203.	3.0	10
14	Photocathode functionalized with a molecular cobalt catalyst for selective carbon dioxide reduction in water. <i>Nature Communications</i> , 2020, 11, 3499.	12.8	56
15	Tuning Optical Properties by Controlled Aggregation: Electroluminescence Assisted by Thermally-Activated Delayed Fluorescence from Thin Films of Crystalline Chromophores. <i>Chemistry - A European Journal</i> , 2020, 26, 17016-17020.	3.3	25
16	Comparative studies of new pyranilidene-based sensitizers bearing single or double anchoring groups for dye-sensitized solar cells. <i>Solar Energy</i> , 2020, 205, 310-319.	6.1	21
17	Digital printing of efficient dye-sensitized solar cells (DSSCs). <i>Solar Energy</i> , 2020, 199, 92-99.	6.1	24
18	A Comparative Investigation of the Role of the Anchoring Group on Perylene Monoimide Dyes in NiO-Based Dye-Sensitized Solar Cells. <i>ChemSusChem</i> , 2020, 13, 1844-1855.	6.8	16

#	ARTICLE	IF	CITATIONS
19	Chemistry on the electrodes: post-functionalization and stability enhancement of anchored dyes on mesoporous metal oxide photoelectrochemical cells with copper-free Huisgen cycloaddition reaction. <i>Journal of Materials Chemistry A</i> , 2020, 8, 12633-12640.	10.3	2
20	Synthesis and properties of novel pyranilidene-based organic sensitizers for dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2019, 171, 107747.	3.7	17
21	Synthesis and Anticancer Activity of Gold Porphyrin Linked to Malonate Diamine Platinum Complexes. <i>Inorganic Chemistry</i> , 2019, 58, 12395-12406.	4.0	27
22	Inverse Opal CuCrO_2 Photocathodes for H_2 Production Using Organic Dyes and a Molecular Ni Catalyst. <i>ACS Catalysis</i> , 2019, 9, 9530-9538.	11.2	37
23	Solar electricity and fuel production with perylene monoimide dye-sensitized TiO_2 in water. <i>Chemical Science</i> , 2019, 10, 2758-2766.	7.4	40
24	Full Organic Aqueous Battery Based on TEMPO Small Molecule with Millimeter-Thick Electrodes. <i>Chemistry of Materials</i> , 2019, 31, 1869-1880.	6.7	42
25	Intermixed Cation-Anion Aqueous Battery Based on an Extremely Fast and Long-Cycling Di-Block Bipyridinium-Naphthalene Diimide Oligomer. <i>Advanced Energy Materials</i> , 2019, 9, 1803688.	19.5	22
26	CuSCN Nanowires as Electrodes for p-Type Quantum Dot Sensitized Solar Cells: Charge Transfer Dynamics and Alumina Passivation. <i>Journal of Physical Chemistry C</i> , 2018, 122, 5161-5170.	3.1	8
27	Dual Anion-Cation Reversible Insertion in a Bipyridinium-Diimide Triad as the Negative Electrode for Aqueous Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1701988.	19.5	41
28	Improved efficiency of PbS quantum dot sensitized NiO photocathodes with naphthalene diimide electron acceptor bound to the surface of the nanocrystals. <i>Solar Energy Materials and Solar Cells</i> , 2018, 181, 71-76.	6.2	8
29	Aqueous Batteries: Dual Anion-Cation Reversible Insertion in a Bipyridinium-Diimide Triad as the Negative Electrode for Aqueous Batteries (<i>Adv. Energy Mater.</i> 8/2018). <i>Advanced Energy Materials</i> , 2018, 8, 1870036.	19.5	1
30	Synthesis and properties of new benzothiadiazole-based push-pull dyes for p-type dye sensitized solar cells. <i>Dyes and Pigments</i> , 2018, 148, 154-166.	3.7	27
31	New luminescent copper(I) complexes with extended π -conjugation. <i>Polyhedron</i> , 2018, 140, 42-50.	2.2	18
32	Anisotropic energy transfer in crystalline chromophore assemblies. <i>Nature Communications</i> , 2018, 9, 4332.	12.8	54
33	Enhancing Selectivity and Kinetics in Oxidative Photocyclization by Supramolecular Control. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 13662-13665.	13.8	20
34	Effect of the triazole ring in zinc porphyrin-fullerene dyads on the charge transfer processes in NiO-based devices. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 24477-24489.	2.8	13
35	Redox-driven porphyrin based systems for new luminescent molecular switches. <i>Dalton Transactions</i> , 2018, 47, 8364-8374.	3.3	13
36	$\text{Cu}_2\text{O}@\text{CuO}$ core-shell nanoparticles as photocathode for p-type dye sensitized solar cell. <i>Journal of Alloys and Compounds</i> , 2018, 769, 605-610.	5.5	26

#	ARTICLE	IF	CITATIONS
37	Single Crystalline-like and Nanostructured TiO ₂ Photoanodes for Dye Sensitized Solar Cells Synthesized by Reactive Magnetron Sputtering at Glancing Angle. <i>Journal of Physical Chemistry C</i> , 2018, 122, 20661-20668.	3.1	10
38	Electrochemical Generation and Spectroscopic Characterization of the Key Rhodium(III) Hydride Intermediates of Rhodium Poly(bipyridyl) H ₂ -Evolving Catalysts. <i>Inorganic Chemistry</i> , 2018, 57, 11225-11239.	4.0	21
39	Sacrificial electron donor reagents for solar fuel production. <i>Comptes Rendus Chimie</i> , 2017, 20, 283-295.	0.5	362
40	Supramolecular architectures featuring the antenna effect in solid state DSSCs. <i>Sustainable Energy and Fuels</i> , 2017, 1, 387-395.	4.9	19
41	Tris-bipyridine based dinuclear ruthenium(II)-osmium(III) complex dyads grafted onto TiO ₂ nanoparticles for mimicking the artificial photosynthetic Z-scheme. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 4778-4786.	2.8	8
42	Engineering Processes at the Interface of Semiconductor for Enhancing the Open Circuit Voltage in p-Type Dye-Sensitized Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1601776.	19.5	36
43	New D-π-A-conjugated organic sensitizers based on π-pyranylidene donors for dye-sensitized solar cells. <i>Tetrahedron Letters</i> , 2017, 58, 995-999.	1.4	16
44	A Blue Diketopyrrolopyrrole Sensitizer with High Efficiency in Nickel Oxide-based Dye-Sensitized Solar Cells. <i>ChemSusChem</i> , 2017, 10, 2618-2625.	6.8	69
45	Toward Efficient Solid-State p-Type Dye-Sensitized Solar Cells: The Dye Matters. <i>Journal of Physical Chemistry C</i> , 2017, 121, 129-139.	3.1	42
46	Exploring the application of new carbazole based dyes as effective p-type photosensitizers in dye-sensitized solar cells. <i>Solar Energy</i> , 2017, 157, 1064-1073.	6.1	30
47	Recent advances and insights in dye-sensitized NiO photocathodes for photovoltaic devices. <i>Journal of Materials Chemistry A</i> , 2017, 5, 21077-21113.	10.3	90
48	Size dependence of efficiency of PbS quantum dots in NiO-based dye sensitised solar cells and mechanistic charge transfer investigation. <i>Nanoscale</i> , 2017, 9, 15566-15575.	5.6	11
49	Excitonically Coupled States in Crystalline Coordination Networks. <i>Chemistry - A European Journal</i> , 2017, 23, 14316-14322.	3.3	30
50	Solvent-Templated Electrodeposition of Mesoporous Nickel Oxide Layers for Solar Cell Applications. <i>ChemElectroChem</i> , 2017, 4, 2618-2625.	3.4	14
51	Experimental and Theoretical Evidences of p-Type Conductivity in Nickel Carbodiimide Nanoparticles with a Delafossite Structure Type. <i>Inorganic Chemistry</i> , 2017, 56, 7922-7927.	4.0	14
52	Inorganic Molybdenum Clusters as Light Harvester in All Inorganic Solar Cells: A Proof of Concept. <i>ChemistrySelect</i> , 2016, 1, 2284-2289.	1.5	35
53	Molecular-structure control of electron transfer dynamics of push-pull porphyrins as sensitizers for NiO based dye sensitized solar cells. <i>RSC Advances</i> , 2016, 6, 77184-77194.	3.6	27
54	Trans -disubstituted benzodiazaporphyrin: A promising hybrid dye between porphyrin and phthalocyanine for application in dye-sensitized solar cells. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2016, 330, 186-194.	3.9	6

#	ARTICLE	IF	CITATIONS
55	CuO nanomaterials for p-type dye-sensitized solar cells. <i>RSC Advances</i> , 2016, 6, 112765-112770.	3.6	46
56	Anchoring groups for dyes in p-DSSC application: insights from DFT. <i>Journal of Molecular Modeling</i> , 2016, 22, 289.	1.8	18
57	Infra-red photoresponse of mesoscopic NiO-based solar cells sensitized with PbS quantum dot. <i>Scientific Reports</i> , 2016, 6, 24908.	3.3	21
58	Ultrafast and slow charge recombination dynamics of diketopyrrolopyrrole NiO dye sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 18515-18527.	2.8	35
59	Determining the most promising anchors for CuSCN: ab initio insights towards p-type DSSCs. <i>Journal of Materials Chemistry A</i> , 2016, 4, 2217-2227.	10.3	20
60	A comprehensive comparison of dye-sensitized NiO photocathodes for solar energy conversion. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 10727-10738.	2.8	135
61	Second Generation of Diketopyrrolopyrrole Dyes for NiO-Based Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2016, 120, 7923-7940.	3.1	77
62	Push-pull ruthenium diacetylide complexes: new dyes for p-type dye-sensitized solar cells. <i>RSC Advances</i> , 2016, 6, 19928-19936.	3.6	33
63	Heteroleptic bis-diimine copper(I) complexes for applications in solar energy conversion. <i>Comptes Rendus Chimie</i> , 2016, 19, 79-93.	0.5	92
64	A Molecular Tetrad That Generates a High-Energy Charge-Separated State by Mimicking the Photosynthetic Z-Scheme. <i>Journal of the American Chemical Society</i> , 2016, 138, 3752-3760.	13.7	66
65	Copper borate as a photocathode in p-type dye-sensitized solar cells. <i>RSC Advances</i> , 2016, 6, 1549-1553.	3.6	41
66	Synthesis of Ni-poor NiO nanoparticles for p-DSSC applications. <i>Solid State Sciences</i> , 2016, 54, 37-42.	3.2	21
67	Amplification of light collection in solid-state dye-sensitized solar cells via the antenna effect through supramolecular assembly. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 9910-9918.	2.8	17
68	Photo-induced redox catalysis for proton reduction to hydrogen with homogeneous molecular systems using rhodium-based catalysts. <i>Coordination Chemistry Reviews</i> , 2015, 304-305, 20-37.	18.8	87
69	Synthesis and properties of push-pull porphyrins as sensitizers for NiO based dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 3908-3917.	10.3	44
70	The first dye-sensitized solar cell with p-type LaOCuS nanoparticles as a photocathode. <i>RSC Advances</i> , 2015, 5, 60148-60151.	3.6	20
71	Click made porphyrin-corrole dyad: a system for photo-induced charge separation. <i>Dalton Transactions</i> , 2015, 44, 13473-13479.	3.3	21
72	A computational mechanistic investigation of hydrogen production in water using the [RhIII(dmbpy)2Cl2]+/[RuII(bpy)3]2+/ascorbic acid photocatalytic system. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 10497-10509.	2.8	19

#	ARTICLE	IF	CITATIONS
73	Isindigo derivatives for application in p-type dye sensitized solar cells. RSC Advances, 2015, 5, 85530-85539.	3.6	48
74	Comparison of the photoelectrochemical properties of RDS NiO thin films for p-type DSCs with different organic and organometallic dye-sensitizers and evidence of a direct correlation between cell efficiency and charge recombination. Journal of Solid State Electrochemistry, 2015, 19, 975-986.	2.5	43
75	Molecular Engineering of Efficient Dyes for p-Type Semiconductor Sensitization. Springer Series in Materials Science, 2014, , 215-246.	0.6	4
76	Multichromophoric Sensitizers Based on Squaraine for NiO Based Dye-Sensitized Solar Cells. Journal of Physical Chemistry C, 2014, 118, 103-113.	3.1	75
77	An Efficient Ru ^{II} -Rh ^{III} -Ru ^{II} Polypyridyl Photocatalyst for Visible-Light-Driven Hydrogen Production in Aqueous Solution. Angewandte Chemie - International Edition, 2014, 53, 1654-1658.	13.8	82
78	Heteroleptic copper(I)-polypyridine complexes as efficient sensitizers for dye sensitized solar cells. Journal of Materials Chemistry A, 2014, 2, 9944-9947.	10.3	90
79	Design of Efficient Photoinduced Charge Separation in Donor-Copper(I)-Acceptor Triad. Journal of Physical Chemistry C, 2014, 118, 28388-28400.	3.1	26
80	Impact of Mg Doping on Performances of CuGaO ₂ Based p-Type Dye-Sensitized Solar Cells. Journal of Physical Chemistry C, 2014, 118, 54-59.	3.1	47
81	Synthesis, photovoltaic performances and TD-DFT modeling of push-pull diacetylide platinum complexes in TiO ₂ based dye-sensitized solar cells. Dalton Transactions, 2014, 43, 11233-11242.	3.3	47
82	Long-Lived Charge Separated State in NiO-Based p-Type Dye-Sensitized Solar Cells with Simple Cyclometalated Iridium Complexes. Journal of Physical Chemistry Letters, 2014, 5, 2254-2258.	4.6	73
83	Acetylacetone anchoring group for NiO-based dye-sensitized solar cell. Dyes and Pigments, 2014, 105, 174-179.	3.7	27
84	Diketopyrrolopyrrole derivatives for efficient NiO-based dye-sensitized solar cells. Chemical Communications, 2013, 49, 8018.	4.1	72
85	First application of the HETPHEN concept to new heteroleptic bis(diimine) copper(I) complexes as sensitizers in dye sensitized solar cells. Dalton Transactions, 2013, 42, 10818.	3.3	82
86	Long-Range Charge Separation in a Ferrocene-(Zinc Porphyrin)-Naphthalenediimide Triad. Asymmetric Role of 1,2,3-Triazole Linkers. Journal of Physical Chemistry C, 2013, 117, 19334-19345.	3.1	37
87	Recent Advances in the Sensitization of Wide-Band-Gap Nanostructured p-Type Semiconductors. Photovoltaic and Photocatalytic Applications. Journal of Physical Chemistry Letters, 2013, 4, 2551-2564.	4.6	235
88	Hole conductivity and acceptor density of p-type CuGaO ₂ nanoparticles determined by impedance spectroscopy: The effect of Mg doping. Electrochimica Acta, 2013, 113, 570-574.	5.2	43
89	Origin of the Black Color of NiO Used as Photocathode in p-Type Dye-Sensitized Solar Cells. Journal of Physical Chemistry C, 2013, 117, 22478-22483.	3.1	76
90	Heteroleptic diimine copper(I) complexes with large extinction coefficients: synthesis, quantum chemistry calculations and physico-chemical properties. Dalton Transactions, 2013, 42, 14628.	3.3	53

#	ARTICLE	IF	CITATIONS
91	[Rh ^{III} (dmbpy) ₂ Cl ₂] ⁺ as a Highly Efficient Catalyst for Visible-Light-Driven Hydrogen Production in Pure Water: Comparison with Other Rhodium Catalysts. <i>Chemistry - A European Journal</i> , 2013, 19, 782-792.	3.3	56
92	Bio-inspired artificial light-harvesting antennas for enhancement of solar energy capture in dye-sensitized solar cells. <i>Energy and Environmental Science</i> , 2013, 6, 2041.	30.8	54
93	Synthesis and characterization of a novel nonlinear optical hyperbranched polymer containing a highly performing chromophore. <i>Polymers for Advanced Technologies</i> , 2013, 24, 473-477.	3.2	6
94	Ruthenium Sensitizer Functionalized by Acetylacetone Anchoring Groups for Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2013, 117, 8652-8660.	3.1	31
95	Diketopyrrolopyrrole-zinc porphyrin, a tuned panchromatic association for dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 7572.	10.3	45
96	Role of the Triiodide/Iodide Redox Couple in Dye Regeneration in p-Type Dye-Sensitized Solar Cells. <i>Langmuir</i> , 2012, 28, 6485-6493.	3.5	92
97	Recent advances and future directions to optimize the performances of p-type dye-sensitized solar cells. <i>Coordination Chemistry Reviews</i> , 2012, 256, 2414-2423.	18.8	265
98	Accumulative electron transfer: Multiple charge separation in artificial photosynthesis. <i>Faraday Discussions</i> , 2012, 155, 233-252.	3.2	51
99	Ultrafast recombination for NiO sensitized with a series of perylene imide sensitizers exhibiting Marcus normal behaviour. <i>Chemical Communications</i> , 2012, 48, 678-680.	4.1	57
100	CuGaO ₂ : a promising alternative for NiO in p-type dye solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 14353.	6.7	114
101	Through-Space Charge Transfer in Rod-Like Molecules: Lessons from Theory. <i>Journal of Physical Chemistry C</i> , 2012, 116, 11946-11955.	3.1	222
102	Long-Range Electron Transfer in Zinc-Phthalocyanine-Oligo(Phenylene-ethynylene)-Based Donor-Bridge-Acceptor Dyads. <i>Inorganic Chemistry</i> , 2012, 51, 11500-11512.	4.0	37
103	Structures and spectral properties of heteroleptic copper (I) complexes: A theoretical study based on density functional theory. <i>Comptes Rendus Chimie</i> , 2012, 15, 255-266.	0.5	9
104	Supramolecular light harvesting antennas to enhance absorption cross-section in dye-sensitized solar cells. <i>Chemical Communications</i> , 2012, 48, 675-677.	4.1	69
105	P-Type Nitrogen-Doped ZnO Nanoparticles Stable under Ambient Conditions. <i>Journal of the American Chemical Society</i> , 2012, 134, 464-470.	13.7	115
106	New Cross-Linkable Polymers with Huisgen Reaction Incorporating High ϵ Chromophores for Second-Order Nonlinear Optical Applications. <i>Chemistry of Materials</i> , 2012, 24, 1143-1157.	6.7	41
107	Promising anchoring groups for ZnO-based hybrid materials: A periodic density functional theory investigation. <i>International Journal of Quantum Chemistry</i> , 2012, 112, 2062-2071.	2.0	9
108	Diketopyrrolopyrrole-Porphyrin Conjugates as Broadly Absorbing Sensitizers for Dye-Sensitized Solar Cells. <i>ChemSusChem</i> , 2012, 5, 1568-1577.	6.8	52

#	ARTICLE	IF	CITATIONS
109	Excited-state nature in benzodifuranone dyes: Insights from ab initio simulations. <i>Dyes and Pigments</i> , 2012, 92, 1144-1152.	3.7	14
110	Synthesis and second-order nonlinear optical properties of a crosslinkable functionalized hyperbranched polymer. <i>European Polymer Journal</i> , 2012, 48, 116-126.	5.4	18
111	Long-Lived, Charge-Shift States in Heterometallic, Porphyrin-Based Dendrimers Formed via Click Chemistry. <i>Journal of Physical Chemistry A</i> , 2011, 115, 5069-5080.	2.5	38
112	Cobalt Polypyridyl-Based Electrolytes for p-Type Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2011, 115, 9772-9779.	3.1	115
113	Panchromatic Trichromophoric Sensitizer for Dye-Sensitized Solar Cells Using Antenna Effect. <i>Organic Letters</i> , 2011, 13, 3944-3947.	4.6	101
114	Preparation of a New Electro-optic Polymer Cross-Linkable via Copper-Free Thermal Huisgen Cyclo-Addition and Fabrication of Optical Waveguides by Reactive Ion Etching. <i>ACS Applied Materials & Interfaces</i> , 2011, 3, 2092-2098.	8.0	8
115	New Heteroleptic Bis-Phenanthroline Copper(I) Complexes with Dipyrrophenazine or Imidazole Fused Phenanthroline Ligands: Spectral, Electrochemical, and Quantum Chemical Studies. <i>Inorganic Chemistry</i> , 2011, 50, 11309-11322.	4.0	60
116	Scope and limitation of the copper free thermal Huisgen cross-linking reaction to stabilize the chromophores orientation in electro-optic polymers. <i>Polymer Chemistry</i> , 2011, 2, 157-167.	3.9	20
117	A compact diketopyrrolopyrrole dye as efficient sensitizer in titanium dioxide dye-sensitized solar cells. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011, 226, 9-15.	3.9	66
118	Molecular devices featuring sequential photoinduced charge separations for the storage of multiple redox equivalents. <i>Coordination Chemistry Reviews</i> , 2011, 255, 2578-2593.	18.8	85
119	Synthesis, photophysical and photovoltaic investigations of acceptor-functionalized perylene monoimide dyes for nickel oxide p-type dye-sensitized solar cells. <i>Energy and Environmental Science</i> , 2011, 4, 2075.	30.8	142
120	Application of Poly(3-hexylthiophene) Functionalized with an Anchoring Group in Dye-Sensitized Solar Cells. <i>Macromolecular Rapid Communications</i> , 2011, 32, 1190-1194.	3.9	12
121	Ruthenium polypyridine complexes as sensitizers in NiO based p-type dye-sensitized solar cells: Effects of the anchoring groups. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011, 219, 235-242.	3.9	117
122	Simpler and more efficient strategy to stabilize the chromophore orientation in electro-optic polymers with copper-free thermal Huisgen reaction. <i>Polymer</i> , 2011, 52, 2286-2294.	3.8	13
123	Photoinduced Electron Transfer in Zn(II)porphyrin-Bridge-Pt(II)acetylide Complexes: Variation in Rate with Anchoring Group and Position of the Bridge. <i>Inorganic Chemistry</i> , 2010, 49, 9823-9832.	4.0	20
124	Hole-Transfer Dyads and Triads Based on Perylene Monoimide, Quaterthiophene, and Extended Tetrathiafulvalene. <i>Chemistry - A European Journal</i> , 2010, 16, 9140-9153.	3.3	17
125	Characterization of screen printed carbon counter electrodes for Co(II)/(III) mediated photoelectrochemical cells. <i>Electrochimica Acta</i> , 2010, 55, 6517-6522.	5.2	48
126	Structure optimization of electro-optic polymer waveguides for low half-wave voltage modulators. , 2010, , .		1

#	ARTICLE	IF	CITATIONS
127	State-Selective Electron Transfer in an Unsymmetric Acceptor ⁺ Zn(II)porphyrin ⁻ Acceptor Triad: Toward a Controlled Directionality of Electron Transfer from the Porphyrin S ₂ and S ₁ States as a Basis for a Molecular Switch. <i>Journal of Physical Chemistry A</i> , 2010, 114, 1709-1721.	2.5	62
128	New Photovoltaic Devices Based on the Sensitization of p-type Semiconductors: Challenges and Opportunities. <i>Accounts of Chemical Research</i> , 2010, 43, 1063-1071.	15.6	432
129	Accumulative Charge Separation Inspired by Photosynthesis. <i>Journal of the American Chemical Society</i> , 2010, 132, 17977-17979.	13.7	91
130	Extension of the charge separated-state lifetime by supramolecular association of a tetrathiafulvalene electron donor to a zinc/gold bisporphyrin. <i>Dalton Transactions</i> , 2010, 39, 1450-1452.	3.3	5
131	Coupled Sensitizer ⁻ Catalyst Dyads: Electron ⁻ Transfer Reactions in a Perylene ⁻ Polyoxometalate Conjugate. <i>Chemistry - A European Journal</i> , 2009, 15, 3130-3138.	3.3	112
132	Charge ⁻ Transfer State and Large First Hyperpolarizability Constant in a Highly Electronically Coupled Zinc and Gold Porphyrin Dyad. <i>Chemistry - A European Journal</i> , 2009, 15, 9058-9067.	3.3	36
133	A p ⁻ Type NiO ⁻ Based Dye ⁻ Sensitized Solar Cell with an Open ⁻ Circuit Voltage of 0.35 ⁻ V. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 4402-4405.	13.8	257
134	Free radical copolymerization of ⁻ fluoroacrylates for optical materials: Synthesis and characterization. <i>Journal of Polymer Science Part A</i> , 2009, 47, 1403-1411.	2.3	17
135	Postfunctionalization of poly(propargyl methacrylate) using copper catalyzed 1,3 ⁻ dipolar Huisgen cycloaddition: An easy route to electro ⁻ optic materials. <i>Journal of Polymer Science Part A</i> , 2009, 47, 5652-5660.	2.3	23
136	Synthesis and characterization of poly(fluorinated vinyl ether ⁻ tert ⁻ butyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 Td (Û	2.3	16
137	Extremely long-distance electron transfer in porphyrin or phthalocyanine systems directly functionalized by an oligo(phenyleneethynylene) spacer. <i>Comptes Rendus Chimie</i> , 2009, 12, 437-449.	0.5	14
138	Very Fast Single-Step Photoinduced Charge Separation in Zinc Porphyrin Bridged to a Gold Porphyrin by a Bisethynyl Quaterthiophene. <i>Inorganic Chemistry</i> , 2009, 48, 518-526.	4.0	25
139	Intramolecular Electron Transfer Reactions Observed for Dawson-Type Polyoxometalates Covalently Linked to Porphyrin Residues. <i>Journal of Physical Chemistry C</i> , 2009, 113, 5834-5842.	3.1	104
140	A porphyrin ⁻ polyoxometallate bio-inspired mimic for artificial photosynthesis. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 8767.	2.8	84
141	Preparation and characterization of second order non-linear optical properties of new ⁻ push ⁻ pull ⁻ platinum complexes. <i>Dalton Transactions</i> , 2009, , 4538.	3.3	36
142	Synthesis and Nonlinear Optical Properties of a Peripherally Functionalized Hyperbranched Polymer by DR1 Chromophores. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 1799-1806.	8.0	42
143	Simple and Reproducible Procedure to Prepare Self-Nanostructured NiO Films for the Fabrication of P-Type Dye-Sensitized Solar Cells. <i>Inorganic Chemistry</i> , 2009, 48, 8245-8250.	4.0	85
144	A new crosslinkable system based on thermal Huisgen reaction to enhance the stability of electro-optic polymers. <i>Chemical Communications</i> , 2009, , 1825.	4.1	34

#	ARTICLE	IF	CITATIONS
145	Photoinduced electron transfer in ruthenium(ii) trisbipyridine complexes connected to a naphthalenebisimide via an oligo(phenyleneethynylene) spacer. <i>New Journal of Chemistry</i> , 2009, 33, 408-416.	2.8	18
146	Single-Step Electron Transfer on the Nanometer Scale: Ultra-Fast Charge Shift in Strongly Coupled Zinc Porphyrin-Gold Porphyrin Dyads. <i>Chemistry - A European Journal</i> , 2008, 14, 3467-3480.	3.3	54
147	Redox properties of hybrid Dawson type polyoxometalates disubstituted with organo-silyl or organo-phosphoryl moieties. <i>Polyhedron</i> , 2008, 27, 688-692.	2.2	21
148	Synthesis of new perylene imide dyes and their photovoltaic performances in nanocrystalline TiO ₂ dye-sensitized solar cells. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2008, 197, 156-169.	3.9	84
149	Tuning the size and color of the p-type wide band gap delafossite semiconductor CuGaO ₂ with ethylene glycol assisted hydrothermal synthesis. <i>Journal of Materials Chemistry</i> , 2008, 18, 5647.	6.7	87
150	Solid-state dye-sensitized TiO ₂ solar cells based on a sensitizer covalently wired to a hole conducting polymer. <i>Photochemical and Photobiological Sciences</i> , 2008, 7, 789-793.	2.9	15
151	Improved Photon-to-Current Conversion Efficiency with a Nanoporous p-Type NiO Electrode by the Use of a Sensitizer-Acceptor Dyad. <i>Journal of Physical Chemistry C</i> , 2008, 112, 1721-1728.	3.1	173
152	Strongly coupled zinc phthalocyanine-tin porphyrin dyad performing ultra-fast single step charge separation over a 34 Å... distance. <i>Chemical Communications</i> , 2007, , 4629.	4.1	47
153	Comparison of Interfacial Electron Transfer through Carboxylate and Phosphonate Anchoring Groups. <i>Journal of Physical Chemistry A</i> , 2007, 111, 6832-6842.	2.5	88
154	Very large acceleration of the photoinduced electron transfer in a Ru(bpy) ₃ -naphthalene bisimide dyad bridged on the naphthyl core. <i>Chemical Communications</i> , 2007, , 64-66.	4.1	93
155	Syntheses and properties of core-substituted naphthalene bisimides with aryl ethynyl or cyano groups. <i>Journal of Materials Chemistry</i> , 2007, 17, 4139.	6.7	102
156	Synthesis of new azido porphyrins and their reactivity in copper(I)-catalyzed Huisgen 1,3-dipolar cycloaddition reaction with alkynes. <i>Tetrahedron Letters</i> , 2007, 48, 6518-6522.	1.4	70
157	Improved efficiency of a thiophene linked ruthenium polypyridine complex for dry dye-sensitized solar cells. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2007, 186, 135-142.	3.9	20
158	Synthesis and photoelectrochemical properties of ruthenium bisterpyridine sensitizers functionalized with a thienyl phosphonic acid moiety. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2007, 192, 56-65.	3.9	36
159	Polymer poling characterization using second harmonic generation (SHG). , 2006, 6192, 475.		1
160	Electronic interactions and energy transfer in oligothiophene-linked bis-porphyrins. <i>Photochemical and Photobiological Sciences</i> , 2006, 5, 828-834.	2.9	17
161	A cheap and efficient method for selective para-iodination of aniline derivatives. <i>Tetrahedron Letters</i> , 2005, 46, 5421-5423.	1.4	38
162	Synthesis of new crosslinkable co-polymers containing a push-pull zinc porphyrin for non-linear optical applications. <i>Tetrahedron</i> , 2005, 61, 10113-10121.	1.9	27

#	ARTICLE	IF	CITATIONS
163	Electrolytic electrospray ionization mass spectrometry of quaterthiophene-bridged bisporphyrins: beyond the identification tool. <i>Journal of Mass Spectrometry</i> , 2005, 40, 628-635.	1.6	10
164	A Cheap and Efficient Method for Selective para-Iodination of Aniline Derivatives.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
165	Study of the cross-linking mechanism of a copolymer containing an electrooptic chromophore. <i>Journal of Physical Organic Chemistry</i> , 2005, 18, 1050-1058.	1.9	15
166	Distance-independent photoinduced energy transfer over 1.1 to 2.3 nm in ruthenium trisbipyridineâ€fullerene assemblies. <i>New Journal of Chemistry</i> , 2005, 29, 1272.	2.8	43
167	Photoinduced Electron Transfer in Platinum(II) Terpyridinyl Acetylide Complexes Connected to a Porphyrin Unit. <i>Inorganic Chemistry</i> , 2005, 44, 4806-4817.	4.0	59
168	Sensitized Hole Injection of Phosphorus Porphyrin into NiO:Â Toward New Photovoltaic Devices. <i>Journal of Physical Chemistry B</i> , 2005, 109, 22928-22934.	2.6	188
169	Ruthenium bis-terpyridine complexes connected to an oligothiophene unit for dry dye-sensitised solar cells. <i>Photochemical and Photobiological Sciences</i> , 2005, 4, 200.	2.9	29
170	Preparations and Characterizations of Bichromophoric Systems Composed of a Ruthenium Polypyridine Complex Connected to a Difluoroborazaindacene or a Zinc Phthalocyanine Chromophore. <i>Inorganic Chemistry</i> , 2005, 44, 5600-5611.	4.0	53
171	Efficient osmium sensitizers containing 2,2â€bipyridine-4,4â€bisphosphonic acid ligand. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2004, 166, 99-106.	3.9	21
172	Design of molecular dyes for application in photoelectrochemical and electrochromic devices based on nanocrystalline metal oxide semiconductors. <i>Coordination Chemistry Reviews</i> , 2004, 248, 1299-1316.	18.8	218
173	Hydroporphyrins as tumour photosensitizers: synthesis and photophysical studies of 2,3-Dihydro-5,15-di(3,5-dihydroxyphenyl) porphyrin. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 833-835.	2.2	31
174	Synthesis and Comprehensive Characterizations of New cis-RuL ₂ X ₂ (X = Cl, CN, and NCS) Sensitizers for Nanocrystalline TiO ₂ Solar Cell Using Bis-Phosphonated Bipyridine Ligands (L). <i>Inorganic Chemistry</i> , 2003, 42, 6655-6666.	4.0	109
175	Photoinduced Energy Transfer between Ruthenium and Osmium tris-Bipyridine Complexes Covalently Pillared into Î³-ZrP. <i>Langmuir</i> , 2003, 19, 30-39.	3.5	17
176	Preparation of novel highly conjugated bis-porphyrin bridged with a polyene linker. <i>Journal of Porphyrins and Phthalocyanines</i> , 2003, 07, 207-213.	0.8	12
177	Porphyrin dyes for TiO ₂ sensitization. <i>Journal of Materials Chemistry</i> , 2003, 13, 502-510.	6.7	224
178	Monolayers as Models for Supported Catalysts:Â Zirconium Phosphonate Films Containing Manganese(III) Porphyrins. <i>Journal of the American Chemical Society</i> , 2002, 124, 4363-4370.	13.7	112
179	Synthesis of Oligothiophene-Bridged Bisporphyrins and Study of the Linkage Dependence of the Electronic Coupling. <i>Chemistry - A European Journal</i> , 2002, 8, 3027.	3.3	94
180	Phosphonate-Based Bipyridine Dyes for Stable Photovoltaic Devices. <i>Inorganic Chemistry</i> , 2001, 40, 6073-6079.	4.0	303

#	ARTICLE	IF	CITATIONS
181	Zirconium Phosphonate Frameworks Covalently Pillared with a Bipyridine Moiety. <i>Chemistry of Materials</i> , 2001, 13, 163-173.	6.7	74
182	Molecular Energy Transfer across Oxide Surfaces. <i>Journal of Physical Chemistry B</i> , 2001, 105, 8895-8904.	2.6	32
183	An Efficient Synthetic Approach to Highly Conjugated Porphyrin-Based Assemblies Containing a Bipyridine Moiety. <i>Organic Letters</i> , 2000, 2, 131-133.	4.6	35
184	Palladium Porphyrin Containing Zirconium Phosphonate Langmuir-Blodgett Films. <i>Chemistry of Materials</i> , 1999, 11, 965-976.	6.7	32
185	Sensitization of TiO ₂ by Phosphonate-Derivatized Proline Assemblies. <i>Inorganic Chemistry</i> , 1999, 38, 3665-3669.	4.0	76
186	Rotaxanes and other transition metal-assembled porphyrin arrays for long-range photoinduced charge separation. <i>Coordination Chemistry Reviews</i> , 1998, 178-180, 1299-1312.	18.8	58
187	Facile and efficient syntheses of 2,2'-bipyridine-based bis(phosphonic) acids. <i>Tetrahedron Letters</i> , 1998, 39, 3689-3692.	1.4	51
188	Mechanisms of Surface Electron Transfer. Proton-Coupled Electron Transfer. <i>Journal of the American Chemical Society</i> , 1998, 120, 13248-13249.	13.7	72
189	Shape selectivity for alkane hydroxylation with a new class of phosphonate-based heterogenised manganese porphyrins. <i>New Journal of Chemistry</i> , 1998, 22, 901-905.	2.8	33
190	Sequence Selective Binding of Peptides by Artificial Receptors in Aqueous Solution. <i>Journal of the American Chemical Society</i> , 1998, 120, 3536-3537.	13.7	165
191	Multistep Electron Transfer between Porphyrin Modules Assembled around a Ruthenium Center. <i>Journal of the American Chemical Society</i> , 1995, 117, 9461-9472.	13.7	153
192	Photoinduced Electron- and Energy-Transfer Processes Occurring within Porphyrin-Metal-Bisterpyridyl Conjugates. <i>Journal of the American Chemical Society</i> , 1994, 116, 5679-5690.	13.7	162
193	Multistep Electron Transfer in a Porphyrin-Ruthenium(II) Bis(terpyridyl)-Porphyrin Triad. <i>Journal of the American Chemical Society</i> , 1994, 116, 5481-5482.	13.7	71
194	Highly coupled two-component systems consisting of porphyrins attached to a rhodium(III) bis-terpyridine complex. <i>Tetrahedron Letters</i> , 1993, 34, 8113-8116.	1.4	16