

# Zeliha Guler

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1097794/publications.pdf>

Version: 2024-02-01

28  
papers

408  
citations

759233

12  
h-index

794594

19  
g-index

29  
all docs

29  
docs citations

29  
times ranked

520  
citing authors

#	ARTICLE	IF	CITATIONS
1	The effects of oestrogen on vaginal wound healing: A systematic review and meta-analysis. <i>Neurourology and Urodynamics</i> , 2022, 41, 115-126.	1.5	11
2	Role of Fibroblasts and Myofibroblasts on the Pathogenesis and Treatment of Pelvic Organ Prolapse. <i>Biomolecules</i> , 2022, 12, 94.	4.0	28
3	Evaluation of the short-term host response and biomechanics of an absorbable poly-4-hydroxybutyrate scaffold in a sheep model following vaginal implantation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1039-1049.	2.3	16
4	The impact of bacterial contamination on the host response towards fully absorbable poly-4-hydroxybutyrate and nonabsorbable polypropylene pelvic floor implants. <i>Materials Today Bio</i> , 2022, 15, 100268.	5.5	5
5	Novel amphiphilic block-copolymer forming stable micelles and interpolyelectrolyte complexes with DNA for efficient gene delivery. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2021, 70, 554-573.	3.4	2
6	Vaginal Er:YAG laser application in the menopausal ewe model: a randomised estrogen and sham-controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1087-1096.	2.3	22
7	Fully absorbable poly-4-hydroxybutyrate implants exhibit more favorable cell-matrix interactions than polypropylene. <i>Materials Science and Engineering C</i> , 2021, 120, 111702.	7.3	18
8	Animal experimental research assessing urogynecologic surgical mesh implants: Outcome measures describing the host response, a systematic review and meta-analysis. <i>Neurourology and Urodynamics</i> , 2021, 40, 1107-1119.	1.5	8
9	In Vitro Bacterial Adhesion and Biofilm Formation on Fully Absorbable Poly-4-hydroxybutyrate and Nonabsorbable Polypropylene Pelvic Floor Implants. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 53646-53653.	8.0	35
10	Effect of a Single Application of CPP-ACPF Varnish on the Prevention of Erosive Tooth Wear: An AAS, AFM and SMH Study. <i>Oral Health &amp; Preventive Dentistry</i> , 2020, 18, 311-318.	0.5	4
11	Fabrication and characterization of poly(butyl acrylate-co-methyl methacrylate)-polypyrrole nanofibers. <i>Polymer Bulletin</i> , 2018, 75, 1607-1617.	3.3	3
12	Impedimetric DNA biosensor based on polyurethane/poly(m-anthranilic acid) nanofibers. <i>Sensors and Actuators B: Chemical</i> , 2018, 254, 719-726.	7.8	30
13	Effects of carboxylated multi-walled carbon nanotubes having different outer diameters on hollow fiber ultrafiltration membrane fabrication and characterization by electrochemical impedance spectroscopy. <i>Polymer Bulletin</i> , 2018, 75, 2431-2457.	3.3	8
14	RGD functionalized poly( $\epsilon$ -caprolactone)/poly(m-anthranilic acid) electrospun nanofibers as high-performing scaffolds for bone tissue engineering RGD functionalized PCL/P3ANA nanofibers. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2017, 66, 139-148.	3.4	32
15	Au/PANA/PVAc and Au/P(ANA-co-CNTA)/PVAc electrospun nanofibers as tyrosinase immobilization supports. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2017, 66, 658-668.	3.4	1
16	Biophysical characterization of quaternary pyridinium functionalized polynorbornenes for DNA complexation and their cellular interactions. <i>Biopolymers</i> , 2017, 107, e23005.	2.4	6
17	Gold nanoparticle/nickel oxide/poly(pyrrole-N-propionic acid) hybrid multilayer film: Electrochemical study and its application in biosensing. <i>EXPRESS Polymer Letters</i> , 2017, 11, 449-466.	2.1	11
18	Enhanced osteogenesis on biofunctionalized poly( $\epsilon$ -caprolactone)/poly(m-anthranilic acid) nanofibers. <i>Journal of Biomaterials Applications</i> , 2016, 31, 743-754.	2.4	11

#	ARTICLE	IF	CITATIONS
19	(Au/PANA/PVAc) nanofibers as a novel composite matrix for albumin and streptavidin immobilization. Materials Science and Engineering C, 2016, 60, 260-275.	7.3	7
20	The effect of deposition on electrochemical impedance properties of TiO <sub>2</sub> /FTO photoanodes. Journal of Electroceramics, 2016, 36, 102-111.	2.0	6
21	Covalent streptavidin immobilization on electrospun poly(m-anthranilic) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 667 Td Polymers, 2016, 31, 291-303.	2.1	3
22	Electrochemical impedance and spectroscopy study of the EDC/NHS activation of the carboxyl groups on poly( $\mu$ -caprolactone)/poly(m-anthranilic acid) nanofibers. EXPRESS Polymer Letters, 2016, 10, 96-110.	2.1	38
23	BMP-2 immobilized PCL/P3ANA nanofibers for bone tissue engineering. , 2015, , .		2
24	Covalent Immobilization of Tyrosinase on Electrospun Polyacrylonitrile/Polyurethane/Poly(m-anthranilic acid) Nanofibers: An Electrochemical Impedance Study. Polymer-Plastics Technology and Engineering, 2015, 54, 1494-1504.	1.9	28
25	Electrochemical impedance spectroscopic study of single-stranded DNA-immobilized electroactive polypyrrole-coated electrospun poly( $\mu$ -caprolactone) nanofibers. Materials Express, 2015, 5, 269-279.	0.5	33
26	In situ spectroscopic and electrochemical impedance study of gold/poly (anthranilic acid) core/shell nanoparticles. European Polymer Journal, 2015, 66, 502-512.	5.4	12
27	New Preparation Route of TiO <sub>2</sub> /SUB<math>2</math>/SUB<math>2</math> Nanofibers by Electrospinning: Spectroscopic and Thermal Characterizations. Science of Advanced Materials, 2014, 6, 2618-2624.	0.7	15
28	Biophysical study of novel oligoelectrolyte-based nonviral gene delivery systems for mammalian cells. Journal of Gene Medicine, 2013, 15, 193-204.	2.8	13