

Xiulin Fan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1098088/publications.pdf>

Version: 2024-02-01

185
papers

27,674
citations

6124

83
h-index

6512

162
g-index

191
all docs

191
docs citations

191
times ranked

17973
citing authors

#	ARTICLE	IF	CITATIONS
1	0D/1D/2D Co@Co ₂ Mo ₃ O ₈ nanocomposite constructed by mutual-supported Co ₂ Mo ₃ O ₈ nanosheet and Co nanoparticle: Synthesis and enhanced hydrolytic dehydrogenation of ammonia borane. <i>Chemical Engineering Journal</i> , 2022, 431, 133697.	6.6	19
2	Critical Review on Low-Temperature Li-Ion/Metal Batteries. <i>Advanced Materials</i> , 2022, 34, e2107899.	11.1	204
3	High-energy and low-cost membrane-free chlorine flow battery. <i>Nature Communications</i> , 2022, 13, 1281.	5.8	34
4	Anion-Diluent Pairing for Stable High-Energy Li Metal Batteries. <i>ACS Energy Letters</i> , 2022, 7, 1338-1347.	8.8	108
5	Mitigating irreversible capacity loss for higher-energy lithium batteries. <i>Energy Storage Materials</i> , 2022, 48, 44-73.	9.5	25
6	Interfacial-engineering-enabled practical low-temperature sodium metal battery. <i>Nature Nanotechnology</i> , 2022, 17, 269-277.	15.6	69
7	A self-purifying electrolyte enables high energy Li ion batteries. <i>Energy and Environmental Science</i> , 2022, 15, 3331-3342.	15.6	40
8	Identifying soft breakdown in all-solid-state lithium battery. <i>Joule</i> , 2022, 6, 1770-1781.	11.7	71
9	High Energy and Low-Cost Membrane-Free Chlorine Flow Battery. <i>ECS Meeting Abstracts</i> , 2022, MA2022-01, 488-488.	0.0	0
10	The Role of Electron Localization in Covalency and Electrochemical Properties of Lithium-Ion Battery Cathode Materials. <i>Advanced Functional Materials</i> , 2021, 31, 2001633.	7.8	21
11	Tuning electrolyte enables micro-sized Sn as an advanced anode for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2021, 9, 1812-1821.	5.2	28
12	High-voltage liquid electrolytes for Li batteries: progress and perspectives. <i>Chemical Society Reviews</i> , 2021, 50, 10486-10566.	18.7	391
13	Heterostructured Ni/NiO Nanoparticles on 1D Porous MoO ₃ for Hydrolysis of Ammonia Borane. <i>ACS Applied Energy Materials</i> , 2021, 4, 1208-1217.	2.5	17
14	Identification of LiH and nanocrystalline LiF in the solid-electrolyte interphase of lithium metal anodes. <i>Nature Nanotechnology</i> , 2021, 16, 549-554.	15.6	171
15	Low-cost batteries based on industrial waste Al-Si microparticles and LiFePO ₄ for stationary energy storage. <i>Dalton Transactions</i> , 2021, 50, 8322-8329.	1.6	6
16	Lithium Metal Batteries Enabled by Synergetic Additives in Commercial Carbonate Electrolytes. <i>ACS Energy Letters</i> , 2021, 6, 1839-1848.	8.8	200
17	The Electrolysis of Anti-Perovskite Li ₂ OHCl for Prelithiation of High-Energy-Density Batteries. <i>Angewandte Chemie</i> , 2021, 133, 13123-13130.	1.6	4
18	The Electrolysis of Anti-Perovskite Li ₂ OHCl for Prelithiation of High-Energy-Density Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 13013-13020.	7.2	25

#	ARTICLE	IF	CITATIONS
19	Cooperative stabilization of bi-electrodes with robust interphases for high-voltage lithium-metal batteries. <i>Energy Storage Materials</i> , 2021, 37, 521-529.	9.5	54
20	Ambiently and Mechanically Stable Ionogels for Soft Ionotronics. <i>Advanced Functional Materials</i> , 2021, 31, 2102773.	7.8	95
21	In situ formation of polymer-inorganic solid-electrolyte interphase for stable polymeric solid-state lithium-metal batteries. <i>CheM</i> , 2021, 7, 3052-3068.	5.8	76
22	Integrating Multiredox Centers into One Framework for High-Performance Organic Li-Ion Battery Cathodes. <i>ACS Energy Letters</i> , 2020, 5, 224-231.	8.8	59
23	Solid-State Electrolyte Design for Lithium Dendrite Suppression. <i>Advanced Materials</i> , 2020, 32, e2002741.	11.1	219
24	Probing an intermediate state by X-ray absorption near-edge structure in nickel-doped $2\text{LiBH}_4\text{-MgH}_2$ reactive hydride composite at moderate temperature. <i>Materials Today Nano</i> , 2020, 12, 100090.	2.3	15
25	Multimodal Analysis of Reaction Pathways of Cathode Materials for Lithium Ion Batteries. <i>Microscopy and Microanalysis</i> , 2020, 26, 906-908.	0.2	0
26	Lithium Nitrate Regulated Sulfone Electrolytes for Lithium Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 22194-22201.	7.2	219
27	Lithium Nitrate Regulated Sulfone Electrolytes for Lithium Metal Batteries. <i>Angewandte Chemie</i> , 2020, 132, 22378-22385.	1.6	60
28	Tuning the Anode-Electrolyte Interface Chemistry for Garnet-Based Solid-State Li Metal Batteries. <i>Advanced Materials</i> , 2020, 32, e2000030.	11.1	156
29	A chemically stabilized sulfur cathode for lean electrolyte lithium sulfur batteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 14712-14720.	3.3	102
30	Revealing Reaction Pathways of Collective Substituted Iron Fluoride Electrode for Lithium Ion Batteries. <i>ACS Nano</i> , 2020, 14, 10276-10283.	7.3	14
31	In situ healing of dendrites in a potassium metal battery. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 5588-5594.	3.3	79
32	Enhancing the reversibility of SnCoS_4 microflower for sodium-ion battery anode material. <i>Journal of Alloys and Compounds</i> , 2020, 825, 154104.	2.8	14
33	A Highly Reversible, Dendrite-Free Lithium Metal Anode Enabled by a Lithium-Fluoride-Enriched Interphase. <i>Advanced Materials</i> , 2020, 32, e1906427.	11.1	168
34	Isotope Effect between H_2O and D_2O in Hydrothermal Synthesis. <i>Chemistry of Materials</i> , 2020, 32, 769-775.	3.2	15
35	Countersolvent Electrolytes for Lithium-Metal Batteries. <i>Advanced Energy Materials</i> , 2020, 10, 1903568.	10.2	200
36	Electrolyte design for Li metal-free Li batteries. <i>Materials Today</i> , 2020, 39, 118-126.	8.3	138

#	ARTICLE	IF	CITATIONS
37	Electrolyte design for LiF-rich solidâ€“electrolyte interfaces to enable high-performance micro-sized alloy anodes for batteries. <i>Nature Energy</i> , 2020, 5, 386-397.	19.8	621
38	Structure and Interface Design Enable Stable Li-Rich Cathode. <i>Journal of the American Chemical Society</i> , 2020, 142, 8918-8927.	6.6	151
39	High-Energy-Density Rechargeable Mg Battery Enabled by a Displacement Reaction. <i>Nano Letters</i> , 2019, 19, 6665-6672.	4.5	59
40	A Pyrazineâ€“Based Polymer for Fastâ€“Charge Batteries. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17820-17826.	7.2	173
41	Designing In-Situ-Formed Interphases Enables Highly Reversible Cobalt-Free LiNiO ₂ Cathode for Li-ion and Li-metal Batteries. <i>Joule</i> , 2019, 3, 2550-2564.	11.7	167
42	A Pyrazineâ€“Based Polymer for Fastâ€“Charge Batteries. <i>Angewandte Chemie</i> , 2019, 131, 17984-17990.	1.6	19
43	In-situ formation of ultrafine MgNi ₃ B ₂ and TiB ₂ nanoparticles: Heterogeneous nucleating and grain coarsening retardant agents for magnesium borate in Liâ€“Mgâ€“Bâ€“H reactive hydride composite. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 27529-27541.	3.8	9
44	Reversible Alloying of Phosphorene with Potassium and Its Stabilization Using Reduced Graphene Oxide Buffer Layers. <i>ACS Nano</i> , 2019, 13, 14094-14106.	7.3	36
45	Extremely stable antimonyâ€“carbon composite anodes for potassium-ion batteries. <i>Energy and Environmental Science</i> , 2019, 12, 615-623.	15.6	358
46	Facile formation of NiCo ₂ O ₄ yolk-shell spheres for highly reversible sodium storage. <i>Journal of Alloys and Compounds</i> , 2019, 800, 125-133.	2.8	17
47	Tuning Anionic Chemistry To Improve Kinetics of Mg Intercalation. <i>Chemistry of Materials</i> , 2019, 31, 3183-3191.	3.2	91
48	Rational design of Sn-Sb-S composite with yolk-shell hydrangea-like structure as advanced anode material for sodium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2019, 793, 620-626.	2.8	19
49	Achieving High Energy Density through Increasing the Output Voltage: A Highly Reversible 5.3V Battery. <i>Chem</i> , 2019, 5, 896-912.	5.8	145
50	PdCoNi nanoparticles supported on nitrogen-doped porous carbon nanosheets for room temperature dehydrogenation of formic acid. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 11675-11683.	3.8	18
51	Highâ€“Fluorinated Electrolytes for Liâ€“S Batteries. <i>Advanced Energy Materials</i> , 2019, 9, 1803774.	10.2	227
52	Enhanced Electrochemical Performance of Niâ€“Rich Layered Cathode Materials by using LiPF ₆ as a Cathode Additive. <i>ChemElectroChem</i> , 2019, 6, 1536-1541.	1.7	47
53	All-temperature batteries enabled by fluorinated electrolytes with non-polar solvents. <i>Nature Energy</i> , 2019, 4, 882-890.	19.8	557
54	High-Energy Li Metal Battery with Lithiated Host. <i>Joule</i> , 2019, 3, 732-744.	11.7	160

#	ARTICLE	IF	CITATIONS
55	High electronic conductivity as the origin of lithium dendrite formation within solid electrolytes. <i>Nature Energy</i> , 2019, 4, 187-196.	19.8	1,099
56	Antimony Nanorod Encapsulated in Cross-Linked Carbon for High-Performance Sodium Ion Battery Anodes. <i>Nano Letters</i> , 2019, 19, 538-544.	4.5	113
57	AuPd Nanoparticles Anchored on Nitrogen-Decorated Carbon Nanosheets with Highly Efficient and Selective Catalysis for the Dehydrogenation of Formic Acid. <i>Journal of Physical Chemistry C</i> , 2018, 122, 4792-4801.	1.5	33
58	Interphase Engineering Enabled All-Ceramic Lithium Battery. <i>Joule</i> , 2018, 2, 497-508.	11.7	378
59	Azo Compounds Derived from Electrochemical Reduction of Nitro Compounds for High Performance Li-ion Batteries. <i>Advanced Materials</i> , 2018, 30, e1706498.	11.1	134
60	Highly reversible zinc metal anode for aqueous batteries. <i>Nature Materials</i> , 2018, 17, 543-549.	13.3	2,080
61	Existence of Solid Electrolyte Interphase in Mg Batteries: Mg/S Chemistry as an Example. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 14767-14776.	4.0	99
62	An in-situ enabled lithium metal battery by plating lithium on a copper current collector. <i>Electrochemistry Communications</i> , 2018, 89, 23-26.	2.3	42
63	GeP5/C composite as anode material for high power sodium-ion batteries with exceptional capacity. <i>Journal of Alloys and Compounds</i> , 2018, 744, 15-22.	2.8	23
64	Highly synergetic catalytic mechanism of Ni@g-C3N4 on the superior hydrogen storage performance of Li-Mg-B-H system. <i>Energy Storage Materials</i> , 2018, 13, 199-206.	9.5	58
65	In situ synthesized SnO2 nanorod/reduced graphene oxide low-dimensional structure for enhanced lithium storage. <i>Nanotechnology</i> , 2018, 29, 105705.	1.3	7
66	Non-noble trimetallic Cu-Ni-Co nanoparticles supported on metal-organic frameworks as highly efficient catalysts for hydrolysis of ammonia borane. <i>Journal of Alloys and Compounds</i> , 2018, 741, 501-508.	2.8	55
67	Azo compounds as a family of organic electrode materials for alkali-ion batteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 2004-2009.	3.3	168
68	Highly Fluorinated Interphases Enable High-Voltage Li-Metal Batteries. <i>CheM</i> , 2018, 4, 174-185.	5.8	682
69	Flexible ReS2 nanosheets/N-doped carbon nanofibers-based paper as a universal anode for alkali (Li, Na, K) ion batteries. <i>Journal of Materials Chemistry B</i> , 2018, 6, 10881-10888.	8.2	1,078
70	Self-Templated Formation of P2-type K _{0.6} CoO ₂ Microspheres for High Reversible Potassium-Ion Batteries. <i>Nano Letters</i> , 2018, 18, 1522-1529.	4.5	167
71	A Universal Organic Cathode for Ultrafast Lithium and Multivalent Metal Batteries. <i>Angewandte Chemie</i> , 2018, 130, 7264-7268.	1.6	51
72	A Universal Organic Cathode for Ultrafast Lithium and Multivalent Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 7146-7150.	7.2	177

#	ARTICLE	IF	CITATIONS
73	Intercalation of Bi nanoparticles into graphite results in an ultra-fast and ultra-stable anode material for sodium-ion batteries. <i>Energy and Environmental Science</i> , 2018, 11, 1218-1225.	15.6	212
74	High-Performance All-Solid-State Na ⁺ S Battery Enabled by Casting ⁺ Annealing Technology. <i>ACS Nano</i> , 2018, 12, 3360-3368.	7.3	102
75	Hybrid Aqueous/Non-aqueous Electrolyte for Safe and High-Energy Li-Ion Batteries. <i>Joule</i> , 2018, 2, 927-937.	11.7	303
76	Reducing Mg Anode Overpotential via Ion Conductive Surface Layer Formation by Iodine Additive. <i>Advanced Energy Materials</i> , 2018, 8, 1701728.	10.2	107
77	Efficient and stable cycling of lithium metal enabled by a conductive carbon primer layer. <i>Sustainable Energy and Fuels</i> , 2018, 2, 163-168.	2.5	9
78	Thermodynamics and Kinetics of Sulfur Cathode during Discharge in MgTFSI ₂ ⁺ DME Electrolyte. <i>Advanced Materials</i> , 2018, 30, 1704313.	11.1	122
79	A rechargeable aqueous Zn ²⁺ -battery with high power density and a long cycle-life. <i>Energy and Environmental Science</i> , 2018, 11, 3168-3175.	15.6	258
80	Fluorinated solid electrolyte interphase enables highly reversible solid-state Li metal battery. <i>Science Advances</i> , 2018, 4, eaau9245.	4.7	521
81	Synergistic Catalytic Activity of Porous Rod-like TMTiO ₃ (TM = Ni and Co) for Reversible Hydrogen Storage of Magnesium Hydride. <i>Journal of Physical Chemistry C</i> , 2018, 122, 27973-27982.	1.5	61
82	Interface engineering of sulfide electrolytes for all-solid-state lithium batteries. <i>Nano Energy</i> , 2018, 53, 958-966.	8.2	227
83	Long Cycle Life All-Solid-State Sodium Ion Battery. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 39645-39650.	4.0	44
84	Hybrid Aqueous/Non-aqueous Electrolyte for Safe and High-Energy Li-Ion Batteries. <i>Joule</i> , 2018, 2, 2178.	11.7	12
85	Manipulating electrolyte and solid electrolyte interphase to enable safe and efficient Li-S batteries. <i>Nano Energy</i> , 2018, 50, 431-440.	8.2	134
86	Layered P2 ⁺ Type K _{0.65} Fe _{0.5} Mn _{0.5} O ₂ Microspheres as Superior Cathode for High ⁺ Energy Potassium ⁺ Ion Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1800219.	7.8	157
87	Facile synthesis of AuPd nanoparticles anchored on TiO ₂ nanosheets for efficient dehydrogenation of formic acid. <i>Nanotechnology</i> , 2018, 29, 335402.	1.3	14
88	Preventing lithium dendrite-related electrical shorting in rechargeable batteries by coating separator with a Li-killing additive. <i>Journal of Materials Chemistry A</i> , 2018, 6, 10755-10760.	5.2	59
89	Non-flammable electrolyte enables Li-metal batteries with aggressive cathode chemistries. <i>Nature Nanotechnology</i> , 2018, 13, 715-722.	15.6	964
90	High energy-density and reversibility of iron fluoride cathode enabled via an intercalation-extrusion reaction. <i>Nature Communications</i> , 2018, 9, 2324.	5.8	136

#	ARTICLE	IF	CITATIONS
91	Transition metal (Co, Ni) nanoparticles wrapped with carbon and their superior catalytic activities for the reversible hydrogen storage of magnesium hydride. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 4019-4029.	1.3	86
92	High power rechargeable magnesium/iodine battery chemistry. <i>Nature Communications</i> , 2017, 8, 14083.	5.8	251
93	Enhanced hydrogen storage properties of MgH ₂ with numerous hydrogen diffusion channels provided by Na ₂ Ti ₃ O ₇ nanotubes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6178-6185.	5.2	89
94	La ₂ O ₃ -modified highly dispersed AuPd alloy nanoparticles and their superior catalysis on the dehydrogenation of formic acid. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 9353-9360.	3.8	21
95	Significantly enhanced hydrogen desorption properties of Mg(AlH ₄) ₂ nanoparticles synthesized using solvent free strategy. <i>Progress in Natural Science: Materials International</i> , 2017, 27, 112-120.	1.8	17
96	Carbon coated sodium-titanate nanotube as an advanced intercalation anode material for sodium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2017, 712, 365-372.	2.8	39
97	Atomic-Layer-Deposition Functionalized Carbonized Mesoporous Wood Fiber for High Sulfur Loading Lithium Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 14801-14807.	4.0	77
98	In situ synthesis of ultras-small SnO ₂ quantum dots on nitrogen-doped reduced graphene oxide composite as high performance anode material for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2017, 727, 1-7.	2.8	22
99	High-Performance All-Inorganic Solid-State Sodium Sulfur Battery. <i>ACS Nano</i> , 2017, 11, 4885-4891.	7.3	133
100	Superior reversible tin phosphide-carbon spheres for sodium ion battery anode. <i>Nano Energy</i> , 2017, 38, 350-357.	8.2	122
101	Unique aqueous Li-ion/sulfur chemistry with high energy density and reversibility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 6197-6202.	3.3	151
102	Electrochemical Techniques for Intercalation Electrode Materials in Rechargeable Batteries. <i>Accounts of Chemical Research</i> , 2017, 50, 1022-1031.	7.6	105
103	Recent Progress on Spray Pyrolysis for High Performance Electrode Materials in Lithium and Sodium Rechargeable Batteries. <i>Advanced Energy Materials</i> , 2017, 7, 1601578.	10.2	120
104	High-Voltage Aqueous Magnesium Ion Batteries. <i>ACS Central Science</i> , 2017, 3, 1121-1128.	5.3	256
105	Self-Healing Chemistry between Organic Material and Binder for Stable Sodium-Ion Batteries. <i>Chem</i> , 2017, 3, 1050-1062.	5.8	99
106	Highly Reversible Conversion-Type FeOF Composite Electrode with Extended Lithium Insertion by Atomic Layer Deposition LiPON Protection. <i>Chemistry of Materials</i> , 2017, 29, 8780-8791.	3.2	41
107	Flexible Aqueous Li-Ion Battery with High Energy and Power Densities. <i>Advanced Materials</i> , 2017, 29, 1701972.	11.1	175
108	Reverse Microemulsion Synthesis of Sulfur/Graphene Composite for Lithium/Sulfur Batteries. <i>ACS Nano</i> , 2017, 11, 9048-9056.	7.3	73

#	ARTICLE	IF	CITATIONS
109	4.0Å Aqueous Li-Ion Batteries. <i>Joule</i> , 2017, 1, 122-132.	11.7	441
110	“Water-in-Salt” Electrolyte Makes Aqueous Sodium-Ion Battery Safe, Green, and Long-Lasting. <i>Advanced Energy Materials</i> , 2017, 7, 1701189.	10.2	487
111	Enhanced hydrogen storage properties of a dual-cation (Li ⁺ , Mg ²⁺) borohydride and its dehydrogenation mechanism. <i>RSC Advances</i> , 2017, 7, 36852-36859.	1.7	11
112	P2-type transition metal oxides for high performance Na-ion battery cathodes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 18214-18220.	5.2	93
113	Zn/MnO ₂ Battery Chemistry With H ⁺ and Zn ²⁺ Coinsertion. <i>Journal of the American Chemical Society</i> , 2017, 139, 9775-9778.	6.6	1,375
114	Synthesis of nanoscale CeAl ₄ and its high catalytic efficiency for hydrogen storage of sodium alanate. <i>Rare Metals</i> , 2017, 36, 77-85.	3.6	12
115	Functional Nanomaterials for Renewable Energy and Sustainability. <i>Journal of Nanomaterials</i> , 2017, 1-1.	1.5	0
116	A tin-plated copper substrate for efficient cycling of lithium metal in an anode-free rechargeable lithium battery. <i>Electrochimica Acta</i> , 2017, 258, 1201-1207.	2.6	102
117	Advanced High-Voltage Aqueous Lithium-Ion Battery Enabled by “Water-in-Salt” Electrolyte. <i>Angewandte Chemie</i> , 2016, 128, 7252-7257.	1.6	459
118	Pomegranate-Structured Conversion-Reaction Cathode with a Built-in Li Source for High-Energy Li-Ion Batteries. <i>ACS Nano</i> , 2016, 10, 5567-5577.	7.3	88
119	Enhanced hydrogen desorption properties of LiBH ₄ –Ca(BH ₄) ₂ by a synergetic effect of nanoconfinement and catalysis. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 17462-17470.	3.8	24
120	Tailoring Surface Acidity of Metal Oxide for Better Polysulfide Entrapment in Li-S Batteries. <i>Advanced Functional Materials</i> , 2016, 26, 7164-7169.	7.8	95
121	A Rechargeable Al/S Battery with an Ionic-Liquid Electrolyte. <i>Angewandte Chemie</i> , 2016, 128, 10052-10055.	1.6	64
122	A Rechargeable Al/S Battery with an Ionic-Liquid Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 9898-9901.	7.2	215
123	Building robust architectures of carbon-wrapped transition metal nanoparticles for high catalytic enhancement of the 2LiBH ₄ -MgH ₂ system for hydrogen storage cycling performance. <i>Nanoscale</i> , 2016, 8, 14898-14908.	2.8	24
124	Stabilizing high voltage LiCoO ₂ cathode in aqueous electrolyte with interphase-forming additive. <i>Energy and Environmental Science</i> , 2016, 9, 3666-3673.	15.6	190
125	Activation of Oxygen-Stabilized Sulfur for Li and Na Batteries. <i>Advanced Functional Materials</i> , 2016, 26, 745-752.	7.8	80
126	Advanced High-Voltage Aqueous Lithium-Ion Battery Enabled by “Water-in-Salt” Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 7136-7141.	7.2	571

#	ARTICLE	IF	CITATIONS
127	High-Performance All-Solid-State Lithium-Sulfur Battery Enabled by a Mixed-Conductive Li_2S Nanocomposite. <i>Nano Letters</i> , 2016, 16, 4521-4527.	4.5	333
128	Ternary perovskite nickel titanate/reduced graphene oxide nano-composite with improved lithium storage properties. <i>RSC Advances</i> , 2016, 6, 61312-61318.	1.7	21
129	In situ lithiated Fe_3C nanocomposite as high energy conversion-reaction cathode for lithium-ion batteries. <i>Journal of Power Sources</i> , 2016, 307, 435-442.	4.0	64
130	Water-in-Salt electrolytes enable green and safe Li-ion batteries for large scale electric energy storage applications. <i>Journal of Materials Chemistry A</i> , 2016, 4, 6639-6644.	5.2	172
131	Building Self-Healing Alloy Architecture for Stable Sodium-Ion Battery Anodes: A Case Study of Tin Anode Materials. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 7147-7155.	4.0	92
132	Electrospun FeS_2 @Carbon Fiber Electrode as a High Energy Density Cathode for Rechargeable Lithium Batteries. <i>ACS Nano</i> , 2016, 10, 1529-1538.	7.3	199
133	Novel AgPd hollow spheres anchored on graphene as an efficient catalyst for dehydrogenation of formic acid at room temperature. <i>Journal of Materials Chemistry A</i> , 2016, 4, 657-666.	5.2	75
134	Superior Stable Self-Healing SnP_3 Anode for Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1500174.	10.2	197
135	Remarkably Improved Hydrogen Storage Performance of MgH_2 Catalyzed by Multivalence NbH_x Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2015, 119, 8554-8562.	1.5	73
136	Scalable Synthesis of Defect Abundant Si Nanorods for High-Performance Li-Ion Battery Anodes. <i>ACS Nano</i> , 2015, 9, 6576-6586.	7.3	92
137	Solid-State Fabrication of SnS_2 /C Nanospheres for High-Performance Sodium Ion Battery Anode. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 11476-11481.	4.0	176
138	Red Phosphorus-Single-Walled Carbon Nanotube Composite as a Superior Anode for Sodium Ion Batteries. <i>ACS Nano</i> , 2015, 9, 3254-3264.	7.3	359
139	Carbon cage encapsulating nano-cluster Li_2S by ionic liquid polymerization and pyrolysis for high performance Li-S batteries. <i>Nano Energy</i> , 2015, 13, 467-473.	8.2	76
140	Ether-based electrolyte enabled Na/FeS ₂ rechargeable batteries. <i>Electrochemistry Communications</i> , 2015, 54, 18-22.	2.3	121
141	Roll-to-roll fabrication of organic nanorod electrodes for sodium ion batteries. <i>Nano Energy</i> , 2015, 13, 537-545.	8.2	91
142	Scalable synthesis of $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ /C porous hollow spheres as a cathode for Na-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 10378-10385.	5.2	109
143	Enhanced hydrogen storage capacity and reversibility of LiBH_4 nanoconfined in the densified zeolite-templated carbon with high mechanical stability. <i>Nano Energy</i> , 2015, 15, 244-255.	8.2	58
144	PEDOT Encapsulated FeOF Nanorod Cathodes for High Energy Lithium-Ion Batteries. <i>Nano Letters</i> , 2015, 15, 7650-7656.	4.5	96

#	ARTICLE	IF	CITATIONS
145	Enhancing the Reversibility of Mg/S Battery Chemistry through Li ⁺ Mediation. Journal of the American Chemical Society, 2015, 137, 12388-12393.	6.6	225
146	Water-in-salt electrolyte enables high-voltage aqueous lithium-ion chemistries. Science, 2015, 350, 938-943.	6.0	2,553
147	In situ formed carbon bonded and encapsulated selenium composites for Li-Se and Na-Se batteries. Journal of Materials Chemistry A, 2015, 3, 555-561.	5.2	115
148	Influence of Ti super-stoichiometry on the hydrogen storage properties of Ti _{1+x} Cr _{1.2} Mn _{0.2} Fe _{0.6} (x=0-0.1) alloys for hybrid hydrogen storage application. Journal of Alloys and Compounds, 2014, 585, 307-311.	2.8	47
149	Improved dehydrogenation properties and favorable reaction mechanism of CeH ₂ +KH co-doped sodium aluminum hydride. International Journal of Hydrogen Energy, 2014, 39, 6577-6587.	3.8	12
150	Superior dehydrogenation performance of nanoscale lithium borohydride modified with fluorographite. International Journal of Hydrogen Energy, 2014, 39, 896-904.	3.8	19
151	Enhanced reversible hydrogen storage performance of NbCl ₅ doped 2LiH-MgB ₂ composite. International Journal of Hydrogen Energy, 2014, 39, 2132-2141.	3.8	10
152	Low-Temperature Reversible Hydrogen Storage Properties of LiBH ₄ : A Synergetic Effect of Nanoconfinement and Nanocatalysis. Journal of Physical Chemistry C, 2014, 118, 11252-11260.	1.5	51
153	In situ synthesis of SnO ₂ nanoparticles encapsulated in micro/mesoporous carbon foam as a high-performance anode material for lithium ion batteries. Journal of Materials Chemistry A, 2014, 2, 18367-18374.	5.2	64
154	Carbon encapsulated 3D hierarchical Fe ₃ O ₄ spheres as advanced anode materials with long cycle lifetimes for lithium-ion batteries. Journal of Materials Chemistry A, 2014, 2, 14641-14648.	5.2	62
155	SnLi _{4.4} nanoparticles encapsulated in carbon matrix as high performance anode material for lithium-ion batteries. Nano Energy, 2014, 9, 196-203.	8.2	30
156	Fluorographene nanosheets enhanced hydrogen absorption and desorption performances of magnesium hydride. International Journal of Hydrogen Energy, 2014, 39, 12715-12726.	3.8	26
157	Enhanced dehydrogenation performances and mechanism of LiBH ₄ /Mg ₁₇ Al ₁₂ -hydride composite. Transactions of Nonferrous Metals Society of China, 2014, 24, 152-157.	1.7	7
158	Superior Catalytic Effects of Transition Metal Boride Nanoparticles on the Reversible Hydrogen Storage Properties of Li-Mg-B-H System. Particle and Particle Systems Characterization, 2014, 31, 195-200.	1.2	11
159	A low temperature mechanochemical synthesis and characterization of amorphous Ni-B ultrafine nanoparticles. Materials Letters, 2013, 109, 203-206.	1.3	23
160	Influence of lanthanon hydride catalysts on hydrogen storage properties of sodium alanates. Journal of Rare Earths, 2013, 31, 502-506.	2.5	8
161	Significantly improved hydrogen storage properties of NaAlH ₄ catalyzed by Ce-based nanoparticles. Journal of Materials Chemistry A, 2013, 1, 9752.	5.2	40
162	Enhanced hydrating-dehydrating performance of a 2LiH-MgB ₂ composite by the catalytic effects of Ni-B nanoparticles. Journal of Materials Chemistry A, 2013, 1, 10184.	5.2	28

#	ARTICLE	IF	CITATIONS
163	High catalytic efficiency of amorphous TiB ₂ and NbB ₂ nanoparticles for hydrogen storage using the 2LiBH ₄ -MgH ₂ system. Journal of Materials Chemistry A, 2013, 1, 11368.	5.2	47
164	Development of Ti-Cr-Mn-Fe based alloys with high hydrogen adsorption pressures for hybrid hydrogen storage vessel application. International Journal of Hydrogen Energy, 2013, 38, 12803-12810.	3.8	61
165	Size effect on hydrogen storage properties of NaAlH ₄ confined in uniform porous carbons. Nano Energy, 2013, 2, 995-1003.	8.2	38
166	Synergetic Effect of in Situ Formed Nano NbH and LiH ₂ F ₂ for Improving Reversible Hydrogen Storage Properties of the Li-Mg-B-H System. Journal of Physical Chemistry C, 2013, 117, 12019-12025.	1.5	13
167	Influence of KH on Reversible Dehydrogenating Performance of Na-Al-H Complex Hydride. Wuli Huaxue Xuebao/ Acta Physico-Chimica Sinica, 2013, 29, 1804-1808.	2.2	0
168	Fast hydrogen release under moderate conditions from NaBH ₄ destabilized by fluorographite. RSC Advances, 2013, 4, 2550-2556.	1.7	21
169	Efficient Data Fusion Algorithm in WSNs. Journal of Networks, 2013, 8, .	0.4	0
170	Enhanced hydriding-dehydrogenating performance of 2LiBH ₄ -MgH ₂ composite by the catalytic effects of transition metal chlorides. Journal of Materials Chemistry, 2012, 22, 20764.	6.7	53
171	Effects of Fluoride Additives on the Hydrogen Storage Performance of 2LiBH ₄ -Li ₃ AlH ₆ Destabilized System. Journal of Physical Chemistry C, 2012, 116, 22226-22230.	1.5	10
172	Effects of NbF ₅ addition on the de/rehydrogenation properties of 2LiBH ₄ /MgH ₂ hydrogen storage system. International Journal of Hydrogen Energy, 2012, 37, 13147-13154.	3.8	45
173	Enhanced Hydriding-Dehydrogenating Performance of CeAl ₂ -Doped NaAlH ₄ and the Evolution of Ce-Containing Species in the Cycling. Journal of Physical Chemistry C, 2011, 115, 2537-2543.	1.5	41
174	Thermodynamics, Kinetics, and Modeling Investigation on the Dehydrogenation of CeAl ₄ -Doped NaAlH ₄ Hydrogen Storage Material. Journal of Physical Chemistry C, 2011, 115, 22680-22687.	1.5	23
175	Investigation on the nature of active species in the CeCl ₃ -doped sodium alanate system. Journal of Alloys and Compounds, 2011, 509, S750-S753.	2.8	19
176	Synthesis and dehydrogenation of CeAl ₄ -doped calcium alanate. Journal of Alloys and Compounds, 2011, 509, S743-S746.	2.8	11
177	Influence of TiC catalyst on absorption/desorption behaviors and microstructures of sodium aluminum hydride. Transactions of Nonferrous Metals Society of China, 2011, 21, 1297-1302.	1.7	6
178	Hydriding-dehydrogenating kinetics and the microstructure of La- and Sm-doped NaAlH ₄ prepared via direct synthesis method. International Journal of Hydrogen Energy, 2011, 36, 10861-10869.	3.8	32
179	Direct synthesis and hydrogen storage behaviors of nanocrystalline Na ₂ LiAlH ₆ . Journal of Materials Science, 2011, 46, 3314-3318.	1.7	8
180	Synthesis and hydriding/dehydrogenating properties of nanosized sodium alanates prepared by reactive ball-milling. International Journal of Hydrogen Energy, 2011, 36, 539-548.	3.8	12

#	ARTICLE	IF	CITATIONS
181	Direct synthesis of nanocrystalline NaAlH ₄ complex hydride for hydrogen storage. Applied Physics Letters, 2009, 94, 041907.	1.5	34
182	Reversible hydrogen storage behaviors and microstructure of TiC-doped sodium aluminum hydride. Journal of Materials Science, 2009, 44, 4700-4704.	1.7	21
183	Catalytic Mechanism of New TiC-Doped Sodium Alanate for Hydrogen Storage. Journal of Physical Chemistry C, 2009, 113, 20745-20751.	1.5	46
184	Active species of CeAl ₄ in the CeCl ₃ -doped sodium aluminium hydride and its enhancement on reversible hydrogen storage performance. Chemical Communications, 2009, , 6857.	2.2	54
185	Microstructure and electrochemical behavior of Cr-added V ₂ .1TiNi _{0.4} Zr _{0.06} Cr _{0.152} hydrogen storage electrode alloy. International Journal of Hydrogen Energy, 2007, 32, 2434-2438.	3.8	8