Nicholas Lintzeris

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/109997/publications.pdf

Version: 2024-02-01

156 papers 4,968 citations

94433 37 h-index 61 g-index

160 all docs

160 docs citations

160 times ranked 4405 citing authors

#	Article	IF	CITATIONS
1	Nabiximols as an Agonist Replacement Therapy During Cannabis Withdrawal. JAMA Psychiatry, 2014, 71, 281.	11.0	209
2	Opioid-Sparing Effect of Cannabinoids: A Systematic Review and Meta-Analysis. Neuropsychopharmacology, 2017, 42, 1752-1765.	5.4	190
3	Challenges in maintaining treatment services for people who use drugs during the COVID-19 pandemic. Harm Reduction Journal, 2020, 17, 26.	3.2	187
4	Effect of cannabis use in people with chronic non-cancer pain prescribed opioids: findings from a 4-year prospective cohort study. Lancet Public Health, The, 2018, 3, e341-e350.	10.0	172
5	Supervised injectable heroin or injectable methadone versus optimised oral methadone as treatment for chronic heroin addicts in England after persistent failure in orthodox treatment (RIOTT): a randomised trial. Lancet, The, 2010, 375, 1885-1895.	13.7	166
6	Cannabidiol (CBD) content in vaporized cannabis does not prevent tetrahydrocannabinol (THC)-induced impairment of driving and cognition. Psychopharmacology, 2019, 236, 2713-2724.	3.1	130
7	Pharmacological Treatment of Methamphetamine/Amphetamine Dependence: A Systematic Review. CNS Drugs, 2020, 34, 337-365.	5.9	105
8	The Pain and Opioids IN Treatment study. Pain, 2015, 156, 231-242.	4.2	104
9	Benzodiazepine Use among Chronic Pain Patients Prescribed Opioids: Associations with Pain, Physical and Mental Health, and Health Service Utilization. Pain Medicine, 2015, 16, 356-366.	1.9	102
10	Experience of adjunctive cannabis use for chronic non-cancer pain: Findings from the Pain and Opioids IN Treatment (POINT) study. Drug and Alcohol Dependence, 2015, 147, 144-150.	3.2	97
11	Pharmacodynamics of diazepam co-administered with methadone or buprenorphine under high dose conditions in opioid dependent patients. Drug and Alcohol Dependence, 2007, 91, 187-194.	3.2	92
12	Benzodiazepines, Methadone and Buprenorphine: Interactions and Clinical Management. American Journal on Addictions, 2010, 19, 59-72.	1.4	92
13	A randomized controlled trial of buprenorphine in the management of shortâ€ŧerm ambulatory heroin withdrawal. Addiction, 2002, 97, 1395-1404.	3.3	91
14	Unplanned pregnancy and contraceptive use in women attending drug treatment services. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 146-150.	1.0	85
15	Pharmaceutical Opioid Use and Dependence among People Living with Chronic Pain: Associations Observed within the Pain and Opioids in Treatment (POINT) Cohort. Pain Medicine, 2015, 16, 1745-1758.	1.9	78
16	Validation and implementation of the <scp>A</scp> ustralian Treatment Outcomes Profile in specialist drug and alcohol settings. Drug and Alcohol Review, 2014, 33, 33-42.	2.1	77
17	Longâ€ŧerm safety of a weekly and monthly subcutaneous buprenorphine depot (CAM2038) in the treatment of adult outâ€patients with opioid use disorder. Addiction, 2019, 114, 1416-1426.	3.3	75
18	Medical cannabis use in the Australian community following introduction of legal access: the 2018–2019 Online Cross-Sectional Cannabis as Medicine Survey (CAMS-18). Harm Reduction Journal, 2020, 17, 37.	3.2	72

#	Article	IF	Citations
19	Nabiximols for the Treatment of Cannabis Dependence. JAMA Internal Medicine, 2019, 179, 1242.	5.1	68
20	Cost-effectiveness of injectable opioid treatment <i>>v</i> . oral methadone for chronic heroin addiction. British Journal of Psychiatry, 2013, 203, 341-349.	2.8	66
21	Medicinal cannabis in Australia, 2016: the Cannabis as Medicine Survey (CAMSâ€16). Medical Journal of Australia, 2018, 209, 211-216.	1.7	66
22	Interactions on Mixing Diazepam With Methadone or Buprenorphine in Maintenance Patients. Journal of Clinical Psychopharmacology, 2006, 26, 274-283.	1.4	63
23	Methadone maintenance, QTc and torsade de pointes: Who needs an electrocardiogram and what is the prevalence of QTc prolongation?. Drug and Alcohol Review, 2011, 30, 388-396.	2.1	57
24	Agreement between definitions of pharmaceutical opioid use disorders and dependence in people taking opioids for chronic non-cancer pain (POINT): a cohort study. Lancet Psychiatry, the, 2015, 2, 314-322.	7.4	55
25	An Australian nationwide survey on medicinal cannabis use for epilepsy: History of antiepileptic drug treatment predicts medicinal cannabis use. Epilepsy and Behavior, 2017, 70, 334-340.	1.7	55
26	Opioid Agonist Treatment for Patients With Dependence on Prescription Opioids. JAMA - Journal of the American Medical Association, 2017, 317, 967.	7.4	55
27	Patient-Reported Outcomes of Treatment of Opioid Dependence With Weekly and Monthly Subcutaneous Depot vs Daily Sublingual Buprenorphine. JAMA Network Open, 2021, 4, e219041.	5.9	55
28	Implementing Buprenorphine Treatment in Community Settings in Australia: Experiences from the Buprenorphine Implementation Trial. American Journal on Addictions, 2004, 13, S29-S41.	1.4	54
29	"Should I stay or should I go?―Coming off methadone and buprenorphine treatment. International Journal of Drug Policy, 2011, 22, 77-81.	3.3	53
30	The health impacts of khat: a qualitative study among Somaliâ€Australians. Medical Journal of Australia, 2011, 195, 666-669.	1.7	51
31	Cessation of methadone maintenance treatment using buprenorphine: transfer from methadone to buprenorphine and subsequent buprenorphine reductions. Drug and Alcohol Dependence, 2003, 71, 49-55.	3.2	48
32	Prescription of Heroin for the Management of Heroin Dependence. CNS Drugs, 2009, 23, 463-476.	5.9	48
33	Factors associated with the prescribing of buprenorphine or methadone for treatment of opiate dependence. Journal of Substance Abuse Treatment, 2009, 37, 95-100.	2.8	45
34	The diversion and injection of a buprenorphine-naloxone soluble film formulation. Drug and Alcohol Dependence, 2014, 136, 21-27.	3.2	43
35	Defining problematic pharmaceutical opioid use among people prescribed opioids for chronic noncancer pain: do different measures identify the same patients?. Pain, 2016, 157, 1489-1498.	4.2	43
36	Injection of medications used in opioid substitution treatment in Australia after the introduction of a mixed partial agonist–antagonist formulation. Medical Journal of Australia, 2009, 191, 161-165.	1.7	40

#	Article	IF	CITATIONS
37	Pain, alcohol use disorders and risky patterns of drinking among people with chronic non-cancer pain receiving long-term opioid therapy. Drug and Alcohol Dependence, 2016, 162, 79-87.	3.2	40
38	Cohort protocol paper: The Pain and Opioids In Treatment (POINT) study. BMC Pharmacology & Emp; Toxicology, 2014, 15, 17.	2.4	39
39	Defined daily doses (DDD) do not accurately reflect opioid doses used in contemporary chronic pain treatment. Pharmacoepidemiology and Drug Safety, 2017, 26, 587-591.	1.9	39
40	Cognitive screening in substance users: Diagnostic accuracies of the Mini-Mental State Examination, Addenbrooke's Cognitive Examination–Revised, and Montreal Cognitive Assessment. Journal of Clinical and Experimental Neuropsychology, 2018, 40, 107-122.	1.3	38
41	An overview of takeâ€home naloxone programs in Australia. Drug and Alcohol Review, 2018, 37, 440-449.	2.1	37
42	Regulatory and other responses to the pharmaceutical opioid problem. Medical Journal of Australia, 2019, 210, 6.	1.7	36
43	Exercise increases plasma THC concentrations in regular cannabis users. Drug and Alcohol Dependence, 2013, 133, 763-767.	3.2	34
44	Findings and lessons learnt from implementing Australia's first health service based takeâ€home naloxone program. Drug and Alcohol Review, 2018, 37, 464-471.	2.1	34
45	Tracing the affordances of long-acting injectable depot buprenorphine: A qualitative study of patients' experiences in Australia. Drug and Alcohol Dependence, 2021, 227, 108959.	3.2	33
46	Methadone injecting in Australia: a tale of two cities. Addiction, 1999, 94, 1175-1178.	3.3	32
47	Realâ€time monitoring of Schedule 8 medicines in Australia: evaluation is essential. Medical Journal of Australia, 2013, 198, 80-81.	1.7	32
48	Knowledge of Opioid Overdose and Attitudes to Supply of Take-Home Naloxone Among People with Chronic Noncancer Pain Prescribed Opioids. Pain Medicine, 2018, 19, 533-540.	1.9	32
49	Detection of Δ ⁹ THC in oral fluid following vaporized cannabis with varied cannabidiol (CBD) content: An evaluation of two pointâ€ofâ€collection testing devices. Drug Testing and Analysis, 2019, 11, 1486-1497.	2.6	32
50	Lithium carbonate in the management of cannabis withdrawal: a randomized placebo-controlled trial in an inpatient setting. Psychopharmacology, 2014, 231, 4623-4636.	3.1	29
51	The introduction of a potentially abuse deterrent oxycodone formulation: Early findings from the Australian National Opioid Medications Abuse Deterrence (NOMAD) study. Drug and Alcohol Dependence, 2015, 151, 56-67.	3.2	29
52	Effectiveness and cost-effectiveness of unsupervised buprenorphine-naloxone for the treatment of heroin dependence in a randomized waitlist controlled trial. Drug and Alcohol Dependence, 2017, 174, 181-191.	3.2	29
53	Pharmaceutical opioid analgesic and heroin dependence: How do treatmentâ€seeking clients differ in Australia?. Drug and Alcohol Review, 2011, 30, 291-299.	2.1	28
54	The effect of a potentially tamper-resistant oxycodone formulation on opioid use and harm: main findings of the National Opioid Medications Abuse Deterrence (NOMAD) study. Lancet Psychiatry,the, 2018, 5, 155-166.	7.4	28

#	Article	IF	CITATIONS
55	Opioid-sparing effect of cannabinoids for analgesia: an updated systematic review and meta-analysis of preclinical and clinical studies. Neuropsychopharmacology, 2022, 47, 1315-1330.	5.4	28
56	Development of a brief tool for monitoring aberrant behaviours among patients receiving long-term opioid therapy: The Opioid-Related Behaviours In Treatment (ORBIT) scale. Drug and Alcohol Dependence, 2016, 159, 42-52.	3.2	27
57	Constipation and other common symptoms reported by women and men in methadone and buprenorphine maintenance treatment. Drug and Alcohol Dependence, 2017, 181, 132-139.	3.2	27
58	Does training people to administer takeâ€home naloxone increase their knowledge? Evidence from Australian programs. Drug and Alcohol Review, 2018, 37, 472-479.	2.1	27
59	Comparing treatmentâ€seeking codeine users and strong opioid users: Findings from a novel case series. Drug and Alcohol Review, 2015, 34, 304-311.	2.1	25
60	Opioid agonist treatment and patient outcomes during the <scp>COVID</scp> â€19 pandemic in south east Sydney, Australia. Drug and Alcohol Review, 2022, 41, 1009-1019.	2.1	25
61	Buprenorphine dosing regime for inpatient heroin withdrawal: a symptom-triggered dose titration study. Drug and Alcohol Dependence, 2003, 70, 287-294.	3.2	24
62	The sources of pharmaceuticals for problematic users of benzodiazepines and prescription opioids. Medical Journal of Australia, 2013, 199, 696-699.	1.7	24
63	Driving-Related Behaviours, Attitudes and Perceptions among Australian Medical Cannabis Users: Results from the CAMS 18-19 Survey. Accident Analysis and Prevention, 2020, 148, 105784.	5.7	24
64	Short-term outcomes of five heroin detoxification methods in the Australian NEPOD Project. Addictive Behaviors, 2005, 30, 443-456.	3.0	23
65	Unplanned admissions to two Sydney public hospitals after naltrexone implants. Medical Journal of Australia, 2008, 188, 441-444.	1.7	23
66	Drug use, health and social outcomes of hard-to-treat heroin addicts receiving supervised injectable opiate treatment: secondary outcomes from the Randomized Injectable Opioid Treatment Trial (RIOTT). Addiction, 2015, 110, 479-490.	3.3	23
67	Screening for alcohol and substance use for older people in geriatric hospital and community health settings. International Psychogeriatrics, 2015, 27, 157-166.	1.0	22
68	Supervised Injectable Opioid Treatment for the Management of Opioid Dependence. Drugs, 2018, 78, 1339-1352.	10.9	22
69	Treatment of opioid dependence with depot buprenorphine (CAM2038) in custodial settings. Addiction, 2022, 117, 382-391.	3.3	22
70	Outcomes of a single-arm implementation trial of extended-release subcutaneous buprenorphine depot injections in people with opioid dependence. International Journal of Drug Policy, 2022, 100, 103492.	3.3	22
71	Trends in licit opioid use in Australia, 1984â€1998: comparative analysis of international and jurisdictional data. Medical Journal of Australia, 2000, 173, 524-527.	1.7	21
72	Survey of Australian psychiatrists' and psychiatry trainees' knowledge about and attitudes towards medicinal cannabinoids. Australasian Psychiatry, 2019, 27, 80-85.	0.7	21

#	Article	IF	CITATIONS
73	Systematic Review of the Costs and Benefits of Prescribed Cannabis-Based Medicines for the Management of Chronic Illness: Lessons from Multiple Sclerosis. Pharmacoeconomics, 2018, 36, 67-78.	3.3	21
74	Severe opiate withdrawal in a heroin user precipitated by a massive buprenorphine dose. Medical Journal of Australia, 2002, 176, 166-7.	1.7	21
75	A randomized trial comparing levo-alpha acetylmethadol with methadone maintenance for patients in primary care settings in Australia. Addiction, 2003, 98, 1605-1613.	3.3	20
76	The outcome of a rapid hepatitis B vaccination programme in a methadone treatment clinic. Addiction, 2010, 105, 329-334.	3.3	20
77	The characteristics of a cohort who tamper with prescribed and diverted opioid medications. Journal of Substance Abuse Treatment, 2015, 58, 51-61.	2.8	20
78	Buprenorphine dosing regime in the management of out-patient heroin withdrawal. Drug and Alcohol Review, 2002, 21, 39-45.	2.1	19
79	An Evaluation of the Prescription of Opioids for Chronic Nonmalignant Pain by Australian General Practitioners. Pain Medicine, 2013, 14, 62-74.	1.9	19
80	Evaluating the potential impact of a reformulated version of oxycodone upon tampering, nonâ€adherence and diversion of opioids: the <scp>N</scp> ational <scp>O</scp> pioid <scp>M</scp> edications <scp>A</scp> buse <scp>D</scp> eterrence (<scp>NOMAD</scp>) study protocol. Addiction, 2015, 110, 226-237.	3.3	19
81	Urinary cannabinoid levels during nabiximols (Sativex \hat{A}°)-medicated inpatient cannabis withdrawal. Forensic Toxicology, 2017, 35, 33-44.	2.4	19
82	Cannabis use in patients 3 months after ceasing nabiximols for the treatment of cannabis dependence: Results from a placebo-controlled randomised trial. Drug and Alcohol Dependence, 2020, 215, 108220.	3.2	19
83	Managing opioid withdrawal precipitated by buprenorphine with buprenorphine. Drug and Alcohol Review, 2021, 40, 567-571.	2.1	19
84	Alprazolam use and related harm among opioid substitution treatment clients $\hat{a} \in 12$ months follow up after regulatory rescheduling. International Journal of Drug Policy, 2016, 36, 104-111.	3.3	18
85	Transferring Patients From Methadone to Buprenorphine: The Feasibility and Evaluation of Practice Guidelines. Journal of Addiction Medicine, 2018, 12, 234-240.	2.6	18
86	Sex differences in acute cannabis effects revisited: Results from two randomized, controlled trials. Addiction Biology, 2022, 27, e13125.	2.6	18
87	Bioavailability of Buprenorphine from Crushed and Whole Buprenorphine (Subutex) Tablets. European Addiction Research, 2010, 16, 85-90.	2.4	17
88	Randomised Controlled Trial (RCT) of cannabinoid replacement therapy (Nabiximols) for the management of treatment-resistant cannabis dependent patients: a study protocol. BMC Psychiatry, 2018, 18, 140.	2.6	17
89	Feasibility and Acceptability of an Intranasal Diamorphine Spray as an Alternative to Injectable Diamorphine for Maintenance Treatment. European Addiction Research, 2006, 12, 91-95.	2.4	16
90	The Effects of Lithium Carbonate Supplemented with Nitrazepam on Sleep Disturbance during Cannabis Abstinence. Journal of Clinical Sleep Medicine, 2015, 11, 1153-1162.	2.6	16

#	Article	IF	CITATIONS
91	Oral cannabinoid-rich THC/CBD cannabis extract for secondary prevention of chemotherapy-induced nausea and vomiting: a study protocol for a pilot and definitive randomised double-blind placebo-controlled trial (CannabisCINV). BMJ Open, 2018, 8, e020745.	1.9	16
92	Risk factors for indicators of opioid-related harms amongst people living with chronic non-cancer pain: Findings from a 5-year prospective cohort study. EClinicalMedicine, 2020, 28, 100592.	7.1	16
93	Maintenance Pharmacotherapy for Opioid Dependence and SF-36 Health Status: A Comparison With General Population Norms and Other Chronic Disorders. Addictive Disorders and Their Treatment, 2006, 5, 155-164.	0.5	15
94	Reluctant to train, reluctant to prescribe: barriers to general practitioner prescribing of opioid substitution therapy. Australian Journal of Primary Health, 2012, 18, 346.	0.9	15
95	Treatment expectations and satisfaction of treatmentâ€refractory opioidâ€dependent patients in RIOTT, the <scp>R</scp> andomised <scp>I</scp> njectable <scp>O</scp> piate <scp>T</scp> reatment <scp>T</scp> rial, the <scp>UK</scp> 's first supervised injectable maintenance clinics. Drug and Alcohol Review. 2013. 32. 566-573.	2.1	15
96	The Australian Treatment Outcomes Profile instrument as a clinical tool for older alcohol and other drug clients: A validation study. Drug and Alcohol Review, 2016, 35, 673-677.	2.1	15
97	Diversion and injection of buprenorphine-naloxone film two years post-introduction in Australia. Drug and Alcohol Review, 2016, 35, 83-91.	2.1	15
98	Assessing the validity of the Australian Treatment Outcomes Profile for telephone administration in drug health treatment populations. Drug and Alcohol Review, 2020, 39, 441-446.	2.1	15
99	Methadone and buprenorphine prescribing patterns of Victorian general practitioners: Their first 5 years after authorisation. Drug and Alcohol Review, 2011, 30, 355-359.	2.1	14
100	A latent class analysis of self-reported clinical indicators of psychosocial stability and adherence among opioid substitution therapy patients: Do stable patients receive more unsupervised doses?. Drug and Alcohol Dependence, 2014, 142, 46-55.	3.2	14
101	Substance use, health status and service utilisation of older clients attending specialist drug and alcohol services. Drug and Alcohol Review, 2016, 35, 223-231.	2.1	14
102	Depot buprenorphine during COVID-19 in Australia: Opportunities and challenges. Journal of Substance Abuse Treatment, 2021, 124, 108221.	2.8	13
103	[Commentary] FUTURE CHALLENGES FOR HEROIN AND OTHER OPIOID SUBSTITUTION TREATMENT. Addiction, 2008, 103, 967-968.	3.3	12
104	Recommendations for the Prevention, Detection, Treatment and Management of Prescription Opioid Analgesic Dependence: Outcomes From the Opioid Analgesic Dependence Education Nexus (OPEN) Meeting. International Journal of Mental Health and Addiction, 2016, 14, 313-321.	7.4	12
105	Antidepressant Use Among People Prescribed Opioids for Chronic Noncancer Pain. Pain Medicine, 2019, 20, 2450-2458.	1.9	12
106	Designing, implementing and evaluating the overdose response with takeâ€home naloxone model of care: An evaluation of client outcomes and perspectives. Drug and Alcohol Review, 2020, 39, 55-65.	2.1	12
107	Effects of Pharmacotherapies for Opioid Dependence on Participants' Criminal Behaviour and Expenditure on Illicit Drugs: An Australian National Evaluation (NEPOD). Australian and New Zealand Journal of Criminology, 2006, 39, 171-189.	2.5	11
108	Diversion of prescribed opioids by people living with chronic pain: Results from an <scp>A</scp> ustralian community sample. Drug and Alcohol Review, 2014, 33, 27-32.	2.1	11

#	Article	IF	Citations
109	Reversal of central sleep apnoea with change from methadone to buprenorphine-naloxone: a case report. European Respiratory Journal, 2015, 46, 1202-1205.	6.7	11
110	LiMA: a study protocol for a randomised, double-blind, placebo controlled trial of lisdexamfetamine for the treatment of methamphetamine dependence. BMJ Open, 2018, 8, e020723.	1.9	11
111	Safety and tolerability of oral lisdexamfetamine in adults with methamphetamine dependence: a phase-2 dose-escalation study. BMJ Open, 2021, 11, e044696.	1.9	11
112	Prevalence and correlates of cannabis use disorder among Australians using cannabis products to treat a medical condition. Drug and Alcohol Review, 2022, 41, 1095-1108.	2.1	11
113	Why do patients report transferring between methadone and buprenorphine?. Drug and Alcohol Review, 2009, 28, 686-687.	2.1	10
114	An examination of the influences on New South Wales general practitioners regarding the provision of opioid substitution therapy. Drug and Alcohol Review, 2013, 32, n/a-n/a.	2.1	10
115	Sleep Quality Among People Living With Chronic Noncancer Pain. Clinical Journal of Pain, 2016, 32, 380-387.	1.9	10
116	Estimating Centre for Disease Control and Preventionâ€defined overdose risk in people prescribed opioids for chronic nonâ€cancer pain: implications for takeâ€home naloxone provision. Internal Medicine Journal, 2019, 49, 1054-1055.	0.8	10
117	Concerns and Help-Seeking Among Patients Using Opioids for Management of Chronic Noncancer Pain. Pain Medicine, 2019, 20, 758-769.	1.9	9
118	Open-label, multicentre, single-arm trial of monthly injections of depot buprenorphine in people with opioid dependence: protocol for the CoLAB study. BMJ Open, 2020, 10, e034389.	1.9	9
119	Assessing the concurrent validity, interâ€rater reliability and test–reâ€test reliability of the Australian Treatment Outcomes Profile (ATOP) in alcohol and opioid treatment populations. Addiction, 2021, 116, 1245-1255.	3.3	9
120	Clinical correlates and outcomes associated with pregabalin use among people prescribed opioids for chronic nonâ€eancer pain: A fiveâ€year prospective cohort study. British Journal of Clinical Pharmacology, 2021, 87, 3092-3104.	2.4	9
121	Correlates of pain in an inâ€treatment sample of opioidâ€dependent people. Drug and Alcohol Review, 2013, 32, 489-494.	2.1	8
122	The introduction of buprenorphine-naloxone film in opioid substitution therapy in Australia: Uptake and issues arising from changing buprenorphine formulations. Drug and Alcohol Review, 2015, 34, 603-610.	2.1	8
123	Study protocol: a dose-escalating, phase-2 study of oral lisdexamfetamine in adults with methamphetamine dependence. BMC Psychiatry, 2016, 16, 428.	2.6	8
124	Development of a Brief Patient-Administered Screening Tool for Prescription Opioid Dependence for Primary Care Settings. Pain Medicine, 2020, 21, e79-e88.	1.9	8
125	Treating codeine dependence with buprenorphine: Dose requirements and induction outcomes from a retrospective case series in <scp>N</scp> ew <scp>S</scp> outh <scp>W</scp> ales, <scp>A</scp> ustralia. Drug and Alcohol Review, 2016, 35, 70-75.	2.1	7
126	Validation of the Australian Treatment Outcomes Profile for use in clients with cannabis dependence. Drug and Alcohol Review, 2020, 39, 356-364.	2.1	7

#	Article	IF	Citations
127	Determination of contaminants in artisanal cannabis products used for childhood epilepsy in the Australian community: A sub-analysis of the †PELICAN' study. Epilepsy and Behavior, 2022, 127, 108496.	1.7	7
128	THE USE OF SUBLINGUAL BUPRENORPHINE–NALOXONE FOR REVERSING HEROIN OVERDOSE: A HIGHâ€RISK STRATEGY THAT SHOULD NOT BE RECOMMENDED. Addiction, 2008, 103, 2065-2066.	3.3	6
129	Forming a national multicentre collaboration to conduct clinical trials: Increasing highâ€quality research in the drug and alcohol field. Drug and Alcohol Review, 2010, 29, 469-474.	2.1	6
130	Buprenorphine Diversion and Misuse in Outpatient Practice. Journal of Addiction Medicine, 2014, 8, 327-332.	2.6	6
131	Injecting buprenorphineâ€naloxone film: Findings from an explorative qualitative study. Drug and Alcohol Review, 2015, 34, 623-629.	2.1	6
132	Methadone syrup injection in Australia: a sentinel finding?. Addiction, 2003, 98, 385-386.	3.3	5
133	Randomised controlled trial (RCT) of daily aerobic exercise for inpatient cannabis withdrawal: A study protocol. Mental Health and Physical Activity, 2017, 13, 57-67.	1.8	5
134	Understanding an emerging treatment population: Protocol for and baseline characteristics of a prospective cohort of people receiving treatment for pharmaceutical opioid dependence. Drug and Alcohol Review, 2018, 37, 887-896.	2.1	5
135	Overdose and takeâ€home naloxone in emergency settings: A pilot study examining feasibility of delivering brief interventions addressing overdose prevention with †takeâ€home naloxone' in emergency departments. EMA - Emergency Medicine Australasia, 2022, 34, 509-518.	1.1	5
136	The community impact of RIOTT, a medically supervised injectable maintenance clinic in south London. Mental Health and Substance Use: Dual Diagnosis, 2010, 3, 248-259.	0.5	4
137	A typology of people who tamper with pharmaceutical opioids: responses to introduction of a tamperâ€resistant formulation of controlledâ€release oxycodone. Pharmacoepidemiology and Drug Safety, 2015, 24, 1321-1333.	1.9	4
138	Pharmaceutical Opioid Use Patterns and Indicators of Extramedical Use and Harm in Adults With Chronic Noncancer Pain, 2012-2018. JAMA Network Open, 2021, 4, e213059.	5.9	4
139	Determining clinical cutoff scores for the Australian Treatment Outcomes Profile psychological health, physical health and quality of life questions. Drug and Alcohol Review, 2021, , .	2.1	4
140	What do general practitioners want from specialist alcohol and other drug services? A qualitative study of New South Wales metropolitan general practitioners. Drug and Alcohol Review, 2022, 41, 1152-1160.	2.1	4
141	Fastâ€tracking implementation through trial design: the case of buprenorphine treatment in Victoria. Australian and New Zealand Journal of Public Health, 2009, 33, 34-39.	1.8	3
142	Opioid agonist doses for oxycodone and morphine dependence: Findings from a retrospective case series. Drug and Alcohol Review, 2017, 36, 311-316.	2.1	3
143	Acute Experimental Pain Responses in Methadone- and Buprenorphine/Naloxone-Maintained Patients Administered Additional Opioid or Gabapentin: A Double-Blind Crossover Pilot Study. Pain Medicine, 2020, 21, 1188-1198.	1.9	3
144	The effect of daily aerobic cycling exercise on sleep quality during inpatient cannabis withdrawal: A randomised controlled trial. Journal of Sleep Research, 2021, 30, e13211.	3.2	3

#	Article	IF	CITATIONS
145	Opioid prescribing in Australia: too much and not enough. Medical Journal of Australia, 2021, 215, 117-118.	1.7	3
146	Perceptions of injectable opioid agonist treatment (iOAT) among people who regularly use opioids in Australia: findings from a crossâ€sectional study in three Australian cities. Addiction, 2021, 116, 1482-1494.	3.3	3
147	Providing take home naloxone needs to be improved to prevent opioid overdose deaths. Medical Journal of Australia, 2020, 212, 307-308.	1.7	2
148	Self-reported challenges obtaining ongoing prescription opioids among Australians with chronic non-cancer pain. International Journal of Drug Policy, 2022, 105, 103708.	3.3	2
149	Commentary on Blanken <i>et al.</i> (2010): Longâ€term heroinâ€assisted treatment—some more question and answers. Addiction, 2010, 105, 309-310.	1S _{3.3}	1
150	Investigating the effect on public behaviour of patients of a Medically Supervised Injectable Maintenance Clinic. Drugs and Alcohol Today, 2011, 11, 204-209.	0.7	1
151	Authors' reply. British Journal of Psychiatry, 2014, 204, 241-242.	2.8	1
152	Cultural Adaptation and Psychometric Validation of the Australian Treatment Outcomes Profile for the Greek Population. International Journal of Mental Health and Addiction, 0, , 1.	7.4	1
153	Mood, sleep and pain comorbidity outcomes in cannabis dependent patients: Findings from a nabiximols versus placebo randomised controlled trial. Drug and Alcohol Dependence, 2022, 234, 109388.	3.2	1
154	The Overdose Response with Take Home Naloxone (<scp>ORTHN</scp>) project: Evaluation of health worker training, attitudes and perceptions. Drug and Alcohol Review, 2022, 41, 1085-1094.	2.1	1
155	Clinical Significance and Outcomes in Trial of Nabiximols for Treatment of Cannabis Dependence—Reply. JAMA Internal Medicine, 2020, 180, 163.	5.1	0
156	Response to Steele and Acheson. Drug and Alcohol Review, 2022, , .	2.1	0