## Abdelouahid Tajar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11008522/publications.pdf

Version: 2024-02-01

414414 257450 5,205 32 24 32 citations g-index h-index papers 32 32 32 5789 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Identification of Late-Onset Hypogonadism in Middle-Aged and Elderly Men. New England Journal of Medicine, 2010, 363, 123-135.	27.0	1,274
2	Hypothalamic-Pituitary-Testicular Axis Disruptions in Older Men Are Differentially Linked to Age and Modifiable Risk Factors: The European Male Aging Study. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 2737-2745.	3.6	790
3	Characteristics of Secondary, Primary, and Compensated Hypogonadism in Aging Men: Evidence from the European Male Ageing Study. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 1810-1818.	3.6	481
4	Reference Ranges for Testosterone in Men Generated Using Liquid Chromatography Tandem Mass Spectrometry in a Community-Based Sample of Healthy Nonobese Young Men in the Framingham Heart Study and Applied to Three Geographically Distinct Cohorts. Journal of Clinical Endocrinology and Metabolism, 2011, 96, 2430-2439.	3.6	332
5	Characteristics of Androgen Deficiency in Late-Onset Hypogonadism: Results from the European Male Aging Study (EMAS). Journal of Clinical Endocrinology and Metabolism, 2012, 97, 1508-1516.	3.6	258
6	Obesity and weight management in the elderly. British Medical Bulletin, 2011, 97, 169-196.	6.9	249
7	Genetic Determinants of Serum Testosterone Concentrations in Men. PLoS Genetics, 2011, 7, e1002313.	3.5	178
8	Comparison of serum testosterone and estradiol measurements in 3174 European men using platform immunoassay and mass spectrometry; relevance for the diagnostics in aging men. European Journal of Endocrinology, 2012, 166, 983-991.	3.7	169
9	Association of hypogonadism with vitamin D status: the European Male Ageing Study. European Journal of Endocrinology, 2012, 166, 77-85.	3.7	166
10	The European Male Ageing Study (EMAS): design, methods and recruitment. Journal of Developmental and Physical Disabilities, 2009, 32, 11-24.	3.6	137
11	Association between 25-hydroxyvitamin D levels and cognitive performance in middle-aged and older European men. Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 722-729.	1.9	130
12	The ability of three different models of frailty to predict all-cause mortality: Results from the European Male Aging Study (EMAS). Archives of Gerontology and Geriatrics, 2013, 57, 360-368.	3.0	121
13	The Relationships between Sex Hormones and Sexual Function in Middle-Aged and Older European Men. Journal of Clinical Endocrinology and Metabolism, 2011, 96, E1577-E1587.	3.6	103
14	Lower vitamin D levels are associated with depression among community-dwelling European men. Journal of Psychopharmacology, 2011, 25, 1320-1328.	4.0	99
15	Impaired quality of life and sexual function in overweight and obese men: the European Male Ageing Study. European Journal of Endocrinology, 2011, 164, 1003-1011.	3.7	90
16	Musculoskeletal pain is associated with very low levels of vitamin D in men: results from the European Male Ageing Study. Annals of the Rheumatic Diseases, 2010, 69, 1448-1452.	0.9	86
17	Do the Effects of Testosterone on Muscle Strength, Physical Function, Body Composition, And Quality of Life Persist Six Months after Treatment in Intermediate-Frail and Frail Elderly Men?. Journal of Clinical Endocrinology and Metabolism, 2011, 96, 454-458.	3.6	83
18	Assessment of Sexual Health in Aging Men in Europe: Development and Validation of the European Male Ageing Study Sexual Function Questionnaire. Journal of Sexual Medicine, 2008, 5, 1374-1385.	0.6	80

#	Article	IF	Citations
19	The association of frailty with serum 25-hydroxyvitamin D and parathyroid hormone levels in older European men. Age and Ageing, 2013, 42, 352-359.	1.6	74
20	Frailty in Relation to Variations in Hormone Levels of the Hypothalamic-Pituitary-Testicular Axis in Older Men: Results From the European Male Aging Study. Journal of the American Geriatrics Society, 2011, 59, 814-821.	2.6	52
21	Cohort Profile: The European Male Ageing Study. International Journal of Epidemiology, 2013, 42, 391-401.	1.9	41
22	The Onset of Widespread Musculoskeletal Pain Is Associated with a Decrease in Healthy Ageing in Older People: A Population-Based Prospective Study. PLoS ONE, 2013, 8, e59858.	2.5	33
23	Frailty and Sexual Health in Older European Men. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 837-844.	3.6	32
24	Influence of bone remodelling rate on quantitative ultrasound parameters at the calcaneus and DXA BMDa of the hip and spine in middle-aged and elderly European men: the European Male Ageing Study (EMAS). European Journal of Endocrinology, 2011, 165, 977-986.	3.7	28
25	Endogenous hormones, androgen receptor CAG repeat length and fluid cognition in middle-aged and older men: results from the European Male Ageing Study. European Journal of Endocrinology, 2010, 162, 1155-1164.	3.7	25
26	Low vitamin D and the risk of developing chronic widespread pain: results from the European male ageing study. BMC Musculoskeletal Disorders, 2016, 17, 32.	1.9	25
27	Elevated levels of gonadotrophins but not sex steroids are associated with musculoskeletal pain in middle-aged and older European men. Pain, 2011, 152, 1495-1501.	4.2	24
28	The Effect of Musculoskeletal Pain on Sexual Function in Middle-aged and Elderly European Men: Results from the European Male Ageing Study. Journal of Rheumatology, 2011, 38, 370-377.	2.0	16
29	Low testosterone in ageing men: a modifiable risk factor for frailty?. Trends in Endocrinology and Metabolism, 2011, 22, 491-498.	7.1	13
30	The association between different cognitive domains and age in a multiâ€centre study of middleâ€aged and older European men. International Journal of Geriatric Psychiatry, 2009, 24, 1257-1266.	2.7	10
31	On Concordance Measures for Discrete Data and Dependence Properties of Poisson Model. Journal of Probability and Statistics, 2009, 2009, 1-15.	0.7	3
32	Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. Journal of Rheumatology, 2009, 36, 2523-2530.	2.0	3