

Kevin C Jones

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11015676/publications.pdf>

Version: 2024-02-01

193
papers

19,966
citations

8181

76
h-index

11607

135
g-index

195
all docs

195
docs citations

195
times ranked

11178
citing authors

#	ARTICLE	IF	CITATIONS
1	Persistent Organic Pollutants (POPs) and Related Chemicals in the Global Environment: Some Personal Reflections. <i>Environmental Science & Technology</i> , 2021, 55, 9400-9412.	10.0	98
2	Evidence for Major Contributions of Unintentionally Produced PCBs in the Air of China: Implications for the National Source Inventory. <i>Environmental Science & Technology</i> , 2020, 54, 2163-2171.	10.0	60
3	Exposure of polychlorinated naphthalenes (PCNs) to Pakistani populations via non-dietary sources from neglected e-waste hubs: A problem of high health concern. <i>Environmental Pollution</i> , 2020, 259, 113838.	7.5	18
4	Seasonal variation of atmospheric organochlorine pesticides and polybrominated diphenyl ethers in Parangipettai, Tamil Nadu, India: Implication for atmospheric transport. <i>Science of the Total Environment</i> , 2019, 649, 1653-1660.	8.0	27
5	Insight into occurrence, profile and spatial distribution of organochlorine pesticides in soils of solid waste dumping sites of Pakistan: Influence of soil properties and implications for environmental fate. <i>Ecotoxicology and Environmental Safety</i> , 2019, 170, 195-204.	6.0	15
6	Assessing the level and sources of Polycyclic Aromatic Hydrocarbons (PAHs) in soil and sediments along Jhelum riverine system of lesser Himalayan region of Pakistan. <i>Chemosphere</i> , 2019, 216, 640-652.	8.2	33
7	The first countrywide monitoring of selected POPs: Polychlorinated biphenyls (PCBs), polybrominated diphenyl ethers (PBDEs) and selected organochlorine pesticides (OCPs) in the atmosphere of Turkey. <i>Atmospheric Environment</i> , 2018, 177, 154-165.	4.1	35
8	Higher atmospheric levels and contribution of black carbon in soil-air partitioning of organochlorines in Lesser Himalaya. <i>Chemosphere</i> , 2018, 191, 787-798.	8.2	15
9	Sedimentary black carbon and organochlorines in Lesser Himalayan Region of Pakistan: Relationship along the altitude. <i>Science of the Total Environment</i> , 2018, 621, 1568-1580.	8.0	13
10	Role of black carbon in soil distribution of organochlorines in Lesser Himalayan Region of Pakistan. <i>Environmental Pollution</i> , 2018, 236, 971-982.	7.5	14
11	Assessing residual status and spatial variation of current-use pesticides under the influence of environmental factors in major cash crop growing areas of Pakistan. <i>Chemosphere</i> , 2018, 212, 486-496.	8.2	6
12	Occurrence and spatial distribution of neutral perfluoroalkyl substances and cyclic volatile methylsiloxanes in the atmosphere of the Tibetan Plateau. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 8745-8755.	4.9	43
13	Modeling the Time-Variant Dietary Exposure of PCBs in China over the Period 1930 to 2100. <i>Environmental Science & Technology</i> , 2018, 52, 7371-7379.	10.0	16
14	Accounting for water levels and black carbon-inclusive sediment-water partitioning of organochlorines in Lesser Himalaya, Pakistan using two-carbon model. <i>Environmental Science and Pollution Research</i> , 2018, 25, 24653-24667.	5.3	5
15	Long-Term Temporal Trends of Polychlorinated Biphenyls and Their Controlling Sources in China. <i>Environmental Science & Technology</i> , 2017, 51, 2838-2845.	10.0	42
16	Polybrominated diphenyl ethers (PBDEs) and alternative flame retardants (NFRs) in indoor and outdoor air and indoor dust from Istanbul-Turkey: Levels and an assessment of human exposure. <i>Atmospheric Pollution Research</i> , 2017, 8, 801-815.	3.8	66
17	Passive air sampling of polybrominated diphenyl ethers in New Delhi, Kolkata, Mumbai and Chennai: Levels, homologous profiling and source apportionment. <i>Environmental Pollution</i> , 2017, 231, 1181-1187.	7.5	40
18	Pesticides contaminated dust exposure, risk diagnosis and exposure markers in occupational and residential settings of Lahore, Pakistan. <i>Environmental Toxicology and Pharmacology</i> , 2017, 56, 375-382.	4.0	32

#	ARTICLE	IF	CITATIONS
19	Organohalogenated contaminants (OHCs) in high-altitude environments: A review and implication for a black carbon relationship. <i>Critical Reviews in Environmental Science and Technology</i> , 2017, 47, 1143-1190.	12.8	6
20	Soil concentrations, occurrence, sources and estimation of air-soil exchange of polychlorinated biphenyls in Indian cities. <i>Science of the Total Environment</i> , 2016, 562, 928-934.	8.0	58
21	Concentrations and patterns of organochlorines (OCs) in various fish species from the Indus River, Pakistan: A human health risk assessment. <i>Science of the Total Environment</i> , 2016, 541, 1232-1242.	8.0	52
22	Tracking the Global Distribution of Persistent Organic Pollutants Accounting for E-Waste Exports to Developing Regions. <i>Environmental Science & Technology</i> , 2016, 50, 798-805.	10.0	121
23	Organochlorine pesticides (OCPs) in the Indus River catchment area, Pakistan: Status, soil-air exchange and black carbon mediated distribution. <i>Chemosphere</i> , 2016, 152, 292-300.	8.2	40
24	Significance of black carbon in the sediment-water partitioning of organochlorine pesticides (OCPs) in the Indus River, Pakistan. <i>Ecotoxicology and Environmental Safety</i> , 2016, 126, 177-185.	6.0	42
25	Tracking the fingerprints and combined TOC-black carbon mediated soil-air partitioning of polychlorinated naphthalenes (PCNs) in the Indus River Basin of Pakistan. <i>Environmental Pollution</i> , 2016, 208, 850-858.	7.5	12
26	Current status of persistent organic pesticides residues in air, water, and soil, and their possible effect on neighboring countries: A comprehensive review of India. <i>Science of the Total Environment</i> , 2015, 511, 123-137.	8.0	463
27	Influential role of black carbon in the soil-air partitioning of polychlorinated biphenyls (PCBs) in the Indus River Basin, Pakistan. <i>Chemosphere</i> , 2015, 134, 172-180.	8.2	36
28	Assessing the combined influence of TOC and black carbon in soil-air partitioning of PBDEs and DPs from the Indus River Basin, Pakistan. <i>Environmental Pollution</i> , 2015, 201, 131-140.	7.5	47
29	Elevated Mobility of Persistent Organic Pollutants in the Soil of a Tropical Rainforest. <i>Environmental Science & Technology</i> , 2015, 49, 4302-4309.	10.0	16
30	Emerging issue of e-waste in Pakistan: A review of status, research needs and data gaps. <i>Environmental Pollution</i> , 2015, 207, 308-318.	7.5	104
31	A first European scale multimedia fate modelling of BDE-209 from 1970 to 2020. <i>Environment International</i> , 2015, 74, 71-81.	10.0	20
32	Organochlorine pesticides in surface soils from obsolete pesticide dumping ground in Hyderabad City, Pakistan: Contamination levels and their potential for air-soil exchange. <i>Science of the Total Environment</i> , 2014, 470-471, 733-741.	8.0	77
33	The impact of polybrominated diphenyl ether prohibition: A case study on the atmospheric levels in China, Japan and South Korea. <i>Atmospheric Research</i> , 2014, 143, 57-63.	4.1	14
34	Organochlorine pesticides (OCPs) in South Asian region: A review. <i>Science of the Total Environment</i> , 2014, 476-477, 705-717.	8.0	202
35	Accumulation of Perfluoroalkyl Compounds in Tibetan Mountain Snow: Temporal Patterns from 1980 to 2010. <i>Environmental Science & Technology</i> , 2014, 48, 173-181.	10.0	75
36	Tracking the Global Generation and Exports of e-Waste. Do Existing Estimates Add up?. <i>Environmental Science & Technology</i> , 2014, 48, 8735-8743.	10.0	201

#	ARTICLE	IF	CITATIONS
37	Occurrence of polycyclic aromatic hydrocarbons in the Soan River, Pakistan: Insights into distribution, composition, sources and ecological risk assessment. <i>Ecotoxicology and Environmental Safety</i> , 2014, 109, 77-84.	6.0	57
38	PCNs (polychlorinated naphthalenes): Dietary exposure via cereal crops, distribution and screening-level risk assessment in wheat, rice, soil and air along two tributaries of the River Chenab, Pakistan. <i>Science of the Total Environment</i> , 2014, 481, 409-417.	8.0	30
39	Screening of Atmospheric Short- and Medium-Chain Chlorinated Paraffins in India and Pakistan using Polyurethane Foam Based Passive Air Sampler. <i>Environmental Science & Technology</i> , 2014, 48, 4799-4808.	10.0	80
40	Assessing the relationship and influence of black carbon on distribution status of organochlorines in the coastal sediments from Pakistan. <i>Environmental Pollution</i> , 2014, 190, 82-90.	7.5	46
41	Levels, distribution and air-soil exchange fluxes of polychlorinated biphenyls (PCBs) in the environment of Punjab Province, Pakistan. <i>Ecotoxicology and Environmental Safety</i> , 2013, 97, 189-195.	6.0	65
42	Challenges in assessing release, exposure and fate of silver nanoparticles within the UK environment. <i>Environmental Sciences: Processes and Impacts</i> , 2013, 15, 2050.	3.5	31
43	Industrial source identification and emission estimation of perfluorooctane sulfonate in China. <i>Environment International</i> , 2013, 52, 1-8.	10.0	275
44	The presence of EU priority substances mercury, hexachlorobenzene, hexachlorobutadiene and PBDEs in wild fish from four English rivers. <i>Science of the Total Environment</i> , 2013, 461-462, 441-452.	8.0	74
45	Atmospheric polychlorinated biphenyls in Indian cities: Levels, emission sources and toxicity equivalents. <i>Environmental Pollution</i> , 2013, 182, 283-290.	7.5	61
46	Levels, profile and distribution of Dechloran Plus (DP) and Polybrominated Diphenyl Ethers (PBDEs) in the environment of Pakistan. <i>Chemosphere</i> , 2013, 93, 1646-1653.	8.2	51
47	Organochlorine pesticides in air and soil and estimated air-soil exchange in Punjab, Pakistan. <i>Science of the Total Environment</i> , 2013, 444, 491-497.	8.0	125
48	Estimating European historical production, consumption and atmospheric emissions of decabromodiphenyl ether. <i>Science of the Total Environment</i> , 2013, 447, 133-142.	8.0	33
49	Monsoon-Driven Transport of Organochlorine Pesticides and Polychlorinated Biphenyls to the Tibetan Plateau: Three Year Atmospheric Monitoring Study. <i>Environmental Science & Technology</i> , 2013, 47, 3199-3208.	10.0	153
50	Chemical measures of bioavailability/bioaccessibility of PAHs in soil: Fundamentals to application. <i>Journal of Hazardous Materials</i> , 2013, 261, 687-700.	12.4	114
51	Atmospheric Transport, Cycling and Dynamics of Polychlorinated Biphenyls (PCBs) from Source Regions to Remote Oceanic Areas. <i>ACS Symposium Series</i> , 2013, , 3-18.	0.5	10
52	Estimating the aquatic emissions and fate of perfluorooctane sulfonate (PFOS) into the river Rhine. <i>Journal of Environmental Monitoring</i> , 2012, 14, 524-530.	2.1	12
53	Using passive air samplers to assess local sources versus long range atmospheric transport of POPs. <i>Journal of Environmental Monitoring</i> , 2012, 14, 2580.	2.1	15
54	Assessment of sorbent impregnated PUF disks (SIPs) for long-term sampling of legacy POPs. <i>Journal of Environmental Monitoring</i> , 2012, 14, 71-78.	2.1	17

#	ARTICLE	IF	CITATIONS
55	Factors Affecting the Occurrence and Transport of Atmospheric Organochlorines in the China Sea and the Northern Indian and South East Atlantic Oceans. <i>Environmental Science & Technology</i> , 2012, 46, 10012-10021.	10.0	44
56	Atmospheric Short-Chain Chlorinated Paraffins in China, Japan, and South Korea. <i>Environmental Science & Technology</i> , 2012, 46, 11948-11954.	10.0	104
57	Potential implications of future climate and land-use changes for the fate and distribution of persistent organic pollutants in Europe. <i>Global Ecology and Biogeography</i> , 2012, 21, 64-74.	5.8	18
58	The contribution of waste water treatment plants to PBDEs in ambient air. <i>Environmental Pollution</i> , 2012, 169, 242-247.	7.5	27
59	Understanding and Harnessing the Health Effects of Rapid Urbanization in China. <i>Environmental Science & Technology</i> , 2011, 45, 5099-5104.	10.0	139
60	Are Reductions in Industrial Organic Contaminants Emissions in Rich Countries Achieved Partly by Export of Toxic Wastes?. <i>Environmental Science & Technology</i> , 2011, 45, 9154-9160.	10.0	95
61	The formation of bound residues of diazinon in four UK soils: Implications for risk assessment. <i>Environmental Pollution</i> , 2011, 159, 776-781.	7.5	16
62	PBDEs in the atmosphere over the Asian marginal seas, and the Indian and Atlantic oceans. <i>Atmospheric Environment</i> , 2011, 45, 6622-6628.	4.1	31
63	The extractability and mineralisation of cypermethrin aged in four UK soils. <i>Chemosphere</i> , 2011, 82, 187-192.	8.2	29
64	Modelling the fate of hydrophobic organic contaminants in a boreal forest catchment: A cross disciplinary approach to assessing diffuse pollution to surface waters. <i>Environmental Pollution</i> , 2010, 158, 2964-2969.	7.5	25
65	Field Evaluation of Polyurethane Foam Passive Air Samplers to Assess Airborne PAHs in Occupational Environments. <i>Environmental Science & Technology</i> , 2010, 44, 749-754.	10.0	54
66	Temporal Trends and Controlling Factors for Polychlorinated Biphenyls in the UK Atmosphere (1991~2008). <i>Environmental Science & Technology</i> , 2010, 44, 8068-8074.	10.0	59
67	Passive Air Sampling of Organochlorine Pesticides, Polychlorinated Biphenyls, and Polybrominated Diphenyl Ethers Across the Tibetan Plateau. <i>Environmental Science & Technology</i> , 2010, 44, 2988-2993.	10.0	154
68	Diurnal Fluctuations in Polybrominated Diphenyl Ether Concentrations During and After a Severe Dust Storm Episode in Kuwait City, Kuwait. <i>Environmental Science & Technology</i> , 2010, 44, 8114-8120.	10.0	15
69	Binary Mixture Effects by PBDE Congeners (47, 153, 183, or 209) and PCB Congeners (126 or 153) in MCF-7 Cells: Biochemical Alterations Assessed by IR Spectroscopy and Multivariate Analysis. <i>Environmental Science & Technology</i> , 2010, 44, 3992-3998.	10.0	61
70	Trends in European Background Air Reflect Reductions in Primary Emissions of PCBs and PBDEs. <i>Environmental Science & Technology</i> , 2010, 44, 6760-6766.	10.0	73
71	Selected Organochlorine Pesticides in the Atmosphere of Major Indian Cities: Levels, Regional versus Local Variations, and Sources. <i>Environmental Science & Technology</i> , 2010, 44, 8038-8043.	10.0	152
72	Investigation of source apportioning for α -HCH using enantioselective analysis. <i>Environment International</i> , 2010, 36, 316-322.	10.0	17

#	ARTICLE	IF	CITATIONS
73	Field-derived Henry's law constants for polychlorinated biphenyls in oceanic waters. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	7
74	Continuous Monitoring of PCDD/Fs in the UK Atmosphere: 1991-2008. <i>Environmental Science & Technology</i> , 2010, 44, 5735-5740.	10.0	46
75	Past, Present, and Future Controls on Levels of Persistent Organic Pollutants in the Global Environment. <i>Environmental Science & Technology</i> , 2010, 44, 6526-6531.	10.0	214
76	Screening for PFOS and PFOA in European air using passive samplers. <i>Journal of Environmental Monitoring</i> , 2010, 12, 1100.	2.1	33
77	Further studies on the uptake of persistent organic pollutants (POPs) by polyurethane foam disk passive air samplers. <i>Atmospheric Environment</i> , 2009, 43, 3843-3849.	4.1	54
78	Polybrominated Diphenyl Ether-Associated Alterations in Cell Biochemistry as Determined by Attenuated Total Reflection Fourier-Transform Infrared Spectroscopy: a Comparison with DNA-Reactive and/or Endocrine-Disrupting Agents. <i>Environmental Science & Technology</i> , 2009, 43, 3356-3364.	10.0	39
79	Seasonal Patterns and Current Sources of DDTs, Chlordanes, Hexachlorobenzene, and Endosulfan in the Atmosphere of 37 Chinese Cities. <i>Environmental Science & Technology</i> , 2009, 43, 1316-1321.	10.0	157
80	Use of Depuration Compounds in Passive Air Samplers: Results from Active Sampling-Supported Field Deployment, Potential Uses, and Recommendations. <i>Environmental Science & Technology</i> , 2009, 43, 3227-3232.	10.0	76
81	A First Global Production, Emission, And Environmental Inventory For Perfluorooctane Sulfonate. <i>Environmental Science & Technology</i> , 2009, 43, 386-392.	10.0	839
82	Multimedia Partitioning, Overall Persistence, and Long-Range Transport Potential in the Context of POPs and PBT Chemical Assessments. <i>Integrated Environmental Assessment and Management</i> , 2009, 5, 557-576.	2.9	53
83	Seasonally Resolved Concentrations of Persistent Organic Pollutants in the Global Atmosphere from the First Year of the GAPS Study. <i>Environmental Science & Technology</i> , 2009, 43, 796-803.	10.0	277
84	A study of aerosol entrapment and the influence of wind speed, chamber design and foam density on polyurethane foam passive air samplers used for persistent organic pollutants. <i>Journal of Environmental Monitoring</i> , 2009, 11, 1135.	2.1	57
85	Field calibration of polyurethane foam disk passive air samplers for PBDEs. <i>Journal of Environmental Monitoring</i> , 2009, 11, 1859.	2.1	30
86	Observations on persistent organic pollutants in indoor and outdoor air using passive polyurethane foam samplers. <i>Atmospheric Environment</i> , 2008, 42, 7234-7241.	4.1	108
87	Polychlorinated biphenyls in air and water of the North Atlantic and Arctic Ocean. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	85
88	Field calibration of polyurethane foam (PUF) disk passive air samplers for PCBs and OC pesticides. <i>Environmental Pollution</i> , 2008, 156, 1290-1297.	7.5	105
89	Relationships between organic matter, black carbon and persistent organic pollutants in European background soils: Implications for sources and environmental fate. <i>Environmental Pollution</i> , 2008, 156, 809-817.	7.5	165
90	Decabromodiphenyl ether (deca-BDE) commercial mixture components, and other PBDEs, in airborne particles at a UK site. <i>Environment International</i> , 2008, 34, 412-419.	10.0	42

#	ARTICLE	IF	CITATIONS
91	Field derived accumulation and release kinetics of DDTs in plants. <i>Chemosphere</i> , 2008, 72, 1497-1503.	8.2	9
92	Spatial biomonitoring of persistent organic pollutants in Iran: a study using locally produced butter. <i>Journal of Environmental Monitoring</i> , 2008, 10, 861.	2.1	16
93	Measurement and Modeling of Diel Variability of Polybrominated Diphenyl Ethers and Chlordanes in Air. <i>Environmental Science & Technology</i> , 2008, 42, 3219-3225.	10.0	24
94	Passive Atmospheric Sampling of Organochlorine Pesticides, Polychlorinated Biphenyls, and Polybrominated Diphenyl Ethers in Urban, Rural, and Wetland Sites along the Coastal Length of India. <i>Environmental Science & Technology</i> , 2008, 42, 8218-8223.	10.0	231
95	Accumulation Parameters and Seasonal Trends for PCBs in Temperate and Boreal Forest Plant Species. <i>Environmental Science & Technology</i> , 2008, 42, 5911-5916.	10.0	56
96	Polychlorinated Biphenyls (PCBs) in Air and Seawater of the Atlantic Ocean: Sources, Trends and Processes. <i>Environmental Science & Technology</i> , 2008, 42, 1416-1422.	10.0	119
97	Persistent Organic Pollutants (Pops) and Air-Soil Exchange: Case Studies for Ddts. NATO Science for Peace and Security Series C: Environmental Security, 2008, , 315-331.	0.2	4
98	Exposure of Electronics Dismantling Workers to Polybrominated Diphenyl Ethers, Polychlorinated Biphenyls, and Organochlorine Pesticides in South China. <i>Environmental Science & Technology</i> , 2007, 41, 5647-5653.	10.0	328
99	Chapter 2 The use of different designs of passive samplers for air monitoring of persistent organic pollutants. <i>Comprehensive Analytical Chemistry</i> , 2007, 48, 33-56.	1.3	2
100	Validation of an passive atmospheric deposition sampler for polybrominated diphenyl ethers. <i>Journal of Environmental Monitoring</i> , 2007, 9, 1176.	2.1	12
101	Passive air sampling of DDT, chlordane and HCB in the Pearl River Delta, South China: implications to regional sources. <i>Journal of Environmental Monitoring</i> , 2007, 9, 582.	2.1	68
102	Enantioselective Degradation of Organochlorine Pesticides in Background Soils: Variability in Field and Laboratory Studies. <i>Environmental Science & Technology</i> , 2007, 41, 4965-4971.	10.0	41
103	Polycyclic aromatic hydrocarbons (PAHs) in the air of Chinese cities. <i>Journal of Environmental Monitoring</i> , 2007, 9, 1092.	2.1	27
104	Occupational and indoor air exposure to persistent organic pollutants: A review of passive sampling techniques and needs. <i>Journal of Environmental Monitoring</i> , 2007, 9, 501.	2.1	63
105	Polychlorinated Naphthalenes in the Global Atmospheric Passive Sampling (GAPS) Study. <i>Environmental Science & Technology</i> , 2007, 41, 2680-2687.	10.0	97
106	Coupling Passive Air Sampling with Emission Estimates and Chemical Fate Modeling for Persistent Organic Pollutants (POPs): A Feasibility Study for Northern Europe. <i>Environmental Science & Technology</i> , 2007, 41, 2165-2171.	10.0	35
107	Distribution of Organochlorine Pesticides in the Northern South China Sea: Implications for Land Outflow and Air-Sea Exchange. <i>Environmental Science & Technology</i> , 2007, 41, 3884-3890.	10.0	109
108	Assessing the importance of ab- and adsorption to the gas-particle partitioning of PCDD/Fs. <i>Atmospheric Environment</i> , 2007, 41, 7767-7777.	4.1	17

#	ARTICLE	IF	CITATIONS
109	Air-water distribution of hexachlorobenzene and 4,4'-DDE along a North-South Atlantic transect. <i>Marine Pollution Bulletin</i> , 2007, 54, 814-819.	5.0	17
110	Towards a global historical emission inventory for selected PCB congeners - A mass balance approach. <i>Science of the Total Environment</i> , 2007, 377, 296-307.	8.0	420
111	Toward a Global Network for Persistent Organic Pollutants in Air: Results from the GAPS Study. <i>Environmental Science & Technology</i> , 2006, 40, 4867-4873.	10.0	386
112	Persistent organic pollutants in European background air: derivation of temporal and latitudinal trends. <i>Journal of Environmental Monitoring</i> , 2006, 8, 700.	2.1	78
113	Verifying emission factors and national POPs emission inventories for the UK using measurements and modelling at two rural locations. <i>Journal of Environmental Monitoring</i> , 2006, 8, 79-88.	2.1	10
114	Microcosm studies on the air-soil exchange of hexachlorobenzene and polychlorinated biphenyls. <i>Journal of Environmental Monitoring</i> , 2006, 8, 1227-1234.	2.1	4
115	Quantifying the importance of the atmospheric sink for polychlorinated dioxins and furans relative to other global loss processes. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	13
116	Accumulation of Persistent Organic Pollutants in Canopies of Different Forest Types: Role of Species Composition and Altitudinal-Temperature Gradient. <i>Environmental Science & Technology</i> , 2006, 40, 6580-6586.	10.0	33
117	Passive air sampling for persistent organic pollutants: Introductory remarks to the special issue. <i>Environmental Pollution</i> , 2006, 144, 361-364.	7.5	96
118	Continental scale passive air sampling of persistent organic pollutants using rapidly equilibrating thin films (POGs). <i>Environmental Pollution</i> , 2006, 144, 423-433.	7.5	24
119	Short and medium chain length chlorinated paraffins in UK human milk fat. <i>Environment International</i> , 2006, 32, 34-40.	10.0	104
120	Organohalogen chemicals in human blood from the United Kingdom. <i>Environmental Pollution</i> , 2006, 141, 30-41.	7.5	186
121	PREDICTION OF POLYCYCLIC AROMATIC HYDROCARBON BIODEGRADATION IN CONTAMINATED SOILS USING AN AQUEOUS HYDROXYPROPYL- β -CYCLODEXTRIN EXTRACTION TECHNIQUE. <i>Environmental Toxicology and Chemistry</i> , 2005, 24, 1325.	4.3	100
122	EFFECT OF CYCLODEXTRIN AND TRANSFORMER OIL AMENDMENTS ON THE CHEMICAL EXTRACTABILITY OF AGED [14C]POLYCHLORINATED BIPHENYL AND [14C]POLYCYCLIC AROMATIC HYDROCARBON RESIDUES IN SOIL. <i>Environmental Toxicology and Chemistry</i> , 2005, 24, 2138.	4.3	7
123	Hexachlorobenzene in the global environment: Emissions, levels, distribution, trends and processes. <i>Science of the Total Environment</i> , 2005, 349, 1-44.	8.0	369
124	Passive Air Sampling of Polychlorinated Biphenyls, Organochlorine Compounds, and Polybrominated Diphenyl Ethers Across Asia. <i>Environmental Science & Technology</i> , 2005, 39, 8638-8645.	10.0	306
125	Perfluorinated Sulfonamides in Indoor and Outdoor Air and Indoor Dust: Occurrence, Partitioning, and Human Exposure. <i>Environmental Science & Technology</i> , 2005, 39, 6599-6606.	10.0	278
126	Chiral Organochlorine Pesticide Signatures in Global Background Soils. <i>Environmental Science & Technology</i> , 2005, 39, 8671-8677.	10.0	117

#	ARTICLE	IF	CITATIONS
127	PCBs and Selected Organochlorine Compounds in Italian Mountain Air: The Influence of Altitude and Forest Ecosystem Type. <i>Environmental Science & Technology</i> , 2005, 39, 3455-3463.	10.0	76
128	Time Trends of Atmospheric PBDEs Inferred from Archived U.K. Herbage. <i>Environmental Science & Technology</i> , 2005, 39, 2436-2441.	10.0	38
129	Spatial and Temporal Variability in Air Concentrations of Short-Chain (C10-C13) and Medium-Chain (C14-C17) Chlorinated Alkanes Measured in the U.K. Atmosphere. <i>Environmental Science & Technology</i> , 2005, 39, 4407-4415.	10.0	87
130	Distribution of Aged PCB and PAH Residues in Particle-Size and Humic Fractions of an Agricultural Soil. <i>Environmental Science & Technology</i> , 2005, 39, 6575-6583.	10.0	75
131	Polybrominated Diphenyl Ethers in Indoor Dust in Ottawa, Canada: Implications for Sources and Exposure. <i>Environmental Science & Technology</i> , 2005, 39, 7027-7035.	10.0	345
132	The role of soil organic carbon in the global cycling of persistent organic pollutants (POPs): interpreting and modelling field data. <i>Chemosphere</i> , 2005, 60, 959-972.	8.2	169
133	Reconstruction of historical trends of PCDD/Fs and PCBs in the Venice Lagoon, Italy. <i>Environment International</i> , 2005, 31, 1047-1052.	10.0	20
134	Different Levels of Polybrominated Diphenyl Ethers (PBDEs) and Chlorinated Compounds in Breast Milk from Two U.K. Regions. <i>Environmental Health Perspectives</i> , 2004, 112, 1085-1091.	6.0	198
135	INFLUENCE OF HYDROXYPROPYL- β -CYCLODEXTRIN ON THE EXTRACTION AND BIODEGRADATION OF PHENANTHRENE IN SOIL. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 550.	4.3	44
136	PASSIVE AIR SAMPLING OF POLYCYCLIC AROMATIC HYDROCARBONS AND POLYCHLORINATED NAPHTHALENES ACROSS EUROPE. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 1355.	4.3	162
137	Evidence for Dynamic Air-Water Coupling and Cycling of Persistent Organic Pollutants over the Open Atlantic Ocean. <i>Environmental Science & Technology</i> , 2004, 38, 2617-2625.	10.0	113
138	PBDEs in the Atmosphere of Three Locations in Western Europe. <i>Environmental Science & Technology</i> , 2004, 38, 699-706.	10.0	110
139	Passive Sampling Survey of Polybrominated Diphenyl Ether Flame Retardants in Indoor and Outdoor Air in Ottawa, Canada: Implications for Sources and Exposure. <i>Environmental Science & Technology</i> , 2004, 38, 5312-5318.	10.0	288
140	Potential Contamination of Shipboard Air Samples by Diffusive Emissions of PCBs and Other Organic Pollutants: Implications and Solutions. <i>Environmental Science & Technology</i> , 2004, 38, 3965-3970.	10.0	49
141	Maximum reservoir capacity of vegetation for persistent organic pollutants: Implications for global cycling. <i>Global Biogeochemical Cycles</i> , 2004, 18, n/a-n/a.	4.9	38
142	Further Studies on the Latitudinal and Temporal Trends of Persistent Organic Pollutants in Norwegian and U.K. Background Air. <i>Environmental Science & Technology</i> , 2004, 38, 2523-2530.	10.0	91
143	Peer Reviewed: Defining Bioavailability and Bioaccessibility of Contaminated Soil and Sediment is Complicated. <i>Environmental Science & Technology</i> , 2004, 38, 228A-231A.	10.0	558
144	Modelling the atmospheric fate and seasonality of polycyclic aromatic hydrocarbons in the UK. <i>Chemosphere</i> , 2004, 56, 195-208.	8.2	30

#	ARTICLE	IF	CITATIONS
145	Spatial distribution of atmospheric PAHs and PCNs along a north-south Atlantic transect. <i>Environmental Pollution</i> , 2004, 132, 173-181.	7.5	61
146	Passive Air Sampling of PCBs, PBDEs, and Organochlorine Pesticides Across Europe. <i>Environmental Science & Technology</i> , 2004, 38, 34-41.	10.0	497
147	Processes controlling diurnal variations of PCDD/Fs in the New Jersey coastal atmosphere. <i>Atmospheric Environment</i> , 2003, 37, 959-969.	4.1	27
148	PAHs, PCBs, PCNs, Organochlorine Pesticides, Synthetic Musks, and Polychlorinated n-Alkanes in U.K. Sewage Sludge: A Survey Results and Implications. <i>Environmental Science & Technology</i> , 2003, 37, 462-467.	10.0	317
149	Study of Plant-Air Transfer of PCBs from an Evergreen Shrub: Implications for Mechanisms and Modeling. <i>Environmental Science & Technology</i> , 2003, 37, 3838-3844.	10.0	41
150	Characterization of Polymer-Coated Glass as a Passive Air Sampler for Persistent Organic Pollutants. <i>Environmental Science & Technology</i> , 2003, 37, 2486-2493.	10.0	131
151	The global re-cycling of persistent organic pollutants is strongly retarded by soils. <i>Environmental Pollution</i> , 2003, 121, 75-80.	7.5	154
152	Understanding levels and trends of BDE-47 in the UK and North America: an assessment of principal reservoirs and source inputs. <i>Environment International</i> , 2003, 29, 691-698.	10.0	164
153	Peer Reviewed: Nonextractable Pesticide Residues in Soil. <i>Environmental Science & Technology</i> , 2003, 37, 138A-144A.	10.0	38
154	Oceanic Biogeochemical Controls on Global Dynamics of Persistent Organic Pollutants. <i>Environmental Science & Technology</i> , 2002, 36, 4229-4237.	10.0	345
155	Towards a global historical emission inventory for selected PCB congeners - a mass balance approach1. Global production and consumption. <i>Science of the Total Environment</i> , 2002, 290, 181-198.	8.0	647
156	Towards a global historical emission inventory for selected PCB congeners - a mass balance approach2. Emissions. <i>Science of the Total Environment</i> , 2002, 290, 199-224.	8.0	458
157	A congener-specific PCDD/F emissions inventory for the UK: do current estimates account for the measured atmospheric burden?. <i>Chemosphere</i> , 2001, 43, 183-194.	8.2	68
158	Survey of PCDD/Fs and non-ortho PCBs in UK sewage sludges. <i>Chemosphere</i> , 2001, 44, 1455-1462.	8.2	58
159	Further Developments in the Use of Semipermeable Membrane Devices (SPMDs) as Passive Air Samplers for Persistent Organic Pollutants: A Field Application in a Spatial Survey of PCDD/Fs and PAHs. <i>Environmental Science & Technology</i> , 2001, 35, 2576-2582.	10.0	94
160	Polychlorinated Naphthalenes in U.K. Soils: Time Trends, Markers of Source, and Equilibrium Status. <i>Environmental Science & Technology</i> , 2001, 35, 4205-4213.	10.0	108
161	Occurrence of C10-C13 polychlorinated n-alkanes in the atmosphere of the United Kingdom. <i>Atmospheric Environment</i> , 2000, 34, 3085-3090.	4.1	53
162	Gas-particle partitioning of PCDD/Fs in daily air samples. <i>Atmospheric Environment</i> , 2000, 34, 2529-2537.	4.1	68

#	ARTICLE	IF	CITATIONS
163	Title is missing!. Water, Air, and Soil Pollution, 2000, 121, 379-398.	2.4	18
164	Nonexhaustive Cyclodextrin-Based Extraction Technique for the Evaluation of PAH Bioavailability. Environmental Science & Technology, 2000, 34, 3174-3179.	10.0	343
165	A Comparative Study of the Gas-Particle Partitioning of PCDD/Fs, PCBs, and PAHs. Environmental Science & Technology, 2000, 34, 4943-4951.	10.0	177
166	Polychlorinated Naphthalenes in the Atmosphere of the United Kingdom. Environmental Science & Technology, 2000, 34, 3137-3142.	10.0	53
167	Short-Term Temperature-Dependent Air-Surface Exchange and Atmospheric Concentrations of Polychlorinated Naphthalenes and Organochlorine Pesticides. Environmental Science & Technology, 2000, 34, 393-398.	10.0	76
168	Evidence for Dynamic Air-Water Exchange of PCDD/Fs: A Study in the Raritan Bay/Hudson River Estuary. Environmental Science & Technology, 2000, 34, 3086-3093.	10.0	49
169	Sedimentary Record of Polychlorinated Naphthalene Concentrations and Deposition Fluxes in a Dated Lake Core. Environmental Science & Technology, 2000, 34, 33-38.	10.0	64
170	Declining PCB Concentrations in the U.K. Atmosphere: Evidence and Possible Causes. Environmental Science & Technology, 2000, 34, 863-869.	10.0	83
171	Assessing the Contribution of Diffuse Domestic Burning as a Source of PCDD/Fs, PCBs, and PAHs to the U.K. Atmosphere. Environmental Science & Technology, 2000, 34, 2892-2899.	10.0	150
172	Gas-Particle Partitioning of Atmospheric PCDD/Fs: Measurements and Observations on Modeling. Environmental Science & Technology, 1999, 33, 3596-3604.	10.0	91
173	Improvements to the UK PCDD/F and PCB atmospheric emission inventory following an emissions measurement programme. Chemosphere, 1999, 38, 759-770.	8.2	111
174	Detailed Studies of the Factors Controlling Atmospheric PCDD/F Concentrations. Environmental Science & Technology, 1999, 33, 4440-4447.	10.0	61
175	Atmospheric Transport of Polychlorinated Dibenzo-p-dioxins and Dibenzofurans (PCDD/Fs) in Air Masses Across the United Kingdom and Ireland: Evidence of Emissions and Depletion. Environmental Science & Technology, 1999, 33, 2872-2878.	10.0	44
176	Seasonal, Anthropogenic, Air Mass, and Meteorological Influences on the Atmospheric Concentrations of Polychlorinated Dibenzo-p-dioxins and Dibenzofurans (PCDD/Fs): Evidence for the Importance of Diffuse Combustion Sources. Environmental Science & Technology, 1999, 33, 2864-2871.	10.0	76
177	Dioxins and furans in air and deposition: A review of levels, behaviour and processes. Science of the Total Environment, 1998, 219, 53-81.	8.0	360
178	Evaluation of Spiking Procedures for the Introduction of Poorly Water Soluble Contaminants into Soil. Environmental Science & Technology, 1998, 32, 3224-3227.	10.0	67
179	Observations on Persistent Organic Pollutants in Plants: Implications for Their Use as Passive Air Samplers and for POP Cycling. Environmental Science & Technology, 1998, 32, 2721-2726.	10.0	128
180	Measurement and Modeling of the Diurnal Cycling of Atmospheric PCBs and PAHs. Environmental Science & Technology, 1998, 32, 2172-2179.	10.0	118

#	ARTICLE	IF	CITATIONS
181	Toward an Understanding of the Global Atmospheric Distribution of Persistent Organic Pollutants: The Use of Semipermeable Membrane Devices as Time-Integrated Passive Samplers. <i>Environmental Science & Technology</i> , 1998, 32, 2795-2803.	10.0	142
182	Passive Air Sampling of PCBs: A Field Calculation of Atmospheric Sampling Rates by Triolein-Containing Semipermeable Membrane Devices. <i>Environmental Science & Technology</i> , 1998, 32, 1538-1543.	10.0	112
183	Depositional Time Trends and Remobilization of PCBs in Lake Sediments. <i>Environmental Science & Technology</i> , 1997, 31, 3274-3280.	10.0	73
184	Transfers of Airborne PCDD/Fs to Bulk Deposition Collectors and Herbage. <i>Environmental Science & Technology</i> , 1997, 31, 2937-2943.	10.0	63
185	Observations on PAH, PCB, and PCDD/F Trends in U.K. Urban Air, 1991-1995. <i>Environmental Science & Technology</i> , 1997, 31, 2120-2124.	10.0	128
186	Persistence of PCDD/Fs in a Sludge-Amended Soil. <i>Environmental Science & Technology</i> , 1996, 30, 2567-2571.	10.0	43
187	The form and bioavailability of non-ionic organic chemicals in sewage sludge-amended agricultural soils. <i>Science of the Total Environment</i> , 1996, 185, 125-149.	8.0	95
188	Spatial Distribution of PAHs in the U.K. Atmosphere Using Pine Needles. <i>Environmental Science & Technology</i> , 1996, 30, 3570-3577.	10.0	146
189	PCBs in U.K. Urban Air. <i>Environmental Science & Technology</i> , 1995, 29, 2368-2376.	10.0	142
190	Polychlorinated dibenzo-p-dioxins (PCDDs) and furans (PCDFs) in urban air and deposition in the United Kingdom. <i>Environmental Science and Pollution Research</i> , 1994, 1, 262-270.	5.3	43
191	Polychlorinated biphenyls (PCBs) in the British environment: Sinks, sources and temporal trends. <i>Environmental Pollution</i> , 1994, 85, 131-146.	7.5	221
192	The influence of sewage sludge applications to agricultural land on human exposure to polychlorinated dibenzo-P-dioxins (PCDDs) and -furans (PCDFs). <i>Environmental Pollution</i> , 1994, 83, 357-369.	7.5	51
193	Historical inputs of polychlorinated biphenyls and other organochlorines to a dated lacustrine sediment core in rural England. <i>Environmental Science & Technology</i> , 1992, 26, 1815-1821.	10.0	99