
Miquel Roca

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1101637/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The mental health risks of economic crisis in Spain: evidence from primary care centres, 2006 and 2010. European Journal of Public Health, 2013, 23, 103-108.	0.3	406
2	Gender differences in suicidal behavior in adolescents and young adults: systematic review and meta-analysis of longitudinal studies. International Journal of Public Health, 2019, 64, 265-283.	2.3	360
3	Reducing the treatment gap for mental disorders: a WPA survey. World Psychiatry, 2010, 9, 169-176.	10.4	301
4	Activation of the prefrontal cortex in the human visual aesthetic perception. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 6321-6325.	7.1	254
5	Prevalence and comorbidity of common mental disorders in primary care. Journal of Affective Disorders, 2009, 119, 52-58.	4.1	233
6	Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 263-273.e1.	0.5	203
7	Mental disorders as risk factors for suicidal behavior in young people: A meta-analysis and systematic review of longitudinal studies. Journal of Affective Disorders, 2019, 245, 152-162.	4.1	184
8	Partial Adherence to Antipsychotic Medication Impacts the Course of Illness in Patients With Schizophrenia. Primary Care Companion To the Journal of Clinical Psychiatry, 2009, 11, 147-154.	0.6	141
9	Risk factors for the onset of panic and generalised anxiety disorders in the general adult population: A systematic review of cohort studies. Journal of Affective Disorders, 2014, 168, 337-348.	4.1	130
10	Psychotherapy for subclinical depression: meta-analysis. British Journal of Psychiatry, 2014, 205, 268-274.	2.8	127
11	Identification of new putative susceptibility genes for several psychiatric disorders by association analysis of regulatory and nonâ€synonymous SNPs of 306 genes involved in neurotransmission and neurodevelopment. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 808-816.	1.7	98
12	Mood changes after delivery: role of the serotonin transporter gene. British Journal of Psychiatry, 2008, 193, 383-388.	2.8	95
13	Effect of Multinutrient Supplementation and Food-Related Behavioral Activation Therapy on Prevention of Major Depressive Disorder Among Overweight or Obese Adults With Subsyndromal Depressive Symptoms. JAMA - Journal of the American Medical Association, 2019, 321, 858.	7.4	88
14	Psychometric properties of the twelve item World Health Organization Disability Assessment Schedule II (WHO-DAS II) in Spanish primary care patients with a first major depressive episode. Journal of Affective Disorders, 2010, 121, 52-58.	4.1	78
15	Comparative efficacy of two interventions to discontinue long-term benzodiazepine use: cluster randomised controlled trial in primary care. British Journal of Psychiatry, 2014, 204, 471-479.	2.8	77
16	Brain dysfunction in fibromyalgia and somatization disorder using proton magnetic resonance spectroscopy: a controlled study. Acta Psychiatrica Scandinavica, 2012, 126, 115-125.	4.5	75
17	Association study of 44 candidate genes with depressive and anxiety symptoms in post-partum women. Journal of Psychiatric Research, 2010, 44, 717-724.	3.1	69
18	The 12-item World Health Organization Disability Assessment Schedule II (WHO-DAS II): a nonparametric item response analysis. BMC Medical Research Methodology, 2010, 10, 45.	3.1	67

#	Article	IF	CITATIONS
19	Comorbidity between common mental disorders and chronic somatic diseases in primary care patients. General Hospital Psychiatry, 2010, 32, 240-245.	2.4	67
20	Efficacy of memantine in the treatment of fibromyalgia: A double-blind, randomised, controlled trial with 6-month follow-up. Pain, 2014, 155, 2517-2525.	4.2	65
21	Residual symptoms and functioning in depression, does the type of residual symptom matter? A post-hoc analysis. BMC Psychiatry, 2013, 13, 51.	2.6	62
22	Clinical Patterns and Treatment Outcome in Patients with Melancholic, Atypical and Non-Melancholic Depressions. PLoS ONE, 2012, 7, e48200.	2.5	60
23	Economic crisis and mental health in Spain. Lancet, The, 2013, 382, 1977-1978.	13.7	58
24	Cognitive function after clinical remission in patients with melancholic and non-melancholic depression: A 6 month follow-up study. Journal of Affective Disorders, 2015, 171, 85-92.	4.1	55
25	Cognitive impairments and depression: a critical review. Actas Espanolas De Psiquiatria, 2015, 43, 187-93.	0.1	55
26	Low-Frequency Transcranial Magnetic Stimulation in Patients with Fibromyalgia and Major Depression. Pain Medicine, 2009, 10, 748-753.	1.9	53
27	Effectiveness of cognitive behaviour therapy for the treatment of catastrophisation in patients with fibromyalgia: a randomised controlled trial. Arthritis Research and Therapy, 2011, 13, R173.	3.5	53
28	Prevention of depression through nutritional strategies in high-risk persons: rationale and design of the MooDFOOD prevention trial. BMC Psychiatry, 2016, 16, 192.	2.6	52
29	Four hygienic-dietary recommendations as add-on treatment in depression. Journal of Affective Disorders, 2012, 140, 200-203.	4.1	48
30	Obesity, metabolic syndrome and Mediterranean diet: Impact on depression outcome. Journal of Affective Disorders, 2016, 194, 105-108.	4.1	46
31	The association between depression and eating styles in four European countries: The MooDFOOD prevention study. Journal of Psychosomatic Research, 2018, 108, 85-92.	2.6	46
32	Mental Disorders Among Frequent Attenders in Primary Care. Journal of Nervous and Mental Disease, 2011, 199, 744-749.	1.0	45
33	Suicidal Ideation, Psychiatric Disorder, and Medical Illness in a Community Epidemiological Study. Suicide and Life-Threatening Behavior, 2001, 31, 207-213.	1.9	44
34	Accuracy of online survey assessment of mental disorders and suicidal thoughts and behaviors in Spanish university students. Results of the WHO World Mental Health- International College Student initiative. PLoS ONE, 2019, 14, e0221529.	2.5	42
35	Age predicts low-frequency transcranial magnetic stimulation efficacy in major depression. Journal of Affective Disorders, 2011, 130, 466-469.	4.1	40
36	Suicidal risk and executive functions in major depressive disorder: a study protocol. BMC Psychiatry, 2019, 19, 253.	2.6	40

#	Article	IF	CITATIONS
37	Psychosocial factors associated with the adherence to a colorectal cancer screening program. Cancer Detection and Prevention, 2006, 30, 354-360.	2.1	39
38	Improving Treatment Adherence in Your Patients with Schizophrenia. Clinical Drug Investigation, 2013, 33, 97-107.	2.2	38
39	Functional recovery in patients with schizophrenia: recommendations from a panel of experts. BMC Psychiatry, 2018, 18, 176.	2.6	38
40	Research Letter: Is neuroticism a risk factor for postpartum depression?. Psychological Medicine, 2012, 42, 1559-1565.	4.5	37
41	Brain dysfunction behind functional symptoms: neuroimaging and somatoform, conversive, and dissociative disorders. Current Opinion in Psychiatry, 2009, 22, 224-231.	6.3	36
42	Cognitive impairment in remitted and non-remitted depressive patients: A follow-up comparison between first and recurrent episodes. European Neuropsychopharmacology, 2015, 25, 1991-1998.	0.7	35
43	Functional Impairment in Patients with Major Depressive Disorder and Comorbid Anxiety Disorder. Canadian Journal of Psychiatry, 2013, 58, 679-686.	1.9	33
44	Effectiveness of Psychological and Educational Interventions to Prevent Depression in Primary Care: A Systematic Review and Meta-Analysis. Annals of Family Medicine, 2017, 15, 262-271.	1.9	33
45	Stressful life events severity in patients with first and recurrent depressive episodes. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1963-1969.	3.1	31
46	Coping Strategies and Postpartum Depressive Symptoms: a Structural Equation Modelling Approach. European Psychiatry, 2015, 30, 701-708.	0.2	31
47	Diagnostic Interview for Genetic Studies (DIGS): Inter-rater and test-retest reliability and validity in a Spanish population. European Psychiatry, 2007, 22, 44-48.	0.2	30
48	Utility of the twelve-item World Health Organization Disability Assessment Schedule II (WHO-DAS II) for discriminating depression "caseness―and severity in Spanish primary care patients. Quality of Life Research, 2010, 19, 97-101.	3.1	30
49	Medical comorbidity in recurrent versus first-episode depressive patients. Acta Psychiatrica Scandinavica, 2011, 123, 220-227.	4.5	30
50	Suicidal Thoughts and Behaviors: Prevalence and Association with Distal and Proximal Factors in Spanish University Students. Suicide and Life-Threatening Behavior, 2019, 49, 881-898.	1.9	30
51	Persistence of chronic major depression: A national prospective study. Journal of Affective Disorders, 2013, 151, 306-312.	4.1	29
52	Mental disorders in Spanish university students: Prevalence, age-of-onset, severe role impairment and mental health treatment Journal of Affective Disorders, 2020, 273, 604-613.	4.1	29
53	Epidemiology and costs of depressive disorder in Spain: the EPICO study. European Neuropsychopharmacology, 2021, 50, 93-103.	0.7	28
54	Fibromyalgia Is Correlated with Retinal Nerve Fiber Layer Thinning. PLoS ONE, 2016, 11, e0161574.	2.5	28

#	Article	IF	CITATIONS
55	First-onset and persistence of suicidal ideation in university students: A one-year follow-up study. Journal of Affective Disorders, 2019, 256, 192-204.	4.1	27
56	Early Response and Remission as Predictors of a Good Outcome of a Major Depressive Episode at 12-Month Follow-Up. Journal of Clinical Psychiatry, 2012, 73, 185-191.	2.2	27
57	Mental disorders on the island of Formentera: prevalence in general population using the Schedules for Clinical Assessment in Neuropsychiatry (SCAN). Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 410-415.	3.1	26
58	Predictive models for suicidal thoughts and behaviors among Spanish University students: rationale and methods of the UNIVERSAL (University & mental health) project. BMC Psychiatry, 2016, 16, 122.	2.6	26
59	Psychiatrists' awareness of adherence to antipsychotic medication in patients with schizophrenia: results from a survey conducted across Europe, the Middle East, and Africa. Patient Preference and Adherence, 2013, 7, 121.	1.8	25
60	Lifestyle change recommendations in major depression: Do they work?. Journal of Affective Disorders, 2015, 183, 221-228.	4.1	24
61	Economic impact of treatment-resistant depression: A retrospective observational study. Journal of Affective Disorders, 2021, 295, 578-586.	4.1	24
62	Gender differences in mental health during the economic crisis. Psicothema, 2016, 28, 407-413.	0.9	24
63	Low intensity vs. self-guided Internet-delivered psychotherapy for major depression: a multicenter, controlled, randomized study. BMC Psychiatry, 2013, 13, 21.	2.6	22
64	Epidemiology of psychiatric morbidity among migrants compared to native born population in Spain: a controlled study. General Hospital Psychiatry, 2013, 35, 93-99.	2.4	22
65	Clinical differences between first and recurrent episodes in depressive patients. Comprehensive Psychiatry, 2011, 52, 26-32.	3.1	20
66	Diagnosis delay in first episodes of major depression: A study of primary care patients in Spain. Journal of Affective Disorders, 2013, 150, 1247-1250.	4.1	20
67	Effectiveness of Group Versus Individual Cognitive-Behavioral Therapy in Patients With Abridged Somatization Disorder. Psychosomatic Medicine, 2013, 75, 600-608.	2.0	20
68	Efficacy of Three Low-Intensity, Internet-Based Psychological Interventions for the Treatment of Depression in Primary Care: Randomized Controlled Trial. Journal of Medical Internet Research, 2020, 22, e15845.	4.3	20
69	Expectations, experiences and attitudes of patients and primary care health professionals regarding online psychotherapeutic interventions for depression: protocol for a qualitative study. BMC Psychiatry, 2013, 13, 64.	2.6	19
70	Adherence predictors in an Internet-based Intervention program for depression. Cognitive Behaviour Therapy, 2018, 47, 246-261.	3.5	19
71	Verifying Functional Specifications by Regression Techniques on Lissajous Test Signatures. IEEE Transactions on Circuits and Systems I: Regular Papers, 2009, 56, 754-762.	5.4	18
72	A preliminary taxonomy and a standard knowledge base for mental-health system indicators in Spain. International Journal of Mental Health Systems, 2010, 4, 29.	2.7	17

#	Article	IF	CITATIONS
73	Clinical differences between early and late remission in depressive patients. Journal of Affective Disorders, 2011, 134, 235-241.	4.1	17
74	Compact Hardware Synthesis of Stochastic Spiking Neural Networks. International Journal of Neural Systems, 2019, 29, 1950004.	5.2	17
75	Adherence to Medication in Depressive Patients. Journal of Clinical Psychopharmacology, 2011, 31, 541-543.	1.4	16
76	Interventions for preventing relapse or recurrence of depression in primary health care settings: A systematic review. Preventive Medicine, 2015, 76, S16-S21.	3.4	16
77	Venlafaxine extended-release in patients older than 80 years with depressive syndrome. International Journal of Geriatric Psychiatry, 2006, 21, 337-343.	2.7	15
78	Stages of chronicity in fibromyalgia and pain catastrophising: a cross-sectional study. BMC Musculoskeletal Disorders, 2010, 11, 251.	1.9	15
79	Effect of food-related behavioral activation therapy on food intake and the environmental impact of the diet: results from the MooDFOOD prevention trial. European Journal of Nutrition, 2020, 59, 2579-2591.	3.9	15
80	Comparative efficacy of two primary care interventions to assist withdrawal from long term benzodiazepine use: A protocol for a clustered, randomized clinical trial. BMC Family Practice, 2011, 12, 23.	2.9	14
81	Efficacy of low-intensity psychological intervention applied by ICTs for the treatment of depression in primary care: a controlled trial. BMC Psychiatry, 2015, 15, 106.	2.6	14
82	Gender commonalities and differences in risk and protective factors of suicidal thoughts and behaviors: A crossâ€sectional study of Spanish university students. Depression and Anxiety, 2019, 36, 1102-1114.	4.1	14
83	Health related quality of life changes in somatising patients after individual versus group cognitive behavioural therapy: A randomized clinical trial. Journal of Psychosomatic Research, 2014, 76, 89-93.	2.6	13
84	Indicadores de calidad en el tratamiento de pacientes con depresión, trastorno bipolar o esquizofrenia. Estudio de consenso. Revista De PsiquiatrÃa Y Salud Mental, 2018, 11, 66-75.	1.8	13
85	Mental disorders and medical conditions. Journal of Psychosomatic Research, 2001, 50, 39-44.	2.6	12
86	Melancholic versus non-melancholic depression: differences on cognitive function. A longitudinal study protocol. BMC Psychiatry, 2010, 10, 48.	2.6	12
87	Adherencia a las recomendaciones sobre estilo de vida en pacientes con depresiÃ ³ n. Revista De PsiquiatrÃa Y Salud Mental, 2012, 5, 236-240.	1.8	12
88	The Mediterranean diet and micronutrient levels in depressive patients. Nutricion Hospitalaria, 2014, 31, 1171-5.	0.3	12
89	Genetic linkage study for bipolar disorders on chromosomes 17 and 18 in families with a high expression of mental illness from the Balearic Islands. Psychiatric Genetics, 2006, 16, 145-151.	1.1	11
90	Effectiveness of hygienic-dietary recommendations as enhancers of antidepressant treatment in patients with Depression: Study protocol of a randomized controlled trial. BMC Public Health, 2010, 10, 404.	2.9	11

#	Article	IF	CITATIONS
91	Hygienic-dietary recommendations for major depression treatment: Study protocol of a randomized controlled trial. BMC Psychiatry, 2012, 12, 201.	2.6	11
92	Changes in metabolites in the brain of patients with fibromyalgia after treatment with an NMDA receptor antagonist. Neuroradiology Journal, 2019, 32, 408-419.	1.2	11
93	Depressive Symptom Clusters in Relation to Body Weight Status: Results From Two Large European Multicenter Studies. Frontiers in Psychiatry, 2019, 10, 858.	2.6	11
94	Associations of Non-Alcoholic Beverages with Major Depressive Disorder History and Depressive Symptoms Clusters in a Sample of Overweight Adults. Nutrients, 2020, 12, 3202.	4.1	11
95	Mental health impact of the economic crisis in Spain. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2013, 10, 8-10.	0.1	11
96	Psychometric properties of the IDS-SR30 for the assessment of depressive symptoms in spanish population. BMC Medical Research Methodology, 2011, 11, 131.	3.1	10
97	Salud mental y salud pública en España: vigilancia epidemiológica y prevención. Psiquiatria Biologica, 2016, 23, 67-73.	0.1	10
98	Effects of food-related behavioral activation therapy on eating styles, diet quality and body weight change: Results from the MooDFOOD Randomized Clinical Trial. Journal of Psychosomatic Research, 2020, 137, 110206.	2.6	10
99	Cognitive-behaviour therapy for patients with Abridged Somatization Disorder (SSI 4,6) in primary care: a randomized, controlled study. BMC Psychiatry, 2008, 8, 47.	2.6	9
100	Adherence to Lifestyle Interventions for Treatment of Adults with Depression: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2021, 18, 13268.	2.6	9
101	Mental disorders, chronic conditions and psychological factors: A path analysis model for healthcare consumption in general practice. International Review of Psychiatry, 2011, 23, 20-27.	2.8	8
102	Evaluation of the efficacy of memantine in the treatment of fibromyalgia: study protocol for a doubled-blind randomized controlled trial with six-month follow-up. Trials, 2013, 14, 3.	1.6	8
103	Moderators of psychological and psychoeducational interventions for the prevention of anxiety: A systematic review. Journal of Anxiety Disorders, 2020, 76, 102317.	3.2	8
104	Correlational analysis and predictive validity of psychological constructs related with pain in fibromyalgia. BMC Musculoskeletal Disorders, 2011, 12, 4.	1.9	7
105	Supplementationâ€induced increase in circulating omegaâ€3 serum levels is not associated with a reduction in depressive symptoms: Results from the MooDFOOD depression prevention trial. Depression and Anxiety, 2020, 37, 1079-1088.	4.1	7
106	Predictors of Adherence in Three Low-Intensity Intervention Programs Applied by ICTs for Depression in Primary Care. International Journal of Environmental Research and Public Health, 2021, 18, 1774.	2.6	7
107	Metabolic syndrome improvement in depression six months after prescribing simple hygienic-dietary recommendations. BMC Research Notes, 2014, 7, 339.	1.4	6
108	Study of perfusion changes in the optic disc of patients with fibromyalgia syndrome using new colorimetric analysis software. Journal Francais D'Ophtalmologie, 2015, 38, 580-587.	0.4	6

#	ARTICLE	IF	CITATIONS
109	Perfil psicológico diferencial entre dolor torácico de causa no cardiológica y enfermedad coronaria: un estudio controlado. Revista Espanola De Cardiologia, 2010, 63, 357-361.	1.2	5
110	Use and Results of Antidepressant Treatment: Patients' Perception. Current Drug Therapy, 2011, 6, 271-277.	0.3	5
111	Gender differences on functioning in depressive patients. Journal of Affective Disorders, 2014, 166, 292-296.	4.1	5
112	Effects of dietary interventions on depressive symptom profiles: results from the MooDFOOD depression prevention study. Psychological Medicine, 2021, , 1-10.	4.5	5
113	Validation of an Online Version of the Alcohol Use Disorders Identification Test (AUDIT) for Alcohol Screening in Spanish University Students. International Journal of Environmental Research and Public Health, 2021, 18, 5213.	2.6	5
114	Sick leave duration as a potential marker of functionality and disease severity in depression. International Journal of Psychiatry in Clinical Practice, 2022, 26, 406-416.	2.4	5
115	The CORE system for sub-typing melancholic depression: Adaptation and psychometric properties of the Spanish version. Psychiatry Research, 2016, 239, 179-183.	3.3	4
116	Acceptability and feasibility of two interventions in the MooDFOOD Trial: a food-related depression prevention randomised controlled trial in overweight adults with subsyndromal symptoms of depression. BMJ Open, 2020, 10, e034025.	1.9	4
117	Effectiveness of a healthy lifestyle promotion program as adjunctive teletherapy for treatment-resistant major depression during COVID 19 pandemic. Medicine (United States), 2020, 99, e22958.	1.0	4
118	Is it possible to achieve functional recovery in schizophrenia? A qualitative and quantitative analysis of psychiatrist´s opinion. Actas Espanolas De Psiquiatria, 2016, 44, 97-106.	0.1	4
119	Predictive Oscillation Based Test of CMOS circuits. , 2006, , .		3
120	Medidas de frecuencia utilizadas en estudios de cohortes para evaluar el comportamiento suicida en jóvenes (12-26 años): una revisión sistemática. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 213-231.	1.8	3
121	Predictors of sick leave days in patients affected by major depressive disorder receiving antidepressant treatment in general practice setting in Germany. International Journal of Psychiatry in Clinical Practice, 2021, 25, 1-10.	2.4	3
122	Funciones ejecutivas en la depresiÃ ³ n. Psiquiatria Biologica, 2016, 23, 23-28.	0.1	2
123	SoC Kohonen Maps Based on Stochastic Computing. , 2020, , .		2
124	Covid-19 and the future of mental health in primary care. BMJ, The, 2020, 369, m2520.	6.0	2
125	Hepatitis C treatment and erotomania. General Hospital Psychiatry, 2012, 34, 103.e7-103.e10.	2.4	1
126	Predictive models for first-onset and persistence of depression and anxiety among university students. Journal of Affective Disorders, 2022, , .	4.1	1

#	Article	IF	CITATIONS
127	Band-Pass Filter Design with Diagnosis Facilities Based on Predictive Techniques. Journal of Electronic Testing: Theory and Applications (JETTA), 2011, 27, 685-696.	1.2	0
128	Quality indicators in the treatment of patients with depression, bipolar disorder or schizophrenia. Consensus study. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2018, 11, 66-75.	0.3	0
129	Stochastic Radial Basis Neural Networks. , 2019, , .		0
130	Measures of frequency used in cohorts studies to evaluate the suicidal behaviour in young people (12–26 years): A systematic review. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2019, 12, 213-231.	0.3	0
131	Overweight and obese individuals with depressive symptoms from the MooDFOOD prevention trial: Role of sociodemographic, somatic health, and weight related factors. Journal of Affective Disorders Reports, 2021, 4, 100126.	1.7	0