

Kiwamu Minamisawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1101911/publications.pdf>

Version: 2024-02-01

185
papers

8,818
citations

38720

50
h-index

56687

83
g-index

186
all docs

186
docs citations

186
times ranked

6832
citing authors

#	ARTICLE	IF	CITATIONS
1	Complete Genomic Sequence of Nitrogen-fixing Symbiotic Bacterium <i>Bradyrhizobium japonicum</i> USDA110. <i>DNA Research</i> , 2002, 9, 189-197.	1.5	768
2	Core microbiomes for sustainable agroecosystems. <i>Nature Plants</i> , 2018, 4, 247-257.	4.7	639
3	Endophytic Colonization and In Planta Nitrogen Fixation by a <i>Herbaspirillum</i> sp. Isolated from Wild Rice Species. <i>Applied and Environmental Microbiology</i> , 2001, 67, 5285-5293.	1.4	411
4	Expression Islands Clustered on the Symbiosis Island of the <i>Mesorhizobium loti</i> Genome. <i>Journal of Bacteriology</i> , 2004, 186, 2439-2448.	1.0	205
5	Nitrogen Cycling in Rice Paddy Environments: Past Achievements and Future Challenges. <i>Microbes and Environments</i> , 2011, 26, 282-292.	0.7	180
6	Isolation and characterization of endophytic bacteria from wild and traditionally cultivated rice varieties. <i>Soil Science and Plant Nutrition</i> , 2000, 46, 617-629.	0.8	176
7	Complete Genomic Structure of the Cultivated Rice Endophyte <i>Azospirillum</i> sp. B510. <i>DNA Research</i> , 2010, 17, 37-50.	1.5	148
8	Effects of Ethylene Precursor and Inhibitors for Ethylene Biosynthesis and Perception on Nodulation in <i>Lotus japonicus</i> and <i>Macroptilium atropurpureum</i> . <i>Plant and Cell Physiology</i> , 2000, 41, 893-897.	1.5	136
9	Rhizobitoxine Production by <i>Bradyrhizobium elkanii</i> Enhances Nodulation and Competitiveness on <i>Macroptilium atropurpureum</i> . <i>Applied and Environmental Microbiology</i> , 2000, 66, 2658-2663.	1.4	120
10	Community- and Genome-Based Views of Plant-Associated Bacteria: Plant-Bacterial Interactions in Soybean and Rice. <i>Plant and Cell Physiology</i> , 2010, 51, 1398-1410.	1.5	118
11	Mitigation of nitrous oxide emissions from soils by <i>Bradyrhizobium japonicum</i> inoculation. <i>Nature Climate Change</i> , 2013, 3, 208-212.	8.1	117
12	Development of a Bacterial Cell Enrichment Method and its Application to the Community Analysis in Soybean Stems. <i>Microbial Ecology</i> , 2009, 58, 703-714.	1.4	108
13	Complete Genome Sequence of the Soybean Symbiont <i>Bradyrhizobium japonicum</i> Strain USDA6T. <i>Genes</i> , 2011, 2, 763-787.	1.0	108
14	The communities of endophytic diazotrophic bacteria in cultivated rice (<i>Oryza sativa</i> L.). <i>Applied Soil Ecology</i> , 2009, 42, 141-149.	2.1	101
15	Metaproteomic Identification of Diazotrophic Methanotrophs and Their Localization in Root Tissues of Field-Grown Rice Plants. <i>Applied and Environmental Microbiology</i> , 2014, 80, 5043-5052.	1.4	101
16	Rhizobitoxine modulates plant-microbe interactions by ethylene inhibition. <i>Biotechnology Advances</i> , 2006, 24, 382-388.	6.0	96
17	Expression of the 1-Aminocyclopropane-1-Carboxylic Acid Deaminase Gene Requires Symbiotic Nitrogen-Fixing Regulator Gene <i>nifA2</i> in <i>Mesorhizobium loti</i> MAFF303099. <i>Applied and Environmental Microbiology</i> , 2006, 72, 4964-4969.	1.4	94
18	Novel Endophytic Nitrogen-Fixing Clostridia from the Grass <i>Miscanthus sinensis</i> as Revealed by Terminal Restriction Fragment Length Polymorphism Analysis. <i>Applied and Environmental Microbiology</i> , 2004, 70, 6580-6586.	1.4	92

#	ARTICLE	IF	CITATIONS
19	Transgenic <i>Lotus japonicus</i> with an Ethylene Receptor Gene Cm-ERS1/H70A Enhances Formation of Infection Threads and Nodule Primordia. <i>Plant and Cell Physiology</i> , 2004, 45, 427-435.	1.5	90
20	Low Nitrogen Fertilization Adapts Rice Root Microbiome to Low Nutrient Environment by Changing Biogeochemical Functions. <i>Microbes and Environments</i> , 2014, 29, 50-59.	0.7	90
21	Variation in bradyrhizobial NopP effector determines symbiotic incompatibility with Rj2-soybeans via effector-triggered immunity. <i>Nature Communications</i> , 2018, 9, 3139.	5.8	88
22	Anaerobic Nitrogen-Fixing Consortia Consisting of Clostridia Isolated from Gramineous Plants. <i>Applied and Environmental Microbiology</i> , 2004, 70, 3096-3102.	1.4	84
23	Effects of Colonization of a Bacterial Endophyte, <i>Azospirillum</i> sp. B510, on Disease Resistance in Rice. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 2595-2599.	0.6	79
24	Composition of storage carbohydrate in tubers of yacon (<i>Polymnia sonchifolia</i>). <i>Soil Science and Plant Nutrition</i> , 1990, 36, 167-171.	0.8	76
25	Complete Genomic Sequence of Nitrogen-fixing Symbiotic Bacterium <i>Bradyrhizobium japonicum</i> USDA110 (Supplement). <i>DNA Research</i> , 2002, 9, 225-256.	1.5	76
26	Complete Genome Sequence of <i>Bradyrhizobium</i> sp. S23321: Insights into Symbiosis Evolution in Soil Oligotrophs. <i>Microbes and Environments</i> , 2012, 27, 306-315.	0.7	76
27	Two Rhizobial Strains, <i>Mesorhizobium loti</i> MAFF303099 and <i>Bradyrhizobium japonicum</i> USDA110, Encode Haloalkane Dehalogenases with Novel Structures and Substrate Specificities. <i>Applied and Environmental Microbiology</i> , 2005, 71, 4372-4379.	1.4	73
28	Isolation and enzymological characterization of infected and uninfected cell protoplasts from root nodules of <i>Glycine max</i> . <i>Physiologia Plantarum</i> , 1988, 73, 327-334.	2.6	72
29	The Involvement of Indole-3-Acetic Acid Produced by <i>Bradyrhizobium elkanii</i> in Nodule Formation. <i>Plant and Cell Physiology</i> , 1994, 35, 1261-1265.	1.5	71
30	The Type III Secretion System of <i>Bradyrhizobium japonicum</i> USDA122 Mediates Symbiotic Incompatibility with Rj2 Soybean Plants. <i>Applied and Environmental Microbiology</i> , 2013, 79, 1048-1051.	1.4	71
31	Slow-growing and oligotrophic soil bacteria phylogenetically close to <i>Bradyrhizobium japonicum</i> . <i>FEMS Microbiology Ecology</i> , 1998, 25, 277-286.	1.3	70
32	<i>Azospirillum</i> sp. Strain B510 Enhances Rice Growth and Yield. <i>Microbes and Environments</i> , 2010, 25, 58-61.	0.7	69
33	New Assay for Rhizobitoxine Based on Inhibition of 1-Aminocyclopropane-1-Carboxylate Synthase. <i>Applied and Environmental Microbiology</i> , 1999, 65, 849-852.	1.4	68
34	Genomic comparison of <i>Bradyrhizobium japonicum</i> strains with different symbiotic nitrogen-fixing capabilities and other <i>Bradyrhizobiaceae</i> members. <i>ISME Journal</i> , 2009, 3, 326-339.	4.4	67
35	Plant-Microbe Communications for Symbiosis. <i>Plant and Cell Physiology</i> , 2010, 51, 1377-1380.	1.5	67
36	Identification of Nitrogen-Fixing <i>Bradyrhizobium</i> Associated With Roots of Field-Grown Sorghum by Metagenome and Proteome Analyses. <i>Frontiers in Microbiology</i> , 2019, 10, 407.	1.5	64

#	ARTICLE	IF	CITATIONS
37	Community shifts of soybean stem-associated bacteria responding to different nodulation phenotypes and N levels. <i>ISME Journal</i> , 2010, 4, 315-326.	4.4	63
38	Metagenomic Analysis of the Bacterial Community Associated with the Taproot of Sugar Beet. <i>Microbes and Environments</i> , 2015, 30, 63-69.	0.7	63
39	The Type III Secretion System (T3SS) is a Determinant for Rice-Endophyte Colonization by Non-Photosynthetic <i>Bradyrhizobium</i>. <i>Microbes and Environments</i> , 2015, 30, 291-300.	0.7	62
40	DNA Sequence and Mutational Analysis of Rhizobitoxine Biosynthesis Genes in <i>Bradyrhizobium elkanii</i> . <i>Applied and Environmental Microbiology</i> , 2001, 67, 4999-5009.	1.4	61
41	Comparison of Extracellular Polysaccharide Composition, Rhizobitoxine Production, and Hydrogenase Phenotype among Various Strains of <i>Bradyrhizobium japonicum</i> . <i>Plant and Cell Physiology</i> , 1989, 30, 877-884.	1.5	60
42	Ethylene production in plants during transformation suppresses <i>vir</i> gene expression in <i>Agrobacterium tumefaciens</i>. <i>New Phytologist</i> , 2008, 178, 647-656.	3.5	59
43	Exploration of bacterial N ₂ -fixation systems in association with soil-grown sugarcane, sweet potato, and paddy rice: a review and synthesis. <i>Soil Science and Plant Nutrition</i> , 2017, 63, 578-590.	0.8	58
44	Genetic relatedness of <i>Bradyrhizobium japonicum</i> field isolates as revealed by repeated sequences and various other characteristics. <i>Applied and Environmental Microbiology</i> , 1992, 58, 2832-2839.	1.4	58
45	Mitigation of soil N ₂ O emission by inoculation with a mixed culture of indigenous <i>Bradyrhizobium diazoefficiens</i> . <i>Scientific Reports</i> , 2016, 6, 32869.	1.6	57
46	Expression of the nifH Gene of a <i>Herbaspirillum</i> Endophyte in Wild Rice Species: Daily Rhythm during the Light-Dark Cycle. <i>Applied and Environmental Microbiology</i> , 2005, 71, 8183-8190.	1.4	56
47	Symbiotic <i>Bradyrhizobium japonicum</i> Reduces N ₂ O Surrounding the Soybean Root System via Nitrous Oxide Reductase. <i>Applied and Environmental Microbiology</i> , 2006, 72, 2526-2532.	1.4	56
48	Effect of ethylene on <i>Agrobacterium tumefaciens</i> -mediated gene transfer to melon. <i>Plant Breeding</i> , 2000, 119, 75-79.	1.0	54
49	Rhizobial Strategies to Enhance Symbiotic Interactions: Rhizobitoxine and 1-Aminocyclopropane-1-Carboxylate Deaminase. <i>Microbes and Environments</i> , 2004, 19, 99-111.	0.7	54
50	Microbial Community Analysis of the Phytosphere Using Culture-Independent Methodologies. <i>Microbes and Environments</i> , 2007, 22, 93-105.	0.7	52
51	Genome Analysis of a Novel <i>Bradyrhizobium</i> sp. DOA9 Carrying a Symbiotic Plasmid. <i>PLoS ONE</i> , 2015, 10, e0117392.	1.1	52
52	Preferential Association of Endophytic <i>Bradyrhizobia</i> with Different Rice Cultivars and Its Implications for Rice Endophyte Evolution. <i>Applied and Environmental Microbiology</i> , 2015, 81, 3049-3061.	1.4	52
53	Aerobic Vanillate Degradation and C ₁ Compound Metabolism in <i>Bradyrhizobium japonicum</i>. <i>Applied and Environmental Microbiology</i> , 2009, 75, 5012-5017.	1.4	51
54	Autoregulation of Nodulation Interferes with Impacts of Nitrogen Fertilization Levels on the Leaf-Associated Bacterial Community in Soybeans. <i>Applied and Environmental Microbiology</i> , 2011, 77, 1973-1980.	1.4	50

#	ARTICLE	IF	CITATIONS
55	Genome Analysis Suggests that the Soil Oligotrophic Bacterium <i>Agromonas oligotrophica</i> (<i>Bradyrhizobium oligotrophicum</i>) Is a Nitrogen-Fixing Symbiont of <i>Aeschynomene indica</i> . <i>Applied and Environmental Microbiology</i> , 2013, 79, 2542-2551.	1.4	49
56	Distribution of rhizobia in leguminous plants surveyed by phylogenetic identification.. <i>Journal of General and Applied Microbiology</i> , 1993, 39, 339-354.	0.4	48
57	Impact of plant genotype and nitrogen level on rice growth response to inoculation with <i>Azospirillum</i> sp. strain B510 under paddy field conditions. <i>Soil Science and Plant Nutrition</i> , 2010, 56, 636-644.	0.8	48
58	A Great Leap forward in Microbial Ecology. <i>Microbes and Environments</i> , 2010, 25, 230-240.	0.7	48
59	Genetic Diversity, Symbiotic Evolution, and Proposed Infection Process of <i>Bradyrhizobium</i> Strains Isolated from Root Nodules of <i>Aeschynomene americana</i> L. in Thailand. <i>Applied and Environmental Microbiology</i> , 2012, 78, 6236-6250.	1.4	47
60	Bacterial clade with the ribosomal RNA operon on a small plasmid rather than the chromosome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 14343-14347.	3.3	47
61	Molecular diversity of bacterial chitinases in arable soils and the effects of environmental factors on the chitinolytic bacterial community. <i>Soil Biology and Biochemistry</i> , 2009, 41, 473-480.	4.2	44
62	Involvement of the SmeAB Multidrug Efflux Pump in Resistance to Plant Antimicrobials and Contribution to Nodulation Competitiveness in <i>Sinorhizobium meliloti</i> . <i>Applied and Environmental Microbiology</i> , 2011, 77, 2855-2862.	1.4	44
63	Redundant roles of <i>Bradyrhizobium oligotrophicum</i> Cu-type (NirK) and cd1-type (NirS) nitrite reductase genes under denitrifying conditions. <i>FEMS Microbiology Letters</i> , 2018, 365, .	0.7	44
64	N ₂ O Emission from Degraded Soybean Nodules Depends on Denitrification by <i>Bradyrhizobium japonicum</i> and Other Microbes in the Rhizosphere. <i>Microbes and Environments</i> , 2012, 27, 470-476.	0.7	42
65	Origin and Evolution of Nitrogen Fixation Genes on Symbiosis Islands and Plasmid in <i>Bradyrhizobium</i> . <i>Microbes and Environments</i> , 2016, 31, 260-267.	0.7	42
66	Evaluation of Soil DNA from Arable Land in Japan Using a Modified Direct-extraction Method. <i>Microbes and Environments</i> , 2004, 19, 301-309.	0.7	41
67	1-Aminocyclopropane-1-Carboxylate Deaminase Enhances <i>Agrobacterium tumefaciens</i> -Mediated Gene Transfer into Plant Cells. <i>Applied and Environmental Microbiology</i> , 2008, 74, 2526-2528.	1.4	41
68	Construction of Signature-tagged Mutant Library in <i>Mesorhizobium loti</i> as a Powerful Tool for Functional Genomics. <i>DNA Research</i> , 2008, 15, 297-308.	1.5	41
69	Thiosulfate-Dependent Chemolithoautotrophic Growth of <i>Bradyrhizobium japonicum</i> . <i>Applied and Environmental Microbiology</i> , 2010, 76, 2402-2409.	1.4	41
70	Effects of Elevated Carbon Dioxide, Elevated Temperature, and Rice Growth Stage on the Community Structure of Rice Root-Associated Bacteria. <i>Microbes and Environments</i> , 2014, 29, 184-190.	0.7	41
71	Phylogeny and distribution of extra-slow-growing <i>Bradyrhizobium japonicum</i> harboring high copy numbers of RS Δ \pm , RS Δ 2 and IS1631. <i>FEMS Microbiology Ecology</i> , 2003, 44, 191-202.	1.3	40
72	Correlation of Denitrifying Capability with the Existence of nap, nir, nor and nos Genes in Diverse Strains of Soybean <i>Bradyrhizobia</i> . <i>Microbes and Environments</i> , 2006, 21, 174-184.	0.7	40

#	ARTICLE	IF	CITATIONS
73	Nitrogen fixation and nifH diversity in human gut microbiota. <i>Scientific Reports</i> , 2016, 6, 31942.	1.6	40
74	Effect of Inoculation with Anaerobic Nitrogen-Fixing Consortium on Salt Tolerance of <i>Miscanthus sinensis</i> . <i>Soil Science and Plant Nutrition</i> , 2005, 51, 243-249.	0.8	39
75	Microbial Community Analysis of Field-Grown Soybeans with Different Nodulation Phenotypes. <i>Applied and Environmental Microbiology</i> , 2008, 74, 5704-5709.	1.4	39
76	A Rice Gene for Microbial Symbiosis, <i>Oryza sativa</i> <i>CCaMK</i> , Reduces CH ₄ Flux in a Paddy Field with Low Nitrogen Input. <i>Applied and Environmental Microbiology</i> , 2014, 80, 1995-2003.	1.4	39
77	Elevated atmospheric CO ₂ levels affect community structure of rice root-associated bacteria. <i>Frontiers in Microbiology</i> , 2015, 6, 136.	1.5	38
78	Expression of a mutated melon ethylene receptor gene <i>Cm-ETR1/H69A</i> affects stamen development in <i>Nicotiana tabacum</i> . <i>Plant Science</i> , 2005, 169, 935-942.	1.7	37
79	Are Symbiotic Methanotrophs Key Microbes for N Acquisition in Paddy Rice Root?. <i>Microbes and Environments</i> , 2016, 31, 4-10.	0.7	36
80	Nitrous Oxide Emission and Microbial Community in the Rhizosphere of Nodulated Soybeans during the Late Growth Period. <i>Microbes and Environments</i> , 2009, 24, 64-67.	0.7	35
81	Evolution of Bradyrhizobium-Aeschynomene Mutualism: Living Testimony of the Ancient World or Highly Evolved State?. <i>Plant and Cell Physiology</i> , 2012, 53, 2000-2007.	1.5	35
82	Effects of Plant Genotype and Nitrogen Level on Bacterial Communities in Rice Shoots and Roots. <i>Microbes and Environments</i> , 2013, 28, 391-395.	0.7	34
83	Phylogeny and Functions of Bacterial Communities Associated with Field-Grown Rice Shoots. <i>Microbes and Environments</i> , 2014, 29, 329-332.	0.7	33
84	Nodulation-Dependent Communities of Culturable Bacterial Endophytes from Stems of Field-Grown Soybeans. <i>Microbes and Environments</i> , 2009, 24, 253-258.	0.7	32
85	Relationship Between Soil Type and N ₂ O Reductase Genotype (<i>nosZ</i>) of Indigenous Soybean Bradyrhizobia: <i>nosZ</i>-minus Populations are Dominant in Andosols. <i>Microbes and Environments</i> , 2014, 29, 420-426.	0.7	32
86	Involvement of ethylene signaling in <i>Azospirillum</i> sp. B510-induced disease resistance in rice. <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 1522-1526.	0.6	31
87	Diversity and field site variation of indigenous populations of soybean bradyrhizobia in Japan by fingerprints with repeated sequences RSÃ and RSÃ. <i>FEMS Microbiology Ecology</i> , 1999, 29, 171-178.	1.3	30
88	Soybean Seed Extracts Preferentially Express Genomic Loci of <i>Bradyrhizobium japonicum</i> in the Initial Interaction with Soybean, <i>Glycine max</i> (L.) Merr. <i>DNA Research</i> , 2008, 15, 201-214.	1.5	30
89	The Genotype of the Calcium/Calmodulin-Dependent Protein Kinase Gene (<i>CCaMK</i>) Determines Bacterial Community Diversity in Rice Roots under Paddy and Upland Field Conditions. <i>Applied and Environmental Microbiology</i> , 2011, 77, 4399-4405.	1.4	30
90	Horizontal Transfer of Nodulation Genes in Soils and Microcosms from <i>Bradyrhizobium japonicum</i> to <i>B. elkanii</i> . <i>Microbes and Environments</i> , 2002, 17, 82-90.	0.7	29

#	ARTICLE	IF	CITATIONS
91	Bradyrhizobium elkanii rtxC Gene Is Required for Expression of Symbiotic Phenotypes in the Final Step of Rhizobitoxine Biosynthesis. Applied and Environmental Microbiology, 2004, 70, 535-541.	1.4	29
92	Impact of <i>Azospirillum</i> sp. B510 Inoculation on Rice-Associated Bacterial Communities in a Paddy Field. Microbes and Environments, 2013, 28, 487-490.	0.7	29
93	Generation of <i>Bradyrhizobium japonicum</i> Mutants with Increased N ₂ O Reductase Activity by Selection after Introduction of a Mutated <i>dnaQ</i> Gene. Applied and Environmental Microbiology, 2008, 74, 7258-7264.	1.4	28
94	Nitrogen Cycling in Soybean Rhizosphere: Sources and Sinks of Nitrous Oxide (N ₂ O). Frontiers in Microbiology, 2019, 10, 1943.	1.5	28
95	Nitrate-Dependent N ₂ O Emission from Intact Soybean Nodules via Denitrification by <i>Bradyrhizobium japonicum</i> Bacteroids. Applied and Environmental Microbiology, 2011, 77, 8787-8790.	1.4	27
96	Polyamines in Rhizobium, Bradyrhizobium, Azorhizobium and Argobacterium. FEMS Microbiology Letters, 1990, 71, 71-76.	0.7	26
97	Quantitative and time-course evaluation of nodulation competitiveness of rhizobitoxine-producing <i>Bradyrhizobium elkanii</i> . FEMS Microbiology Ecology, 2003, 45, 155-160.	1.3	26
98	New Method of Denitrification Analysis of <i>Bradyrhizobium</i> Field Isolates by Gas Chromatographic Determination of ¹⁵ N-Labeled N ₂ . Applied and Environmental Microbiology, 2004, 70, 2886-2891.	1.4	25
99	New <i>Bradyrhizobium japonicum</i> Strains That Possess High Copy Numbers of the Repeated Sequence RSI±. Applied and Environmental Microbiology, 1998, 64, 1845-1851.	1.4	25
100	Characteristics of Asparagine Pool in Soybean Nodules in Comparison with Ureide Pool. Soil Science and Plant Nutrition, 1986, 32, 1-14.	0.8	24
101	Characterization of Leaf Blade- and Leaf Sheath-Associated Bacterial Communities and Assessment of Their Responses to Environmental Changes in CO ₂ , Temperature, and Nitrogen Levels under Field Conditions. Microbes and Environments, 2015, 30, 51-62.	0.7	24
102	Plant-Associated Microbes: From Rhizobia To Plant Microbiomes. Microbes and Environments, 2018, 33, 1-3.	0.7	24
103	Broad Distribution and Phylogeny of Anaerobic Endophytes of Cluster XIVa Clostridia in Plant Species Including Crops. Microbes and Environments, 2008, 23, 73-80.	0.7	23
104	Transport of fixed nitrogen from soybean nodules inoculated with H ₂ -uptake positive and negative <i>Rhizobium japonicum</i> strains. Soil Science and Plant Nutrition, 1983, 29, 85-92.	0.8	22
105	Determination of Rhizobitoxine and Dihydrorhizobitoxine in Soybean Plants by Amino Acid Analyzer. Soil Science and Plant Nutrition, 1987, 33, 645-649.	0.8	22
106	Community Analysis of Seed-Associated Microbes in Forage Crops using Culture-Independent Methods. Microbes and Environments, 2006, 21, 112-121.	0.7	22
107	Global Gene Expression in <i>Bradyrhizobium japonicum</i> Cultured with Vanillin, Vanillate, 4-Hydroxybenzoate and Protocatechuate. Microbes and Environments, 2006, 21, 240-250.	0.7	22
108	Divergent <i>Nod</i> -Containing <i>Bradyrhizobium</i> sp. DOA9 with a Megaplasmid and its Host Range. Microbes and Environments, 2014, 29, 370-376.	0.7	22

#	ARTICLE	IF	CITATIONS
109	Evaluation of the Nitrogen-fixing Ability of Endophytic Clostridia based on Acetylene Reduction and Reverse Transcription-PCR Targeting the nifH Transcript and Ribosomal RNA. <i>Microbes and Environments</i> , 2006, 21, 23-35.	0.7	21
110	Preferential nodulation of <i>Glycine max</i> , <i>Glycine soja</i> and <i>Macroptilium atropurpureum</i> by two <i>Bradyrhizobium</i> species <i>japonicum</i> and <i>elkanii</i> . <i>FEMS Microbiology Ecology</i> , 2006, 24, 49-56.	1.3	21
111	Metagenomic Analysis Revealed Methylamine and Ureide Utilization of Soybean-Associated <i>Methylobacterium</i> . <i>Microbes and Environments</i> , 2016, 31, 268-278.	0.7	21
112	Molecular Analyses of the Distribution and Function of Diazotrophic Rhizobia and Methanotrophs in the Tissues and Rhizosphere of Non-Leguminous Plants. <i>Plants</i> , 2019, 8, 408.	1.6	21
113	CH ₄ oxidation-dependent ¹⁵ N ₂ fixation in rice roots in a low-nitrogen paddy field and in <i>Methylosinus</i> sp. strain 3S-1 isolated from the roots. <i>Soil Biology and Biochemistry</i> , 2019, 132, 40-46.	4.2	21
114	The <i>cbbL</i> Gene is Required for Thiosulfate-Dependent Autotrophic Growth of <i>Bradyrhizobium japonicum</i> . <i>Microbes and Environments</i> , 2010, 25, 220-223.	0.7	20
115	Sulfur Fertilization Changes the Community Structure of Rice Root-, and Soil- Associated Bacteria. <i>Microbes and Environments</i> , 2016, 31, 70-75.	0.7	20
116	Effect of Flooding and the <i>nosZ</i> Gene in <i>Bradyrhizobia</i> on <i>Bradyrhizobial</i> Community Structure in the Soil. <i>Microbes and Environments</i> , 2017, 32, 154-163.	0.7	20
117	Anaerobic Reduction of Nitrate to Nitrous Oxide Is Lower in <i>Bradyrhizobium japonicum</i> than in <i>Bradyrhizobium diazoefficiens</i> . <i>Microbes and Environments</i> , 2017, 32, 398-401.	0.7	20
118	Analysis of Molecular Diversity of Bacterial Chitinase Genes in the Maize Rhizosphere Using Culture-Independent Methods. <i>Microbes and Environments</i> , 2007, 22, 71-77.	0.7	19
119	Microbial Diversity in Milled Rice as Revealed by Ribosomal Intergenic Spacer Analysis. <i>Microbes and Environments</i> , 2007, 22, 165-174.	0.7	19
120	Structural characterization of neutral and anionic glucans from <i>Mesorhizobium loti</i> . <i>Carbohydrate Research</i> , 2008, 343, 2422-2427.	1.1	19
121	Isolation and Genetic Characterization of <i>Aurantimonas</i> and <i>Methylobacterium</i> Strains from Stems of Hypernodulated Soybeans. <i>Microbes and Environments</i> , 2011, 26, 172-180.	0.7	19
122	Pyrosequence Read Length of 16S rRNA Gene Affects Phylogenetic Assignment of Plant-associated Bacteria. <i>Microbes and Environments</i> , 2012, 27, 204-208.	0.7	19
123	The nitrate-sensing <i>N⁺ST</i> system regulates nitrous oxide reductase and periplasmic nitrate reductase in <i>Bradyrhizobium japonicum</i> . <i>Environmental Microbiology</i> , 2014, 16, 3263-3274.	1.8	19
124	A <i>Sinorhizobium meliloti</i> RpoH-Regulated Gene Is Involved in Iron-Sulfur Protein Metabolism and Effective Plant Symbiosis under Intrinsic Iron Limitation. <i>Journal of Bacteriology</i> , 2016, 198, 2297-2306.	1.0	19
125	Growth Stage-dependent Bacterial Communities in Soybean Plant Tissues: <i>Methylobacterium</i> Transiently Dominated in the Flowering Stage of the Soybean Shoot. <i>Microbes and Environments</i> , 2019, 34, 446-450.	0.7	19
126	Rhizobitoxine-induced Chlorosis Occurs in Coincidence with Methionine Deficiency in Soybeans. <i>Annals of Botany</i> , 2007, 100, 55-59.	1.4	18

#	ARTICLE	IF	CITATIONS
127	Possible Role of 1-Aminocyclopropane-1-Carboxylate (ACC) Deaminase Activity of <i>Sinorhizobium</i> sp. BL3 on Symbiosis with Mung Bean and Determinate Nodule Senescence. <i>Microbes and Environments</i> , 2015, 30, 310-320.	0.7	18
128	Effects of colonization of a bacterial endophyte, <i>Azospirillum</i> sp. B510, on disease resistance in tomato. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 1657-1662.	0.6	18
129	Community Analysis-based Screening of Plant Growth-promoting Bacteria for Sugar Beet. <i>Microbes and Environments</i> , 2021, 36, n/a.	0.7	18
130	A lipochito-oligosaccharide, Nod factor, induces transient calcium influx in soybean suspension-cultured cells. <i>Plant Journal</i> , 2000, 22, 71-78.	2.8	17
131	An Assessment of the Diversity of Culturable Bacteria from Main Root of Sugar Beet. <i>Microbes and Environments</i> , 2014, 29, 220-223.	0.7	17
132	Visualization of NO ₃ ⁻ /NO ₂ ⁻ Dynamics in Living Cells by Fluorescence Resonance Energy Transfer (FRET) Imaging Employing a Rhizobial Two-component Regulatory System. <i>Journal of Biological Chemistry</i> , 2016, 291, 2260-2269.	1.6	17
133	IS <i>IS1631</i> Occurrence in <i>Bradyrhizobium japonicum</i> Highly Reiterated Sequence-Possessing Strains with High Copy Numbers of Repeated Sequences RS1± and RS1 ² . <i>Applied and Environmental Microbiology</i> , 1999, 65, 3493-3501.	1.4	17
134	Microbial Community Analysis in the Rhizosphere of a Transgenic Tomato that Overexpresses 3-Hydroxy-3-methylglutaryl Coenzyme A Reductase. <i>Microbes and Environments</i> , 2006, 21, 261-271.	0.7	16
135	A <i>Mesorhizobium loti</i> mutant with reduced glucan content shows defective invasion of its host plant <i>Lotus japonicus</i> . <i>Microbiology (United Kingdom)</i> , 2007, 153, 3983-3993.	0.7	16
136	Involvement of a Novel Genistein-Inducible Multidrug Efflux Pump of <i>Bradyrhizobium japonicum</i> Early in the Interaction with <i>Glycine max</i> (L.) Merr. <i>Microbes and Environments</i> , 2013, 28, 414-421.	0.7	16
137	Symbiosis Island Shuffling with Abundant Insertion Sequences in the Genomes of Extra-Slow-Growing Strains of Soybean <i>Bradyrhizobia</i> . <i>Applied and Environmental Microbiology</i> , 2015, 81, 4143-4154.	1.4	16
138	Diversity of <i>Bradyrhizobium</i> in Non-Leguminous Sorghum Plants: <i>B. ottawaense</i> Isolates Unique in Genes for N ₂ O Reductase and Lack of the Type VI Secretion System. <i>Microbes and Environments</i> , 2020, 35, n/a.	0.7	16
139	Soil microbial community analysis in the environmental risk assessment of transgenic plants. <i>Plant Biotechnology</i> , 2006, 23, 137-151.	0.5	16
140	Incorporation of a DNA Sequence Encoding Green Fluorescent Protein (GFP) into Endophytic Diazotroph from Sugarcane and Sweet Potato and the Colonizing Ability of these Bacteria in Brassica oleracea. <i>Microbes and Environments</i> , 2006, 21, 122-128.	0.7	15
141	Strains of <i>Bradyrhizobium cosmicum</i> sp. nov., isolated from contrasting habitats in Japan and Canada possess photosynthesis gene clusters with the hallmark of genomic islands. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5063-5074.	0.8	15
142	NAD-Malic Enzyme Affects Nitrogen Fixing Activity of <i>Bradyrhizobium japonicum</i> USDA 110 Bacteroids in Soybean Nodules. <i>Microbes and Environments</i> , 2008, 23, 215-220.	0.7	14
143	Genetic diversity of native <i>Bradyrhizobium</i> populations in soybean-growing areas of Northern Thailand. <i>Soil Science and Plant Nutrition</i> , 2003, 49, 255-265.	0.8	12
144	Evolution of rhizobial symbiosis islands through insertion sequence-mediated deletion and duplication. <i>ISME Journal</i> , 2022, 16, 112-121.	4.4	12

#	ARTICLE	IF	CITATIONS
145	Rhizobitoxine production in <i>Agrobacterium tumefaciens</i> C58 by <i>Bradyrhizobium elkanii</i> rtxACDEFG genes. <i>FEMS Microbiology Letters</i> , 2007, 269, 29-35.	0.7	11
146	Copper Metallochaperones are Required for the Assembly of Bacteroid Cytochrome c Oxidase Which is Functioning for Nitrogen Fixation in Soybean Nodules. <i>Plant and Cell Physiology</i> , 2010, 51, 1242-1246.	1.5	11
147	Temperature-Dependent Expression of Type III Secretion System Genes and Its Regulation in <i>Bradyrhizobium japonicum</i> . <i>Molecular Plant-Microbe Interactions</i> , 2010, 23, 628-637.	1.4	10
148	Linked Expressions of <i>nap</i> and <i>nos</i> Genes in a <i>Bradyrhizobium japonicum</i> Mutant with Increased N ₂ O Reductase Activity. <i>Applied and Environmental Microbiology</i> , 2013, 79, 4178-4180.	1.4	10
149	Bacterial community shifts associated with high abundance of <i>Rhizobium</i> spp. in potato roots under macronutrient-deficient conditions. <i>Soil Biology and Biochemistry</i> , 2015, 80, 232-236.	4.2	10
150	Regulation of nitrous oxide reductase genes by NasT-mediated transcription antitermination in <i>Bradyrhizobium diazoefficiens</i> . <i>Environmental Microbiology Reports</i> , 2017, 9, 389-396.	1.0	10
151	Symbiotic incompatibility between soybean and <i>Bradyrhizobium</i> arises from one amino acid determinant in soybean Rj2 protein. <i>PLoS ONE</i> , 2019, 14, e0222469.	1.1	10
152	Rapid turnover of aspartic acid in soybean nodules formed with H ₂ -uptake positive <i>Rhizobium japonicum</i> strains. <i>Soil Science and Plant Nutrition</i> , 1981, 27, 387-391.	0.8	9
153	Identification of the Hydrogen Uptake Gene Cluster for Chemolithoautotrophic Growth and Symbiosis Hydrogen Uptake in <i>Bradyrhizobium Diazoefficiens</i> . <i>Microbes and Environments</i> , 2016, 31, 76-78.	0.7	9
154	Complete Genome Sequence of <i>Bradyrhizobium diazoefficiens</i> USDA 122, a Nitrogen-Fixing Soybean Symbiont. <i>Genome Announcements</i> , 2017, 5, .	0.8	9
155	Nitrate Supply-Dependent Shifts in Communities of Root-Associated Bacteria in <i>Arabidopsis</i> . <i>Microbes and Environments</i> , 2017, 32, 314-323.	0.7	9
156	Nodulation and competitiveness of <i>gusA</i> -marked <i>Bradyrhizobium japonicum</i> A1017 in soybean. <i>Soil Science and Plant Nutrition</i> , 1997, 43, 473-478.	0.8	8
157	A milestone for endophyte biotechnology. <i>Nature Biotechnology</i> , 2006, 24, 1357-1358.	9.4	8
158	Identification of the <i>Mesorhizobium loti</i> gene responsible for glycerophosphorylation of periplasmic cyclic β -1,2-glucans. <i>FEMS Microbiology Letters</i> , 2010, 302, 131-137.	0.7	8
159	Draft Genome Sequence of <i>Methylosinus</i> sp. Strain 3S-1, an Isolate from Rice Root in a Low-Nitrogen Paddy Field. <i>Genome Announcements</i> , 2016, 4, .	0.8	8
160	Unidentified compound specifically accumulated in soybean nodules formed with H ₂ -uptake negative <i>rhizobium japonicum</i> strains. <i>Soil Science and Plant Nutrition</i> , 1984, 30, 435-444.	0.8	7
161	Complete Genome Sequence of <i>Methylobacterium</i> sp. Strain AMS5, an Isolate from a Soybean Stem. <i>Genome Announcements</i> , 2016, 4, .	0.8	7
162	<i>Bradyrhizobium elkanii</i> Induces Outer Cortical Root Swelling in Soybean. <i>Plant and Cell Physiology</i> , 1995, , .	1.5	6

#	ARTICLE	IF	CITATIONS
163	Identification of Mesorhizobium loti Genes Relevant to Symbiosis by Using Signature-Tagged Mutants. Microbes and Environments, 2011, 26, 165-171.	0.7	6
164	Editorial: Metabolic Adjustments and Gene Expression Reprogramming for Symbiotic Nitrogen Fixation in Legume Nodules. Frontiers in Plant Science, 2019, 10, 898.	1.7	6
165	Growth Rate of and Gene Expression in <i>Bradyrhizobium diazoefficiens</i> USDA110 due to a Mutation in blr7984, a TetR Family Transcriptional Regulator Gene. Microbes and Environments, 2016, 31, 249-259.	0.7	5
166	Assessment of bacterial communities of black soybean grown in fields. Communicative and Integrative Biology, 2017, 10, e1378290.	0.6	5
167	Polyamines in Rhizobium, Bradyrhizobium, Azorhizobium and Argobacterium. FEMS Microbiology Letters, 1990, 71, 71-76.	0.7	5
168	Peribacteroid solution of soybean root nodules partly induces genomic loci for differentiation into bacteroids of free-living Bradyrhizobium japonicum cells. Soil Science and Plant Nutrition, 2015, 61, 461-470.	0.8	4
169	<i>In Vivo</i> Evidence of Single ¹³ C and ¹⁵ N Isotope-Labelled Methanotrophic Nitrogen-Fixing Bacterial Cells in Rice Roots. MBio, 2022, 13, .	1.8	4
170	Isolation and Characterization of Low-indole-3-acetic Acid-producing Mutants from Bradyrhizobium elkanii. Bioscience, Biotechnology and Biochemistry, 2000, 64, 1359-1364.	0.6	3
171	Expression of Two RpoH Sigma Factors in <i>Sinorhizobium meliloti</i> ; upon Heat Shock. Microbes and Environments, 2017, 32, 394-397.	0.7	3
172	Mapping of quantitative trait loci related to primary rice root growth as a response to inoculation with Azospirillum sp. strain B510. Communicative and Integrative Biology, 2018, 11, 1-6.	0.6	3
173	Hydrogenase Activity of Soybean Nodules Doubly Infected with <i>Bradyrhizobium japonicum</i> and <i>B. elkanii</i> . Soil Science and Plant Nutrition, 1996, 42, 917-920.	0.8	2
174	Complete Genome Sequence of Bradyrhizobium japonicum J5, Isolated from a Soybean Nodule in Hokkaido, Japan. Genome Announcements, 2017, 5, .	0.8	2
175	Identification of Genes Regulated by the Antitermination Factor NasT during Denitrification in <i>Bradyrhizobium diazoefficiens</i> . Microbes and Environments, 2019, 34, 260-267.	0.7	2
176	Slow-growing and oligotrophic soil bacteria phylogenetically close to Bradyrhizobium japonicum. FEMS Microbiology Ecology, 1998, 25, 277-286.	1.3	2
177	ã,ãfçš'æç%©ã@ç'ç'â'â@šã,"ãf³ãf%ãf•ã,ãã,ãf". Nippon Nogeikagaku Kaishi, 2003, 77, 126-129.	0.0	1
178	Diazotrophic Endophytes in Rice: Colonization and Nitrogen Fixation of Herbaspirillum and Clostridium Species. , 2005, , 339-343.		1
179	Discrimination of the Commercial Seeds of Forage Crops using Ribosomal Intergenic Spacer Analysis. Breeding Science, 2006, 56, 185-188.	0.9	1
180	Levels of Periplasmic Nitrate Reductase during Denitrification are Lower in <i>Bradyrhizobium japonicum</i> than in <i>Bradyrhizobium diazoefficiens</i> . Microbes and Environments, 2020, 35, n/a.	0.7	1

#	ARTICLE	IF	CITATIONS
181	Assimilation and transport of fixed nitrogen in soybean nodule as revealed with ¹⁵ N.. Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 1987, 63, 223-226.	1.6	0
182	Stimulation of hydrogenase synthesis in free-living <i>Bradyrhizobium japonicum</i> by addition of nitrate and ammonium. Soil Science and Plant Nutrition, 1990, 36, 345-347.	0.8	0
183	Genetic Ecology of Rhizobium and Bradyrhizobium.. Nippon Nogeikagaku Kaishi, 1993, 67, 1070-1072.	0.0	0
184	Identification of Trigonelline, a <i>Nod</i> Gene-inducing Signal Compound, in Rice (<i>Oryza</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622	0.9	0
185	How will plant science contribute to improve productivity in agriculture? Future prospects of plant science. Ikushugaku Kenkyu, 2019, 21, 49-54.	0.1	0