
See Ching Chan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11019924/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Continuous Improvement of Survival Outcomes of Resection of Hepatocellular Carcinoma. Annals of Surgery, 2011, 253, 745-758.	4.2	313
2	Long-Term Survival Analysis of Pure Laparoscopic Versus Open Hepatectomy for Hepatocellular Carcinoma in Patients With Cirrhosis. Annals of Surgery, 2013, 257, 506-511.	4.2	219
3	A Randomized, Controlled Trial of Postoperative Adjuvant Interferon Therapy After Resection of Hepatocellular Carcinoma. Annals of Surgery, 2007, 245, 831-842.	4.2	196
4	Pure Laparoscopic Hepatectomy Versus Open Hepatectomy for Hepatocellular Carcinoma in 110 Patients With Liver Cirrhosis. Annals of Surgery, 2016, 264, 612-620.	4.2	144
5	Liver transplantation for acute-on-chronic liver failure. Hepatology International, 2009, 3, 571-581.	4.2	114
6	Treatment strategy for recurrent hepatocellular carcinoma: Salvage transplantation, repeated resection, or radiofrequency ablation?. Liver Transplantation, 2013, 19, 411-419.	2.4	114
7	Toward Current Standards of Donor Right Hepatectomy for Adult-to-Adult Live Donor Liver Transplantation Through the Experience of 200 Cases. Annals of Surgery, 2007, 245, 110-117.	4.2	109
8	High-Intensity Focused Ultrasound for Hepatocellular Carcinoma. Annals of Surgery, 2011, 253, 981-987.	4.2	108
9	Estimating liver weight of adults by body weight and gender. World Journal of Gastroenterology, 2006, 12, 2217.	3.3	108
10	Impact of Antiviral Therapy on the Survival of Patients After Major Hepatectomy for Hepatitis B Virus–Related Hepatocellular Carcinoma. Archives of Surgery, 2011, 146, 675.	2.2	102
11	Survival Analysis of Reâ€resection Versus Radiofrequency Ablation for Intrahepatic Recurrence After Hepatectomy for Hepatocellular Carcinoma. World Journal of Surgery, 2012, 36, 151-156.	1.6	96
12	¹¹ C-Acetate and ¹⁸ F-FDG PET/CT for Clinical Staging and Selection of Patients with Hepatocellular Carcinoma for Liver Transplantation on the Basis of Milan Criteria: Surgeon's Perspective. Journal of Nuclear Medicine, 2013, 54, 192-200.	5.0	89
13	Evaluation of the seventh edition of the American Joint Committee on Cancer tumour–node–metastasis (TNM) staging system for patients undergoing curative resection of hepatocellular carcinoma: implications for the development of a refined staging system. Hpb, 2013, 15, 439-448.	0.3	81
14	Interleukin-2 receptor antibody (basiliximab) for immunosuppressive induction therapy after liver transplantation: A protocol with early elimination of steroids and reduction of tacrolimus dosage. Liver Transplantation, 2004, 10, 728-733.	2.4	80
15	A Decade of Right Liver Adult-to-Adult Living Donor Liver Transplantation. Annals of Surgery, 2008, 248, 411-419.	4.2	74
16	Bile duct anastomotic stricture after adult-to-adult right lobe living donor liver transplantation. Liver Transplantation, 2011, 17, 47-52.	2.4	70
17	Can positron emission tomography with the dual tracers [11C]acetate and [18F]fludeoxyglucose predict microvascular invasion in hepatocellular carcinoma?. Liver Transplantation, 2011, 17, 1218-1225.	2.4	68
18	Survival Analysis of High-Intensity Focused Ultrasound Therapy Versus Radiofrequency Ablation in the Treatment of Recurrent Hepatocellular Carcinoma. Annals of Surgery, 2013, 257, 686-692.	4.2	63

SEE CHING CHAN

#	Article	IF	CITATIONS
19	Tailoring donor hepatectomy per segment 4 venous drainage in right lobe live donor liver transplantation. Liver Transplantation, 2004, 10, 755-762.	2.4	60
20	Outcome of laparoscopic versus open hepatectomy for colorectal liver metastases. ANZ Journal of Surgery, 2013, 83, 847-852.	0.7	56
21	Safety of donor right hepatectomy without abdominal drainage: A prospective evaluation in 100 consecutive liver donors. Liver Transplantation, 2005, 11, 314-319.	2.4	49
22	Tolerance of Highâ€Intensity Focused Ultrasound Ablation in Patients with Hepatocellular Carcinoma. World Journal of Surgery, 2012, 36, 2420-2427.	1.6	47
23	Liver Transplantation for Hepatocellular Carcinoma. Liver Cancer, 2013, 2, 338-344.	7.7	47
24	Feasibility of Laparoscopic Reâ€resection for Patients with Recurrent Hepatocellular Carcinoma. World Journal of Surgery, 2014, 38, 1141-1146.	1.6	45
25	High-intensity focused ultrasound ablation: An effective bridging therapy for hepatocellular carcinoma patients. World Journal of Gastroenterology, 2013, 19, 3083.	3.3	45
26	Liver transplantation for hepatocellular carcinoma: the Hong Kong experience. Journal of Hepato-Biliary-Pancreatic Sciences, 2010, 17, 548-554.	2.6	38
27	Pancreaticoduodenectomy with vascular reconstruction for adenocarcinoma of the pancreas with borderline resectability. World Journal of Gastroenterology, 2014, 20, 17448.	3.3	37
28	Survival analysis of highâ€intensity focused ultrasound ablation in patients with small hepatocellular carcinoma. Hpb, 2013, 15, 567-573.	0.3	35
29	Laparoscopic versus open liver resection for elderly patients with malignant liver tumors: A singleâ€center experience. Journal of Gastroenterology and Hepatology (Australia), 2014, 29, 1279-1283.	2.8	35
30	Pilot study of high-intensity focused ultrasound ablation as a bridging therapy for hepatocellular carcinoma patients wait-listed for liver transplantation. Liver Transplantation, 2014, 20, 912-921.	2.4	35
31	Pure Laparoscopic Versus Open Left Lateral Sectionectomy for Hepatocellular Carcinoma: A Singleâ€Center Experience. World Journal of Surgery, 2016, 40, 198-205.	1.6	34
32	Outcomes of living donor liver transplantation for patients with preoperative type 1 hepatorenal syndrome and acute hepatic decompensation. Liver Transplantation, 2012, 18, 779-785.	2.4	33
33	Survival outcomes of right-lobe living donor liver transplantation for patients with high Model for End-stage Liver Disease scores. Hepatobiliary and Pancreatic Diseases International, 2013, 12, 256-262.	1.3	33
34	The effect of wide resection margin in patients with intrahepatic cholangiocarcinoma. Medicine (United States), 2016, 95, e4133.	1.0	33
35	Paired donor interchange to avoid ABO-incompatible living donor liver transplantation. Liver Transplantation, 2010, 16, 478-481.	2.4	31
36	Modulation of graft vascular inflow guided by flowmetry and manometry in liver transplantation. Hepatobiliary and Pancreatic Diseases International, 2011, 10, 649-656.	1.3	30

SEE CHING CHAN

#	Article	IF	CITATIONS
37	Survival advantage of primary liver transplantation for hepatocellular carcinoma within the up-to-7 criteria with microvascular invasion. Hepatology International, 2012, 6, 646-656.	4.2	30
38	Working up donors for high-urgency and elective adult-to-adult live donor liver transplantation. Liver Transplantation, 2007, 13, 509-515.	2.4	27
39	Rapid measurement of indocyanine green retention by pulse spectrophotometry: a validation study in 70 patients with Child-Pugh A cirrhosis before hepatectomy for hepatocellular carcinoma. Hepatobiliary and Pancreatic Diseases International, 2012, 11, 267-271.	1.3	26
40	Outcomes of hepatectomy for hepatocellular carcinoma with bile duct tumour thrombus. Hpb, 2015, 17, 401-408.	0.3	26
41	Survival analysis of highâ€intensity focused ultrasound therapy vs. transarterial chemoembolization for unresectable hepatocellular carcinomas. Liver International, 2014, 34, e136-43.	3.9	25
42	Section 3. Current Status of Downstaging of Hepatocellular Carcinoma Before Liver Transplantation. Transplantation, 2014, 97, S10-S17.	1.0	23
43	Historical perspective of living donor liver transplantation. World Journal of Gastroenterology, 2008, 14, 15.	3.3	23
44	Validation of graft and standard liver size predictions in right liver living donor liver transplantation. Hepatology International, 2011, 5, 913-917.	4.2	21
45	Rescue Living-donor Liver Transplantation for Liver Failure Following Hepatectomy for Hepatocellular Carcinoma. Liver Cancer, 2013, 2, 332-337.	7.7	21
46	Management of Spontaneously Ruptured Hepatocellular Carcinomas in the Radiofrequency Ablation Era. PLoS ONE, 2014, 9, e94453.	2.5	20
47	Treatment Strategy to Improve Longâ€Term Survival for Hepatocellular Carcinoma Smaller than 5Âcm: Major Hepatectomy vs Minor Hepatectomy. World Journal of Surgery, 2014, 38, 2386-2394.	1.6	17
48	Comparable Short- and Long-term Outcomes in Living Donor and Deceased Donor Liver Transplantations for Patients With Model for End-stage Liver Disease Scores ≥35 in a Hepatitis-B Endemic Area. Annals of Surgery, 2017, 265, 173-177.	4.2	17
49	A case of laparoscopic hepatectomy for recurrent hepatocellular carcinoma. World Journal of Gastroenterology, 2010, 16, 526.	3.3	17
50	Increasing the recipient benefit/donor risk ratio by lowering the graft size requirement for living donor liver transplantation. Liver Transplantation, 2012, 18, 1078-1082.	2.4	16
51	Perpetuating proficiency in donor right hepatectomy for living donor liver transplantation. Asian Journal of Surgery, 2014, 37, 65-72.	0.4	16
52	Outcomes of central bisectionectomy for hepatocellular carcinoma. Hpb, 2013, 15, 529-534.	0.3	14
53	New insights after the first 1000 liver transplantations at The University of Hong Kong. Asian Journal of Surgery, 2016, 39, 202-210.	0.4	14
54	Pediatric liver transplantation in Hong Kong—a domain with scarce deceased donors. Journal of Pediatric Surgery, 2009, 44, 2316-2321.	1.6	12

SEE CHING CHAN

#	Article	IF	CITATIONS
55	Effects of the liver volume and donor steatosis on errors in the estimated standard liver volume. Liver Transplantation, 2011, 17, 1437-1442.	2.4	11
56	Short- and long-term impact of reoperation for complications after major hepatectomy for hepatocellular carcinoma. Surgery, 2016, 160, 1236-1243.	1.9	10
57	Survival outcome of reâ€resection for recurrent liver metastases of colorectal cancer: a retrospective study. ANZ Journal of Surgery, 2014, 84, 545-549.	0.7	9
58	Durability of smallâ€forâ€size living donor allografts. Liver Transplantation, 2015, 21, 1374-1382.	2.4	9
59	Hepatopancreatoduodenectomy for advanced hepatobiliary malignancies: a single-center experience. Hepatobiliary and Pancreatic Diseases International, 2017, 16, 382-386.	1.3	9
60	High-intensity focused ultrasound ablation as a bridging therapy for hepatocellular carcinoma patients awaiting liver transplantation. Hepatobiliary and Pancreatic Diseases International, 2012, 11, 542-544.	1.3	8
61	Long Term Survival Analysis of Hepatectomy for Neuroendocrine Tumour Liver Metastases. Scientific World Journal, The, 2014, 2014, 1-7.	2.1	7
62	Adult-to-adult living donor liver transplantation: Operative techniques to optimize the recipient's outcome. Journal of Natural Science, Biology and Medicine, 2017, 8, 4.	1.0	7
63	Samaritan donor interchange in living donor liver transplantation. Hepatobiliary and Pancreatic Diseases International, 2014, 13, 105-109.	1.3	5
64	Emergency re-routing of anterior sector venous outflow for right lobe living donor liver transplantation including the middle hepatic vein. Hepatobiliary and Pancreatic Diseases International, 2011, 10, 325-327.	1.3	4
65	Liver transplantation for fulminant hepatic failure: As early as necessary and as late as possible. Journal of Gastroenterology and Hepatology (Australia), 2011, 26, 3-4.	2.8	3
66	Improved anterior hepatic transection for isolated hepatocellular carcinoma in the caudate. Hepatobiliary and Pancreatic Diseases International, 2014, 13, 219-222.	1.3	3
67	Overestimating the liver volume for subjects with low body weight. Liver Transplantation, 2010, 16, 1331-1331.	2.4	0
68	Hepatic resection for living donor transplantation. , 2012, , 1520-1528.e1.		0
69	Outcomes of Living Donor Transplantation. , 2015, , 754-759.		0
70	Transplantation of a 2-year-old deceased-donor liver to a 61-year-old male recipient. Asian Journal of Surgery, 2015, 38, 113-116.	0.4	0
71	Resection technique for live-donor transplantation. , 2017, , 1587-1596.e1.		0