

Jai-Sing Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1102130/publications.pdf>

Version: 2024-02-01

277
papers

11,379
citations

25034

57
h-index

54911

84
g-index

280
all docs

280
docs citations

280
times ranked

12877
citing authors

#	ARTICLE	IF	CITATIONS
1	Curcumin suppresses cell proliferation and triggers apoptosis in vemurafenib-resistant melanoma cells by downregulating the EGFR signaling pathway. <i>Environmental Toxicology</i> , 2022, 37, 868-879.	4.0	16
2	Gadodiamide Induced Autophagy and Apoptosis in Human Keratinocytes. <i>In Vivo</i> , 2022, 36, 603-609.	1.3	1
3	<i>Tremella fuciformis</i> Inhibits Melanogenesis in B16F10 Cells and Promotes Migration of Human Fibroblasts and Keratinocytes. <i>In Vivo</i> , 2022, 36, 713-722.	1.3	5
4	Potential effects of allyl isothiocyanate on inhibiting cellular proliferation and inducing apoptotic pathway in human cisplatin-resistant oral cancer cells. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 515-523.	1.7	28
5	<i>In Vitro</i> Toxicological Assessment of Gadodiamide in Normal Brain SVG P12 Cells. <i>In Vivo</i> , 2021, 35, 2621-2630.	1.3	1
6	Resveratrol inhibited the metastatic behaviors of cisplatin-resistant human oral cancer cells via phosphorylation of ERK/p38 and suppression of MMP2/9. <i>Journal of Food Biochemistry</i> , 2021, 45, e13666.	2.9	85
7	Next-generation sequencing analysis reveals that MTH-3, a novel curcuminoid derivative, suppresses the invasion of MDA-MB-231 triple-negative breast adenocarcinoma cells. <i>Oncology Reports</i> , 2021, 46, .	2.6	7
8	Dracorhodin perchlorate enhances wound healing via β -catenin, ERK/p38, and AKT signaling in human HaCaT keratinocytes. <i>Experimental and Therapeutic Medicine</i> , 2021, 22, 822.	1.8	13
9	Factors influencing locoregional recurrence and distant metastasis in Asian patients with cutaneous melanoma after surgery: A retrospective analysis in a tertiary hospital in Taiwan. <i>Journal of the Chinese Medical Association</i> , 2021, 84, 870-876.	1.4	6
10	Tetrandrine Inhibits Epithelial-Mesenchymal Transition in IL-6-Induced HCT116 Human Colorectal Cancer Cells. <i>OncoTargets and Therapy</i> , 2021, Volume 14, 4523-4536.	2.0	7
11	High Concentration of Iopromide Induces Apoptosis and Autophagy in Human Embryonic Kidney Cells via Activating a ROS-dependent Cellular Stress Pathway. <i>In Vivo</i> , 2021, 35, 3221-3232.	1.3	2
12	Curcumin Derivative MTH-3 Regulates Palmitate-induced Insulin Resistance in Mouse Myoblast C2C12 Cells. <i>In Vivo</i> , 2021, 35, 3181-3191.	1.3	1
13	In Silico Target Analysis of Treatment for COVID-19 Using Huang-Lian-Shang-Qing-Wan, a Traditional Chinese Medicine Formula. <i>Natural Product Communications</i> , 2021, 16, 1934578X2110308.	0.5	0
14	Effect of Quercetin on Injury to Indomethacin-Treated Human Embryonic Kidney 293 Cells. <i>Life</i> , 2021, 11, 1134.	2.4	1
15	Combinational treatment of all-trans retinoic acid (ATRA) and bisdemethoxycurcumin (BDMC) induced apoptosis in liver cancer Hep3B cells. <i>Journal of Food Biochemistry</i> , 2020, 44, e13122.	2.9	39
16	<i>In Silico</i> De Novo Curcuminoid Derivatives From the Compound Library of Natural Products Research Laboratories Inhibit COVID-19 3CL ^{pro} Activity. <i>Natural Product Communications</i> , 2020, 15, 1934578X2095326.	0.5	4
17	Effect of Quercetin on Dexamethasone-Induced C2C12 Skeletal Muscle Cell Injury. <i>Molecules</i> , 2020, 25, 3267.	3.8	32
18	Tetramethylpyrazine reverses high-glucose induced hypoxic effects by negatively regulating HIF-1 α induced BNIP3 expression to ameliorate H9c2 cardiomyoblast apoptosis. <i>Nutrition and Metabolism</i> , 2020, 17, 12.	3.0	88

#	ARTICLE	IF	CITATIONS
19	Sensitivity of allyl isothiocyanate to induce apoptosis via ER stress and the mitochondrial pathway upon ROS production in colorectal adenocarcinoma cells. <i>Oncology Reports</i> , 2020, 44, 1415-1424.	2.6	16
20	Caspase-dependent apoptotic death by gadolinium chloride (GdCl ₃) via reactive oxygen species production and MAPK signaling in rat C6 glioma cells. <i>Oncology Reports</i> , 2019, 41, 1324-1332.	2.6	7
21	Glucocerebroside reduces endothelial progenitor cell-induced angiogenesis. <i>Food and Agricultural Immunology</i> , 2019, 30, 1033-1045.	1.4	72
22	High-density lipoprotein ameliorates palmitic acid-induced lipotoxicity and oxidative dysfunction in H9c2 cardiomyoblast cells via ROS suppression. <i>Nutrition and Metabolism</i> , 2019, 16, 36.	3.0	82
23	Cantharidin decreased viable cell number in human osteosarcoma U-2 OS cells through G2/M phase arrest and induction of cell apoptosis. <i>Bioscience, Biotechnology and Biochemistry</i> , 2019, 83, 1912-1923.	1.3	8
24	Casticin inhibits human prostate cancer DU 145 cell migration and invasion via Ras/Akt/NF- κ B signaling pathways. <i>Journal of Food Biochemistry</i> , 2019, 43, e12902.	2.9	90
25	Autophagy and apoptotic machinery caused by <i>Polygonum cuspidatum</i> extract in cisplatin-resistant human oral cancer CAR cells. <i>Oncology Reports</i> , 2019, 41, 2549-2557.	2.6	14
26	Metformin triggers the intrinsic apoptotic response in human AGS gastric adenocarcinoma cells by activating AMPK and suppressing mTOR/AKT signaling. <i>International Journal of Oncology</i> , 2019, 54, 1271-1281.	3.3	39
27	The hepatoprotective activities of <i>Kalimeris indica</i> ethanol extract against liver injury in vivo. <i>Food Science and Nutrition</i> , 2019, 7, 3797-3807.	3.4	6
28	Plumbagin suppresses endothelial progenitor cell-related angiogenesis in vitro and in vivo. <i>Journal of Functional Foods</i> , 2019, 52, 537-544.	3.4	103
29	Effects of <i>Lycium barbarum</i> (goji berry) on dry eye disease in rats. <i>Molecular Medicine Reports</i> , 2018, 17, 809-818.	2.4	25
30	Effect of bis(hydroxymethyl) alkanoate curcuminoid derivative MTH-3 on cell cycle arrest, apoptotic and autophagic pathway in triple-negative breast adenocarcinoma MDA-MB-231 cells: An in vitro study. <i>International Journal of Oncology</i> , 2018, 52, 67-76.	3.3	24
31	2-Phenyl-4-quinolone (YT-1) induces G2/M phase arrest and an intrinsic apoptotic mechanism in human leukemia cells. <i>Oncology Reports</i> , 2018, 39, 1331-1337.	2.6	3
32	ITR-284 modulates cell differentiation in human chronic myelogenous leukemia K562 cells. <i>Oncology Reports</i> , 2018, 39, 383-391.	2.6	2
33	Eudesmin attenuates <i>Helicobacter pylori</i> -induced epithelial autophagy and apoptosis and leads to eradication of <i>H. pylori</i> infection. <i>Experimental and Therapeutic Medicine</i> , 2018, 15, 2388-2396.	1.8	8
34	Disruption of IGF-1R signaling by a novel quinazoline derivative, HMJ-30, inhibits invasiveness and reverses epithelial-mesenchymal transition in osteosarcoma U-2 OS cells. <i>International Journal of Oncology</i> , 2018, 52, 1465-1478.	3.3	7
35	Late onset of biliopleural fistula following percutaneous transhepatic biliary drainage: a case report.		

#	ARTICLE	IF	CITATIONS
37	Synergistic inhibitory effects of cetuximab and curcumin on human cisplatin-resistant oral cancer CAR cells through intrinsic apoptotic process. <i>Oncology Letters</i> , 2018, 16, 6323-6330.	1.8	22
38	Relaxant and vasoprotective effects of ginger extracts on porcine coronary arteries. <i>International Journal of Molecular Medicine</i> , 2018, 41, 2420-2428.	4.0	18
39	The molecular mechanism of contrast-induced nephropathy (CIN) and its link to in vitro studies on		

#	ARTICLE	IF	CITATIONS
55	The <i>In Vitro</i> and <i>In Vivo</i> Wound Healing Properties of the Chinese Herbal Medicine "Jinchuang Ointment". Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-11.	1.2	19
56	Gadolinium chloride elicits apoptosis in human osteosarcoma U-2 OS cells through extrinsic signaling, intrinsic pathway and endoplasmic reticulum stress. Oncology Reports, 2016, 36, 3421-3426.	2.6	11
57	CCY-1a-E2 induces G2/M phase arrest and apoptotic cell death in HL-60 leukemia cells through cyclin-dependent kinase 1 signaling and the mitochondria-dependent caspase pathway. Oncology Reports, 2016, 36, 1633-1639.	2.6	5
58	Mechanistic Study of Tetrahydrofuran- acetogenins In Triggering Endoplasmic Reticulum Stress Response-apoptosis in Human Nasopharyngeal Carcinoma. Scientific Reports, 2016, 6, 39251.	3.3	14
59	Inhibitory effects of tetrandrine on epidermal growth factor-induced invasion and migration in HT29 human colorectal adenocarcinoma cells. Molecular Medicine Reports, 2016, 13, 1003-1009.	2.4	14
60	Current concepts regarding developmental mechanisms in diabetic retinopathy in Taiwan. BioMedicine		

#	ARTICLE	IF	CITATIONS
73	Bufalinâ€inhibited migration and invasion in human osteosarcoma Uâ€2 OS cells is carried out by suppression of the matrix metalloproteinaseâ€2, ERK, and JNK signaling pathways. <i>Environmental Toxicology</i> , 2014, 29, 21-29.	4.0	33
74	The roles of endoplasmic reticulum stress and mitochondrial apoptotic signaling pathway in quercetinâ€mediated cell death of human prostate cancer PCâ€3 cells. <i>Environmental Toxicology</i> , 2014, 29, 428-439.	4.0	70
75	Chrysophanolâ€induced cell death (necrosis) in human lung cancer A549 cells is mediated through increasing reactive oxygen species and decreasing the level of mitochondrial membrane potential. <i>Environmental Toxicology</i> , 2014, 29, 740-749.	4.0	48
76	Design, Synthesis, Mechanisms of Action, and Toxicity of Novel 20(<i>S</i>)-Sulfonylamidine Derivatives of Camptothecin as Potent Antitumor Agents. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 6008-6018.	6.4	66
77	Effect of DNA damage response by quinazolinone analogue HMJ-38 on human umbilical vein endothelial cells. <i>Human and Experimental Toxicology</i> , 2014, 33, 590-601.	2.2	3
78	Crude extract of <i>Rheum palmatum</i> L induced cell death in LS1034 human colon cancer cells acts through the caspaseâ€dependent and â€independent pathways. <i>Environmental Toxicology</i> , 2014, 29, 969-980.	4.0	18
79	Cell death caused by quinazolinone HMJ-38 challenge in oral carcinoma CAL 27 cells: dissections of endoplasmic reticulum stress, mitochondrial dysfunction and tumor xenografts. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 2310-2320.	2.4	35
80	Allyl isothiocyanate inhibits cell metastasis through suppression of the MAPK pathways in epidermal growth factor-stimulated HT29 human colorectal adenocarcinoma cells. <i>Oncology Reports</i> , 2014, 31, 189-196.	2.6	46
81	The novel pterostilbene derivative ANK-199 induces autophagic cell death through regulating PI3 kinase class III/beclin 1/Atg-related proteins in cisplatin-resistant CAR human oral cancer cells. <i>International Journal of Oncology</i> , 2014, 45, 782-794.	3.3	23
82	Quinazoline analog HMJ-30 inhibits angiogenesis: Involvement of endothelial cell apoptosis through ROS-JNK-mediated death receptor 5 signaling. <i>Oncology Reports</i> , 2014, 32, 597-606.	2.6	12
83	Curcumin-loaded nanoparticles enhance apoptotic cell death of U2OS human osteosarcoma cells through the Akt-Bad signaling pathway. <i>International Journal of Oncology</i> , 2014, 44, 238-246.	3.3	58
84	Phenethyl isothiocyanate promotes immune responses in normal BALB/c mice, inhibits murine leukemia WEHIâ€3 cells, and stimulates immunomodulations <i>in vivo</i> . <i>Environmental Toxicology</i> , 2013, 28, 127-136.	4.0	19
85	Induction of apoptosis by curcumin in murine myelomonocytic leukemia WEHIâ€3 cells is mediated via endoplasmic reticulum stress and mitochondriaâ€dependent pathways. <i>Environmental Toxicology</i> , 2013, 28, 255-266.	4.0	27
86	Diallyl sulfide, diallyl disulfide, and diallyl trisulfide inhibit migration and invasion in human colon cancer colo 205 cells through the inhibition of matrix metalloproteinase-2, -7, and -9 expressions. <i>Environmental Toxicology</i> , 2013, 28, 479-488.	4.0	72
87	cDNA microarray analysis of the gene expression of murine leukemia RAW 264.7 cells after exposure to propofol. <i>Environmental Toxicology</i> , 2013, 28, 471-478.	4.0	14
88	Gallic acid provokes DNA damage and suppresses DNA repair gene expression in human prostate cancer PCâ€3 cells. <i>Environmental Toxicology</i> , 2013, 28, 579-587.	4.0	34
89	Safrole suppresses murine myelomonocytic leukemia WEHI-3 cells <i>in vivo</i> , and stimulates macrophage phagocytosis and natural killer cell cytotoxicity in leukemic mice. <i>Environmental Toxicology</i> , 2013, 28, 601-608.	4.0	14
90	Induction of Cell Cycle Arrest and Apoptosis in Human Osteosarcoma U-2 OS Cells by <i>Solanum lyratum</i> Extracts. <i>Nutrition and Cancer</i> , 2013, 65, 469-479.	2.0	18

#	ARTICLE	IF	CITATIONS
91	Houttuynia cordata Thunb extract modulates G0/G1 arrest and Fas/CD95-mediated death receptor apoptotic cell death in human lung cancer A549 cells. <i>Journal of Biomedical Science</i> , 2013, 20, 18.	7.0	35
92	Ellagic acid induces apoptosis in tsgh8301 human bladder cancer cells through the endoplasmic reticulum stress- and mitochondria-dependent signaling pathways. <i>Environmental Toxicology</i> , 2013, 29, n/a-n/a.	4.0	42
93	Design, synthesis, and mechanism of action of 2-(3-hydroxy-5-methoxyphenyl)-6-pyrrolidinylquinolin-4-one as a potent anticancer lead. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 5223-5227.	2.2	9
94	Triptolide induced DNA damage in A375.S2 human malignant melanoma cells is mediated via reduction of DNA repair genes. <i>Oncology Reports</i> , 2013, 29, 613-618.	2.6	37
95	Diallyl Sulfide Promotes Cell-Cycle Arrest Through the p53 Expression and Triggers Induction of Apoptosis Via Caspase- and Mitochondria-Dependent Signaling Pathways in Human Cervical Cancer Ca Ski Cells. <i>Nutrition and Cancer</i> , 2013, 65, 505-514.	2.0	38
96	AKT serine/threonine protein kinase modulates baicalin-triggered autophagy in human bladder cancer T24 cells. <i>International Journal of Oncology</i> , 2013, 42, 993-1000.	3.3	60
97	Newly synthesized quinazolinone HMI-38 suppresses angiogenetic responses and triggers human umbilical vein endothelial cell apoptosis through p53-modulated Fas/death receptor signaling. <i>Toxicology and Applied Pharmacology</i> , 2013, 269, 150-162.	2.8	44
98	The novel synthetic compound 6-acetyl-9-(3,4,5-trimethoxybenzyl)-9H-pyrido[2,3-b]indole induces mitotic arrest and apoptosis in human COLO 205 cells. <i>International Journal of Oncology</i> , 2013, 43, 1596-1606.	3.3	4
99	Phenethyl isothiocyanate suppresses EGF-stimulated SAS human oral squamous carcinoma cell invasion by targeting EGF receptor signaling. <i>International Journal of Oncology</i> , 2013, 43, 629-637.	3.3	30
100	Kaempferol induces autophagy through AMPK and AKT signaling molecules and causes G2/M arrest via downregulation of CDK1/cyclin B in SK-HEP-1 human hepatic cancer cells. <i>International Journal of Oncology</i> , 2013, 42, 2069-2077.	3.3	123
101	Suppressions of Migration and Invasion by Cantharidin in TSGH-8301 Human Bladder Carcinoma Cells through the Inhibitions of Matrix Metalloproteinase-2/-9 Signaling. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-8.	1.2	17
102	Propofol induces DNA damage in mouse leukemic monocyte macrophage RAW264.7 cells. <i>Oncology Reports</i> , 2013, 30, 2304-2310.	2.6	18
103	Kaempferol suppresses cell metastasis via inhibition of the ERK-p38-JNK and AP-1 signaling pathways in U-2 OS human osteosarcoma cells. <i>Oncology Reports</i> , 2013, 30, 925-932.	2.6	92
104	The novel carboxamide analog ITR-284 induces caspase-dependent apoptotic cell death in human hepatocellular and colorectal cancer cells. <i>Molecular Medicine Reports</i> , 2013, 7, 1539-1544.	2.4	4
105	Triptolide induces S phase arrest via the inhibition of cyclin E and CDC25A and triggers apoptosis via caspase- and mitochondrial-dependent signaling pathways in A375.S2 human melanoma cells. <i>Oncology Reports</i> , 2013, 29, 1053-1060.	2.6	25
106	Dual inhibition of EGFR and c-Met kinase activation by MJ-56 reduces metastasis of HT29 human colorectal cancer cells. <i>International Journal of Oncology</i> , 2013, 43, 141-150.	3.3	24
107	Smh-3 induces G2/M arrest and apoptosis through calcium-mediated endoplasmic reticulum stress and mitochondrial signaling in human hepatocellular carcinoma Hep3B cells. <i>Oncology Reports</i> , 2013, 29, 751-762.	2.6	14
108	Curcumin-loaded nanoparticles induce apoptotic cell death through regulation of the function of MDR1 and reactive oxygen species in cisplatin-resistant CAR human oral cancer cells. <i>International Journal of Oncology</i> , 2013, 43, 1141-1150.	3.3	113

#	ARTICLE	IF	CITATIONS
109	Tetrandrine induces cell death in SAS human oral cancer cells through caspase activation-dependent apoptosis and LC3-I and LC3-II activation-dependent autophagy. <i>International Journal of Oncology</i> , 2013, 43, 485-494.	3.3	48
110	Crude extract of <i>Euphorbia formosana</i> inhibits the migration and invasion of DU145 human prostate cancer cells: The role of matrix metalloproteinase-2/9 inhibition via the MAPK signaling pathway. <i>Molecular Medicine Reports</i> , 2013, 7, 1403-1408.	2.4	11
111	In vivo evaluation of the synthesized novel 2-benzyloxybenzaldehyde analog CCY-1a-E2 for the treatment of leukemia in the BALB/c mouse WEHI-3 allograft model. <i>Oncology Letters</i> , 2013, 5, 777-782.	1.8	5
112	Quercetin inhibits migration and invasion of SAS human oral cancer cells through inhibition of NF- κ B and matrix metalloproteinase-2/9 signaling pathways. <i>Anticancer Research</i> , 2013, 33, 1941-50.	1.1	86
113	Butylated hydroxyanisole affects immunomodulation and promotes macrophage phagocytosis in normal BALB/c mice. <i>Molecular Medicine Reports</i> , 2012, 5, 683-7.	2.4	4
114	Citosol (thiamylal sodium) triggers apoptosis and affects gene expressions of murine leukemia RAW 264.7 cells. <i>Human and Experimental Toxicology</i> , 2012, 31, 771-779.	2.2	11
115	Activations of Both Extrinsic and Intrinsic Pathways in HCT 116 Human Colorectal Cancer Cells Contribute to Apoptosis through p53-Mediated ATM/Fas Signaling by Emilia sonchifolia Extract, a Folklore Medicinal Plant. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-13.	1.2	29
116	Phenethyl Isothiocyanate (PEITC) Inhibits the Growth of Human Oral Squamous Carcinoma HSC-3 Cells through G ₂ M Arrest and Mitochondria-Mediated Apoptotic Cell Death. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-12.	1.2	38
117	Cucurbitacin E Induces G ₂ M Phase Arrest through STAT3/p53/p21 Signaling and Provokes Apoptosis via Fas/CD95 and Mitochondria-Dependent Pathways in Human Bladder Cancer T24 Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-11.	1.2	47
118	<i>Solanum lyratum</i> Extracts Induce Extrinsic and Intrinsic Pathways of Apoptosis in WEHI-3 Murine Leukemia Cells and Inhibit Allograft Tumor. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-13.	1.2	26
119	Triggering Apoptotic Death of Human Malignant Melanoma A375.S2 Cells by Bufalin: Involvement of Caspase Cascade-Dependent and Independent Mitochondrial Signaling Pathways. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-9.	1.2	38
120	Safrole-modulated immune response is mediated through enhancing the CD11b surface marker and stimulating the phagocytosis by macrophages in BALB/c mice. <i>Human and Experimental Toxicology</i> , 2012, 31, 898-904.	2.2	5
121	An Extract of <i>Agaricus blazei</i> Murill Administered Orally Promotes Immune Responses in Murine Leukemia BALB/c Mice In Vivo. <i>Integrative Cancer Therapies</i> , 2012, 11, 29-36.	2.0	19
122	Gyenosides Suppress Growth of Human Oral Cancer SAS Cells In Vitro and in a Murine Xenograft Model. <i>Integrative Cancer Therapies</i> , 2012, 11, 129-140.	2.0	30
123	Capsaicin mediates apoptosis in human nasopharyngeal carcinoma NPC-TW 039 cells through mitochondrial depolarization and endoplasmic reticulum stress. <i>Human and Experimental Toxicology</i> , 2012, 31, 539-549.	2.2	60
124	Bufalin increases sensitivity to AKT/mTOR-induced autophagic cell death in SK-HEP-1 human hepatocellular carcinoma cells. <i>International Journal of Oncology</i> , 2012, 41, 1431-1442.	3.3	75
125	AKT serine/threonine protein kinase modulates bufalin-triggered intrinsic pathway of apoptosis in CAL 27 human oral cancer cells. <i>International Journal of Oncology</i> , 2012, 41, 1683-1692.	3.3	32
126	Norcantharidin triggers cell death and DNA damage through S-phase arrest and ROS-modulated apoptotic pathways in TSGH 8301 human urinary bladder carcinoma cells. <i>International Journal of Oncology</i> , 2012, 41, 1050-1060.	3.3	37

#	ARTICLE	IF	CITATIONS
127	Antitumor effects of the novel quinazolinone MJ-33: Inhibition of metastasis through the MAPK, AKT, NF- κ B and AP-1 signaling pathways in DU145 human prostate cancer cells. <i>International Journal of Oncology</i> , 2012, 41, 1513-1519.	3.3	34
128	Induction of DNA damage by deguelin is mediated through reducing DNA repair genes in human non-small cell lung cancer NCI-H460 cells. <i>Oncology Reports</i> , 2012, 27, 959-964.	2.6	36
129	Diallyl trisulfide induces apoptosis in human primary colorectal cancer cells. <i>Oncology Reports</i> , 2012, 28, 949-954.	2.6	42
130	The newly synthesized 2-(3-hydroxy-5-methoxyphenyl)-6,7-methylenedioxyquinolin-4-one triggers cell apoptosis through induction of oxidative stress and upregulation of the p38 MAPK signaling pathway in HL-60 human leukemia cells. <i>Oncology Reports</i> , 2012, 28, 1482-1490.	2.6	9
131	Apoptosis triggered by vitexin in U937 human leukemia cells via a mitochondrial signaling pathway. <i>Oncology Reports</i> , 2012, 28, 1883-1888.	2.6	53
132	Epigallocatechin gallate sensitizes CAL-27 human oral squamous cell carcinoma cells to the anti-metastatic effects of gefitinib (Iressa) via synergistic suppression of epidermal growth factor receptor and matrix metalloproteinase-2. <i>Oncology Reports</i> , 2012, 28, 1799-1807.	2.6	50
133	ERK-modulated intrinsic signaling and G2/M phase arrest contribute to the induction of apoptotic death by allyl isothiocyanate in MDA-MB-468 human breast adenocarcinoma cells. <i>International Journal of Oncology</i> , 2012, 41, 2065-2072.	3.3	54
134	Apigenin Induces Apoptosis through Mitochondrial Dysfunction in U-2 OS Human Osteosarcoma Cells and Inhibits Osteosarcoma Xenograft Tumor Growth in Vivo. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 11395-11402.	5.2	45
135	In Vitro Suppression of Growth of Murine WEHI-3 Leukemia Cells and in Vivo Promotion of Phagocytosis in a Leukemia Mice Model by Indole-3-carbinol. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 7634-7643.	5.2	16
136	Antitumor effects of emodin on LS1034 human colon cancer cells in vitro and in vivo: Roles of apoptotic cell death and LS1034 tumor xenografts model. <i>Food and Chemical Toxicology</i> , 2012, 50, 1271-1278.	3.6	106
137	Gallic acid inhibits migration and invasion in human osteosarcoma U-2 OS cells through suppressing the matrix metalloproteinase-2/-9, protein kinase B (PKB) and PKC signaling pathways. <i>Food and Chemical Toxicology</i> , 2012, 50, 1734-1740.	3.6	108
138	Glycyrrhizic acid induces apoptosis in WEHI-3 mouse leukemia cells through the caspase- and mitochondria-dependent pathways. <i>Oncology Reports</i> , 2012, 28, 2069-2076.	2.6	37
139	Benzyl Isothiocyanate (BITC) Induces G ₂ /M Phase Arrest and Apoptosis in Human Melanoma A375.S2 Cells through Reactive Oxygen Species (ROS) and both Mitochondria-Dependent and Death Receptor-Mediated Multiple Signaling Pathways. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 665-675.	5.2	100
140	Novel Quinazolinone MJ-29 Triggers Endoplasmic Reticulum Stress and Intrinsic Apoptosis in Murine Leukemia WEHI-3 Cells and Inhibits Leukemic Mice. <i>PLoS ONE</i> , 2012, 7, e36831.	2.5	58
141	Capsaicin induces apoptosis in SCC-4 human tongue cancer cells through mitochondria-dependent and -independent pathways. <i>Environmental Toxicology</i> , 2012, 27, 332-341.	4.0	23
142	Arsenic trioxide (As ₂ O ₃) inhibits murine WEHI-3 leukemia in BALB/c mice <i>in vivo</i> . <i>Environmental Toxicology</i> , 2012, 27, 364-371.	4.0	5
143	Safrole induces cell death in human tongue squamous cancer SCC-4 cells through mitochondria-dependent caspase activation cascade apoptotic signaling pathways. <i>Environmental Toxicology</i> , 2012, 27, 433-444.	4.0	22
144	Rutin inhibits human leukemia tumor growth in a murine xenograft model <i>in vivo</i> . <i>Environmental Toxicology</i> , 2012, 27, 480-484.	4.0	103

#	ARTICLE	IF	CITATIONS
145	Development of fibroblast culture in three-dimensional activated carbon fiber-based scaffold for wound healing. <i>Journal of Materials Science: Materials in Medicine</i> , 2012, 23, 1465-1478.	3.6	33
146	Danthron Triggers ROS and Mitochondria-Mediated Apoptotic Death in C6 Rat Glioma Cells Through Caspase Cascades, Apoptosis-Inducing Factor and Endonuclease G Multiple Signaling. <i>Neurochemical Research</i> , 2012, 37, 1790-1800.	3.3	16
147	Chrysophanol-induced necrotic-like cell death through an impaired mitochondrial ATP synthesis in Hep3B human liver cancer cells. <i>Archives of Pharmacal Research</i> , 2012, 35, 887-895.	6.3	33
148	Bee venom induces apoptosis through intracellular Ca ²⁺ -modulated intrinsic death pathway in human bladder cancer cells. <i>International Journal of Urology</i> , 2012, 19, 61-70.	1.0	50
149	Bufalin induces G0/G1 phase arrest through inhibiting the levels of cyclin D, cyclin E, CDK2 and CDK4, and triggers apoptosis via mitochondrial signaling pathway in T24 human bladder cancer cells. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2012, 732, 26-33.	1.0	54
150	Diallyl sulfide, diallyl disulfide and diallyl trisulfide affect drug resistant gene expression in colo 205 human colon cancer cells in vitro and in vivo. <i>Phytomedicine</i> , 2012, 19, 625-630.	5.3	63
151	Crystal structures of murine norovirus-1 RNA-dependent RNA polymerase in complex with 2-thiouridine or ribavirin. <i>Virology</i> , 2012, 426, 143-151.	2.4	43
152	Safrole induces G0/G1 phase arrest via inhibition of cyclin E and provokes apoptosis through endoplasmic reticulum stress and mitochondrion-dependent pathways in human leukemia HL-60 cells. <i>Anticancer Research</i> , 2012, 32, 1671-9.	1.1	16
153	Inhibition of invasion and migration by newly synthesized quinazolinone MJ-29 in human oral cancer CAL 27 cells through suppression of MMP-2/9 expression and combined down-regulation of MAPK and AKT signaling. <i>Anticancer Research</i> , 2012, 32, 2895-903.	1.1	16
154	Danthron, an Anthraquinone Derivative, Induces DNA Damage and Caspase Cascades-Mediated Apoptosis in SNU-1 Human Gastric Cancer Cells through Mitochondrial Permeability Transition Pores and Bax-Triggered Pathways. <i>Chemical Research in Toxicology</i> , 2011, 24, 20-29.	3.3	170
155	The novel synthesized 2-(3-(methylamino)phenyl)-6-(pyrrolidin-1-yl)quinolin-4-one (Smh-3) compound induces G2/M phase arrest and mitochondrial-dependent apoptotic cell death through inhibition of CDK1 and AKT activity in HL-60 human leukemia cells. <i>International Journal of Oncology</i> , 2011, 38, 1357-64.	3.3	7
156	Butein Inhibits the Migration and Invasion of SK-HEP-1 Human Hepatocarcinoma Cells through Suppressing the ERK, JNK, p38, and uPA Signaling Multiple Pathways. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 9032-9038.	5.2	58
157	Gallic acid inhibits the migration and invasion of A375.S2 human melanoma cells through the inhibition of matrix metalloproteinase-2 and Ras. <i>Melanoma Research</i> , 2011, 21, 267-273.	1.2	71
158	Wogonin triggers apoptosis in human osteosarcoma U-2 OS cells through the endoplasmic reticulum stress, mitochondrial dysfunction and caspase-3-dependent signaling pathways. <i>International Journal of Oncology</i> , 2011, 39, 217-24.	3.3	41
159	Diallyl sulfide induces cell cycle arrest and apoptosis in HeLa human cervical cancer cells through the p53, caspase- and mitochondria-dependent pathways. <i>International Journal of Oncology</i> , 2011, 38, 1605-13.	3.3	25
160	Proteomic approaches to study epigallocatechin gallate-provoked apoptosis of TSGH-8301 human urinary bladder carcinoma cells: Roles of AKT and heat shock protein 27-modulated intrinsic apoptotic pathways. <i>Oncology Reports</i> , 2011, 26, 939-47.	2.6	22
161	The novel synthesized 6-fluoro-(3-fluorophenyl)-4-(3-methoxyanilino)quinazoline (LJJ-10) compound exhibits anti-metastatic effects in human osteosarcoma U-2 OS cells through targeting insulin-like growth factor-I receptor. <i>International Journal of Oncology</i> , 2011, 39, 611-9.	3.3	7
162	Death receptor 5-mediated TNFR family signaling pathways modulate δ^3 -humulene-induced apoptosis in human colorectal cancer HT29 cells. <i>Oncology Reports</i> , 2011, 25, 419-24.	2.6	21

#	ARTICLE	IF	CITATIONS
163	The roles of AIF and Endo G in the apoptotic effects of benzyl isothiocyanate on DU 145 human prostate cancer cells via the mitochondrial signaling pathway. <i>International Journal of Oncology</i> , 2011, 38, 787-96.	3.3	16
164	Cantharidin induces G2/M phase arrest and apoptosis in human colorectal cancer colo 205 cells through inhibition of CDK1 activity and caspase-dependent signaling pathways. <i>International Journal of Oncology</i> , 2011, 38, 1067-73.	3.3	68
165	Triptolide induces apoptosis in human adrenal cancer NCI-H295 cells through a mitochondrial-dependent pathway. <i>Oncology Reports</i> , 2011, 25, 551-7.	2.6	39
166	Diallyl trisulfide (DATS) inhibits mouse colon tumor in mouse CT-26 cells allograft model in vivo. <i>Phytomedicine</i> , 2011, 18, 672-676.	5.3	40
167	Molecular evidence of anti-leukemia activity of gypenosides on human myeloid leukemia HL-60 cells in vitro and in vivo using a HL-60 cells murine xenograft model. <i>Phytomedicine</i> , 2011, 18, 1075-1085.	5.3	35
168	Gypenosides inhibits migration and invasion of human oral cancer SAS cells through the inhibition of matrix metalloproteinase-2 -9 and urokinase-plasminogen by ERK1/2 and NF-kappa B signaling pathways. <i>Human and Experimental Toxicology</i> , 2011, 30, 406-415.	2.2	49
169	2-(3-Methoxyphenyl)-6, 7-methylenedioquinolin-4-one, a novel synthetic compound, inhibited migration and invasion in TSGH8301 human bladder cancer cells. <i>Human and Experimental Toxicology</i> , 2011, 30, 1045-1052.	2.2	6
170	New bichalcone analogs as NF- κ B inhibitors and as cytotoxic agents inducing Fas/CD95-dependent apoptosis. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 1895-1906.	3.0	25
171	Benzyl isothiocyanate (BITC) and phenethyl isothiocyanate (PEITC)-mediated generation of reactive oxygen species causes cell cycle arrest and induces apoptosis via activation of caspase-3, mitochondria dysfunction and nitric oxide (NO) in human osteogenic sarcoma U-2 OS cells. <i>Journal of Orthopaedic Research</i> , 2011, 29, 1199-1209.	2.3	100
172	Novel quinazoline HMJ-30 induces U-2 OS human osteogenic sarcoma cell apoptosis through induction of oxidative stress and up-regulation of ATM/p53 signaling pathway. <i>Journal of Orthopaedic Research</i> , 2011, 29, 1448-1456.	2.3	29
173	Induction of apoptotic death by curcumin in human tongue squamous cell carcinoma SCC-4 cells is mediated through endoplasmic reticulum stress and mitochondria-dependent pathways. <i>Cell Biochemistry and Function</i> , 2011, 29, 641-650.	2.9	34
174	The synthesized novel fluorinated compound (LJ-10) induces death receptor- and mitochondria-dependent apoptotic cell death in the human osteogenic sarcoma U-2 OS cells. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 2709-2721.	5.5	17
175	Apigenin induces apoptosis in human lung cancer H460 cells through caspase- and mitochondria-dependent pathways. <i>Human and Experimental Toxicology</i> , 2011, 30, 1053-1061.	2.2	48
176	Safrole Induces Apoptosis in Human Oral Cancer HSC-3 Cells. <i>Journal of Dental Research</i> , 2011, 90, 168-174.	5.2	63
177	Gallic acid suppresses the migration and invasion of PC-3 human prostate cancer cells via inhibition of matrix metalloproteinase-2 and -9 signaling pathways. <i>Oncology Reports</i> , 2011, 26, 177-84.	2.6	78
178	Apoptotic death in curcumin-treated NPC-TW 076 human nasopharyngeal carcinoma cells is mediated through the ROS, mitochondrial depolarization and caspase-3-dependent signaling responses. <i>International Journal of Oncology</i> , 2011, 39, 319-28.	3.3	28
179	A novel synthetic 2-(3-methoxyphenyl)-6,7-methylenedioquinolin-4-one arrests the G2/M phase arrest via Cdc25c and induces apoptosis through caspase- and mitochondria-dependent pathways in TSGH8301 human bladder cancer cells. <i>International Journal of Oncology</i> , 2011, 40, 731-8.	3.3	0
180	Benzyl isothiocyanate (BITC) inhibits migration and invasion of human gastric cancer AGS cells via suppressing ERK signal pathways. <i>Human and Experimental Toxicology</i> , 2011, 30, 296-306.	2.2	53

#	ARTICLE	IF	CITATIONS
181	An Experimental Study on the Antileukemia Effects of Gypenosides In Vitro and In Vivo. Integrative Cancer Therapies, 2011, 10, 101-112.	2.0	31
182	Production of Active Nonglycosylated Recombinant B-Chain of Type-2 Ribosome-Inactivating Protein from <i>Viscum articulatum</i> and Its Biological Effects on Peripheral Blood Mononuclear Cells. Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-9.	1.2	1
183	Emodin Induces Apoptotic Death in Murine Myelomonocytic Leukemia WEHI-3 Cells In Vitro and Enhances Phagocytosis in Leukemia Mice In Vivo. Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-13.	1.2	32
184	Crude extracts of <i>Agaricus brasiliensis</i> induce apoptosis in human oral cancer CAL 27 cells through a mitochondria-dependent pathway. In Vivo, 2011, 25, 355-66.	1.3	12
185	Danthron inhibits murine WEHI-3 cells in vivo, and enhances macrophage phagocytosis and natural killer cell cytotoxic activity in leukemic mice. In Vivo, 2011, 25, 393-8.	1.3	7
186	Zanthoxylum ailanthoides Sieb and Zucc. extract inhibits growth and induces cell death through G2/M-phase arrest and activation of apoptotic signals in colo 205 human colon adenocarcinoma cells. Anticancer Research, 2011, 31, 1667-76.	1.1	15
187	Gallic acid induces G ₂ /M-phase arrest and apoptosis in human leukemia HL-60 cells through inhibiting cyclin D and E, and activating mitochondria-dependent pathway. Anticancer Research, 2011, 31, 2821-32.	1.1	50
188	Cantharidin induces apoptosis in human bladder cancer TSGH 8301 cells through mitochondria-dependent signal pathways. International Journal of Oncology, 2010, 37, 1243-50.	3.3	24
189	Novel anti-leukemia activities of pipoxolan operate via the mitochondria-related pathway in human leukemia U937 cells and attenuate U937 cell growth in an animal model. Molecular Medicine Reports, 2010, 3, 851-6.	2.4	7
190	Gallic acid induces apoptosis in A375.S2 human melanoma cells through caspase-dependent and -independent pathways. International Journal of Oncology, 2010, 37, 377-85.	3.3	48
191	Apigenin induces caspase-dependent apoptosis in human lung cancer A549 cells through Bax- and Bcl-2-triggered mitochondrial pathway. International Journal of Oncology, 2010, 36, 1477-84.	3.3	28
192	Quercetin-mediated cell cycle arrest and apoptosis involving activation of a caspase cascade through the mitochondrial pathway in human breast cancer MCF-7 cells. Archives of Pharmacal Research, 2010, 33, 1181-1191.	6.3	242
193	Danthron Induced Apoptosis Through Mitochondria- and Caspase-3-Dependent Pathways in Human Brain Glioblastoma Multiforms GBM 8401 Cells. Neurochemical Research, 2010, 35, 390-398.	3.3	30
194	Danthron Induces DNA Damage and Inhibits DNA Repair Gene Expressions in GBM 8401 Human Brain Glioblastoma Multiforms Cells. Neurochemical Research, 2010, 35, 1105-1110.	3.3	33
195	Investigation of anti-leukemia molecular mechanism of ITR-284, a carboxamide analog, in leukemia cells and its effects in WEHI-3 leukemia mice. Biochemical Pharmacology, 2010, 79, 389-398.	4.4	18
196	Chrysophanol induces necrosis through the production of ROS and alteration of ATP levels in J5 human liver cancer cells. Molecular Nutrition and Food Research, 2010, 54, 967-976.	3.3	164
197	Kaempferol induced apoptosis via endoplasmic reticulum stress and mitochondria-dependent pathway in human osteosarcoma U2 OS cells. Molecular Nutrition and Food Research, 2010, 54, 1585-1595.	3.3	147
198	Synthesis of 1-benzyl-3-(5-hydroxymethyl-2-furyl)selenolo[3,2-c]pyrazole derivatives as new anticancer agents. European Journal of Medicinal Chemistry, 2010, 45, 1395-1402.	5.5	46

#	ARTICLE	IF	CITATIONS
199	Quercetin inhibited murine leukemia WEHI-231 cells <i>in vivo</i> and promoted immune response. <i>Phytotherapy Research</i> , 2010, 24, 163-168.	5.8	53
200	Curcumin inhibits human lung large cell carcinoma cancer tumour growth in a murine xenograft model. <i>Phytotherapy Research</i> , 2010, 24, 189-192.	5.8	28
201	Solanm lyratum extract affected immune response in normal and leukemia murine animal <i>in vivo</i> . <i>Human and Experimental Toxicology</i> , 2010, 29, 359-367.	2.2	20
202	MJ-29 Inhibits Tubulin Polymerization, Induces Mitotic Arrest, and Triggers Apoptosis via Cyclin-Dependent Kinase 1-Mediated Bcl-2 Phosphorylation in Human Leukemia U937 Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 334, 477-488.	2.5	84
203	Dietary Effect of <i>Antrodia Camphorate</i> Extracts on Immune Responses in WEHI-3 Leukemia BALB/c Mice. <i>Nutrition and Cancer</i> , 2010, 62, 593-600.	2.0	14
204	Allyl isothiocyanate triggers G2/M phase arrest and apoptosis in human brain malignant glioma GBM 8401 cells through a mitochondria-dependent pathway. <i>Oncology Reports</i> , 2010, 24, 449-55.	2.6	43
205	Curcumin blocks migration and invasion of mouse-rat hybrid retina ganglion cells (N18) through the inhibition of MMP-2, -9, FAK, Rho A and Rock-1 gene expression. <i>Oncology Reports</i> , 2010, 23, .	2.6	25
206	The quinolone derivative CHM-1 inhibits murine WEHI-3 leukemia in BALB/c mice <i>in vivo</i> . <i>Leukemia and Lymphoma</i> , 2010, 51, 2098-2102.	1.3	6
207	Phenethyl Isothiocyanate Inhibited Tumor Migration and Invasion via Suppressing Multiple Signal Transduction Pathways in Human Colon Cancer HT29 Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 11148-11155.	5.2	43
208	Benzyl Isothiocyanate (BITC) Inhibits Migration and Invasion of Human Colon Cancer HT29 Cells by Inhibiting Matrix Metalloproteinase-2/-9 and Urokinase Plasminogen (uPA) through PKC and MAPK Signaling Pathway. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 2935-2942.	5.2	141
209	Antitumor Activity of Capsaicin on Human Colon Cancer Cells <i>In Vitro</i> and Colo 205 Tumor Xenografts <i>In Vivo</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 12999-13005.	5.2	102
210	Curcumin blocks migration and invasion of mouse-rat hybrid retina ganglion cells (N18) through the inhibition of MMP-2, -9, FAK, Rho A and Rock-1 gene expression. <i>Oncology Reports</i> , 2010, 23, 665-70.	2.6	41
211	Emodin, aloe-emodin and rhein induced DNA damage and inhibited DNA repair gene expression in SCC-4 human tongue cancer cells. <i>Anticancer Research</i> , 2010, 30, 945-51.	1.1	54
212	Gypenosides causes DNA damage and inhibits expression of DNA repair genes of human oral cancer SAS cells. <i>In Vivo</i> , 2010, 24, 287-91.	1.3	14
213	Curcumin induces apoptosis in human non-small cell lung cancer NCI-H460 cells through ER stress and caspase cascade- and mitochondria-dependent pathways. <i>Anticancer Research</i> , 2010, 30, 2125-33.	1.1	162
214	Phenethyl isothiocyanate inhibits migration and invasion of human gastric cancer AGS cells through suppressing MAPK and NF-kappaB signal pathways. <i>Anticancer Research</i> , 2010, 30, 2135-43.	1.1	48
215	Houttuynia cordata Thunb extract inhibits cell growth and induces apoptosis in human primary colorectal cancer cells. <i>Anticancer Research</i> , 2010, 30, 3549-56.	1.1	38
216	The novel quinolone CHM-1 induces DNA damage and inhibits DNA repair gene expressions in a human osteogenic sarcoma cell line. <i>Anticancer Research</i> , 2010, 30, 4187-92.	1.1	8

#	ARTICLE	IF	CITATIONS
217	Emodin Has Cytotoxic and Protective Effects in Rat C6 Glioma Cells: Roles of Mdr1a and Nuclear Factor κ B in Cell Survival. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 330, 736-744.	2.5	52
218	Involvement of reactive oxygen species and caspase-dependent pathway in berberine-induced cell cycle arrest and apoptosis in C6 rat glioma cells. <i>International Journal of Oncology</i> , 2009, 34, 1681-90.	3.3	19
219	Diallyl sulfide inhibits murine WEHI-3 leukemia cells in BALB/c mice in vitro and in vivo. <i>Human and Experimental Toxicology</i> , 2009, 28, 785-790.	2.2	23
220	Gypenosides induced G0/G1 arrest via Chk2 and apoptosis through endoplasmic reticulum stress and mitochondria-dependent pathways in human tongue cancer SCC-4 cells. <i>Oral Oncology</i> , 2009, 45, 273-283.	1.5	82
221	Berberine inhibits human tongue squamous carcinoma cancer tumor growth in a murine xenograft model. <i>Phytomedicine</i> , 2009, 16, 887-890.	5.3	70
222	Novel quinolone CHM-1 induces apoptosis and inhibits metastasis in a human osteogenic sarcoma cell line. <i>Journal of Orthopaedic Research</i> , 2009, 27, 1637-1644.	2.3	32
223	The synthesized 2-(2-fluorophenyl)-6,7-methylenedioxyquinolin-4-one (CHM-1) promoted G2/M arrest through inhibition of CDK1 and induced apoptosis through the mitochondrial-dependent pathway in CT-26 murine colorectal adenocarcinoma cells. <i>Journal of Gastroenterology</i> , 2009, 44, 1055-1063.	5.1	29
224	Baicalein-Induced Apoptosis via Endoplasmic Reticulum Stress Through Elevations of Reactive Oxygen Species and Mitochondria Dependent Pathway in Mouse-Rat Hybrid Retina Ganglion Cells (N18). <i>Neurochemical Research</i> , 2009, 34, 418-429.	3.3	29
225	Curcumin-Induced DNA Damage and Inhibited DNA Repair Genes Expressions in Mouse-Rat Hybrid Retina Ganglion Cells (N18). <i>Neurochemical Research</i> , 2009, 34, 1491-1497.	3.3	33
226	Involvement of Matrix Metalloproteinases on the Inhibition of Cells Invasion and Migration by Emodin in Human Neuroblastoma SH-SY5Y Cells. <i>Neurochemical Research</i> , 2009, 34, 1575-1583.	3.3	32
227	Characterization of the replication-competent porcine endogenous retrovirus class B molecular clone originated from Korean domestic pig. <i>Virus Genes</i> , 2009, 39, 210-216.	1.6	8
228	Oral administration of poly-gamma-glutamate induces TLR4- and dendritic cell-dependent antitumor effect. <i>Cancer Immunology, Immunotherapy</i> , 2009, 58, 1781-1794.	4.2	45
229	Rutin inhibits the proliferation of murine leukemia WEHI-3 cells in vivo and promotes immune response in vivo. <i>Leukemia Research</i> , 2009, 33, 823-828.	0.8	90
230	Benzyl isothiocyanate inhibits murine WEHI-3 leukemia cells in vitro and promotes phagocytosis in BALB/c mice in vivo. <i>Leukemia Research</i> , 2009, 33, 1505-1511.	0.8	32
231	Berberine suppresses in vitro migration and invasion of human SCC-4 tongue squamous cancer cells through the inhibitions of FAK, IKK, NF- κ B, u-PA and MMP-2 and -9. <i>Cancer Letters</i> , 2009, 279, 155-162.	7.2	136
232	Curcumin inhibits the migration and invasion of human A549 lung cancer cells through the inhibition of matrix metalloproteinase-2 and -9 and Vascular Endothelial Growth Factor (VEGF). <i>Cancer Letters</i> , 2009, 285, 127-133.	7.2	215
233	Diallyl disulfide induces apoptosis in human colon cancer cell line (COLO 205) through the induction of reactive oxygen species, endoplasmic reticulum stress, caspases cascade and mitochondrial-dependent pathways. <i>Food and Chemical Toxicology</i> , 2009, 47, 171-179.	3.6	113
234	Gallic Acid Induces Apoptosis via Caspase-3 and Mitochondrion-Dependent Pathways in Vitro and Suppresses Lung Xenograft Tumor Growth in Vivo. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 7596-7604.	5.2	188

#	ARTICLE	IF	CITATIONS
235	<i>Ganoderma lucidum</i> Extracts Inhibited Leukemia WEHI-3 Cells in BALB/c Mice and Promoted an Immune Response <i>in Vivo</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 2589-2594.	1.3	35
236	Quercetin-induced apoptosis acts through mitochondrial- and caspase-3-dependent pathways in human breast cancer MDA-MB-231 cells. <i>Human and Experimental Toxicology</i> , 2009, 28, 493-503.	2.2	207
237	Mitochondrial-dependent caspase activation pathway is involved in baicalein-induced apoptosis in human hepatoma J5 cells. <i>International Journal of Oncology</i> , 2009, 35, 717-24.	3.3	25
238	<i>Houttuynia cordata</i> Thunb extract induces apoptosis through mitochondrial-dependent pathway in HT-29 human colon adenocarcinoma cells. <i>Oncology Reports</i> , 2009, 22, 1051-6.	2.6	46
239	Curcumin induces apoptosis through FAS and FADD, in caspase-3-dependent and -independent pathways in the N18 mouse-rat hybrid retina ganglion cells. <i>Oncology Reports</i> , 2009, 22, 97-104.	2.6	39
240	Danthron inhibits the migration and invasion of human brain glioblastoma multiforme cells through the inhibition of mRNA expression of focal adhesion kinase, Rho kinases-1 and metalloproteinase-9. <i>Oncology Reports</i> , 2009, 22, 1033-7.	2.6	16
241	The roles of endoplasmic reticulum stress and Ca ²⁺ on rhein-induced apoptosis in A-549 human lung cancer cells. <i>Anticancer Research</i> , 2009, 29, 309-18.	1.1	43
242	Emodin induces apoptosis of human tongue squamous cancer SCC-4 cells through reactive oxygen species and mitochondria-dependent pathways. <i>Anticancer Research</i> , 2009, 29, 327-35.	1.1	69
243	(-)-Epigallocatechin gallate induced apoptosis in human adrenal cancer NCI-H295 cells through caspase-dependent and caspase-independent pathway. <i>Anticancer Research</i> , 2009, 29, 1435-42.	1.1	47
244	Rhein induced apoptosis through the endoplasmic reticulum stress, caspase- and mitochondria-dependent pathways in SCC-4 human tongue squamous cancer cells. <i>In Vivo</i> , 2009, 23, 309-16.	1.3	51
245	Gallic acid inhibits murine leukemia WEHI-3 cells in vivo and promotes macrophage phagocytosis. <i>In Vivo</i> , 2009, 23, 409-13.	1.3	8
246	<i>A. cantoniensis</i> inhibits the proliferation of murine leukemia WEHI-3 cells in vivo and promotes immunoresponses in vivo. <i>In Vivo</i> , 2009, 23, 561-6.	1.3	9
247	Induction of mitotic arrest and apoptosis by a novel synthetic quinolone analogue, CWC-8, via intrinsic and extrinsic apoptotic pathways in human osteogenic sarcoma U-2 OS cells. <i>Anticancer Research</i> , 2009, 29, 3139-48.	1.1	16
248	Effects of <i>Agaricus blazei</i> Murill extract on immune responses in normal BALB/c mice. <i>In Vivo</i> , 2009, 23, 761-6.	1.3	9
249	Berberine induced apoptosis via promoting the expression of caspase-8, -9 and -3, apoptosis-inducing factor and endonuclease G in SCC-4 human tongue squamous carcinoma cancer cells. <i>Anticancer Research</i> , 2009, 29, 4063-70.	1.1	93
250	Aloe-emodin induces cell death through S-phase arrest and caspase-dependent pathways in human tongue squamous cancer SCC-4 cells. <i>Anticancer Research</i> , 2009, 29, 4503-11.	1.1	54
251	DNA damage and endoplasmic reticulum stress mediated curcumin-induced cell cycle arrest and apoptosis in human lung carcinoma A-549 cells through the activation caspases cascade- and mitochondrial-dependent pathway. <i>Cancer Letters</i> , 2008, 272, 77-90.	7.2	157
252	Corrigendum to "DNA damage and endoplasmic reticulum stress mediated curcumin-induced cell cycle arrest and apoptosis in human lung carcinoma A-549 cells through the activation caspases cascade- and mitochondrial-dependent pathway". <i>Cancer Letters</i> , 2008, 272, 355.	7.2	2

#	ARTICLE	IF	CITATIONS
253	Curcumin inhibits WEHI-3 leukemia cells in BALB/c mice in vivo. <i>In Vivo</i> , 2008, 22, 63-8.	1.3	21
254	Gypenosides induced G0/G1 arrest via inhibition of cyclin E and induction of apoptosis via activation of caspases-3 and -9 in human lung cancer A-549 cells. <i>In Vivo</i> , 2008, 22, 215-21.	1.3	41
255	The role of mitochondria in bee venom-induced apoptosis in human breast cancer MCF7 cells. <i>In Vivo</i> , 2008, 22, 237-45.	1.3	64
256	Bee venom induced cell cycle arrest and apoptosis in human cervical epidermoid carcinoma Ca Ski cells. <i>Anticancer Research</i> , 2008, 28, 833-42.	1.1	33
257	Crude extracts of <i>Solanum lyratum</i> induced cytotoxicity and apoptosis in a human colon adenocarcinoma cell line (colo 205). <i>Anticancer Research</i> , 2008, 28, 1045-54.	1.1	27
258	The role of Ca ²⁺ in baicalein-induced apoptosis in human breast MDA-MB-231 cancer cells through mitochondria- and caspase-3-dependent pathway. <i>Anticancer Research</i> , 2008, 28, 1701-11.	1.1	65
259	Diallyl disulfide (DADS) induces apoptosis in human cervical cancer Ca Ski cells via reactive oxygen species and Ca ²⁺ -dependent mitochondria-dependent pathway. <i>Anticancer Research</i> , 2008, 28, 2791-9.	1.1	28
260	Synthesis and Cytotoxicity of 6-Pyrrolidinyl-2-(2-Substituted Phenyl)-4-Quinazolinones. <i>Journal of the Chinese Chemical Society</i> , 2007, 54, 785-790.	1.4	12
261	Synthesis of fuopyrazole analogs of 1-benzyl-3-(5-hydroxymethyl-2-furyl)indazole (YC-1) as novel anti-leukemia agents. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 1732-1740.	3.0	75
262	Proteomic approach to studying the cytotoxicity of YC-1 on U937 leukemia cells and antileukemia activity in orthotopic model of leukemia mice. <i>Proteomics</i> , 2007, 7, 3305-3317.	2.2	46
263	ROS mediates baicalin-induced apoptosis in human promyelocytic leukemia HL-60 cells through the expression of the Gadd153 and mitochondrial-dependent pathway. <i>Anticancer Research</i> , 2007, 27, 117-25.	1.1	39
264	(-)-Menthol inhibits WEHI-3 leukemia cells in vitro and in vivo. <i>In Vivo</i> , 2007, 21, 285-9.	1.3	18
265	Berberine induces apoptosis in human HSC-3 oral cancer cells via simultaneous activation of the death receptor-mediated and mitochondrial pathway. <i>Anticancer Research</i> , 2007, 27, 3371-8.	1.1	72
266	GADD153 mediates berberine-induced apoptosis in human cervical cancer Ca ski cells. <i>Anticancer Research</i> , 2007, 27, 3379-86.	1.1	38
267	Coumarin induces cell cycle arrest and apoptosis in human cervical cancer HeLa cells through a mitochondria- and caspase-3 dependent mechanism and NF-kappaB down-regulation. <i>In Vivo</i> , 2007, 21, 1003-9.	1.3	32
268	Baicalein induces apoptosis in SCC-4 human tongue cancer cells via a Ca ²⁺ -dependent mitochondrial pathway. <i>In Vivo</i> , 2007, 21, 1053-8.	1.3	23
269	The Role of Ca ²⁺ on the DADS-induced Apoptosis in Mouse-Rat Hybrid Retina Ganglion Cells (N18). <i>Neurochemical Research</i> , 2006, 31, 383-393.	3.3	34
270	Capsaicin induced cell cycle arrest and apoptosis in human esophagus epidermoid carcinoma CE 81T/VGH cells through the elevation of intracellular reactive oxygen species and Ca ²⁺ productions and caspase-3 activation. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2006, 601, 71-82.	1.0	88

#	ARTICLE	IF	CITATIONS
271	Berberine induces cell cycle arrest and apoptosis in human gastric carcinoma SNU-5 cell line. <i>World Journal of Gastroenterology</i> , 2006, 12, 21.	3.3	134
272	Diallyl disulfide inhibits WEHI-3 leukemia cells in vivo. <i>Anticancer Research</i> , 2006, 26, 219-25.	1.1	50
273	Effects of wogonin on the levels of cytokines and functions of leukocytes associated with NF-kappa B expression in Sprague-Dawley rats. <i>In Vivo</i> , 2006, 20, 527-32.	1.3	10
274	Curcumin-induced apoptosis of human colon cancer colo 205 cells through the production of ROS, Ca ²⁺ and the activation of caspase-3. <i>Anticancer Research</i> , 2006, 26, 4379-89.	1.1	133
275	Pycnogenol induces differentiation and apoptosis in human promyeloid leukemia HL-60 cells. <i>Leukemia Research</i> , 2005, 29, 685-692.	0.8	42
276	Synthesis and anticancer activity of benzyloxybenzaldehyde derivatives against HL-60 cells. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 1537-1544.	3.0	46
277	Selective induction of G2/M arrest and apoptosis in HL-60 by a potent anticancer agent, HMJ-38. <i>Anticancer Research</i> , 2004, 24, 1769-78.	1.1	24