

Philip Allport

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1102342/publications.pdf>

Version: 2024-02-01

491
papers

31,488
citations

10986
71
h-index

5829
161
g-index

512
all docs

512
docs citations

512
times ranked

12278
citing authors

#	ARTICLE		IF	CITATIONS
1	Emulating the impact of additional protonâ€“proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. Computing and Software for Big Science, 2022, 6, 1.	2.9	5	
2	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	3.9	6	
3	Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14	
4	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2	
5	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8	
6	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10	
7	The HEV Ventilator: at the interface between particle physics and biomedical engineering. Royal Society Open Science, 2022, 9, 211519.	2.4	1	
8	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23	
9	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \pi^{\pm} \nu \bar{\nu}$ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	3.9	4	
10	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5	
11	Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137066.	4.1	8	
12	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7	
13	Monitoring pencil beam scanned proton radiotherapy using a large format CMOS detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2022, 1033, 166703.	1.6	5	
14	A search for an unexpected asymmetry in the production of $e^{\pm} \nu e^{\pm} \nu$ pairs in protonâ€“proton collisions recorded by the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	4.1	1	
15	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2	
16	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV . European Physical Journal C, 2022, 82, 1.	3.9	12	
17	Search for long-lived charginos based on a disappearing-track signature using 136 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	13	
18	Two-particle Boseâ€“Einstein correlations in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ measured with the ATLAS detector at the LHC. European Physical Journal C, 2022, 82, .	3.9	3	

#	ARTICLE	IF	CITATIONS
19	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
20	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021, 812, 135980.	4.1	61
21	Medium-induced Modification of Z -Tagged Charged Particle Yields in Pb-Pb Collisions at 5.02 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 126, 072301.	7.8	7
22	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	37
23	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton- $\bar{\nu}$ collisions at ATLAS. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
24	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	38
25	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
26	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	17
27	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	19
28	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. <i>ed in Association with a Dark Higgs Boson Decaying into</i> $\ell^+\ell^-$.	4.7	6
29	<i>xmns:mmi= http://www.w3.org/1998/Math/MathML"</i> $Z \rightarrow \ell^+\ell^-$ in Fully Hadronic Final States Longitudinal Flow Decorrelations in Pb-Pb Collisions at $\sqrt{s} = 5.02 \text{ TeV}$. <i>Physical Review Letters</i> , 2021, 126, 122301.	7.8	6
30	<i>display="block">\text{Collisions at } \sqrt{s} = 5.02 \text{ TeV} \text{ in Fully Hadronic Final States Longitudinal Flow Decorrelations in } \text{Pb-Pb} \text{ Collisions at } \sqrt{s} = 5.02 \text{ TeV.}</i> <i>Physical Review Letters</i> , 2021, 126, 122301.	7.8	17
31	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
32	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
33	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton- $\bar{\nu}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18
34	Measurement of the CP-violating phase ϕ_s in $B_s \rightarrow J/\psi \phi$ decays in ATLAS at 13 TeV . <i>European Physical Journal C</i> , 2021, 81, .	3.9	13
35	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton- $\bar{\nu}$ collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
36	Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+\ell^- \rightarrow \ell^+\ell^- \gamma \gamma$ and $\ell^+\ell^- \rightarrow \ell^+\ell^- \gamma \gamma$ final states using 139 fb^{-1} of proton- $\bar{\nu}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	40

#	ARTICLE	IF	CITATIONS
37	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
38	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $ll\bar{ll}$ and WW final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	26
39	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	23
40	Measurements of $W+W^*$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
41	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	46
42	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
43	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a \tilde{l}_e -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	27
44	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. <i>Nature Physics</i> , 2021, 17, 819-825.	16.7	8
45	Search for Displaced Leptons in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{atm} \langle / \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 051802.	7.8	17
46	Test of the universality of \tilde{l}_e , and \tilde{l}_μ lepton couplings in W-boson decays with the ATLAS detector. <i>Nature Physics</i> , 2021, 17, 813-818.	16.7	15
47	Two-particle azimuthal correlations in photonuclear ultraperipheral $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle Pb \langle / \text{mml:mi} \rangle \langle \text{mml:mo} + \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle Pb \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ collisions at 5.02 TeV with ATLAS. <i>Physical Review C</i> , 2021, 104, .		
48	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
49	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\bar{W}$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
50	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
51	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
52	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82
53	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2021, 16, P07029.	1.2	6
54	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	13

#	ARTICLE	IF	CITATIONS
55	The ATLAS Fast TracKer system. <i>Journal of Instrumentation</i> , 2021, 16, P07006.	1.2	5
56	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3
57	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	64
58	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. <i>Journal of Instrumentation</i> , 2021, 16, P08025.	1.2	3
59	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
60	Exclusive dimuon production in ultraperipheral collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2021, 104, width="0.16em"/> with. <i>Physical Review C</i> , 2021, 104, .	2.9	11
61	Search for New Phenomena in Final States with Two Leptons and One or No b -Tagged Jets at $s=13\text{ TeV}$ Using the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 141801.	7.8	14
62	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13\text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	9
63	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
64	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
65	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
66	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13\text{ TeV}$ proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
67	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
68	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
69	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
70	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
71	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13\text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	28
72	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7

#	ARTICLE	IF	CITATIONS
73	Search for Lepton-Favor violation in $Z \rightarrow \ell^+ \ell^-$ Boson Decays with $t\bar{t}$ and $b\bar{b}$ Leptons with the ATLAS Detector. Physical Review Letters, 2021, 127, 271801.	7.8	8
74	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
75	Dijet Recurrence Search with Weak Supervisors Using $\langle \text{mml:math} \rangle$. mml:math mml:msqrt $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:math} \rangle$ mml:math mml:msqrt $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions in the ATLAS Detector. Physics Review Letters, 2021, 127, 271802.	7.8	67
76	Measurements of inclusive and differential cross-sections of combined $t\bar{t}$ and $tW\bar{t}$ production in the $e\mu$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
77	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
78	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
79	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4π decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
80	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	28
81	Performance of the ATLAS muon triggers in Run 2. Journal of Instrumentation, 2020, 15, P09015-P09015.	1.2	62
82	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
83	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
84	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
85	Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}$ channel. mml:math mml:msqrt $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mover} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:math} \rangle$ mml:math mml:msqrt $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle H \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ and $\langle \text{mml:math} \rangle$ mml:math mml:msqrt $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle H \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$.	7.8	40
86	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
87	Search for the $HH \rightarrow b\bar{b} b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
88	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
89	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28
90	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using $\langle \text{mml:math} \rangle$ mml:math mml:msqrt $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. mml:math mml:math mml:msqrt $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:math} \rangle$ mml:math mml:msqrt $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2020, 125, 051801.	7.8	97

#	ARTICLE	IF	CITATIONS
91	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	4
92	Measurements of top-quark pair spin correlations in the $\ell\mu$ channel at $\sqrt{s} = 13 \text{ TeV}$ using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	22
93	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. <i>Journal of Instrumentation</i> , 2020, 15, P11016-P11016.	1.2	4
94	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	12
95	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 125, 221802.	7.8	20
96	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	41
97	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	36
98	ATLAS data quality operations and performance for 2015–2018 data-taking. <i>Journal of Instrumentation</i> , 2020, 15, P04003-P04003.	1.2	68
99	Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 222002.	7.8	28
100	Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in $\sqrt{s} = 13 \text{ TeV}$ proton-proton collisions at the ATLAS detector. <i>Physical Review Letters</i> , 2020, 124, 222002.	7.8	17
101	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb $^{-1}$ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19
102	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	7
103	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 031802.	7.8	25
104	Evaluation of a pixelated large format CMOS sensor for x-ray microbeam radiotherapy. <i>Medical Physics</i> , 2020, 47, 1305-1316.	3.0	6
105	Measurement of the $Z(\rightarrow e^+e^-)$ production cross-section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9
106	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8 \text{ TeV}$ and 13 TeV . <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	5
107	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s}_{\text{NN}}=8.16 \text{ TeV}$ p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
108	Measurement of J/ ψ production in association with a $W\pm$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
109	Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	68
110	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
111	Reconstruction and identification of boosted di- ℓ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. Evidence for electroweak production of two jets in association with a $Z\ell^+$ pair in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 125, 251802.	4.7	8
112	Reconstruction and identification of boosted di- ℓ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. Evidence for electroweak production of two jets in association with a $Z\ell^+$ pair in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 125, 251802.	4.1	9
113	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 125, 251802.	7.8	6
114	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. <i>Physical Review Letters</i> , 2020, 125, 261801.	7.8	22
115	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	93
116	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	124
117	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
118	Evidence for $t\bar{t}$ production in the multilepton final state in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30
119	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	29
120	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	21
121	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	36
122	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
123	Determination of jet calibration and energy resolution in proton+proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
124	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13 \text{ TeV}$ pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. <i>Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from</i> <i><math>\text{MathML}</math></i> <i>and</i> <i><math>\text{MathML}</math></i> <i>Collisions in ATLAS</i> . <i>Physical Review Letters</i> , 2019, 123, 042001.	4.7	49
125	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13 \text{ TeV}$ pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. <i>Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from</i> <i><math>\text{MathML}</math></i> <i>and</i> <i><math>\text{MathML}</math></i> <i>Collisions in ATLAS</i> . <i>Physical Review Letters</i> , 2019, 123, 042001.	7.8	23
126	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28

#	ARTICLE	IF	CITATIONS
127	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	21
128	Observation of Light-by-Light Scattering in Ultraperipheral Pb-Pb Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2019, 123, 052001.	7.8	75
129	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	8
130	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	41
131	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. <i>Physical Review Letters</i> , 2019, 122, 231801.	7.8	133
132	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	30
133	Search for scalar resonances decaying into $\gamma\gamma$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	15
134	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	20
135	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13$ TeV with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019, 79, .	3.9	4
136	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13TeV . <i>European Physical Journal C</i> , 2019, 79, .	3.9	21
137	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, . Observation of Electroweak Production of a Same-Sign $\mu^+\mu^-$ Pair in Association with Two Jets in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>European Physical Journal C</i> , 2019, 79, .	3.9	24
138	Applications of silicon strip and pixel-based particle tracking detectors. <i>Nature Reviews Physics</i> , 2019, 1, 567-576.	7.8	53
140	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	13
141	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	77
142	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	3
143	Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1. Observation of electroweak $W\pm Z$ boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	22
144	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 793, 469-492.	4.1	38

#	ARTICLE	IF	CITATIONS
145	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.		
146	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
147	Combinations of single-top-quark production cross-section measurements and $ f_{VVtb} $ determinations at $\sqrt{s} = 7\text{ and }8\text{ TeV}$ with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
148	Search for top-quark decays $t \rightarrow t'$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
149	Measurement of VH, $H \rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
150	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
151	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
152	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
153	Performance of top-quark and W-boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
154	Measurements of inclusive and differential fiducial cross-sections of $t\gamma$ production in leptonic final states at $\sqrt{s} = 13\text{ TeV}$ in ATLAS. European Physical Journal C, 2019, 79, 1.	3.9	14
155	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $s = 13\text{ TeV}$. Physical Review Letters, 2019, 122, 151801.	12	
156	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
157	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
158	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	39
159	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
160	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
161	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13\text{ and }8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
162	Measurement of the top quark mass in the $t \rightarrow t'$ decay. European Physical Journal C, 2019, 79, 1.	3.9	47

#	ARTICLE	IF	CITATIONS
163	Search for pair production of Higgs bosons in the $\overline{b}b$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	55
164	Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $WW\rightarrow e^+e^-/\tau^+\tau^-$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 789, 508-529.	4.1	46
165	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25
166	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	27
167	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
168	Measurement of ZZ production in the $\tau^+\tau^-\mu^+\mu^-$ final state with the ATLAS detector in pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
169	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	8
170	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
171	Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P12006-P12006.	1.2	124
172	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	50
173	Measurement of W^\pm boson production in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
174	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	130
175	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	36
176	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t}$ + jets channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	34
177	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
178	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s}=13$ TeV using 36 fb $^{-1}$ of ATLAS data. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	5
179	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	4
180	Search for High-Mass Resonances Decaying to $\tau^+\tau^-$ in $t\bar{t}$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	7.8	50

#	ARTICLE	IF	CITATIONS
181	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb^{-1} of pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	116
182	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
183	Measurement of the W-boson mass in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 110.	3.9	218
184	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 102.	3.9	13
185	Search for the direct production of charginos and neutralinos in final states with tau leptons in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154.	3.9	52
186	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$ and 5.0 TeV . <i>European Physical Journal C</i> , 2018, 78, 142.	3.9	59
187	Measurement of quarkonium production in proton-lead and proton-proton collisions at 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 171.	3.9	75
188	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $s = 13 \text{ TeV}$ with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
189	Search for heavy ZZ resonances in the $e^+e^- \rightarrow e^+e^- \rightarrow \ell^+\ell^- \bar{\nu}\nu$ final states using proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 293.	3.9	101
190	A search for pair-produced resonances in four-jet final states at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 250.	3.9	66
191	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
192	Search for heavy resonances decaying into WW in the $e^+e^- \rightarrow \ell^+\ell^- \bar{\nu}\nu$ final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 24.	3.9	108
193	Direct top-quark decay width measurement in the $t\bar{t} \rightarrow \ell^+\ell^- \bar{\nu}\nu$ channel at $s = 8 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	3.9	17
194	Search for WW/Z resonance production in $\ell^+\ell^- \bar{\nu}\nu$ final states in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
195	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	46
196	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 780, 557-577.	4.1	19
197	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a a \rightarrow 4b$ channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	28
198	Measurement of the $Z\gamma\gamma \rightarrow \ell^+\ell^- \bar{\nu}\nu$ production cross section in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
199	Prompt and non-prompt ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19
200	Search for Higgs boson pair production in the $\gamma\gamma$ channel using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
201	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 847.	3.9	16
202	Angular analysis of $B_0 \rightarrow K^- \pi^+ \eta/\eta'$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
203	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s} = 13 \text{ TeV}$. Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in pp Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2018, 121, 212301.	145	145
204	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb $^{-1}$ of pp collisions at. European Physical Journal C, 2018, 78, 401.	7.8	41
205	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $\gamma\gamma$ Decay Channel in pp Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2018, 121, 191801.	3.9	50
206	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
208	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
209	Search for Higgs boson pair production in the $\gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
210	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
211	Measurement of the azimuthal anisotropy of charged particles produced in Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
212	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 903.	3.9	181
213	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
214	PRaVDA: The first solid-state system for proton computed tomography. Physica Medica, 2018, 55, 149-154.	0.7	36
215	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	56
216	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	3.9	25

#	ARTICLE	IF	CITATIONS
217	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	37
218	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	22
219	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb $^{-1}$ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	48
220	Combined measurement of differential and total cross sections in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 114-133.	4.7	13
221	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	67
222	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	15
223	Observation of chargino chargino mixing [http://www.w3.org/1998/Math/MathML altimg="si1.gif"] overflow="scroll" <math>\langle mmi:mi>H</mmi:mi><mmi:mo stretchy="false"> \atop </mmi:mo><mmi:mi>b</mmi:mi><mmi:mover accent="true"><mmi:mrow><mmi:mi>b</mmi:mi></mmi:mrow><mmi:mrow><mmi:mo stretchy="false"> \atop </mmi:mo><mmi:mrow></mmi:mover><mmi:math> decays and VH production with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 223-244.	4.1	138
224	Constraints on off-shell Higgs boson production and the Higgs boson total width in $Z Z \rightarrow 4\ell$ and $Z Z \rightarrow 2\ell 2\nu$ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 223-244.	4.1	43
225	Search for charged Higgs bosons decaying via $H \pm \rightarrow \ell \pm \nu \ell \pm \nu$, in the $\ell \pm \nu$ final states with 36 fb $^{-1}$ of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	59
226	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762.	3.9	61
227	Measurement of singly and doubly resonant top-quark production in $t \bar{t} \ell^+ \ell^-$ channels with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 152002.	7.8	16
228	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
229	Measurement of the Higgs boson mass in the $H \rightarrow ZZ \rightarrow 4\ell$ and $H \rightarrow \tau\tau$ channels with $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 784, 345-366.	4.7	13
230	Search for exclusive Higgs and Z boson decays to $\ell^+ \ell^-$ and $\tau^+ \tau^-$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
231	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
232	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
233	Measurement of the inclusive and fiducial $t\bar{t} \tau\bar{\tau}$ production cross-sections in the. <i>European Physical Journal C</i> , 2018, 78, 487.	3.9	10
234	Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in $t \bar{t} \ell^+ \ell^-$ Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018, 121, 081801.	7.8	41

#	ARTICLE	IF	CITATIONS
235	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in protonâ“proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565. Measurement of the Soft-Drop Jet Mass in $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2018, 121, 092001.	3.9	79
236	Measurement of the Soft-Drop Jet Mass in $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2018, 121, 092001. $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 092001.	7.8	33
237	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
238	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	7.8	53
239	Search for a Structure in the Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007. $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msubsup} \rangle \langle \text{mml:mi} \rangle B \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle \text{mml:mn} \rangle 0 \langle / \text{mml:mn} \rangle \langle / \text{mml:msubsup} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle$	7.8	33
240	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
241	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
242	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
243	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using protonâ“proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
244	Measurement of Z/γ polarisation in $Z \rightarrow l^+l^-$. European Physical Journal C, 2018, 78, 163.	3.9	7
245	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$ and $t\bar{t}$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
246	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
247	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	4.1	169
248	Measurement of differential cross sections and W^+/W^{γ} cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
249	Combination of inclusive and differential charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s} = 7$ and 8 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	7
250	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb $^{-1}$ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.	1	1
251	Measurement of the W-boson mass in pp collisions at $(\sqrt{s} = 7, \text{TeV})$ with the ATLAS detector. , 2018, 78, 1.	1	1
252	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using protonâ“proton collisions at $(\sqrt{s} = 13, \text{TeV})$. , 2018, 78, 1.	1	1

#	ARTICLE	IF	CITATIONS
253	Measurement of the $\text{varvec}\{\text{tar}[t]Z\}$ $t\bar{t}Z$ and $\text{varvec}\{\text{tar}[t]W\}$ $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
254	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp -collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
255	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
256	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
257	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
258	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
259	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
260	Performance of algorithms that reconstruct missing transverse momentum in pp proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
261	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
262	Search for triboson $WW^{\pm}W^{\pm}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
263	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
264	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
265	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
266	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
267	Measurement of multi-particle azimuthal correlations in pp , $p\bar{p}$ and low-multiplicity $\text{Pb}\bar{\text{Pb}}$ collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
268	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $s=13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	7.8	36
269	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $\gamma\gamma$. xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><math>\langle mml:mi>b</mml:mi><mml:mover accent="true"><mml:mi>b</mml:mi><mml:mo stretchy="false">\bar{b}</mml:mo></mml:mover></mml:math> Using <math>\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:mn>36</mml:mn><mml:mtext>\times</mml:mtext><mml:mtext>\times</mml:mtext><mml:mtext>\times</mml:mtext><mml:msup></mml:msup></math> Physical Review Letters, 2017, 119, 181804.	7.8	49
270	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $s=8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	7.8	74

#	ARTICLE	IF	CITATIONS
271	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
272	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 775, 206-228.		
273	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}\ell^-\ell^+$. <i>European Physical Journal C</i> , 2017, 77, 804.	3.9	28
274	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
275	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
276	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017, 77, 673.	3.9	75
277	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $p p$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 144.	3.9	12
278	Measurement of the $Z Z$ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ using the $Z Z \rightarrow \ell^+\ell^-\ell^+\ell^- + \ell^+\ell^- \ell^+\ell^-$ decay channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.		
279	Probing the $W tb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
280	Measurements of $\chi(2S)$ and $X(3872) \rightarrow J/\psi + \ell^+\ell^-$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	33
281	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
282	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	3.9	79
283	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	3.9	489
284	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.	3.9	71
285	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 361.	3.9	47
286	Precision measurement and interpretation of inclusive $W^+ W^+$, $W^- W^-$. <i>European Physical Journal C</i> , 2017, 77, 367.	3.9	145
287	Measurement of jet fragmentation in Pb+Pb and pp collisions at $s = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 379.	3.9	51
288	Search for dark matter at $s = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 393.	3.9	80

#	ARTICLE	IF	CITATIONS
289	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
290	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 898.	3.9	50
291	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
292	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
293	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
294	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
295	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
296	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	38
297	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
298	Measurement of $WW/WZ \rightarrow q\bar{q} \rightarrow q\bar{q} \rightarrow l\nu l\nu$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	3.9	28
299	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	12
300	Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	30
301	Studies of $Z \rightarrow l^+l^-$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
302	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
303	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow l^+l^-$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
304	Study of $WW\gamma$ and $WZ\gamma$ production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
305	Measurements of top quark spin observables in $t\bar{t} \rightarrow t\bar{t}\gamma$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
306	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11

#	ARTICLE	IF	CITATIONS
307	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
308	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28
309	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
310	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
311	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
312	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , 2017, 12, P12009-P12009.	1.2	29
313	Measurement of the k t splitting scales in $Z \rightarrow l^+l^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
314	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
315	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
316	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	168
317	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 872.	3.9	32
318	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , 2017, 12, P05002-P05002.	1.2	10
319	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. <i>Journal of Instrumentation</i> , 2016, 11, P11020-P11020.	1.2	10
320	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
321	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
322	Measurement of event-shape observables in $Z \rightarrow ell^+ ell^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
323	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
324	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502.	3.9	61

#	ARTICLE	IF	CITATIONS
325	Search for bottom squark pair production in protonâ“proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
326	Search for minimal supersymmetric standard model Higgs Bosons $H\bar{A}$ and for a Z' boson in the $t\bar{t}, b\bar{b}$, final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
327	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
328	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
329	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
330	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
331	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
332	Muon reconstruction performance of the ATLAS detector in protonâ“proton collision data at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 292.	3.9	453
333	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
334	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
335	An experimental demonstration of a new type of proton computed tomography using a novel silicon tracking detector. Medical Physics, 2016, 43, 6129-6136.	3.0	20
336	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
337	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 87.	3.9	39
338	Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
339	Measurement of $W\pm$ and Z-boson production cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.		
340	Study of the rare decays of $B^0 \rightarrow \mu^+ \mu^-$ and $B^0 \rightarrow \tau^+ \tau^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
341	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 517.	3.9	24
342	Search for resonances in diphoton events at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70

#	ARTICLE	IF	CITATIONS
343	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
344	Measurement of the top quark mass in the dilepton channel from the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.1	52
345	Measurement of the relative width difference of the $B_0 \rightarrow B^0 \bar{B}^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
346	Search for Higgs and Z boson decays to $\text{Production Cross Section}$ with the ATLAS Detector. Physical Review Letters, 2016, 117, 111802.	7.8	13
347	Observation of long-range elliptic azimuthal anisotropies in $\text{Collisions at } \sqrt{s} = 8 \text{ TeV}$. Physical Review Letters, 2016, 116, 172301.	7.8	31
348	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
350	Performance of pile-up mitigation techniques for jets in $\text{pp} \rightarrow \text{p p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 581.	3.9	298
351	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.	7.8	185
352	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	473
353	Measurement of the charged-particle multiplicity inside jets from $\text{TeV} \rightarrow \text{TeV}$ App collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
354	Measurement of jet activity in top quark events using the $e^{\pm} \nu e^{\pm} \nu$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
355	Measurement of the transverse momentum and ϕ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
356	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^{\pm} \nu e^{\pm} \nu$ with the ATLAS detector at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
357	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
358	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
359	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
360	A search for an excited muon decaying to a muon and two jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2

#	ARTICLE	IF	CITATIONS
361	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
362	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538.	3.9	115
363	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	3.9	63
364	Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653.	3.9	279
365	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
366	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	33
367	Searches for heavy diboson resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
368	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
369	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
370	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392.	3.9	73
371	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38
372	A search for prompt lepton-jets in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
373	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
374	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
375	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
376	Search for strong gravity in multijet final states produced in pp collisions at $s = 13$ TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
377	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 154.	3.9	62
378	Probing lepton flavour violation via neutrinoless $\nu_\mu \rightarrow \nu_e + 3\gamma$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	3.9	19

#	ARTICLE	IF	CITATIONS
379	Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
380	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
381	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
382	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
383	Study of the $B_c \rightarrow J/\psi D_s^+ \rightarrow B_c \bar{c} + \bar{J}/\psi D_s^+$ and $B_c \rightarrow J/\psi D_s^* \rightarrow B_c \bar{c} + \bar{J}/\psi D_s^*$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
384	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow H \rightarrow Z Z$ decay channel at $\sqrt{s} = 8$ TeV in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
385	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.	1	
386	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
387	Measurement of the $t\bar{t} \rightarrow W$ and $t\bar{t} \rightarrow Z$ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
388	Search for flavour-changing neutral current top quark decays $t \rightarrow b \nu$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
389	Combined Measurement of the Higgs Boson Mass by ATLAS and CMS Experiments. Physical Review Letters, 2015, 114, 191803.	7.8	1,062
390	Proton tracking for medical imaging and dosimetry. Journal of Instrumentation, 2015, 10, C02015-C02015.	1.2	21
391	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
392	Search for the $b\bar{b} \rightarrow b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
393	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
394	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	3.9	39
395	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 303.	3.9	70
396	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174

#	ARTICLE	IF	CITATIONS
397	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
398	Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1.	3	
399	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.	3	
400	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.	3	
401	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
402	Search for Invisible Decays of a Higgs Boson Produced in Association with a mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ display="inline" Z Boson in ATLAS. Physical Review Letters, 2014, 112, .	7.8	130
403	Measurement of the Z/\sqrt{s} * boson transverse momentum distribution in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
404	Development of n-in-p large-area silicon microstrip sensors for very high radiation environments – ATLAS12 design and initial results. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2014, 765, 80-90.	1.6	35
405	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
406	Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
407	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s}=8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
408	Measurement of k T splitting scales in $W\rightarrow l\nu$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
409	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.	4.1	307
410	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
411			

#	ARTICLE	IF	CITATIONS
415	Thin silicon detectors for tracking in high radiation environments. , 2012, , .	6	
416	Characterisation of micro-strip and pixel silicon detectors before and after hadron irradiation. Journal of Instrumentation, 2012, 7, C01105-C01105.	1.2	3
417	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 1-29.	4.1	6,386
418	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
419	Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Measurement of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead+lead collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 1-29.	4.1	231
420	Annealing at Different Temperatures of Silicon Microstrip Detectors After Severe Hadron Irradiation. IEEE Transactions on Nuclear Science, 2012, 59, 419-424.	2.0	3
421	Measurement of the inclusive isolated prompt photon cross section in $\sqrt{s} = 7 \text{ TeV}$ collisions at the ATLAS detector. Physical Review D, 2011, 83, 1.	4.7	121
422	Search for single top quark production via contact interactions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2011, 71, 1.	3.9	5
423	A study of the b-quark fragmentation function with the DELPHI detector at LEP I and an averaged distribution obtained at the Z Pole. European Physical Journal C, 2011, 71, 1.	3.9	33
424	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2011, 71, 1.	3.9	146
425	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
426	Development of n-on-p silicon sensors for very high radiation environments. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2011, 636, S24-S30.	1.6	75
427	Progress with the single-sided module prototypes for the ATLAS tracker upgrade stave. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2011, 636, S90-S96.	1.6	17
428	Study of the dependence of direct soft photon production on jet characteristics in hadronic Z 0 decays. European Physical Journal C, 2010, 67, 343-366.	3.9	33
429	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
430	Enhanced efficiency of segmented silicon detectors of different thicknesses after proton irradiations up to 1 Mrad . Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010, 624, 401-404.	1.6	60
431	Search for one large extra dimension with the DELPHI detector at LEP. European Physical Journal C, 2009, 60, 17-23.	3.9	53

#	ARTICLE	IF	CITATIONS
433	A study of $\mathrm{b}\bar{\mathrm{b}}$ production in $e+e^-$ collisions at $\sqrt{s}=130\text{ GeV}$. European Physical Journal C, 2009, 60, 1-15.	3.9	11
434	Correlations between polarisation states of W particles in the reaction $e^- e^- \rightarrow W^+ W^-$ at LEP2 energies $189\text{--}209\text{ GeV}$. European Physical Journal C, 2009, 63, 611-623. <i>Evaluation of Floating Zone and Epitaxial Planar Silicon Detectors With Different Substrate Thickness After Irradiation up to 10^{16} cm^{-2}</i>	3.9	1
435	Notation="TeX"> 2×10^{16} </tex> </formula> </formula> Notation="TeX"> $m_n \equiv m_{-2}$ </tex> </formula> IEEE Transactions on Nuclear Science, 2009, 56, 3752-3758.	2.0	11
436	Fabrication and characterisation of high resistivity SOI substrates for monolithic high energy physics detectors. Solid-State Electronics, 2008, 52, 1849-1853.	1.4	2
437	Comparison of charge collection efficiency of segmented silicon detectors made with FZ and MCz p-type silicon substrates. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2008, 591, 178-180.	1.6	1
438	Higgs boson searches in CP-conserving and CP-violating MSSM scenarios with the DELPHI detector. European Physical Journal C, 2008, 54, 1.	3.9	3
439	Study of W-boson polarisations and triple gauge boson couplings in the reaction $e+e^- \rightarrow W+W^-$ at LEP 2. European Physical Journal C, 2008, 54, 345-364.	3.9	41
440	Measurement of the mass and width of the W boson in $e+e-$ collisions at $\sqrt{s} = 161\text{--}209\text{ GeV}$. European Physical Journal C, 2008, 55, 1.	3.9	52
441	Study of b-quark mass effects in multijet topologies with the DELPHI detector at LEP. European Physical Journal C, 2008, 55, 525-538.	3.9	17
442	Di-jet production in $\bar{p}^3 \bar{p}^3$ collisions at LEP2. European Physical Journal C, 2008, 58, 531-541.	3.9	1
443	Observation of the muon inner bremsstrahlung at LEP1. European Physical Journal C, 2008, 57, 499-514.	3.9	16
444	Circular geometry mos transistor analysis of SOI substrates for high energy physics particle detectors. , 2008, , .		0
445	Charge Collection Efficiency Measurements for Segmented Silicon Detectors Irradiated to 10^{16} cm^{-2} . IEEE Transactions on Nuclear Science, 2008, 55, 1695-1699.	2.0	24
446	The ATLAS Experiment at the CERN Large Hadron Collider. Journal of Instrumentation, 2008, 3, S08003-S08003.	1.2	1,752
447	Charge collection efficiency measurements for segmented silicon detectors irradiated to $1 \times 10^{16}\text{ cm}^{-2}$, 2007, , .		3
448	The silicon microstrip sensors of the ATLAS semiconductor tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 578, 98-118.	1.6	63
449	Search for a fourth generation bâ€™-quark at LEP-II at $\sqrt{s}=196\text{ GeV}$. European Physical Journal C, 2007, 50, 507-518.	3.9	4
450	Investigation of Colour Reconnection in WW events with the DELPHI detector at LEP-2. European Physical Journal C, 2007, 51, 249.	3.9	15

#	ARTICLE	IF	CITATIONS
451	Ẑ³* production in e+e- interactions at $\sqrt{s} = 183\text{-}209\text{ GeV}$. European Physical Journal C, 2007, 51, 503-523.	3.9	3
452	Study of triple-gauge-boson couplings ZZZ, ZẐ³ and Ẑ³̂³ at LEP. European Physical Journal C, 2007, 51, 525-542.	3.9	24
453	The ATLAS semiconductor tracker end-cap module. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 575, 353-389.	1.6	65
454	Effects of accelerated annealing on p-type silicon micro-strip detectors after very high doses of proton irradiation. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2006, 568, 46-50.	1.6	28
455	Evidence for an excess of soft photons in hadronic decays of Z0. European Physical Journal C, 2006, 47, 273-294.	3.9	42
456	Search for neutral MSSM Higgs bosons at LEP. European Physical Journal C, 2006, 47, 547.	3.9	592
457	The barrel modules of the ATLAS semiconductor tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2006, 568, 642-671.	1.6	79
458	Workshop summary: From $1/4\text{m}$ to Mpc . Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2005, 549, 210-216.	1.6	1
459	Performance of P-type micro-strip detectors after irradiation to $7.5 \times 10^{15} \text{ p cm}^2$. IEEE Transactions on Nuclear Science, 2005, 52, 1903-1906.	2.0	14
460	First results on charge collection efficiency of heavily irradiated microstrip sensors fabricated on oxygenated p-type silicon. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 518, 340-342.	1.6	37
461	Evolution of silicon microstrip detector currents during proton irradiation at the CERN PS. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 479, 548-554.	1.6	12
462	First results on the charge collection properties of segmented detectors made with p-type bulk silicon. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 487, 465-470.	1.6	48
463	A model of charge collection for irradiated p+n detectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 473, 128-135.	1.6	17
464	Recent results from the ATLAS SCT irradiation programme. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 447, 126-132.	1.6	14
465	A comparison of the performance of irradiated p-in-n and n-in-n silicon microstrip detectors read out with fast binary electronics. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 450, 297-306.	1.6	12
466	Annealing effects on irradiated n+n silicon detectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 420, 473-480.	1.6	11
467	Annealing of irradiated silicon strip detectors for the ATLAS experiment at CERN. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 426, 366-374.	1.6	8
468	Search for scalar fermions and long-lived scalar leptons at centre-of-mass energies of 130 GeV to 172 GeV. European Physical Journal C, 1999, 6, 385-401.	3.9	5

#	ARTICLE	IF	CITATIONS
469	Search for pair-produced neutralinos in events with photons and missing energy from e+e- collisions at $\sqrt{s} = 130 - 183$ GeV. European Physical Journal C, 1999, 6, 371-384.	3.9	4
470	Search for pair-produced neutralinos in events with photons and missing energy from. European Physical Journal C, 1999, 6, 371.	3.9	5
471	Search for scalar fermions and long-lived scalar leptons at centre-of-mass energies of 130 GeV to 172 GeV. European Physical Journal C, 1999, 6, 385.	3.9	7
472	Search for charginos, neutralinos and gravitinos at LEP. European Physical Journal C, 1998, 1, 1.	3.9	14
473	Search for charginos, neutralinos and gravitinos at LEP. European Physical Journal C, 1998, 1, 1-20.	3.9	57
474	Silicon strip detector designs for the ATLAS experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 386, 109-116.	1.6	17
475	Search for high mass $\tilde{3}\tilde{3}$ resonances in $e^+ + e^- \rightarrow \ell^+ + \ell^- + \gamma\gamma$ at LEP lat LEP I. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 179-190.	1.5	3
476	Study of rareb decays with the DELPHI detector at LEP. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 207-220.	1.5	26
477	Mean lifetime of the B_s^0 meson. Zeitschrift für Physik C-Particles and Fields, 1996, 71, 11-30.	1.5	8
478	Determination of the average lifetime of b-baryons. Zeitschrift für Physik C-Particles and Fields, 1996, 71, 199-210.	1.5	0
479	Determination of $ V_{cb} $ from the semileptonic decay $B^0 \rightarrow D^* \ell^- \bar{\nu}_\ell$. Zeitschrift für Physik C-Particles and Fields, 1996, 71, 539-553.	1.5	1
480	Measurement of the B_d^0 oscillation frequency using kaons, leptons and jet charge. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 17-30.	1.5	7
481	First study of the interference between initial and final state radiation at the Z resonance. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 31-38.	1.5	3
482	Mean lifetime of the B_s^0 meson. Zeitschrift für Physik C-Particles and Fields, 1996, 71, 11-30.	1.5	2
483	Measurement of the B^0_d oscillation frequency using kaons, leptons and jet charge. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 17-30.	1.5	3
484	Search for high mass $\tilde{3}\tilde{3}$ resonances in $e^+ + e^- \rightarrow \ell^+ + \ell^- + \gamma\gamma$ at LEP lat LEP I. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 179-190.	1.5	0
485	Study of rareb decays with the DELPHI detector at LEP. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 207-220.	1.5	0
486	Study of prompt photon production in hadronic Z 0 decays. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 1-13.	1.5	0

#	ARTICLE	IF	CITATIONS
487	A measurement of the photon structure function $F_2^{\gamma\gamma}$ at an average Q^2 of 12 GeV $^2/c^4$. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 223-233.	1.5	2
488	Measurement of inclusive π^0 production in hadronic Z decays. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 561-573.	1.5	0
489	Search for promptly produced heavy quarkonium states in hadronic Z decays. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 575-583.	1.5	1
490	Are the laws of physics ?economical with the truth???. Synthesis, 1993, 94, 245-290.	1.1	1
491	Performance of p-type micro-strip detectors after irradiation to $7.5 \times 10^{15} \text{ p/cm}^2$, 0, . , .	1	