

# Yuhong Shi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11028909/publications.pdf>

Version: 2024-02-01

8  
papers

310  
citations

1163117  
8  
h-index

1588992  
8  
g-index

8  
all docs

8  
docs citations

8  
times ranked

488  
citing authors

#	ARTICLE	IF	CITATIONS
1	Polyclonal origin of parathyroid tumors is common and is associated with multiple gland disease in primary hyperparathyroidism. <i>Surgery</i> , 2018, 163, 9-14.	1.9	12
2	Orphan Adhesion GPCR GPR64/ADGRG2 Is Overexpressed in Parathyroid Tumors and Attenuates Calcium-Sensing Receptor-Mediated Signaling. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 654-666.	2.8	47
3	Single-cell functional analysis of parathyroid adenomas reveals distinct classes of calcium sensing behaviour in primary hyperparathyroidism. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 351-359.	3.6	13
4	Functional and genetic studies of isolated cells from parathyroid tumors reveal the complex pathogenesis of parathyroid neoplasia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 3092-3097.	7.1	51
5	Regulator of G Protein Signaling 5 Is Highly Expressed in Parathyroid Tumors and Inhibits Signaling by the Calcium-Sensing Receptor. <i>Molecular Endocrinology</i> , 2011, 25, 867-876.	3.7	41
6	Protein-tyrosine kinase Syk is required for pathogen engulfment in complement-mediated phagocytosis. <i>Blood</i> , 2006, 107, 4554-4562.	1.4	89
7	Protein-tyrosine kinase, Syk, is required for CXCL12-induced polarization of B cells. <i>Biochemical and Biophysical Research Communications</i> , 2005, 328, 1163-1169.	2.1	25
8	Lysosome is a primary organelle in B cell receptor-mediated apoptosis: an indispensable role of Syk in lysosomal function. <i>Genes To Cells</i> , 2004, 10, 23-35.	1.2	32