## Tetsuji Yamada

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11049362/publications.pdf

Version: 2024-02-01

567281 794594 8,849 19 15 19 citations h-index g-index papers 19 19 19 5461 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Downscaling mesoscale meteorological models for computational wind engineering applications. Journal of Wind Engineering and Industrial Aerodynamics, 2011, 99, 199-216.	3.9	45
2	Lagrangian Dispersion Model for Nonneutrally Buoyant Plumes. Journal of Applied Meteorology and Climatology, 2000, 39, 427-436.	1.7	2
3	A numerical simulation of urbanization on the local climate. Journal of Wind Engineering and Industrial Aerodynamics, 1999, 81, 1-19.	3.9	11
4	A numerical simulation of airflows and SO2 concentration distributions in an arid south-western Valley. Atmospheric Environment Part A General Topics, 1992, 26, 1771-1781.	1.3	9
5	Airflow and air quality simulations over the western mountainous region with a four-dimensional data assimilation technique. Atmospheric Environment, 1989, 23, 539-554.	1.0	15
6	Use of the CAPTEX Data for Evaluations of a Long-Range Transport Numerical Model with a Four-Dimensional Data Assimilation Technique. Monthly Weather Review, 1988, 116, 293-306.	1.4	26
7	A Numerical Model Study of Turbulent Airflow in and Above a Forest Canopy. Journal of the Meteorological Society of Japan, 1982, 60, 439-454.	1.8	163
8	Development of a turbulence closure model for geophysical fluid problems. Reviews of Geophysics, 1982, 20, 851-875.	23.0	5,698
9	A Numerical Simulation of Nocturnal Drainage Flow. Journal of the Meteorological Society of Japan, 1981, 59, 108-122.	1.8	55
10	The impact of the Wangara experiment. Boundary-Layer Meteorology, 1981, 20, 135-174.	2,3	48
10		2.3	48
	The impact of the Wangara experiment. Boundary-Layer Meteorology, 1981, 20, 135-174.  PBL similarity profiles determined from a level-2 turbulence-closure model. Boundary-Layer		
11	The impact of the Wangara experiment. Boundary-Layer Meteorology, 1981, 20, 135-174.  PBL similarity profiles determined from a level-2 turbulence-closure model. Boundary-Layer Meteorology, 1979, 17, 333-351.  A numerical simulation of BOMEX data using a turbulence closure model coupled with ensemble	2.3	22
11	The impact of the Wangara experiment. Boundary-Layer Meteorology, 1981, 20, 135-174.  PBL similarity profiles determined from a level-2 turbulence-closure model. Boundary-Layer Meteorology, 1979, 17, 333-351.  A numerical simulation of BOMEX data using a turbulence closure model coupled with ensemble cloud relations. Quarterly Journal of the Royal Meteorological Society, 1979, 105, 915-944.  An application of a three-dimensional, simplified second-moment closure numerical model to study	2.3	54
11 12 13	The impact of the Wangara experiment. Boundary-Layer Meteorology, 1981, 20, 135-174.  PBL similarity profiles determined from a level-2 turbulence-closure model. Boundary-Layer Meteorology, 1979, 17, 333-351.  A numerical simulation of BOMEX data using a turbulence closure model coupled with ensemble cloud relations. Quarterly Journal of the Royal Meteorological Society, 1979, 105, 915-944.  An application of a three-dimensional, simplified second-moment closure numerical model to study atmospheric effects of a large cooling-pond. Atmospheric Environment, 1979, 13, 693-704.  Prediction of the Nocturnal Surface Inversion Height. Journal of Applied Meteorology, 1979, 18,	2.3 2.7 1.0	22 54 15
11 12 13	The impact of the Wangara experiment. Boundary-Layer Meteorology, 1981, 20, 135-174.  PBL similarity profiles determined from a level-2 turbulence-closure model. Boundary-Layer Meteorology, 1979, 17, 333-351.  A numerical simulation of BOMEX data using a turbulence closure model coupled with ensemble cloud relations. Quarterly Journal of the Royal Meteorological Society, 1979, 105, 915-944.  An application of a three-dimensional, simplified second-moment closure numerical model to study atmospheric effects of a large cooling-pond. Atmospheric Environment, 1979, 13, 693-704.  Prediction of the Nocturnal Surface Inversion Height. Journal of Applied Meteorology, 1979, 18, 526-531.  A numerical experiment on pollutant dispersion in a horizontally-homogeneous atmospheric	2.3 2.7 1.0	22 54 15 50
11 12 13 14	The impact of the Wangara experiment. Boundary-Layer Meteorology, 1981, 20, 135-174.  PBL similarity profiles determined from a level-2 turbulence-closure model. Boundary-Layer Meteorology, 1979, 17, 333-351.  A numerical simulation of BOMEX data using a turbulence closure model coupled with ensemble cloud relations. Quarterly Journal of the Royal Meteorological Society, 1979, 105, 915-944.  An application of a three-dimensional, simplified second-moment closure numerical model to study atmospheric effects of a large cooling-pond. Atmospheric Environment, 1979, 13, 693-704.  Prediction of the Nocturnal Surface Inversion Height. Journal of Applied Meteorology, 1979, 18, 526-531.  A numerical experiment on pollutant dispersion in a horizontally-homogeneous atmospheric boundary layer. Atmospheric Environment, 1977, 11, 1015-1024.  On the Similarity FunctionsA,BandCof the Planetary Boundary Layer. Journals of the Atmospheric	2.3 2.7 1.0 1.1	<ul><li>22</li><li>54</li><li>15</li><li>50</li><li>59</li></ul>

#	Article	IF	CITATIONS
19	A Hierarchy of Turbulence Closure Models for Planetary Boundary Layers. Journals of the Atmospheric Sciences, 1974, 31, 1791-1806.	1.7	2,112