

# Mark J De Rooij

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1104967/publications.pdf>

Version: 2024-02-01

69  
papers

2,097  
citations

257450

24  
h-index

254184

43  
g-index

71  
all docs

71  
docs citations

71  
times ranked

3433  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comorbidity of PTSD in anxiety and depressive disorders: Prevalence and shared risk factors. <i>Child Abuse and Neglect</i> , 2014, 38, 1320-1330.	2.6	176
2	A comprehensive analysis of resting state fMRI measures to classify individual patients with Alzheimer's disease. <i>NeuroImage</i> , 2018, 167, 62-72.	4.2	160
3	A Longitudinal Study of Experiential Avoidance in Emotional Disorders. <i>Behavior Therapy</i> , 2014, 45, 840-850.	2.4	154
4	Trajectories of Social Anxiety during Adolescence and Relations with Cognition, Social Competence, and Temperament. <i>Journal of Abnormal Child Psychology</i> , 2013, 41, 97-110.	3.5	123
5	Combining anatomical, diffusion, and resting state functional magnetic resonance imaging for individual classification of mild and moderate Alzheimer's disease. <i>NeuroImage: Clinical</i> , 2016, 11, 46-51.	2.7	98
6	Adolescents' Increasing Stress Response to Social Evaluation: Pubertal Effects on Cortisol and Alpha- $\alpha$ -Amylase During Public Speaking. <i>Child Development</i> , 2014, 85, 220-236.	3.0	90
7	Cross-Validation: A Method Every Psychologist Should Know. <i>Advances in Methods and Practices in Psychological Science</i> , 2020, 3, 248-263.	9.4	85
8	A Three-Year Longitudinal Functional Magnetic Resonance Imaging Study of Performance Monitoring and Test-Retest Reliability from Childhood to Early Adulthood. <i>Journal of Neuroscience</i> , 2011, 31, 4204-4212.	3.6	81
9	The longitudinal relationship between emotion awareness and internalising symptoms during late childhood. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 349-356.	4.7	79
10	Individual classification of Alzheimer's disease with diffusion magnetic resonance imaging. <i>NeuroImage</i> , 2017, 152, 476-481.	4.2	61
11	Childhood maltreatment, maladaptive personality types and level and course of psychological distress: A six-year longitudinal study. <i>Journal of Affective Disorders</i> , 2016, 191, 100-108.	4.1	58
12	Web-Based Fully Automated Self-Help With Different Levels of Therapist Support for Individuals With Eating Disorder Symptoms: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e159.	4.3	58
13	Personality and changes in comorbidity patterns among anxiety and depressive disorders.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 874-884.	1.9	56
14	Is Experiential Avoidance a Mediating, Moderating, Independent, Overlapping, or Proxy Risk Factor in the Onset, Relapse and Maintenance of Depressive Disorders?. <i>Cognitive Therapy and Research</i> , 2016, 40, 150-163.	1.9	55
15	Combining multiple anatomical MRI measures improves Alzheimer's disease classification. <i>Human Brain Mapping</i> , 2016, 37, 1920-1929.	3.6	53
16	Approach and avoidant emotion regulation prevent depressive symptoms in children with an Autism Spectrum Disorder. <i>International Journal of Developmental Neuroscience</i> , 2014, 39, 37-43.	1.6	52
17	Ketamine interactions with biomarkers of stress: A randomized placebo-controlled repeated measures resting-state fMRI and PCASL pilot study in healthy men. <i>NeuroImage</i> , 2015, 108, 396-409.	4.2	46
18	Graphical representations and odds ratios in a distance-association model for the analysis of cross-classified data. <i>Psychometrika</i> , 2005, 70, 99-122.	2.1	43

#	ARTICLE	IF	CITATIONS
19	Peer Victimization Experienced by Children and Adolescents Who Are Deaf or Hard of Hearing. PLoS ONE, 2012, 7, e52174.	2.5	42
20	Development of Equity Preferences in Boys and Girls Across Adolescence. Child Development, 2015, 86, 145-158.	3.0	41
21	The role of personality in comorbidity among anxiety and depressive disorders in primary care and specialty care: a cross-sectional analysis. General Hospital Psychiatry, 2009, 31, 470-477.	2.4	39
22	Single Subject Classification of Alzheimer's Disease and Behavioral Variant Frontotemporal Dementia Using Anatomical, Diffusion Tensor, and Resting-State Functional Magnetic Resonance Imaging. Journal of Alzheimer's Disease, 2018, 62, 1827-1839.	2.6	33
23	ClusterBootstrap: An R package for the analysis of hierarchical data using generalized linear models with the cluster bootstrap. Behavior Research Methods, 2020, 52, 572-590.	4.0	29
24	A longitudinal study of facets of extraversion in depression and social anxiety. Personality and Individual Differences, 2014, 71, 39-44.	2.9	28
25	Healthier food choices as a result of the revised healthy diet programme Krachtvoer for students of prevocational schools. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 60.	4.6	25
26	Attrition analysed in five waves of a longitudinal yearly survey of smokers: findings from the ITC Netherlands survey. European Journal of Public Health, 2016, 26, 693-699.	0.3	25
27	Depressive symptoms and emotion regulation strategies in children with and without developmental language disorder: a longitudinal study. International Journal of Language and Communication Disorders, 2018, 53, 1110-1123.	1.5	25
28	Reciprocal effects of stable and temporary components of neuroticism and affective disorders: results of a longitudinal cohort study. Psychological Medicine, 2014, 44, 337-348.	4.5	23
29	Spatial heterogeneity of the relation between resting-state connectivity and blood flow: An important consideration for pharmacological studies. Human Brain Mapping, 2014, 35, 929-942.	3.6	22
30	The Geometry of Triadic Distances. Journal of Classification, 2003, 20, 181-220.	2.2	18
31	Triadic distance models for the analysis of asymmetric three-way proximity data. British Journal of Mathematical and Statistical Psychology, 2000, 53, 99-119.	1.4	17
32	A Comparison of the Multidimensional Scaling of Triadic and Dyadic Distances. Journal of Classification, 2003, 20, 115-136.	2.2	15
33	Ideal Point Discriminant Analysis Revisited with a Special Emphasis on Visualization. Psychometrika, 2009, 74, 317-330.	2.1	14
34	Stacked penalized logistic regression for selecting views in multi-view learning. Information Fusion, 2020, 61, 113-123.	19.1	12
35	The Distance Perspective of Generalized Biadditive Models: Scalings and Transformations. Journal of Computational and Graphical Statistics, 2007, 16, 210-227.	1.7	11
36	Trend vector models for the analysis of change in continuous time for multiple groups. Computational Statistics and Data Analysis, 2009, 53, 3209-3216.	1.2	11

#	ARTICLE	IF	CITATIONS
37	Distance Association Models for the Analysis of Repeated Transition Frequency Tables. <i>Statistica Neerlandica</i> , 2001, 55, 157-181.	1.6	10
38	A warning concerning the estimation of multinomial logistic models with correlated responses in SAS. <i>Computer Methods and Programs in Biomedicine</i> , 2012, 107, 341-346.	4.7	10
39	The Detection and Modeling of Direct Effects in Latent Class Analysis. <i>Structural Equation Modeling</i> , 2019, 26, 280-290.	3.8	10
40	The Analysis of Change, Newton's Law of Gravity and Association Models. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2008, 171, 137-157.	1.1	9
41	Two types of single-peaked data: Correspondence analysis as an alternative to principal component analysis. <i>Computational Statistics and Data Analysis</i> , 2009, 53, 3117-3128.	1.2	8
42	Continued development of recursive thinking in adolescence: Longitudinal analyses with a revised recursive thinking test. <i>Cognitive Development</i> , 2016, 37, 28-41.	1.3	8
43	Visualizing, Summarizing, and Comparing Odds Ratio Structures. <i>Methodology</i> , 2007, 3, 139-148.	1.1	8
44	A latent class distance association model for cross-classified data with a categorical response variable. <i>British Journal of Mathematical and Statistical Psychology</i> , 2014, 67, 514-540.	1.4	6
45	Detection of mild cognitive impairment in a community-dwelling population using quantitative, multiparametric MRI-based classification. <i>Human Brain Mapping</i> , 2019, 40, 2711-2722.	3.6	6
46	Neurobiological correlates of antisociality across adolescence and young adulthood: a multi-sample, multi-method study. <i>Psychological Medicine</i> , 2021, , 1-16.	4.5	6
47	Distance Models for Three-Way Tables and Three-Way Association. <i>Journal of Classification</i> , 2002, 19, 161-178.	2.2	5
48	Transitional ideal point models for longitudinal multinomial outcomes. <i>Statistical Modelling</i> , 2011, 11, 115-135.	1.1	5
49	A Model-Free Diagnostic for Single-Peakedness of Item Responses Using Ordered Conditional Means. <i>Multivariate Behavioral Research</i> , 2012, 47, 743-770.	3.1	5
50	The Mixed Effects Trend Vector Model. <i>Multivariate Behavioral Research</i> , 2012, 47, 635-664.	3.1	5
51	Transitional modeling of experimental longitudinal data with missing values. <i>Advances in Data Analysis and Classification</i> , 2018, 12, 107-130.	1.4	5
52	Unfolding Incomplete Data: Guidelines for Unfolding Row-Conditional Rank Order Data with Random Missings. <i>Journal of Classification</i> , 2009, 26, 329-360.	2.2	4
53	A Latent Block Distance-Association Model for Profile by Profile Cross-Classified Categorical Data. <i>Multivariate Behavioral Research</i> , 2020, 55, 329-343.	3.1	4
54	Pre-trained MRI-based Alzheimer's disease classification models to classify memory clinic patients. <i>NeuroImage: Clinical</i> , 2020, 27, 102303.	2.7	4

#	ARTICLE	IF	CITATIONS
55	The $\hat{I}$ -Machine: Classification Based on Distances Towards Prototypes. <i>Journal of Classification</i> , 2019, 36, 442-470.	2.2	3
56	SEM-Based Out-of-Sample Predictions. <i>Structural Equation Modeling</i> , 2023, 30, 132-148.	3.8	3
57	Multivariate Multinomial Logit Models for Dyadic Sequential Interaction Data. <i>Multivariate Behavioral Research</i> , 2003, 38, 463-504.	3.1	2
58	An Application of the Mixed Effects Trend Vector Models to the Analysis of Asymmetric Square Contingency Tables with Auxiliary Variables. <i>Behaviormetrika</i> , 2012, 39, 75-90.	1.3	2
59	Model Selection for the Trend Vector Model. <i>Journal of Classification</i> , 2013, 30, 338-369.	2.2	2
60	A Multivariate Logistic Distance Model for the Analysis of Multiple Binary Responses. <i>Journal of Classification</i> , 2018, 35, 124-146.	2.2	2
61	Bias of Two-Level Scalability Coefficients and Their Standard Errors. <i>Applied Psychological Measurement</i> , 2020, 44, 197-214.	1.0	2
62	DA4 Finding Treatment Effects within Subgroups when Using the propensity Score to Control for Selection Bias: A Monte Carlo Simulation Study. <i>Value in Health</i> , 2011, 14, A235.	0.3	1
63	Properties of Ideal Point Classification Models for Bivariate Binary Data. <i>Psychometrika</i> , 2017, 82, 308-328.	2.1	1
64	Studying Triadic Distance Models Under a Likelihood Function. , 2002, , 69-76.		1
65	Analyzing Hierarchical Multi-View MRI Data With StaPLR: An Application to Alzheimer's Disease Classification. <i>Frontiers in Neuroscience</i> , 2022, 16, 830630.	2.8	1
66	A comparison of two dissimilarity functions for mixed-type predictor variables in the $\Delta$ machine. <i>Advances in Data Analysis and Classification</i> , 0, , 1.	1.4	0
67	SUBiNN: a stacked uni- and bivariate kNN sparse ensemble. <i>Advances in Data Analysis and Classification</i> , 0, , .	1.4	0
68	Monte Carlo Simulation in Three-Way Unfolding: Assessing the Combined Effect of Sparseness and Variation of the Cell Frequencies. , 2003, , 511-518.		0
69	Asymmetric Scaling Models for Square Contingency Tables: Points, Circles, Arrows and Odds Ratios. <i>Behaviormetrics</i> , 2020, , 43-61.	0.5	0