

Mark J De Rooij

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1104967/publications.pdf>

Version: 2024-02-01

69
papers

2,097
citations

257450

24
h-index

254184

43
g-index

71
all docs

71
docs citations

71
times ranked

3433
citing authors

#	ARTICLE	IF	CITATIONS
1	SEM-Based Out-of-Sample Predictions. <i>Structural Equation Modeling</i> , 2023, 30, 132-148.	3.8	3
2	Analyzing Hierarchical Multi-View MRI Data With StaPLR: An Application to Alzheimer's Disease Classification. <i>Frontiers in Neuroscience</i> , 2022, 16, 830630.	2.8	1
3	Neurobiological correlates of antisociality across adolescence and young adulthood: a multi-sample, multi-method study. <i>Psychological Medicine</i> , 2021, , 1-16.	4.5	6
4	ClusterBootstrap: An R package for the analysis of hierarchical data using generalized linear models with the cluster bootstrap. <i>Behavior Research Methods</i> , 2020, 52, 572-590.	4.0	29
5	Bias of Two-Level Scalability Coefficients and Their Standard Errors. <i>Applied Psychological Measurement</i> , 2020, 44, 197-214.	1.0	2
6	A Latent Block Distance-Association Model for Profile by Profile Cross-Classified Categorical Data. <i>Multivariate Behavioral Research</i> , 2020, 55, 329-343.	3.1	4
7	Stacked penalized logistic regression for selecting views in multi-view learning. <i>Information Fusion</i> , 2020, 61, 113-123.	19.1	12
8	Cross-Validation: A Method Every Psychologist Should Know. <i>Advances in Methods and Practices in Psychological Science</i> , 2020, 3, 248-263.	9.4	85
9	Pre-trained MRI-based Alzheimer's disease classification models to classify memory clinic patients. <i>NeuroImage: Clinical</i> , 2020, 27, 102303.	2.7	4
10	Asymmetric Scaling Models for Square Contingency Tables: Points, Circles, Arrows and Odds Ratios. <i>Behaviormetrics</i> , 2020, , 43-61.	0.5	0
11	The \hat{I} -Machine: Classification Based on Distances Towards Prototypes. <i>Journal of Classification</i> , 2019, 36, 442-470.	2.2	3
12	Detection of mild cognitive impairment in a community-dwelling population using quantitative, multiparametric MRI-based classification. <i>Human Brain Mapping</i> , 2019, 40, 2711-2722.	3.6	6
13	The Detection and Modeling of Direct Effects in Latent Class Analysis. <i>Structural Equation Modeling</i> , 2019, 26, 280-290.	3.8	10
14	Single Subject Classification of Alzheimer's Disease and Behavioral Variant Frontotemporal Dementia Using Anatomical, Diffusion Tensor, and Resting-State Functional Magnetic Resonance Imaging. <i>Journal of Alzheimer's Disease</i> , 2018, 62, 1827-1839.	2.6	33
15	A Multivariate Logistic Distance Model for the Analysis of Multiple Binary Responses. <i>Journal of Classification</i> , 2018, 35, 124-146.	2.2	2
16	Transitional modeling of experimental longitudinal data with missing values. <i>Advances in Data Analysis and Classification</i> , 2018, 12, 107-130.	1.4	5
17	A comprehensive analysis of resting state fMRI measures to classify individual patients with Alzheimer's disease. <i>NeuroImage</i> , 2018, 167, 62-72.	4.2	160
18	Depressive symptoms and emotion regulation strategies in children with and without developmental language disorder: a longitudinal study. <i>International Journal of Language and Communication Disorders</i> , 2018, 53, 1110-1123.	1.5	25

#	ARTICLE	IF	CITATIONS
19	Properties of Ideal Point Classification Models for Bivariate Binary Data. <i>Psychometrika</i> , 2017, 82, 308-328.	2.1	1
20	Individual classification of Alzheimer's disease with diffusion magnetic resonance imaging. <i>NeuroImage</i> , 2017, 152, 476-481.	4.2	61
21	Combining multiple anatomical MRI measures improves Alzheimer's disease classification. <i>Human Brain Mapping</i> , 2016, 37, 1920-1929.	3.6	53
22	Combining anatomical, diffusion, and resting state functional magnetic resonance imaging for individual classification of mild and moderate Alzheimer's disease. <i>NeuroImage: Clinical</i> , 2016, 11, 46-51.	2.7	98
23	Attrition analysed in five waves of a longitudinal yearly survey of smokers: findings from the ITC Netherlands survey. <i>European Journal of Public Health</i> , 2016, 26, 693-699.	0.3	25
24	Is Experiential Avoidance a Mediating, Moderating, Independent, Overlapping, or Proxy Risk Factor in the Onset, Relapse and Maintenance of Depressive Disorders?. <i>Cognitive Therapy and Research</i> , 2016, 40, 150-163.	1.9	55
25	Continued development of recursive thinking in adolescence: Longitudinal analyses with a revised recursive thinking test. <i>Cognitive Development</i> , 2016, 37, 28-41.	1.3	8
26	Childhood maltreatment, maladaptive personality types and level and course of psychological distress: A six-year longitudinal study. <i>Journal of Affective Disorders</i> , 2016, 191, 100-108.	4.1	58
27	Web-Based Fully Automated Self-Help With Different Levels of Therapist Support for Individuals With Eating Disorder Symptoms: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e159.	4.3	58
28	Ketamine interactions with biomarkers of stress: A randomized placebo-controlled repeated measures resting-state fMRI and PCASL pilot study in healthy men. <i>NeuroImage</i> , 2015, 108, 396-409.	4.2	46
29	Development of Equity Preferences in Boys and Girls Across Adolescence. <i>Child Development</i> , 2015, 86, 145-158.	3.0	41
30	A latent class distance association model for cross-classified data with a categorical response variable. <i>British Journal of Mathematical and Statistical Psychology</i> , 2014, 67, 514-540.	1.4	6
31	Spatial heterogeneity of the relation between resting-state connectivity and blood flow: An important consideration for pharmacological studies. <i>Human Brain Mapping</i> , 2014, 35, 929-942.	3.6	22
32	Adolescents' Increasing Stress Response to Social Evaluation: Pubertal Effects on Cortisol and Alpha-Amylase During Public Speaking. <i>Child Development</i> , 2014, 85, 220-236.	3.0	90
33	Reciprocal effects of stable and temporary components of neuroticism and affective disorders: results of a longitudinal cohort study. <i>Psychological Medicine</i> , 2014, 44, 337-348.	4.5	23
34	A Longitudinal Study of Experiential Avoidance in Emotional Disorders. <i>Behavior Therapy</i> , 2014, 45, 840-850.	2.4	154
35	A longitudinal study of facets of extraversion in depression and social anxiety. <i>Personality and Individual Differences</i> , 2014, 71, 39-44.	2.9	28
36	Approach and avoidant emotion regulation prevent depressive symptoms in children with an Autism Spectrum Disorder. <i>International Journal of Developmental Neuroscience</i> , 2014, 39, 37-43.	1.6	52

#	ARTICLE	IF	CITATIONS
37	Comorbidity of PTSD in anxiety and depressive disorders: Prevalence and shared risk factors. <i>Child Abuse and Neglect</i> , 2014, 38, 1320-1330.	2.6	176
38	Trajectories of Social Anxiety during Adolescence and Relations with Cognition, Social Competence, and Temperament. <i>Journal of Abnormal Child Psychology</i> , 2013, 41, 97-110.	3.5	123
39	Model Selection for the Trend Vector Model. <i>Journal of Classification</i> , 2013, 30, 338-369.	2.2	2
40	Personality and changes in comorbidity patterns among anxiety and depressive disorders.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 874-884.	1.9	56
41	A Model-Free Diagnostic for Single-Peakedness of Item Responses Using Ordered Conditional Means. <i>Multivariate Behavioral Research</i> , 2012, 47, 743-770.	3.1	5
42	The Mixed Effects Trend Vector Model. <i>Multivariate Behavioral Research</i> , 2012, 47, 635-664.	3.1	5
43	A warning concerning the estimation of multinomial logistic models with correlated responses in SAS. <i>Computer Methods and Programs in Biomedicine</i> , 2012, 107, 341-346.	4.7	10
44	Healthier food choices as a result of the revised healthy diet programme Krachtvoer for students of prevocational schools. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 60.	4.6	25
45	Peer Victimization Experienced by Children and Adolescents Who Are Deaf or Hard of Hearing. <i>PLoS ONE</i> , 2012, 7, e52174.	2.5	42
46	An Application of the Mixed Effects Trend Vector Models to the Analysis of Asymmetric Square Contingency Tables with Auxiliary Variables. <i>Behaviormetrika</i> , 2012, 39, 75-90.	1.3	2
47	The longitudinal relationship between emotion awareness and internalising symptoms during late childhood. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 349-356.	4.7	79
48	DA4 Finding Treatment Effects within Subgroups when Using the propensity Score to Control for Selection Bias: A Monte Carlo Simulation Study. <i>Value in Health</i> , 2011, 14, A235.	0.3	1
49	Transitional ideal point models for longitudinal multinomial outcomes. <i>Statistical Modelling</i> , 2011, 11, 115-135.	1.1	5
50	A Three-Year Longitudinal Functional Magnetic Resonance Imaging Study of Performance Monitoring and Test-Retest Reliability from Childhood to Early Adulthood. <i>Journal of Neuroscience</i> , 2011, 31, 4204-4212.	3.6	81
51	The role of personality in comorbidity among anxiety and depressive disorders in primary care and specialty care: a cross-sectional analysis. <i>General Hospital Psychiatry</i> , 2009, 31, 470-477.	2.4	39
52	Ideal Point Discriminant Analysis Revisited with a Special Emphasis on Visualization. <i>Psychometrika</i> , 2009, 74, 317-330.	2.1	14
53	Unfolding Incomplete Data: Guidelines for Unfolding Row-Conditional Rank Order Data with Random Missings. <i>Journal of Classification</i> , 2009, 26, 329-360.	2.2	4
54	Two types of single-peaked data: Correspondence analysis as an alternative to principal component analysis. <i>Computational Statistics and Data Analysis</i> , 2009, 53, 3117-3128.	1.2	8

#	ARTICLE	IF	CITATIONS
55	Trend vector models for the analysis of change in continuous time for multiple groups. Computational Statistics and Data Analysis, 2009, 53, 3209-3216.	1.2	11
56	The Analysis of Change, Newton's Law of Gravity and Association Models. Journal of the Royal Statistical Society Series A: Statistics in Society, 2008, 171, 137-157.	1.1	9
57	The Distance Perspective of Generalized Biadditive Models: Scalings and Transformations. Journal of Computational and Graphical Statistics, 2007, 16, 210-227.	1.7	11
58	Visualizing, Summarizing, and Comparing Odds Ratio Structures. Methodology, 2007, 3, 139-148.	1.1	8
59	Graphical representations and odds ratios in a distance-association model for the analysis of cross-classified data. Psychometrika, 2005, 70, 99-122.	2.1	43
60	A Comparison of the Multidimensional Scaling of Triadic and Dyadic Distances. Journal of Classification, 2003, 20, 115-136.	2.2	15
61	The Geometry of Triadic Distances. Journal of Classification, 2003, 20, 181-220.	2.2	18
62	Multivariate Multinomial Logit Models for Dyadic Sequential Interaction Data. Multivariate Behavioral Research, 2003, 38, 463-504.	3.1	2
63	Monte Carlo Simulation in Three-Way Unfolding: Assessing the Combined Effect of Sparseness and Variation of the Cell Frequencies. , 2003, , 511-518.		0
64	Distance Models for Three-Way Tables and Three-Way Association. Journal of Classification, 2002, 19, 161-178.	2.2	5
65	Studying Triadic Distance Models Under a Likelihood Function. , 2002, , 69-76.		1
66	Distance Association Models for the Analysis of Repeated Transition Frequency Tables. Statistica Neerlandica, 2001, 55, 157-181.	1.6	10
67	Triadic distance models for the analysis of asymmetric three-way proximity data. British Journal of Mathematical and Statistical Psychology, 2000, 53, 99-119.	1.4	17
68	A comparison of two dissimilarity functions for mixed-type predictor variables in the Δ -machine. Advances in Data Analysis and Classification, 0, , 1.	1.4	0
69	SUBiNN: a stacked uni- and bivariate kNN sparse ensemble. Advances in Data Analysis and Classification, 0, , .	1.4	0