Cristina Colombo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1105943/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Selective association of cytokine levels and kynurenine/tryptophan ratio with alterations in white matter microstructure in bipolar but not in unipolar depression. European Neuropsychopharmacology, 2022, 55, 96-109.	0.7	20
2	Neurofilaments light: Possible biomarker of brain modifications in bipolar disorder. Journal of Affective Disorders, 2022, 300, 243-248.	4.1	8
3	A peripheral inflammatory signature discriminates bipolar from unipolar depression: A machine learning approach. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 105, 110136.	4.8	49
4	Higher baseline interleukin-1β and TNF-α hamper antidepressant response in major depressive disorder. European Neuropsychopharmacology, 2021, 42, 35-44.	0.7	25
5	Blue blocking glasses for the treatment of mania in an elderly patient: A case report with polysomnographic findings. Bipolar Disorders, 2021, 23, 367-639.	1.9	1
6	Bright light therapy accelerates the antidepressant effect of repetitive transcranial magnetic stimulation in treatment resistant depression: a pilot study. International Journal of Psychiatry in Clinical Practice, 2021, 25, 375-377.	2.4	5
7	Circulating inflammatory markers impact cognitive functions in bipolar depression. Journal of Psychiatric Research, 2021, 140, 110-116.	3.1	15
8	Effective Antidepressant Chronotherapeutics (Sleep Deprivation and Light Therapy) Normalize the IL-1β:IL-1ra Ratio in Bipolar Depression. Frontiers in Physiology, 2021, 12, 740686.	2.8	3
9	Higher Interleukin 13 differentiates patients with a positive history of suicide attempts in major depressive disorder. Journal of Affective Disorders Reports, 2021, 6, 100254.	1.7	5
10	SARS-CoV-2 Pneumonia in a Manic Inpatient. primary care companion for CNS disorders, The, 2021, 23, .	0.6	0
11	Association of circadian properties of temporal processing with rapid antidepressant response to wake and light therapy in bipolar disorder. Journal of Affective Disorders, 2020, 263, 72-79.	4.1	5
12	Cortico-limbic functional connectivity mediates the effect of early life stress on suicidality in bipolar depressed 5-HTTLPR*s carriers. Journal of Affective Disorders, 2020, 263, 420-427.	4.1	13
13	Mental health services for mood disorder outpatients in Milan during COVID-19 outbreak: The experience of the health care providers at San Raffaele hospital. Psychiatry Research, 2020, 292, 113317.	3.3	15
14	Proinflammatory Cytokines Predict Brain Metabolite Concentrations in the Anterior Cingulate Cortex of Patients With Bipolar Disorder. Frontiers in Psychiatry, 2020, 11, 590095.	2.6	16
15	Changes of white matter microstructure after successful treatment of bipolar depression. Journal of Affective Disorders, 2020, 274, 1049-1056.	4.1	11
16	Predicting differential diagnosis between bipolar and unipolar depression with multiple kernel learning on multimodal structural neuroimaging. European Neuropsychopharmacology, 2020, 34, 28-38.	0.7	36
17	White Matter Microstructure in Bipolar Disorder Is Influenced by the Interaction between a Glutamate Transporter EAAT1 Gene Variant and Early Stress. Molecular Neurobiology, 2019, 56, 702-710. 	4.0	37
18	Natural killer cells protect white matter integrity in bipolar disorder. Brain, Behavior, and Immunity, 2019, 81, 410-421.	4.1	25

#	Article	IF	CITATIONS
19	Grey and white matter structure associates with the activation of the tryptophan to kynurenine pathway in bipolar disorder. Journal of Affective Disorders, 2019, 259, 404-412.	4.1	25
20	Effects of illness duration on cognitive performances in bipolar depression are mediated by white matter microstructure. Journal of Affective Disorders, 2019, 249, 175-182.	4.1	21
21	Markers of neuroinflammation influence measures of cortical thickness in bipolar depression. Psychiatry Research - Neuroimaging, 2019, 285, 64-66.	1.8	38
22	Does early response predict subsequent remission in bipolar depression treated with repeated sleep deprivation combined with light therapy and lithium?. Journal of Affective Disorders, 2018, 229, 371-376.	4.1	25
23	Kynurenine pathway and white matter microstructure in bipolar disorder. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 157-168.	3.2	34
24	A Homer 1 gene variant influences brain structure and function, lithium effects on white matter, and antidepressant response in bipolar disorder: A multimodal genetic imaging study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 81, 88-95.	4.8	55
25	Impact of early and recent stress on white matter microstructure in major depressive disorder. Journal of Affective Disorders, 2018, 225, 289-297.	4.1	24
26	Evidence for the Efficacy of Bright Light Therapy for Bipolar Depression. American Journal of Psychiatry, 2018, 175, 905-906.	7.2	11
27	Chronotype influences response to antidepressant chronotherapeutics in bipolar patients. Chronobiology International, 2018, 35, 1319-1325.	2.0	16
28	A Glutamate Transporter EAAT1 Gene Variant Influences Amygdala Functional Connectivity in Bipolar Disorder. Journal of Molecular Neuroscience, 2018, 65, 536-545.	2.3	37
29	Abnormal brain oscillations persist after recovery from bipolar depression. European Psychiatry, 2017, 41, 10-15.	0.2	22
30	Catechol-O-methyltransferase Val(108/158)Met polymorphism affects fronto-limbic connectivity during emotional processing in bipolar disorder. European Psychiatry, 2017, 41, 53-59.	0.2	32
31	Body mass index associates with white matter microstructure in bipolar depression. Bipolar Disorders, 2017, 19, 116-127.	1.9	25
32	Night sleep influences white matter microstructure in bipolar depression. Journal of Affective Disorders, 2017, 218, 380-387.	4.1	17
33	Clock genes associate with white matter integrity in depressed bipolar patients. Chronobiology International, 2017, 34, 212-224.	2.0	59
34	Multidimensional cognitive impairment in unipolar and bipolar depression and the moderator effect of adverse childhood experiences. Psychiatry and Clinical Neurosciences, 2017, 71, 309-317.	1.8	25
35	Th17 cells correlate positively to the structural and functional integrity of the brain in bipolar depression and healthy controls. Brain, Behavior, and Immunity, 2017, 61, 317-325.	4.1	54
36	CLOCK gene variants associated with the discrepancy between subjective and objective severity in bipolar depression. Journal of Affective Disorders, 2017, 210, 14-18.	4.1	15

#	Article	IF	CITATIONS
37	A 5-HT1A receptor promoter polymorphism influences fronto-limbic functional connectivity and depression severity in bipolar disorder. Psychiatry Research - Neuroimaging, 2017, 270, 1-7.	1.8	31
38	The effect of childhood trauma on serum BDNF in bipolar depression is modulated by the serotonin promoter genotype. Neuroscience Letters, 2017, 656, 177-181.	2.1	17
39	Brain-Derived Neurotrophic Factor (Bdnf) and Gray Matter Volume in Bipolar Disorder. European Psychiatry, 2017, 40, 33-37.	0.2	25
40	Higher Baseline Proinflammatory Cytokines Mark Poor Antidepressant Response in Bipolar Disorder. Journal of Clinical Psychiatry, 2017, 78, e986-e993.	2.2	57
41	SREBF-2 polymorphism influences white matter microstructure in bipolar disorder. Psychiatry Research - Neuroimaging, 2016, 257, 39-46.	1.8	33
42	Stem Cell Factor (SCF) is a putative biomarker of antidepressant response. Journal of NeuroImmune Pharmacology, 2016, 11, 248-258.	4.1	28
43	Adverse childhood experiences associate to reduced glutamate levels in the hippocampus of patients affected by mood disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 71, 117-122.	4.8	17
44	Behavioural genetics of suicidality in bipolar disorder: The interaction between clock and 5-HTT polymorphisms and early life stress. Psychiatry Research, 2016, 246, 846-847.	3.3	0
45	Inflammatory cytokines influence measures of white matter integrity in Bipolar Disorder. Journal of Affective Disorders, 2016, 202, 1-9.	4.1	125
46	Discrepancy between subjective and objective severity as a predictor of response to chronotherapeutics in bipolar depression. Journal of Affective Disorders, 2016, 204, 48-53.	4.1	16
47	Sleep homeostatic pressure and PER3 VNTR gene polymorphism influence antidepressant response to sleep deprivation in bipolar depression. Journal of Affective Disorders, 2016, 192, 64-69.	4.1	26
48	Adverse childhood experiences influence the detrimental effect of bipolar disorder and schizophrenia on cortico-limbic grey matter volumes. Journal of Affective Disorders, 2016, 189, 290-297.	4.1	41
49	Cognitive performances associate with measures of white matter integrity in bipolar disorder. Journal of Affective Disorders, 2015, 174, 342-352.	4.1	73
50	White matter microstructure in bipolar disorder is influenced by the serotonin transporter gene polymorphism 5â€ <scp>HTTLPR</scp> . Genes, Brain and Behavior, 2015, 14, 238-250.	2.2	58
51	Effects of CLOCK gene variants and early stress on hopelessness and suicide in bipolar depression. Chronobiology International, 2015, 32, 1156-1161.	2.0	60
52	Successful antidepressant chronotherapeutics enhance fronto-limbic neural responses and connectivity in bipolar depression. Psychiatry Research - Neuroimaging, 2015, 233, 243-253.	1.8	40
53	Shared reduction of oscillatory natural frequencies in bipolar disorder, major depressive disorder and schizophrenia. Journal of Affective Disorders, 2015, 184, 111-115.	4.1	47
54	Glutamate EAAT1 transporter genetic variants influence cognitive deficits in bipolar disorder. Psychiatry Research, 2015, 226, 407-408.	3.3	7

#	Article	IF	CITATIONS
55	Lithium and GSK-3β promoter gene variants influence cortical gray matter volumes in bipolar disorder. Psychopharmacology, 2015, 232, 1325-1336.	3.1	36
56	Disruption of white matter integrity marks poor antidepressant response in bipolar disorder. Journal of Affective Disorders, 2015, 174, 233-240.	4.1	41
57	Fronto-limbic disconnection in bipolar disorder. European Psychiatry, 2015, 30, 82-88.	0.2	82
58	The serotonin transporter genotype modulates the relationship between early stress and adult suicidality in bipolar disorder. Bipolar Disorders, 2014, 16, 857-866.	1.9	35
59	Adverse childhood experiences influence white matter microstructure in patients with bipolar disorder. Psychological Medicine, 2014, 44, 3069-3082.	4.5	63
60	Changes of cortical excitability as markers of antidepressant response in bipolar depression: preliminary data obtained by combining transcranial magnetic stimulation (TMS) and electroencephalography (EEG). Bipolar Disorders, 2014, 16, 809-819.	1.9	47
61	Effect of early stress on hippocampal gray matter is influenced by a functional polymorphism in EAAT2 in bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 51, 146-152.	4.8	18
62	Effect of the change of social environment on the behavior of a captive brown bear (Ursus arctos). Journal of Veterinary Behavior: Clinical Applications and Research, 2014, 9, 119-123.	1.2	4
63	Neuropsychological deficits in bipolar depression persist after successful antidepressant treatment. Journal of Affective Disorders, 2014, 156, 144-149.	4.1	12
64	Adverse childhood experiences worsen cognitive distortion during adult bipolar depression. Comprehensive Psychiatry, 2014, 55, 1803-1808.	3.1	11
65	Neural correlates of delusion in bipolar depression. Psychiatry Research - Neuroimaging, 2014, 221, 1-5.	1.8	24
66	Rapid Treatment Response of Suicidal Symptoms to Lithium, Sleep Deprivation, and Light Therapy (Chronotherapeutics) in Drug-Resistant Bipolar Depression. Journal of Clinical Psychiatry, 2014, 75, 133-140.	2.2	93
67	Assessing the Effects of Electroconvulsive Therapy on Cortical Excitability by Means of Transcranial Magnetic Stimulation and Electroencephalography. Brain Topography, 2013, 26, 326-337.	1.8	77
68	Lithium and GSK3-β Promoter Gene Variants Influence White Matter Microstructure in Bipolar Disorder. Neuropsychopharmacology, 2013, 38, 313-327.	5.4	149
69	Different Neural Responses to a Moral Valence Decision Task in Unipolar and Bipolar Depression. , 2013, 2013, 1-10.		8
70	Paroxetine drops versus paroxetine tablets: evaluation of compliance in a six-month study. Rivista Di Psichiatria, 2013, 48, 261-7.	0.6	4
71	Bipolar Disorder. Depression Research and Treatment, 2012, 2012, 1-2.	1.3	1
72	Seasonality and Sleep: A Clinical Study on Euthymic Mood Disorder Patients. Depression Research and Treatment, 2012, 2012, 1-6.	1.3	21

#	Article	IF	CITATIONS
73	Neural responses to emotional stimuli in comorbid borderline personality disorder and bipolar depression. Psychiatry Research - Neuroimaging, 2012, 203, 61-66.	1.8	21
74	Influence of an Interaction between Lithium Salts and a Functional Polymorphism in SLC1A2 on the History of Illness in Bipolar Disorder. Molecular Diagnosis and Therapy, 2012, 16, 303-309.	3.8	26
75	Gene–gene interaction of glycogen synthase kinase 3-β and serotonin transporter on human antidepressant response to sleep deprivation. Journal of Affective Disorders, 2012, 136, 514-519.	4.1	45
76	Optimized light therapy for non-seasonal major depressive disorder: Effects of timing and season. Journal of Affective Disorders, 2012, 138, 337-342.	4.1	20
77	Falta de integridad de la sustancia blanca en la depresión bipolar como posible marcador estructural de la enfermedad. Psiquiatria Biologica, 2011, 18, 79-88.	0.1	0
78	Disruption of White Matter Integrity in Bipolar Depression as a Possible Structural Marker of Illness. Biological Psychiatry, 2011, 69, 309-317.	1.3	207
79	Sleep Deprivation in Mood Disorders. Neuropsychobiology, 2011, 64, 141-151.	1.9	106
80	Circadian clock gene Per3 variants influence the postpartum onset of bipolar disorder. European Psychiatry, 2011, 26, 138-140.	0.2	52
81	Tract-specific white matter structural disruption in patients with bipolar disorder. Bipolar Disorders, 2011, 13, 414-424.	1.9	122
82	Recurrence of bipolar mania is associated with catechol-O-methyltransferase Val(108/158)Met polymorphism. Journal of Affective Disorders, 2011, 132, 293-296.	4.1	36
83	Association of the C(â^1019)G 5-HT1A promoter polymorphism with exposure to stressors preceding hospitalization for bipolar depression. Journal of Affective Disorders, 2011, 132, 297-300.	4.1	25
84	Opposite effects of suicidality and lithium on gray matter volumes in bipolar depression. Journal of Affective Disorders, 2011, 135, 139-147.	4.1	142
85	Role of COMT, 5-HT1A, and SERT genetic polymorphisms on antidepressant response to transcranial magnetic stimulation. Depression and Anxiety, 2011, 28, 568-573.	4.1	47
86	Genetic bases of comorbidity between mood disorders and migraine: possible role of serotonin transporter gene. Neurological Sciences, 2010, 31, 387-391.	1.9	18
87	Acute antidepressant response to sleep deprivation combined with light therapy is influenced by the catechol-O-methyltransferase Val(108/158)Met polymorphism. Journal of Affective Disorders, 2010, 121, 68-72.	4.1	62
88	Association between catechol-O-methyltransferase Val(108/158)Met polymorphism and psychotic features of bipolar disorder. Journal of Affective Disorders, 2010, 125, 341-344.	4.1	48
89	A Symptom-Specific Analysis of the Effect of High-Frequency Left or Low-Frequency Right Transcranial Magnetic Stimulation over the Dorsolateral Prefrontal Cortex in Major Depression. Neuropsychobiology, 2010, 62, 91-97.	1.9	46
90	Searching Susceptibility Loci for Bipolar Disorder: A Sib Pair Study on Chromosome 12. Neuropsychobiology, 2010, 61, 10-18.	1.9	6

#	Article	IF	CITATIONS
91	Effect of catechol-O-methyltransferase Val(108/158)Met polymorphism on antidepressant efficacy of fluvoxamine. European Psychiatry, 2010, 25, 476-478.	0.2	64
92	Spectroscopic correlates of antidepressant response to sleep deprivation and light therapy: A 3.0 Tesla study of bipolar depression. Psychiatry Research - Neuroimaging, 2009, 173, 238-242.	1.8	51
93	The catechol-O-methyltransferase Val(108/158)Met polymorphism affects antidepressant response to paroxetine in a naturalistic setting. Psychopharmacology, 2009, 203, 155-160.	3.1	69
94	5-HT2A gene variants influence specific and different aspects of antidepressant response in Japanese and Italian mood disorder patients. Psychiatry Research, 2009, 167, 97-105.	3.3	25
95	Interaction between SERTPR and stressful life events on response to antidepressant treatment. European Neuropsychopharmacology, 2009, 19, 64-67.	0.7	42
96	Expression of Apoptosis-related Proteins and of mRNA for Dopaminergic Receptors in Peripheral Blood Mononuclear Cells From Patients With Alzheimer Disease. Alzheimer Disease and Associated Disorders, 2009, 23, 88-90.	1.3	16
97	New perspectives on techniques for the clinical psychiatrist: Brain stimulation, chronobiology and psychiatric brain imaging. Psychiatry and Clinical Neurosciences, 2008, 62, 627-637.	1.8	2
98	A length polymorphism in the circadian clock gene Per3 influences age at onset of bipolar disorder. Neuroscience Letters, 2008, 445, 184-187.	2.1	147
99	Association between GSK- $3\hat{l}^2$ -50T/C polymorphism and personality and psychotic symptoms in mood disorders. Psychiatry Research, 2008, 158, 132-140.	3.3	41
100	Serotonin 5-HT2A receptor gene variants influence antidepressant response to repeated total sleep deprivation in bipolar depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 1863-1866.	4.8	29
101	Lithium Overcomes the Influence of 5-HTTLPR Gene Polymorphism on Antidepressant Response to Sleep Deprivation. Journal of Clinical Psychopharmacology, 2008, 28, 249-251.	1.4	35
102	Pain Perception, Blood Pressure Levels, and Peripheral Benzodiazepine Receptors in Patients Followed for Differentiated Thyroid Carcinoma: A Longitudinal Study in Hypothyroidism and During Hormone Treatment. Clinical Journal of Pain, 2007, 23, 518-523.	1.9	7
103	Neural and Genetic Correlates of Antidepressant Response to Sleep Deprivation. Archives of General Psychiatry, 2007, 64, 179.	12.3	97
104	Serotonin transporter gene influences the time course of improvement of "core―depressive and somatic anxiety symptoms during treatment with SSRIs for recurrent mood disorders. Psychiatry Research, 2007, 149, 185-193.	3.3	45
105	Clinical prediction of antidepressant response in mood disorders: Linear multivariate vs. neural network models. Psychiatry Research, 2007, 152, 223-231.	3.3	24
106	Antidepressant response in the elderly. Psychiatry Research, 2007, 152, 37-44.	3.3	20
107	Chronotherapeutics in a psychiatric ward. Sleep Medicine Reviews, 2007, 11, 509-522.	8.5	141
108	5-HT2A SNPs and the Temperament and Character Inventory. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 1275-1281.	4.8	32

#	Article	IF	CITATIONS
109	Response to SSRIs and role of the hormonal therapy in post-menopausal depression. European Neuropsychopharmacology, 2007, 17, 400-405.	0.7	57
110	Phase Advance Is an Actimetric Correlate of Antidepressant Response to Sleep Deprivation and Light Therapy in Bipolar Depression. Chronobiology International, 2007, 24, 921-937.	2.0	95
111	Actimetric evidence that CLOCK 3111 T/C SNP influences sleep and activity patterns in patients affected by bipolar depression. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 1448, 631-635.	1.7	179
112	Dissecting the determinants of depressive disorders outcome: an in depth analysis of two clinical cases. Annals of General Psychiatry, 2007, 6, 5.	2.7	10
113	Clock genes beyond the clock: CLOCK genotype biases neural correlates of moral valence decision in depressed patients. Genes, Brain and Behavior, 2007, 7, 070326081928001-???.	2.2	65
114	A neural network model for combining clinical predictors of antidepressant response in mood disorders. Journal of Affective Disorders, 2007, 98, 239-245.	4.1	19
115	Interaction between serotonin transporter gene, catechol-O-methyltransferase gene and stressful life events in mood disorders. International Journal of Neuropsychopharmacology, 2007, 10, 437.	2.1	111
116	Health-Related Quality of Life in Euthymic Bipolar Disorder Patients. Journal of Clinical Psychiatry, 2007, 68, 207-212.	2.2	76
117	Improvement of cognitive functioning in mood disorder patients with depressive symptomatic recovery during treatment: An exploratory analysis. Psychiatry and Clinical Neurosciences, 2006, 60, 598-604.	1.8	33
118	Influence of postpartum onset on the course of mood disorders. BMC Psychiatry, 2006, 6, 4.	2.6	19
119	Retrospective analysis of psychomotor agitation, hypomanic symptoms, and suicidal ideation in unipolar depression. Depression and Anxiety, 2006, 23, 389-397.	4.1	43
120	Dark therapy for mania: a pilot study. Bipolar Disorders, 2005, 7, 98-101.	1.9	144
121	Components of self-esteem in affective patients and non-psychiatric controls. Journal of Affective Disorders, 2005, 88, 93-98.	4.1	28
122	Insomnia improvement during antidepressant treatment andCLOCK gene polymorphism. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2005, 137B, 36-39.	1.7	146
123	Long-term response to lithium salts in bipolar illness is influenced by the glycogen synthase kinase 3-β â^'50 T/C SNP. Neuroscience Letters, 2005, 376, 51-55.	2.1	184
124	Combined Total Sleep Deprivation and Light Therapy in the Treatment of Drug-Resistant Bipolar Depression. Journal of Clinical Psychiatry, 2005, 66, 1535-1540.	2.2	161
125	Cerebral D2 and 5-HT2 Receptor occupancy in Schizophrenic Patients Treated with Olanzapine Or Clozapine. Journal of Psychopharmacology, 2004, 18, 355-365.	4.0	37
126	Fluvoxamine Treatment of Major Depression Associated With Multiple Sclerosis. Journal of Neuropsychiatry and Clinical Neurosciences, 2004, 16, 364-366.	1.8	25

#	Article	IF	CITATIONS
127	Dopaminergic modulation of oxidative stress and apoptosis in human peripheral blood lymphocytes: evidence for a D1-like receptor-dependent protective effect. Free Radical Biology and Medicine, 2004, 36, 1233-1240.	2.9	57
128	A single nucleotide polymorphism in glycogen synthase kinase 3-Î ² promoter gene influences onset of illness in patients affected by bipolar disorder. Neuroscience Letters, 2004, 355, 37-40.	2.1	156
129	A glycogen synthase kinase 3-β promoter gene single nucleotide polymorphism is associated with age at onset and response to total sleep deprivation in bipolar depression. Neuroscience Letters, 2004, 368, 123-126.	2.1	189
130	Lormetazepam in depressive insomnia: new evidence of phase-response effects of benzodiazepines. International Clinical Psychopharmacology, 2004, 19, 311-317.	1.7	13
131	Dopaminergic Modulation of Apoptosis in Human Peripheral Blood Mononuclear Cells. Annals of the New York Academy of Sciences, 2003, 1010, 679-682.	3.8	22
132	5-HT2A receptor binding is reduced in drug-naive and unchanged in SSRI-responder depressed patients compared to healthy controls: a PET study. Psychopharmacology, 2003, 167, 72-78.	3.1	89
133	Influence of <i>CLOCK</i> gene polymorphism on circadian mood fluctuation and illness recurrence in bipolar depression. American Journal of Medical Genetics Part A, 2003, 123B, 23-26.	2.4	272
134	Genetic dissection of psychopathological symptoms: Insomnia in mood disorders and <i>CLOCK</i> gene polymorphism. American Journal of Medical Genetics Part A, 2003, 121B, 35-38.	2.4	228
135	Antidepressant effects of light therapy combined with sleep deprivation are influenced by a functional polymorphism within the promoter of the serotonin transporter gene. Biological Psychiatry, 2003, 54, 687-692.	1.3	83
136	Dopamine receptor D2 and D3 gene variants are not associated with the antidepressant effect of total sleep deprivation in bipolar depression. Psychiatry Research, 2003, 118, 241-247.	3.3	23
137	Morning Light Treatment Hastens the Antidepressant Effect of Citalopram. Journal of Clinical Psychiatry, 2003, 64, 648-653.	2.2	139
138	Interleukine-6 serum levels correlate with response to antidepressant sleep deprivation and sleep phase advance. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2002, 26, 1167-1170.	4.8	72
139	Dopaminergic augmentation of sleep deprivation effects in bipolar depression. Psychiatry Research, 2001, 104, 239-246.	3.3	38
140	Increased 5-Hydroxytryptamine-2 Receptor Binding in the Frontal Cortex of Depressed Patients Responding to Paroxetine Treatment: A Positron Emission Tomography Scan Study. Journal of Clinical Psychopharmacology, 2001, 21, 53-58.	1.4	68
141	Morning sunlight reduces length of hospitalization in bipolar depression. Journal of Affective Disorders, 2001, 62, 221-223.	4.1	255
142	Sleep phase advance and lithium to sustain the antidepressant effect of total sleep deprivation in bipolar depression: new findings supporting the internal coincidence model?. Journal of Psychiatric Research, 2001, 35, 323-329.	3.1	110
143	Total sleep deprivation combined with lithium and light therapy in the treatment of bipolar depression: replication of main effects and interaction. Psychiatry Research, 2000, 95, 43-53.	3.3	127
144	Effects of Fluvoxamine Treatment on the in Vivo Binding of [F-18]FESP in Drug Naive Depressed Patients: A Pet Study. NeuroImage, 2000, 12, 452-465.	4.2	45

#	Article	IF	CITATIONS
145	Patients Requesting Psychiatric Hospitalization. American Journal of Psychiatry, 2000, 157, 1886-1886.	7.2	0
146	Worsening of delusional depression after sleep deprivation: case reports. Journal of Psychiatric Research, 1999, 33, 69-72.	3.1	20
147	Sustained Antidepressant Effect of Sleep Deprivation Combined with Pindolol in Bipolar Depression A Placebo-Controlled Trial. Neuropsychopharmacology, 1999, 20, 380-385.	5.4	101
148	Rate of switch from depression into mania after therapeutic sleep deprivation in bipolar depression. Psychiatry Research, 1999, 86, 267-270.	3.3	248
149	Dopamine receptor D4 is not associated with antidepressant activity of sleep deprivation. Psychiatry Research, 1999, 89, 107-114.	3.3	28
150	Ongoing Lithium Treatment Prevents Relapse After Total Sleep Deprivation. Journal of Clinical Psychopharmacology, 1999, 19, 240-245.	1.4	88
151	Patterns of mood variation during antidepressant treatment. Journal of Affective Disorders, 1998, 49, 133-139.	4.1	11
152	Perceived mood and skin body temperature rhythm in depression. European Archives of Psychiatry and Clinical Neuroscience, 1998, 248, 157-160.	3.2	15
153	The unipolar–bipolar dichotomy and the response to sleep deprivation. Psychiatry Research, 1998, 79, 43-50.	3.3	105
154	Low-Dose Clozapine in Acute and Continuation Treatment of Severe Borderline Personality Disorder. Journal of Clinical Psychiatry, 1998, 59, 103-107.	2.2	116
155	Response to clozapine in acute mania is more rapid than that of chlorpromazine. International Clinical Psychopharmacology, 1997, 12, 109-112.	1.7	54
156	Sleep deprivation hastens the antidepressant action of fluoxetine. European Archives of Psychiatry and Clinical Neuroscience, 1997, 247, 100-103.	3.2	73
157	Sleep loss, a possible factor in augmenting manic episode. Psychiatry Research, 1996, 65, 121-125.	3.3	134
158	Dopamine agonist amineptine prevents the antidepressant effect of sleep deprivation. Psychiatry Research, 1996, 65, 179-184.	3.3	48
159	Infradian mood fluctuations during a Major Depressive episode. Journal of Affective Disorders, 1996, 41, 81-87.	4.1	20
160	A pilot, open study on the treatment of refractory schizophrenia with risperidone and clozapine. Human Psychopharmacology, 1995, 10, 231-234.	1.5	22
161	[¹⁸ F]FDG PET Study in Obsessive–Compulsive Disorder. British Journal of Psychiatry, 1995, 166, 244-250.	2.8	307
162	Anatomical characteristics of the corpus callosum and clinical correlates in schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 1994, 243, 244-248.	3.2	22

#	Article	IF	CITATIONS
163	Memory functions and temporal-limbic morphology in schizophrenia. Psychiatry Research - Neuroimaging, 1993, 50, 45-56.	1.8	36
164	Size of the corpus callosum and auditory comprehension in schizophrenics and normal controls. Schizophrenia Research, 1993, 11, 63-70.	2.0	14
165	Caudate nucleus abnormalities in obsessive-compulsive disorder: measurements of MRI signal intensity. Psychiatry Research - Neuroimaging, 1993, 50, 89-92.	1.8	27
166	Smooth pursuit eye movements and saccadic eye movements in patients with delusional disorder. American Journal of Psychiatry, 1993, 150, 1411-1414.	7.2	6
167	Increased right caudate nucleus size in obsessive-compulsive disorder: Detection with magnetic resonance imaging. Psychiatry Research - Neuroimaging, 1992, 45, 115-121.	1.8	208
168	A statistical approach to computerized EEC: Preliminary data on control subjects and epileptic patients. Brain Topography, 1991, 3, 401-406.	1.8	8
169	EEG power spectrum profile and structural CNS characteristics in schizophrenia. Biological Psychiatry, 1990, 27, 1331-1334.	1.3	11
170	Alpha reactivity in schizophrenia and in schizophrenic spectrum disorders: demographic, clinical and hemispheric assessment. International Journal of Psychophysiology, 1989, 7, 47-54.	1.0	23