

J David Jentsch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11065405/publications.pdf>

Version: 2024-02-01

66
papers

6,222
citations

87888

38
h-index

118850

62
g-index

69
all docs

69
docs citations

69
times ranked

6485
citing authors

#	ARTICLE	IF	CITATIONS
1	The Neuropsychopharmacology of Phencyclidine From NMDA Receptor Hypofunction to the Dopamine Hypothesis of Schizophrenia. <i>Neuropsychopharmacology</i> , 1999, 20, 201-225.	5.4	1,160
2	The HMG-CoA Reductase Inhibitor Lovastatin Reverses the Learning and Attention Deficits in a Mouse Model of Neurofibromatosis Type 1. <i>Current Biology</i> , 2005, 15, 1961-1967.	3.9	361
3	Subchronic Phencyclidine Administration Reduces Mesoprefrontal Dopamine Utilization and Impairs Prefrontal Cortical-Dependent Cognition in the Rat. <i>Neuropsychopharmacology</i> , 1997, 17, 92-99.	5.4	289
4	Reversal learning as a measure of impulsive and compulsive behavior in addictions. <i>Psychopharmacology</i> , 2012, 219, 607-620.	3.1	257
5	Impairments of Reversal Learning and Response Perseveration after Repeated, Intermittent Cocaine Administrations to Monkeys. <i>Neuropsychopharmacology</i> , 2002, 26, 183-190.	5.4	248
6	Dissecting impulsivity and its relationships to drug addictions. <i>Annals of the New York Academy of Sciences</i> , 2014, 1327, 1-26.	3.8	227
7	Dopamine and Spatial Working Memory in Rats and Monkeys: Pharmacological Reversal of Stress-Induced Impairment. <i>Journal of Neuroscience</i> , 1996, 16, 7768-7775.	3.6	211
8	Specific developmental disruption of disrupted-in-schizophrenia-1 function results in schizophrenia-related phenotypes in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18280-18285.	7.1	198
9	Insight Into the Relationship Between Impulsivity and Substance Abuse From Studies Using Animal Models. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 1306-1318.	2.4	166
10	Poor response inhibition: At the nexus between substance abuse and attention deficit/hyperactivity disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2009, 33, 690-698.	6.1	157
11	Neural Components Underlying Behavioral Flexibility in Human Reversal Learning. <i>Cerebral Cortex</i> , 2010, 20, 1843-1852.	2.9	154
12	Δ ⁹ -Tetrahydrocannabinol Increases Prefrontal Cortical Catecholaminergic Utilization and Impairs Spatial Working Memory in the Rat: Blockade of Dopaminergic Effects with HA966. <i>Neuropsychopharmacology</i> , 1997, 16, 426-432.	5.4	149
13	Neurofibromin regulates corticostriatal inhibitory networks during working memory performance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 13141-13146.	7.1	144
14	Subchronic Phencyclidine Administration Increases Mesolimbic Dopaminergic System Responsivity and Augments Stress- and Psychostimulant-Induced Hyperlocomotion. <i>Neuropsychopharmacology</i> , 1998, 19, 105-113.	5.4	140
15	Hybrid mouse diversity panel: a panel of inbred mouse strains suitable for analysis of complex genetic traits. <i>Mammalian Genome</i> , 2012, 23, 680-692.	2.2	134
16	Nicotine enhances responding with conditioned reinforcement. <i>Psychopharmacology</i> , 2004, 171, 173-178.	3.1	125
17	Inhibition of the norepinephrine transporter improves behavioral flexibility in rats and monkeys. <i>Psychopharmacology</i> , 2009, 202, 505-519.	3.1	110
18	Reduced Dysbindin Expression Mediates N-Methyl-D-Aspartate Receptor Hypofunction and Impaired Working Memory Performance. <i>Biological Psychiatry</i> , 2011, 69, 28-34.	1.3	106

#	ARTICLE	IF	CITATIONS
19	Genetic Dissection of Behavioral Flexibility: Reversal Learning in Mice. <i>Biological Psychiatry</i> , 2011, 69, 1109-1116.	1.3	97
20	Repeated nicotine exposure enhances responding with conditioned reinforcement. <i>Psychopharmacology</i> , 2004, 173, 98-104.	3.1	92
21	Prefrontal cortical involvement in phencyclidine-induced activation of the mesolimbic dopamine system: behavioral and neurochemical evidence. <i>Psychopharmacology</i> , 1998, 138, 89-95.	3.1	88
22	Repeated Nicotine Exposure Enhances Reward-Related Learning in the Rat. <i>Neuropsychopharmacology</i> , 2003, 28, 1264-1271.	5.4	88
23	Dysregulation of D ₂ -Mediated Dopamine Transmission in Monkeys after Chronic Escalating Methamphetamine Exposure. <i>Journal of Neuroscience</i> , 2012, 32, 5843-5852.	3.6	87
24	Dorsal Striatal D ₂ -Like Receptor Availability Covaries with Sensitivity to Positive Reinforcement during Discrimination Learning. <i>Journal of Neuroscience</i> , 2011, 31, 7291-7299.	3.6	81
25	Persistent and anatomically selective reduction in prefrontal cortical dopamine metabolism after repeated, intermittent cannabinoid administration to rats. <i>Synapse</i> , 2003, 49, 61-66.	1.2	77
26	The Relationship Between Measures of Impulsivity and Alcohol Misuse: An Integrative Structural Equation Modeling Approach. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 923-931.	2.4	76
27	Phencyclidine Increases Forebrain Monoamine Metabolism in Rats and Monkeys: Modulation by the Isomers of HA966. <i>Journal of Neuroscience</i> , 1997, 17, 1769-1775.	3.6	74
28	Shaping vulnerability to addiction – the contribution of behavior, neural circuits and molecular mechanisms. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 85, 117-125.	6.1	59
29	Genetic variation and gene expression across multiple tissues and developmental stages in a nonhuman primate. <i>Nature Genetics</i> , 2017, 49, 1714-1721.	21.4	57
30	Cocaine self-administration behavior in inbred mouse lines segregating different capacities for inhibitory control. <i>Psychopharmacology</i> , 2013, 229, 515-525.	3.1	52
31	Alpha-2 Adrenoceptor Activation Inhibits Phencyclidine-Induced Deficits of Spatial Working Memory in Rats. <i>Neuropsychopharmacology</i> , 2005, 30, 1500-1510.	5.4	51
32	Orbitofrontal Cortex and Cognitive/Motivational Impairments in Psychostimulant Addiction. <i>Annals of the New York Academy of Sciences</i> , 2007, 1121, 610-638.	3.8	51
33	A non-human primate system for large-scale genetic studies of complex traits. <i>Human Molecular Genetics</i> , 2012, 21, 3307-3316.	2.9	51
34	Dimensions of Impulsivity Are Associated with Poor Spatial Working Memory Performance in Monkeys. <i>Journal of Neuroscience</i> , 2007, 27, 14358-14364.	3.6	46
35	Cannabinoid CB1 receptor-mediated impairment of visuospatial attention in the rat. <i>Psychopharmacology</i> , 2004, 177, 141-150.	3.1	45
36	Stimulation of protein kinase a activity in the rat amygdala enhances reward-related learning. <i>Biological Psychiatry</i> , 2002, 52, 111-118.	1.3	42

#	ARTICLE	IF	CITATIONS
37	Impaired visuospatial divided attention in the spontaneously hypertensive rat. <i>Behavioural Brain Research</i> , 2005, 157, 323-330.	2.2	41
38	?-noradrenergic receptor modulation of the phencyclidine- and ?9-tetrahydrocannabinol-induced increases in dopamine utilization in rat prefrontal cortex. , 1998, 28, 21-26.		39
39	Effects of atomoxetine and methylphenidate on performance of a lateralized reaction time task in rats. <i>Psychopharmacology</i> , 2009, 202, 497-504.	3.1	39
40	Sex-related differences in spatial divided attention and motor impulsivity in rats.. <i>Behavioral Neuroscience</i> , 2003, 117, 76-83.	1.2	37
41	Differences in the subjective and motivational properties of alcohol across alcohol use severity: application of a novel translational human laboratory paradigm. <i>Neuropsychopharmacology</i> , 2018, 43, 1891-1899.	5.4	36
42	Asenapine effects on cognitive and monoamine dysfunction elicited by subchronic phencyclidine administration. <i>Neuropharmacology</i> , 2012, 62, 1442-1452.	4.1	34
43	Cognitive control and the dopamine D2-like receptor: a dimensional understanding of addiction. <i>Depression and Anxiety</i> , 2012, 29, 295-306.	4.1	33
44	A low dose of the alpha2 agonist clonidine ameliorates the visual attention and spatial working memory deficits produced by phencyclidine administration to rats. <i>Psychopharmacology</i> , 2004, 175, 76-83.	3.1	32
45	Effect of acute and repeated treatment with desipramine or methylphenidate on serial reversal learning in rats. <i>Neuropharmacology</i> , 2009, 57, 665-672.	4.1	29
46	Dysbindin-1 loss compromises NMDAR-dependent synaptic plasticity and contextual fear conditioning. <i>Hippocampus</i> , 2014, 24, 204-213.	1.9	28
47	Dopamine D2 Receptors in Dopaminergic Neurons Modulate Performance in a Reversal Learning Task in Mice. <i>ENeuro</i> , 2018, 5, ENEURO.0229-17.2018.	1.9	28
48	Haploinsufficiency of the arginine-vasopressin gene is associated with poor spatial working memory performance in rats. <i>Hormones and Behavior</i> , 2006, 49, 501-508.	2.1	26
49	Risk-taking and alcohol use disorders symptomatology in a sample of problem drinkers.. <i>Experimental and Clinical Psychopharmacology</i> , 2011, 19, 361-370.	1.8	26
50	Frontal cortical synaptic communication is abnormal in Disc1 genetic mouse models of schizophrenia. <i>Schizophrenia Research</i> , 2013, 146, 264-272.	2.0	26
51	Sex chromosome complement influences operant responding for a palatable food in mice. <i>Genes, Brain and Behavior</i> , 2014, 13, 527-534.	2.2	26
52	Potential molecular mechanisms for decreased synaptic glutamate release in dysbindin-1 mutant mice. <i>Schizophrenia Research</i> , 2013, 146, 254-263.	2.0	25
53	Clozapine Normalizes Prefrontal Cortex Dopamine Transmission in Monkeys Subchronically Exposed to Phencyclidine. <i>Neuropsychopharmacology</i> , 2008, 33, 491-496.	5.4	22
54	Null Mutation of the Arginine-Vasopressin Gene in Rats Slows Attentional Engagement and Facilitates Response Accuracy in a Lateralized Reaction Time Task. <i>Neuropsychopharmacology</i> , 2003, 28, 1597-1605.	5.4	21

#	ARTICLE	IF	CITATIONS
55	Adaptation of monoaminergic responses to phencyclidine in nucleus accumbens and prefrontal cortex following repeated treatment with fluoxetine or imipramine. <i>Brain Research</i> , 2002, 958, 20-27.	2.2	18
56	Genetic Vasopressin Deficiency Facilitates Performance of a Lateralized Reaction-Time Task: Altered Attention and Motor Processes. <i>Journal of Neuroscience</i> , 2003, 23, 1066-1071.	3.6	18
57	Clonidine and guanfacine attenuate phencyclidine-induced dopamine overflow in rat prefrontal cortex: Mediating influence of the alpha-2A adrenoceptor subtype. <i>Brain Research</i> , 2008, 1246, 41-46.	2.2	16
58	Impulsivity in animal models for drug abuse disorders. <i>Drug Discovery Today: Disease Models</i> , 2008, 5, 247-250.	1.2	14
59	Modeling behavioral reactivity to losses and rewards on the Balloon Analogue Risk Task (BART): Moderation by alcohol problem severity.. <i>Experimental and Clinical Psychopharmacology</i> , 2014, 22, 298-306.	1.8	14
60	Steep effort discounting of a preferred reward over a freely-available option in prolonged methamphetamine withdrawal in male rats. <i>Psychopharmacology</i> , 2017, 234, 2697-2705.	3.1	13
61	Identifying the molecular basis of inhibitory control deficits in addictions: neuroimaging in non-human primates. <i>Current Opinion in Neurobiology</i> , 2013, 23, 625-631.	4.2	11
62	Phencyclidine Model of Frontal Cortical Dysfunction in Nonhuman Primates. <i>Neuroscientist</i> , 2000, 6, 263-270.	3.5	5
63	Effects of Antipsychotic Drugs on Dopamine Release and Metabolism in the Central Nervous System. <i>Handbooks of Pharmacology and Toxicology</i> , 2000, , 31-41.	0.1	2
64	Monoaminergic Regulation of Cognitive Control in Laboratory Animals. , 2011, , 43-62.		1
65	PCP (Phencyclidine Hydrochloride). , 2003, , 833-834.		0
66	Serum lipid levels influence cognitive performance in older vervet monkeys (<i>Chlorocebus aethiops</i>) Tj ETQq0 0 0 rgBT ₁ /Overlock 10 Tf 50	0.5	0