

# Paulo A Lotufo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11069415/publications.pdf>

Version: 2024-02-01

232  
papers

36,968  
citations

50276

46  
h-index

3323

184  
g-index

237  
all docs

237  
docs citations

237  
times ranked

60593  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between objective sleep measures and cognitive performance: a cross-sectional analysis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) study. <i>Journal of Sleep Research</i> , 2023, 32, .	3.2	3
2	Self-reported versus actigraphy-assessed sleep duration in the ELSA-Brasil study: analysis of the short/long sleep duration reclassification. <i>Sleep and Breathing</i> , 2022, 26, 1437-1445.	1.7	1
3	Association Between Adherence to the MIND Diet and Cognitive Performance is Affected by Income. <i>Alzheimer Disease and Associated Disorders</i> , 2022, 36, 133-139.	1.3	4
4	Chronic inflammatory diseases, subclinical atherosclerosis, and cardiovascular diseases: Design, objectives, and baseline characteristics of a prospective case-cohort study â€˜ ELSA-Brasil. <i>Clinics</i> , 2022, 77, 100013.	1.5	1
5	Substantially elevated TSH, not traditional clinical subclinical thyroid disorder groupings, are associated with smaller LDL-P mean size: ELSA-Brasil. <i>Journal of Clinical Lipidology</i> , 2022, , .	1.5	0
6	Low Birth Weight, Î²-Cell Function and Insulin Resistance in Adults: The Brazilian Longitudinal Study of Adult Health. <i>Frontiers in Endocrinology</i> , 2022, 13, 842233.	3.5	3
7	Thyroid-Stimulating Hormone and Thyroid Hormones and Incidence of Diabetes: Prospective Results of the Brazilian Longitudinal Study of Adult Health (ELSA-BRASIL). <i>Thyroid</i> , 2022, 32, 694-704.	4.5	9
8	ELSA-Brasil: a 4-year incidence of hearing loss in adults with and without hypertension. <i>Revista De Saude Publica</i> , 2022, 56, 28.	1.7	1
9	A study protocol for an ongoing multi-arm, randomized, double-blind, sham-controlled clinical trial with digital features, using portable transcranial electrical stimulation and internet-based behavioral therapy for major depression disorders: The PSYLECT study. <i>Expert Review of Neurotherapeutics</i> , 2022, 22, 513-523.	2.8	5
10	Anticholinergic burden and cognitive performance: cross-sectional results from the ELSA-Brasil study. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 1527-1534.	1.9	2
11	Polygenic risk score for hypercholesterolemia in a Brazilian familial hypercholesterolemia cohort. <i>Atherosclerosis Plus</i> , 2022, 49, 47-55.	0.7	1
12	Prediction of depression cases, incidence, and chronicity in a large occupational cohort using machine learning techniques: an analysis of the ELSA-Brasil study. <i>Psychological Medicine</i> , 2021, 51, 2895-2903.	4.5	13
13	Association Between Posterior Segment Eye Diseases, Common Mental Disorders, and Depression: Cross-Sectional and Longitudinal Analyses of Brazilian Longitudinal Study of Adult Health Cohort. <i>Journal of the Academy of Consultation-Liaison Psychiatry</i> , 2021, 62, 70-78.	0.4	5
14	Coffee consumption and risk of hypertension: A prospective analysis in the cohort study. <i>Clinical Nutrition</i> , 2021, 40, 542-549.	5.0	27
15	Increased particle size of triacylglycerol-enriched remnant lipoproteins, but not their plasma concentration or lipid content, augments risk prediction of incident type 2 diabetes. <i>Diabetologia</i> , 2021, 64, 385-396.	6.3	15
16	Normative Data for the ELSA-Brasil Neuropsychological Assessment and Operationalized Criterion for Cognitive Impairment for Middle-Aged and Older Adults. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 293-303.	1.8	5
17	Effects of tDCS on neuroplasticity and inflammatory biomarkers in bipolar depression: Results from a sham-controlled study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 105, 110119.	4.8	16
18	Unfavorable Triglyceride-rich Particle Profile in Subclinical Thyroid Disease: A Cross-sectional Analysis of ELSA-Brasil. <i>Endocrinology</i> , 2021, 162, .	2.8	4

#	ARTICLE	IF	CITATIONS
19	Metabolic status is not associated with job stress in individuals with obesity: the ELSA-Brasil baseline. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 639-646.	2.3	2
20	Association of Sodium with Obstructive Sleep Apnea. The ELSA-Brasil Study. <i>Annals of the American Thoracic Society</i> , 2021, 18, 502-510.	3.2	8
21	Prefrontal resting-state connectivity and antidepressant response: no associations in the ELECT-TDCS trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 123-134.	3.2	4
22	The effect of continuous positive airway pressure on blood pressure in patients with obstructive sleep apnea and uncontrolled hypertension - Study design and challenges during the COVID-19 pandemic. <i>Clinics</i> , 2021, 76, e2926.	1.5	0
23	Association Between GlycA and Cognitive Function. <i>Alzheimer Disease and Associated Disorders</i> , 2021, 35, 128-134.	1.3	4
24	Diet Quality of Workers and Retirees: A Cross-sectional Analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Work, Aging and Retirement</i> , 2021, 7, 143-153.	2.0	0
25	Reduced heart-rate variability and increased risk of hypertension—a prospective study of the ELSA-Brasil. <i>Journal of Human Hypertension</i> , 2021, 35, 1088-1097.	2.2	17
26	Hearing loss, tinnitus, and hypertension: analysis of the baseline data from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Clinics</i> , 2021, 76, e2370.	1.5	12
27	Thyroid-stimulating hormone levels and incident depression: Results from the ELSA-Brasil study. <i>Clinical Endocrinology</i> , 2021, 94, 858-865.	2.4	7
28	Obstructive sleep apnea is associated with lower adiponectin and higher cholesterol levels independently of traditional factors and other sleep disorders in middle-aged adults: the ELSA-Brasil cohort. <i>Sleep and Breathing</i> , 2021, 25, 1935-1944.	1.7	16
29	Profiling plasma-extracellular vesicle proteins and microRNAs in diabetes onset in middle-aged male participants in the ELSA-Brasil study. <i>Physiological Reports</i> , 2021, 9, e14731.	1.7	9
30	Incidence of excess body weight and annual weight gain in women and men: Results from the ELSA-Brasil cohort. <i>American Journal of Human Biology</i> , 2021, , e23606.	1.6	2
31	Branched-chain amino acids predict incident diabetes in the Brazilian Longitudinal Study of Adult Health — ELSA-Brasil. <i>Diabetes Research and Clinical Practice</i> , 2021, 174, 108747.	2.8	8
32	Obstructive Sleep Apnea, Sleep Duration, and Associated Mediators With Carotid Intima-Media Thickness. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 1549-1557.	2.4	17
33	Association of Carotid Plaques and Common Carotid Intima-media Thickness with Modifiable Cardiovascular Risk Factors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105671.	1.6	11
34	Generation of 6 lines of human pluripotent stem cells from hypertensive patients and 3 lines of human pluripotent stem cell from normotensive patients. <i>Stem Cell Research</i> , 2021, 53, 102384.	0.7	1
35	Longitudinal measurement invariance of neuropsychological tests in a diverse sample from the ELSA-Brasil study. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 254-261.	1.7	8
36	Phytosterol consumption and markers of subclinical atherosclerosis: Cross-sectional results from ELSA-Brasil. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1756-1766.	2.6	4

#	ARTICLE	IF	CITATIONS
37	Lifetime risk of developing diabetes and years of life lost among those with diabetes in Brazil. <i>Journal of Global Health</i> , 2021, 11, 04041.	2.7	10
38	Early life socioeconomic status predicts cognition regardless of education level. <i>European Journal of Neurology</i> , 2021, 28, 3972-3978.	3.3	8
39	Cross-sectional associations of leisure and transport related physical activity with depression and anxiety. <i>Journal of Psychiatric Research</i> , 2021, 140, 228-234.	3.1	17
40	Physical inactivity and headache disorders: Cross-sectional analysis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cephalalgia</i> , 2021, 41, 1467-1485.	3.9	4
41	Menopause Per se Is Associated with Coronary Artery Calcium Score: Results from the ELSA-Brasil. <i>Journal of Women's Health</i> , 2021, , .	3.3	2
42	Diagnóstico de Fibrilação Atrial na Comunidade Utilizando Eletrocardiograma e Autorrelato: Análise Transversal do ELSA-Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 117, 426-434.	0.8	9
43	Genome-Wide Association of Proprotein Convertase Subtilisin/Kexin Type 9 Plasma Levels in the ELSA-Brasil Study. <i>Frontiers in Genetics</i> , 2021, 12, 728526.	2.3	3
44	Urinary iodine and sodium concentration and thyroid status in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Trace Elements in Medicine and Biology</i> , 2021, 68, 126805.	3.0	2
45	Prognostic value of electrocardiographic abnormalities in adults from the Brazilian longitudinal study of adults' health. <i>Heart</i> , 2021, 107, 1560-1566.	2.9	7
46	Prevalence and predictors of under or overestimation sleep duration in adults: The ELSA-Brasil study. <i>Sleep Epidemiology</i> , 2021, 1, 100013.	1.6	5
47	Differences in the immune-inflammatory profiles of unipolar and bipolar depression. <i>Journal of Affective Disorders</i> , 2020, 262, 8-15.	4.1	55
48	Cognitive changes after tDCS and escitalopram treatment in major depressive disorder: Results from the placebo-controlled ELECT-TDCS trial. <i>Journal of Affective Disorders</i> , 2020, 263, 344-352.	4.1	13
49	Relationship between heart rate variability and carotid intima-media thickness in the Brazilian Longitudinal Study of Adult Health - ELSA-Brasil. <i>Clinical Physiology and Functional Imaging</i> , 2020, 40, 122-130.	1.2	4
50	Circulating PCSK9 levels are not associated with the conversion to type 2 diabetes. <i>Atherosclerosis</i> , 2020, 293, 49-56.	0.8	21
51	Socio-demographic and psychiatric risk factors in incident and persistent depression: An analysis in the occupational cohort of ELSA-Brasil. <i>Journal of Affective Disorders</i> , 2020, 263, 252-257.	4.1	13
52	Anemia and Cognitive Performance in the ELSA-Brasil Cohort Baseline. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2020, 32, 227-234.	1.8	5
53	Four-year adiposity change and remission of hypertension: an observational evaluation from the Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Human Hypertension</i> , 2020, 34, 68-75.	2.2	6
54	Predictors of coronary artery calcium incidence and progression: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Atherosclerosis</i> , 2020, 309, 8-15.	0.8	13

#	ARTICLE	IF	CITATIONS
55	Differences in HDL particle size in the presence of subclinical thyroid dysfunctions: The ELSA-Brasil study. <i>Atherosclerosis</i> , 2020, 312, 60-65.	0.8	4
56	Diabetes and subclinical hypothyroidism on heart rate variability. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13349.	3.4	8
57	Vehicular traffic density and cognitive performance in the ELSA-Brasil study. <i>Environmental Research</i> , 2020, 191, 110208.	7.5	2
58	Glaucoma, but not cataracts, predicts lower verbal fluency performance: 3.8-year follow-up from the ELSA-Brasil study. <i>Aging, Neuropsychology, and Cognition</i> , 2020, 28, 1-13.	1.3	0
59	Homeostasis model assessment of insulin resistance (HOMA-IR) and metabolic syndrome at baseline of a multicentric Brazilian cohort: ELSA-Brasil study. <i>Cadernos De Saude Publica</i> , 2020, 36, e00072120.	1.0	14
60	Adiponectin and leptin levels in migraineurs: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cephalalgia Reports</i> , 2020, 3, 251581632096696.	0.7	1
61	Validating the Framingham Hypertension Risk Score: A 4-year follow-up from the Brazilian Longitudinal Study of the Adult Health (ELSA-Brasil). <i>Journal of Clinical Hypertension</i> , 2020, 22, 850-856.	2.0	9
62	Religious Service Attendance, Educational Attainment, and Hypertension at Baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>American Journal of Hypertension</i> , 2020, 33, 452-457.	2.0	3
63	Thyroid Function and Sarcopenia: Results from the ELSA-Brasil Study. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 1545-1553.	2.6	26
64	The association of waist-to-height ratio and other anthropometric measurements with subclinical atherosclerosis: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1989-1998.	2.6	7
65	Association between TSH levels within the reference range and adiposity markers at the baseline of the ELSA-Brasil study. <i>PLoS ONE</i> , 2020, 15, e0228801.	2.5	12
66	Impact of metabolically healthy obesity on carotid intima-media thickness - The Brazilian Longitudinal Study of Adult Health. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 915-921.	2.6	9
67	Relationship between TSH Levels and the Advanced Lipoprotein Profile in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Endocrine Research</i> , 2020, 45, 163-173.	1.2	1
68	Global, regional, and national burden of chronic kidney disease, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020, 395, 709-733.	13.7	2,858
69	Green Spaces, Land Cover, Street Trees and Hypertension in the Megacity of São Paulo. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 725.	2.6	34
70	Prospective associations between hsCRP and GlycA inflammatory biomarkers and depression: The Brazilian longitudinal study of adult health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2020, 271, 39-48.	4.1	13
71	A nationwide analysis of the excess death attributable to diabetes in Brazil. <i>Journal of Global Health</i> , 2020, 10, 010401.	2.7	10
72	Clinical patterns differentially predict response to transcranial direct current stimulation (tDCS) and escitalopram in major depression: A machine learning analysis of the ELECT-TDCS study. <i>Journal of Affective Disorders</i> , 2020, 265, 460-467.	4.1	21

#	ARTICLE	IF	CITATIONS
73	Atrial fibrillation in low- and middle-income countries: a narrative review. <i>European Heart Journal Supplements</i> , 2020, 22, O61-O77.	0.1	22
74	Association of BDNF, HTR2A, TPH1, SLC6A4, and COMT polymorphisms with tDCS and escitalopram efficacy: ancillary analysis of a double-blind, placebo-controlled trial. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 128-135.	1.7	18
75	Precision non-implantable neuromodulation therapies: a perspective for the depressed brain. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 403-419.	1.7	19
76	The coronary artery calcium score is linked to plasma cholesterol synthesis and absorption markers: Brazilian Longitudinal Study of Adult Health. <i>Bioscience Reports</i> , 2020, 40, .	2.4	7
77	Poorer cardiovascular health is associated with psychiatric comorbidity: results from the ELSA-Brasil Study. <i>International Journal of Cardiology</i> , 2019, 274, 358-365.	1.7	30
78	Work-Family Conflict and Ideal Cardiovascular Health Score in the ELSA-Brasil Baseline Assessment. <i>Journal of the American Heart Association</i> , 2019, 8, e012701.	3.7	7
79	High-density Lipoprotein-cholesterol Subfractions and Coronary Artery Calcium: The ELSA-Brasil Study. <i>Archives of Medical Research</i> , 2019, 50, 362-367.	3.3	14
80	Impact of improved low-density lipoprotein cholesterol assessment on guideline classification in the modern treatment era—Results from a racially diverse Brazilian cross-sectional study. <i>Journal of Clinical Lipidology</i> , 2019, 13, 804-811.e2.	1.5	10
81	Changes in lipoprotein subfractions following menopause in the Longitudinal Study of Adult Health (ELSA-Brasil). <i>Maturitas</i> , 2019, 130, 32-37.	2.4	12
82	Greater aortic stiffness is associated with renal dysfunction in participants of the ELSA-Brasil cohort with and without hypertension and diabetes. <i>PLoS ONE</i> , 2019, 14, e0210522.	2.5	14
83	Accuracy of global and/or regional anthropometric measurements of adiposity in screening sleep apnea: the ELSA-Brasil cohort. <i>Sleep Medicine</i> , 2019, 63, 115-121.	1.6	8
84	Context-dependence of race self-classification: Results from a highly mixed and unequal middle-income country. <i>PLoS ONE</i> , 2019, 14, e0216653.	2.5	27
85	Prevalence of antithyroperoxidase antibodies in a multiethnic Brazilian population: The ELSA-Brasil Study. <i>Archives of Endocrinology and Metabolism</i> , 2019, 63, 351-357.	0.6	2
86	Decreased heart rate variability as a predictor for diabetes—A prospective study of the Brazilian longitudinal study of adult health. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3175.	4.0	11
87	Antidepressant effects of tDCS are associated with prefrontal gray matter volumes at baseline: Evidence from the ELECT-TDCS trial. <i>Brain Stimulation</i> , 2019, 12, 1197-1204.	1.6	33
88	Does stroke laterality predict major depression and cognitive impairment after stroke? Two-year prospective evaluation in the EMMA study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 94, 109639.	4.8	16
89	Association of Sarcopenia With Performance on Multiple Cognitive Domains: Results From the ELSA-Brasil Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1805-1811.	3.6	27
90	Global, regional, and national burden of stroke, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 439-458.	10.2	2,005

#	ARTICLE	IF	CITATIONS
91	Sex-specific patterns in the association between salt intake and blood pressure: The ELSA-Brasil study. <i>Journal of Clinical Hypertension</i> , 2019, 21, 502-509.	2.0	25
92	Global, regional, and national burden of neurological disorders, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 459-480.	10.2	2,625
93	OSA, Short Sleep Duration, and Their Interactions With Sleepiness and Cardiometabolic Risk Factors in Adults. <i>Chest</i> , 2019, 155, 1190-1198.	0.8	55
94	The prognostic value of nitrotyrosine levels in coronary heart disease: long-term evaluation in the Acute Coronary Syndrome Registry Strategy (ERICO study). <i>Clinical Biochemistry</i> , 2019, 66, 37-43.	1.9	8
95	Non-alcoholic fatty liver disease presence and severity are associated with aortic stiffness beyond abdominal obesity: The ELSA-Brasil. <i>Atherosclerosis</i> , 2019, 284, 59-65.	0.8	15
96	Linear and nonlinear analyses of heart rate variability following orthostatism in subclinical hypothyroidism. <i>Medicine (United States)</i> , 2019, 98, e14140.	1.0	15
97	Depression is Associated With Sarcopenia Due to Low Muscle Strength: Results From the ELSA-Brasil Study. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1641-1646.	2.5	45
98	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 56-87.	10.2	1,064
99	Composite acute phase glycoproteins with coronary artery calcification depends on metabolic syndrome presence - The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Cardiology</i> , 2019, 73, 408-415.	1.9	8
100	Utility of combined inflammatory biomarkers for the identification of cognitive dysfunction in non-diabetic participants of the ELSA-Brasil. <i>Psychoneuroendocrinology</i> , 2019, 103, 61-66.	2.7	4
101	Transcranial direct current stimulation (tDCS) for preventing major depressive disorder relapse: Results of a 6-month follow-up. <i>Depression and Anxiety</i> , 2019, 36, 262-268.	4.1	31
102	Post-stroke depression and cognitive impairment: Study design and preliminary findings in a Brazilian prospective stroke cohort (EMMA study). <i>Journal of Affective Disorders</i> , 2019, 245, 72-81.	4.1	29
103	Orthostatic Hypotension and Cognitive Function: Cross-sectional Results From the ELSA-Brasil Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 358-365.	3.6	16
104	Association Between Perceived Neighborhood Characteristics and Carotid Artery Intima-Media Thickness: Cross-Sectional Results From the ELSA-Brasil Study. <i>Global Heart</i> , 2019, 14, 379.	2.3	3
105	Pragmatic Validation of Home Portable Sleep Monitor for diagnosing Obstructive Sleep Apnea in a non-referred population: The ELSA-Brasil study. <i>Sleep Science</i> , 2019, 12, 65-71.	1.0	24
106	Spironolactone Versus Clonidine as a Fourth-Drug Therapy for Resistant Hypertension. <i>Hypertension</i> , 2018, 71, 681-690.	2.7	123
107	The Burden of Cardiovascular Diseases Among US States, 1990-2016. <i>JAMA Cardiology</i> , 2018, 3, 375.	6.1	271
108	Intragenerational Social Mobility and Changes in Blood Pressure: Longitudinal Analysis From the ELSA-Brasil Study. <i>American Journal of Hypertension</i> , 2018, 31, 672-678.	2.0	10

#	ARTICLE	IF	CITATIONS
109	Ideal cardiovascular health score at the ELSA-Brasil baseline and its association with sociodemographic characteristics. <i>International Journal of Cardiology</i> , 2018, 254, 333-337.	1.7	35
110	The prevalence and correlates of subclinical atherosclerosis among adults with low-density lipoprotein cholesterol <70 mg/dL: The Multi-Ethnic Study of Atherosclerosis (MESA) and Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Atherosclerosis</i> , 2018, 274, 61-66.	0.8	8
111	Coffee Consumption and Coronary Artery Calcium Score: Cross-Sectional Results of ELSA-Brasil (Brazilian Longitudinal Study of Adult Health). <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	17
112	The relationship between migraine and lipid sub-fractions among individuals without cardiovascular disease: A cross-sectional evaluation in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cephalalgia</i> , 2018, 38, 528-542.	3.9	9
113	Carotid-femoral pulse wave velocity in a healthy adult sample: The ELSA-Brasil study. <i>International Journal of Cardiology</i> , 2018, 251, 90-95.	1.7	27
114	Associations between symptoms of depression and heart rate variability: An exploratory study. <i>Psychiatry Research</i> , 2018, 262, 482-487.	3.3	21
115	Thyrotropin level and cognitive performance: Baseline results from the ELSA-Brasil Study. <i>Psychoneuroendocrinology</i> , 2018, 87, 152-158.	2.7	19
116	Myeloperoxidase activity and acute coronary syndrome survival: long-term evaluation in the ERICO study. <i>Biomarkers in Medicine</i> , 2018, 12, 1219-1229.	1.4	1
117	Familial hypercholesterolemia prevalence in an admixed racial society: Sex and race matter. The ELSA-Brasil. <i>Atherosclerosis</i> , 2018, 277, 273-277.	0.8	22
118	Diabetes alters the association between high-density lipoprotein subfractions and carotid intima-media thickness: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Diabetes and Vascular Disease Research</i> , 2018, 15, 541-547.	2.0	6
119	Education and cardiovascular health in different populations. <i>International Journal of Cardiology</i> , 2018, 264, 180.	1.7	0
120	Association between high-density lipoprotein subfractions and low-grade inflammation, insulin resistance, and metabolic syndrome components: The ELSA-Brasil study. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1290-1297.e1.	1.5	10
121	Omega 3 Consumption and Anxiety Disorders: A Cross-Sectional Analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Nutrients</i> , 2018, 10, 663.	4.1	14
122	Dietary Selenium Intake and Subclinical Hypothyroidism: A Cross-Sectional Analysis of the ELSA-Brasil Study. <i>Nutrients</i> , 2018, 10, 693.	4.1	24
123	Association of adiponectin with cognitive function precedes overt diabetes in the Brazilian Longitudinal Study of Adult Health: ELSA. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 54.	2.7	14
124	Burden of disease in Brazil, 1990–2016: a systematic subnational analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 760-775.	13.7	267
125	Prognostic value of carotid intima-media in the short- and long-term mortality in the Strategy of Registry of Acute Coronary Syndrome (ERICO) study. <i>Echocardiography</i> , 2018, 35, 1351-1361.	0.9	2
126	Association between maternal education and blood pressure: mediation evidence through height components in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Annals of Human Biology</i> , 2017, 44, 243-251.	1.0	2



#	ARTICLE	IF	CITATIONS
127	Global Burden of Hypertension and Systolic Blood Pressure of at Least 110 to 115 mm Hg, 1990-2015. JAMA - Journal of the American Medical Association, 2017, 317, 165.	7.4	1,492
128	Transcranial direct current stimulation for the treatment of post-stroke depression: results from a randomised, sham-controlled, double-blinded trial. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 170-175.	1.9	66
129	Coronary artery calcification and cognitive function: cross-sectional results from the ELSA-Brasil study. International Journal of Geriatric Psychiatry, 2017, 32, e188-e194.	2.7	11
130	Thyrotropin levels are associated with chronic kidney disease among healthy subjects in cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Clinical and Experimental Nephrology, 2017, 21, 1035-1043.	1.6	13
131	Association Between Short-Term Systolic Blood Pressure Variability and Carotid Intima-Media Thickness in ELSA-Brasil Baseline. American Journal of Hypertension, 2017, 30, 954-960.	2.0	19
132	Job Strain and Cardiovascular Health Score (from the Brazilian Longitudinal Study of Adult Health) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.6	11
133	Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. Journal of the American College of Cardiology, 2017, 70, 1-25.	2.8	2,705
134	Thyrotrophin levels and coronary artery calcification: Cross-sectional results of the Brazilian Longitudinal Study of Adult Health (<scp>ELSA</scp>-Brasil). Clinical Endocrinology, 2017, 87, 597-604.	2.4	14
135	Major Electrocardiographic Abnormalities According to the Minnesota Coding System Among Brazilian Adults (from the ELSA-Brasil Cohort Study). American Journal of Cardiology, 2017, 119, 2081-2087.	1.6	23
136	Insulin resistance is associated with carotid intima-media thickness in non-diabetic subjects. A cross-sectional analysis of the ELSA-Brasil cohort baseline. Atherosclerosis, 2017, 260, 34-40.	0.8	19
137	Association Between Smoking and Serum GlycA and High-sensitivity C-reactive Protein Levels: The Multi-Ethnic Study of Atherosclerosis (MESA) and Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Journal of the American Heart Association, 2017, 6, .	3.7	27
138	Multimorbidities Are Associated to Lower Survival in Ischaemic Stroke: Results from a Brazilian Stroke Cohort (EMMA Study). Cerebrovascular Diseases, 2017, 44, 232-239.	1.7	24
139	Global, regional, and national burden of neurological disorders during 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.	10.2	1,521
140	Racial Differences in Arterial Stiffness are Mainly Determined by Blood Pressure Levels: Results From the ELSA-Brasil Study. Journal of the American Heart Association, 2017, 6, .	3.7	26
141	Trial of Electrical Direct-Current Therapy versus Escitalopram for Depression. New England Journal of Medicine, 2017, 376, 2523-2533.	27.0	284
142	Associations of Cigarette Smoking With Subclinical Inflammation and Atherosclerosis: ELSA-Brasil (The Brazilian Longitudinal Study of Adult Health). Journal of the American Heart Association, 2017, 6, .	3.7	67
143	Nonverbal behaviors are associated with increased vagal activity in major depressive disorder: Implications for the polyvagal theory. Journal of Affective Disorders, 2017, 209, 18-22.	4.1	5
144	Association between carotid intima-media thickness and adiponectin in participants without diabetes or cardiovascular disease of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). European Journal of Preventive Cardiology, 2017, 24, 116-122.	1.8	23

#	ARTICLE	IF	CITATIONS
145	Chronic kidney disease and coronary artery calcification in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Clinical Cardiology</i> , 2017, 40, 1309-1315.	1.8	10
146	GlycA, a marker of protein glycosylation, is related to albuminuria and estimated glomerular filtration rate: the ELSA-Brasil study. <i>BMC Nephrology</i> , 2017, 18, 367.	1.8	8
147	High frequency of silent brain infarcts associated with cognitive deficits in an economically disadvantaged population. <i>Clinics</i> , 2017, 72, 474-480.	1.5	16
148	Diabetes mellitus and sensorineural hearing loss: is there an association? Baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Clinics</i> , 2017, 72, 5-10.	1.5	18
149	Electrocardiographic Findings in Brazilian Adults without Heart Disease: ELSA-Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2017, 109, 416-424.	0.8	10
150	Circulating early biomarkers of atherogenesis in participants of the Longitudinal Study of Adult Health (ELSA-Brasil) without diabetes or cardiovascular disease. <i>Archives of Endocrinology and Metabolism</i> , 2016, 60, 573-581.	0.6	3
151	Thyroid Function and High-Sensitivity C-Reactive Protein in Cross-Sectional Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): Effect of Adiposity and Insulin Resistance. <i>European Thyroid Journal</i> , 2016, 5, 240-246.	2.4	12
152	Relation of Anxiety and Depressive Symptoms to Coronary Artery Calcium (from the ELSA-Brasil) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 4	1.6	14
153	Differential Associations of Specific Selective Serotonin Reuptake Inhibitors With Resting-State Heart Rate and Heart Rate Variability: Implications for Health and Well-Being. <i>Psychosomatic Medicine</i> , 2016, 78, 810-818.	2.0	23
154	Insulin resistance and carotid intima-media thickness mediate the association between resting-state heart rate variability and executive function: A path modelling study. <i>Biological Psychology</i> , 2016, 117, 216-224.	2.2	25
155	Dyslipidemia according to gender and race: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Clinical Lipidology</i> , 2016, 10, 1362-1368.	1.5	21
156	Implications of the New US Cholesterol Guidelines in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Clinical Cardiology</i> , 2016, 39, 215-222.	1.8	5
157	Age, Gender, and Race-Based Coronary Artery Calcium Score Percentiles in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Clinical Cardiology</i> , 2016, 39, 352-359.	1.8	44
158	Increasing The Genetic Admixture of Available Lines of Human Pluripotent Stem Cells. <i>Scientific Reports</i> , 2016, 6, 34699.	3.3	22
159	Association between Cardiovascular Health Score and Carotid Intima-Media Thickness: Cross-Sectional Analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) Baseline Assessment. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 1207-1216.e4.	2.8	14
160	Fasting glucose levels, incident diabetes, subclinical atherosclerosis and cardiovascular events in apparently healthy adults: A 12-year longitudinal study. <i>Diabetes and Vascular Disease Research</i> , 2016, 13, 429-437.	2.0	11
161	Factors associated with metabolically healthy status in obesity, overweight, and normal weight at baseline of ELSA-Brasil. <i>Medicine (United States)</i> , 2016, 95, e4010.	1.0	24
162	Race and Resting-State Heart Rate Variability in Brazilian Civil Servants and the Mediating Effects of Discrimination: An ELSA-Brasil Cohort Study. <i>Psychosomatic Medicine</i> , 2016, 78, 950-958.	2.0	28

#	ARTICLE	IF	CITATIONS
163	Usefulness of circulating E-selectin to early detection of the atherosclerotic process in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Diabetology and Metabolic Syndrome</i> , 2016, 8, 19.	2.7	18
164	Leisure Time Physical Activity and Cardio-Metabolic Health: Results From the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	24
165	Subclinical thyroid dysfunction and psychiatric disorders: cross-sectional results from the Brazilian Study of Adult Health (ELSA-Brasil). <i>Clinical Endocrinology</i> , 2016, 84, 250-256.	2.4	18
166	Cardiovascular Health in Brazil. <i>Circulation</i> , 2016, 133, 422-433.	1.6	237
167	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. <i>JAMA Pediatrics</i> , 2016, 170, 267.	6.2	479
168	Prevalence, awareness, treatment, and control of high low-density lipoprotein cholesterol in Brazil: Baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Clinical Lipidology</i> , 2016, 10, 568-576.	1.5	30
169	Chronic kidney disease among adult participants of the ELSA-Brasil cohort: association with race and socioeconomic position. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 380-389.	3.7	83
170	Serum Uric Acid and Prehypertension Among Adults Free of Cardiovascular Diseases and Diabetes. <i>Angiology</i> , 2016, 67, 180-186.	1.8	16
171	Extremely elevated HDL-cholesterol levels are not associated with increased carotid intima-media thickness: data from ELSA Brasil. <i>Journal of Clinical Lipidology</i> , 2016, 10, 898-904.e1.	1.5	7
172	Neck Circumference Is Independently Associated with Cardiometabolic Risk Factors: Cross-Sectional Analysis from ELSA-Brasil. <i>Metabolic Syndrome and Related Disorders</i> , 2016, 14, 145-153.	1.3	24
173	Association between a healthy cardiovascular risk factor profile and coronary artery calcium score: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>American Heart Journal</i> , 2016, 174, 51-59.	2.7	32
174	Emotional reactivity to valence-loaded stimuli are related to treatment response of neurocognitive therapy. <i>Journal of Affective Disorders</i> , 2016, 190, 443-449.	4.1	8
175	Transcranial direct current stimulation for the treatment of post-stroke depression in aphasic patients: a case series. <i>Neurocase</i> , 2016, 22, 225-228.	0.6	19
176	Migraine and subclinical atherosclerosis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cephalalgia</i> , 2016, 36, 840-848.	3.9	13
177	Total and Full-Fat, but Not Low-Fat, Dairy Product Intakes are Inversely Associated with Metabolic Syndrome in Adults. <i>Journal of Nutrition</i> , 2016, 146, 81-89.	2.9	63
178	Comparison between symbolic and spectral analyses of short-term heart rate variability in a subsample of the ELSA-Brasil study. <i>Physiological Measurement</i> , 2015, 36, 2119-2134.	2.1	9
179	Prevalence of stroke and associated disability in Brazil: National Health Survey - 2013. <i>Arquivos De Neuro-Psiquiatria</i> , 2015, 73, 746-750.	0.8	79
180	The association between mood and anxiety disorders, and coronary heart disease in Brazil: a cross-sectional analysis on the Brazilian longitudinal study of adult health (ELSA-Brasil). <i>Frontiers in Psychology</i> , 2015, 6, 187.	2.1	20

#	ARTICLE	IF	CITATIONS
181	The Association between Antidepressant Medications and Coronary Heart Disease in Brazil: A Cross-Sectional Analysis on the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). <i>Frontiers in Public Health</i> , 2015, 3, 9.	2.7	6
182	The Global Burden of Cancer 2013. <i>JAMA Oncology</i> , 2015, 1, 505.	7.1	2,269
183	Acute suicidal ideation in middle-aged adults from Brazil. Results from the baseline data of the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). <i>Psychiatry Research</i> , 2015, 225, 556-562.	3.3	18
184	Effects of acute transcranial direct current stimulation in hot and cold working memory tasks in healthy and depressed subjects. <i>Neuroscience Letters</i> , 2015, 591, 126-131.	2.1	54
185	Cohort Profile: Longitudinal Study of Adult Health (ELSA-Brazil). <i>International Journal of Epidemiology</i> , 2015, 44, 68-75.	1.9	416
186	Plasma levels of soluble TNF receptors 1 and 2 after tDCS and sertraline treatment in major depression: Results from the SELECT-TDCS trial. <i>Journal of Affective Disorders</i> , 2015, 185, 209-213.	4.1	24
187	Anxiety and depressive symptoms are associated with higher carotid intima-media thickness. Cross-sectional analysis from ELSA-Brazil baseline data. <i>Atherosclerosis</i> , 2015, 240, 529-534.	0.8	37
188	Novel biomarkers of cardiometabolic risk are associated with plasma glucose within non-diabetic range. The Brazilian Longitudinal Study of Adult Health "ELSA-Brazil". <i>Diabetes Research and Clinical Practice</i> , 2015, 109, 110-116.	2.8	10
189	Low Impact of Traditional Risk Factors on Carotid Intima-Media Thickness. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2054-2059.	2.4	65
190	Effects of CPAP on body weight in patients with obstructive sleep apnoea: a meta-analysis of randomised trials. <i>Thorax</i> , 2015, 70, 258-264.	5.6	227
191	Associations of dairy intake with glycemia and insulinemia, independent of obesity, in Brazilian adults: the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). <i>American Journal of Clinical Nutrition</i> , 2015, 101, 775-782.	4.7	48
192	Resistant Hypertension: Risk Factors, Subclinical Atherosclerosis, and Comorbidities Among Adults "The Brazilian Longitudinal Study of Adult Health (ELSA-Brazil)". <i>Journal of Clinical Hypertension</i> , 2015, 17, 74-80.	2.0	39
193	Thyrotropin Levels, Insulin Resistance, and Metabolic Syndrome: A Cross-Sectional Analysis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). <i>Metabolic Syndrome and Related Disorders</i> , 2015, 13, 362-369.	1.3	29
194	Transcranial electric stimulation and neurocognitive training in clinically depressed patients: A pilot study of the effects on rumination. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 57, 93-99.	4.8	75
195	Assessment of non-BDNF neurotrophins and GDNF levels after depression treatment with sertraline and transcranial direct current stimulation in a factorial, randomized, sham-controlled trial (SELECT-TDCS): An exploratory analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 56, 91-96.	4.8	32
196	Obesity, abdominal obesity and migraine: A cross-sectional analysis of ELSA-Brazil baseline data. <i>Cephalalgia</i> , 2015, 35, 426-436.	3.9	21
197	Differential improvement in depressive symptoms for tDCS alone and combined with pharmacotherapy: an exploratory analysis from The Sertraline Vs. Electrical Current Therapy For Treating Depression Clinical Study. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 53-61.	2.1	34
198	Association between psoriasis and coronary calcium score. <i>Atherosclerosis</i> , 2014, 237, 847-852.	0.8	40

#	ARTICLE	IF	CITATIONS
199	Effects of Depression, Anxiety, Comorbidity, and Antidepressants on Resting-State Heart Rate and Its Variability: An ELSA-Brasil Cohort Baseline Study. <i>American Journal of Psychiatry</i> , 2014, 171, 1328-1334.	7.2	156
200	Migraine Headaches and Mood/Anxiety Disorders in the ELSA-Brasil. <i>Headache</i> , 2014, 54, 1310-1319.	3.9	39
201	Impact of Two or Less Missing Treatment Sessions on tDCS Clinical Efficacy: Results From a Factorial, Randomized, Controlled Trial in Major Depression. <i>Neuromodulation</i> , 2014, 17, 737-742.	0.8	16
202	High prevalence of diabetes and intermediate hyperglycemia – The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 123.	2.7	103
203	Transcranial direct current stimulation for major depression: an updated systematic review and meta-analysis. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 1443-1452.	2.1	208
204	Cytokines plasma levels during antidepressant treatment with sertraline and transcranial direct current stimulation (tDCS): results from a factorial, randomized, controlled trial. <i>Psychopharmacology</i> , 2014, 231, 1315-1323.	3.1	52
205	Bereavement and common mental disorders in middle-aged adults: Results from the Brazilian longitudinal study of adult health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2014, 152-154, 369-374.	4.1	3
206	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 957-979.	13.7	609
207	Negative life events and migraine: a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) baseline data. <i>BMC Public Health</i> , 2014, 14, 678.	2.9	11
208	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 1005-1070.	13.7	786
209	Carotid intima-media thickness value distributions in The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Atherosclerosis</i> , 2014, 237, 227-235.	0.8	68
210	BDNF plasma levels after antidepressant treatment with sertraline and transcranial direct current stimulation: Results from a factorial, randomized, sham-controlled trial. <i>European Neuropsychopharmacology</i> , 2014, 24, 1144-1151.	0.7	42
211	Global, regional, and national levels and causes of maternal mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 980-1004.	13.7	1,230
212	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 766-781.	13.7	9,122
213	Enhancement of Affective Processing Induced by Bifrontal Transcranial Direct Current Stimulation in Patients With Major Depression. <i>Neuromodulation</i> , 2014, 17, 138-142.	0.8	65
214	Life Course Socioeconomic Position and C-Reactive Protein: Mediating Role of Health-Risk Behaviors and Metabolic Alterations. <i>The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil)</i> . <i>PLoS ONE</i> , 2014, 9, e108426.	2.5	22
215	A Reappraisal of Stroke Mortality Trends in Brazil (1979–2009). <i>International Journal of Stroke</i> , 2013, 8, 155-163.	5.9	41
216	Acute working memory improvement after tDCS in antidepressant-free patients with major depressive disorder. <i>Neuroscience Letters</i> , 2013, 537, 60-64.	2.1	116

#	ARTICLE	IF	CITATIONS
217	Predictors of long-term survival among first-ever ischemic and hemorrhagic stroke in a Brazilian stroke cohort. <i>BMC Neurology</i> , 2013, 13, 51.	1.8	27
218	Income and heart disease mortality trends in Sao Paulo, Brazil, 1996 to 2010. <i>International Journal of Cardiology</i> , 2013, 167, 2820-2823.	1.7	28
219	Patterns of benzodiazepine and antidepressant use among middle-aged adults. The Brazilian longitudinal study of adult health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2013, 151, 71-77.	4.1	47
220	The Sertraline vs Electrical Current Therapy for Treating Depression Clinical Study. <i>JAMA Psychiatry</i> , 2013, 70, 383.	11.0	489
221	Polarity- and valence-dependent effects of prefrontal transcranial direct current stimulation on heart rate variability and salivary cortisol. <i>Psychoneuroendocrinology</i> , 2013, 38, 58-66.	2.7	115
222	Heart rate variability is a trait marker of major depressive disorder: evidence from the sertraline vs. electric current therapy to treat depression clinical study. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1937-1949.	2.1	118
223	Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): Objectives and Design. <i>American Journal of Epidemiology</i> , 2012, 175, 315-324.	3.4	558
224	Low Education as a Predictor of Poor One-Year Stroke Survival in the EMMA Study (Study of Stroke) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	3.9	9
225	Hypothyroidism in the elderly: diagnosis and management. <i>Clinical Interventions in Aging</i> , 2012, 7, 97.	2.9	92
226	ValidaÃ§Ã£o da versÃ£o curta do questionÃ¡rio Rose de angina no Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2012, 99, 1056-1059.	0.8	5
227	A systematic review and meta-analysis of heart rate variability in epilepsy and antiepileptic drugs. <i>Epilepsia</i> , 2012, 53, 272-282.	5.1	248
228	Prevalence of thyroid disorders among older people: results from the SÃ£o Paulo Ageing & Health Study. <i>Cadernos De Saude Publica</i> , 2011, 27, 155-161.	1.0	37
229	Stroke Prevalence in a Poor Neighbourhood of SÃ£o Paulo, Brazil: Applying a Stroke Symptom Questionnaire. <i>International Journal of Stroke</i> , 2011, 6, 33-39.	5.9	22
230	Stroke Mortality in Brazil: One Example of Delayed Epidemiological Cardiovascular Transition. <i>International Journal of Stroke</i> , 2009, 4, 40-41.	5.9	39
231	Race, gender and stroke subtypes mortality in SÃ£o Paulo, Brazil. <i>Arquivos De Neuro-Psiquiatria</i> , 2007, 65, 752-757.	0.8	26
232	A descriptive epidemiology of leisure-time physical activity in Brazil, 1996-1997. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2003, 14, 246-254.	1.1	197