
K Michael Cummings

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11075600/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Design and methods of the Population Assessment of Tobacco and Health (PATH) Study. Tobacco Control, 2017, 26, 371-378.	1.8	642
2	Electronic Nicotine Delivery Systems. American Journal of Preventive Medicine, 2013, 44, 207-215.	1.6	563
3	Tobacco-Product Use by Adults and Youths in the United States in 2013 and 2014. New England Journal of Medicine, 2017, 376, 342-353.	13.9	545
4	Text and Graphic Warnings on Cigarette Packages. American Journal of Preventive Medicine, 2007, 32, 202-209.	1.6	376
5	Predictors of cessation in a cohort of current and former smokers followed over 13 years. Nicotine and Tobacco Research, 2004, 6, 363-369.	1.4	324
6	Flavored Tobacco Product Use in Youth and Adults: Findings From the First Wave of the PATH Study (2013–2014). American Journal of Preventive Medicine, 2017, 53, 139-151.	1.6	266
7	How reactions to cigarette packet health warnings influence quitting: findings from the ITC Four ountry survey. Addiction, 2009, 104, 669-675.	1.7	238
8	The 2014 Surgeon General's report: "The Health Consequences of Smoking–50 Years of Progress― A paradigm shift in cancer care. Cancer, 2014, 120, 1914-1916.	2.0	220
9	2018 ACC Expert Consensus Decision Pathway on Tobacco Cessation Treatment. Journal of the American College of Cardiology, 2018, 72, 3332-3365.	1.2	219
10	Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. BMJ: British Medical Journal, 2019, 365, I2219.	2.4	217
11	Smoking at diagnosis and survival in cancer patients. International Journal of Cancer, 2013, 132, 401-410.	2.3	206
12	The Impact of Cigarette Pack Design, Descriptors, and Warning Labels on Risk Perception in the U.S American Journal of Preventive Medicine, 2011, 40, 674-682.	1.6	194
13	How much unsuccessful quitting activity is going on among adult smokers? Data from the International Tobacco Control Four Country cohort survey. Addiction, 2012, 107, 673-682.	1.7	194
14	The 2014 Surgeon General's Report: Commemorating the 50th Anniversary of the 1964 Report of the Advisory Committee to the US Surgeon General and Updating the Evidence on the Health Consequences of Cigarette Smoking. American Journal of Epidemiology, 2014, 179, 403-412.	1.6	192
15	Stop-smoking medications: Who uses them, who misuses them, and who is misinformed about them?. Nicotine and Tobacco Research, 2004, 6, 303-310.	1.4	191
16	Motivational factors predict quit attempts but not maintenance of smoking cessation: Findings from the International Tobacco Control Four country project. Nicotine and Tobacco Research, 2010, 12, S4-S11.	1.4	187
17	Are smokers adequately informed about the health risks of smoking and medicinal nicotine?. Nicotine and Tobacco Research, 2004, 6, 333-340.	1.4	175
18	Compliance of pediatric and adolescent cancer patients. Cancer, 1986, 58, 1179-1184.	2.0	167

#	Article	IF	CITATIONS
19	Effectiveness of a large-scale distribution programme of free nicotine patches: a prospective evaluation. Lancet, The, 2005, 365, 1849-1854.	6.3	165
20	Gender Differences in Medication Use and Cigarette Smoking Cessation: Results From the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2015, 17, 463-472.	1.4	164
21	Examining the relationship of vaping to smoking initiation among US youth and young adults: a reality check. Tobacco Control, 2019, 28, 629-635.	1.8	155
22	Practice Patterns and Perceptions of Thoracic Oncology Providers on Tobacco Use and Cessation in Cancer Patients. Journal of Thoracic Oncology, 2013, 8, 543-548.	0.5	150
23	Cigarette Warning Label Policy Alternatives and Smoking-Related Health Disparities. American Journal of Preventive Medicine, 2012, 43, 590-600.	1.6	147
24	Evaluation of Health Education Programs: Current Assessment and Future Directions. Health Education Quarterly, 1995, 22, 364-389.	1.5	138
25	Measurement of Current Exposure to Environmental Tobacco Smoke. Archives of Environmental Health, 1990, 45, 74-79.	0.4	135
26	Reach, Efficacy, and Cost-effectiveness of Free Nicotine Medication Giveaway Programs. Journal of Public Health Management and Practice, 2006, 12, 37-43.	0.7	133
27	Adherence to and Reasons for Premature Discontinuation From Stop-Smoking Medications: Data From the ITC Four-Country Survey. Nicotine and Tobacco Research, 2011, 13, 94-102.	1.4	132
28	A framework for evaluating the public health impact of e-cigarettes and other vaporized nicotine products. Addiction, 2017, 112, 8-17.	1.7	131
29	Addressing Tobacco Use in Patients With Cancer: A Survey of American Society of Clinical Oncology Members. Journal of Oncology Practice, 2013, 9, 258-262.	2.5	130
30	The relative risks of a low-nitrosamine smokeless tobacco product compared with smoking cigarettes: estimates of a panel of experts. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 2035-42.	1.1	130
31	Awareness, Trial, and Current Use of Electronic Cigarettes in 10 Countries: Findings from the ITC Project. International Journal of Environmental Research and Public Health, 2014, 11, 11691-11704.	1.2	129
32	Efficacy of High-Efficiency Particulate Air Filtration in Preventing Aspergillosis in Immunocompromised Patients With Hematologic Malignancies. Infection Control and Hospital Epidemiology, 2002, 23, 525-531.	1.0	122
33	Assessing secondhand smoke exposure with reported measures. Tobacco Control, 2013, 22, 156-163.	1.8	118
34	Indicators of dependence for different types of tobacco product users: Descriptive findings from Wave 1 (2013–2014) of the Population Assessment of Tobacco and Health (PATH) study. Drug and Alcohol Dependence, 2017, 178, 257-266.	1.6	118
35	Secondhand Smoke Transfer in Multiunit Housing. Nicotine and Tobacco Research, 2010, 12, 1133-1141.	1.4	115
36	IMPACT OF NICOTINE REPLACEMENT THERAPY ON SMOKING BEHAVIOR. Annual Review of Public Health, 2005, 26, 583-599.	7.6	112

#	Article	IF	CITATIONS
37	The Changing Public Image of Smoking in the United States: 1964–2014. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 32-36.	1.1	111
38	Tobacco and Lung Cancer: Risks, Trends, and Outcomes in Patients with Cancer. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2013, , 359-364.	1.8	104
39	Association of Flavored Tobacco Use With Tobacco Initiation and Subsequent Use Among US Youth and Adults, 2013-2015. JAMA Network Open, 2019, 2, e1913804.	2.8	103
40	Mediational pathways of the impact of cigarette warning labels on quit attempts Health Psychology, 2014, 33, 1410-1420.	1.3	102
41	Attitudes and beliefs about secondhand smoke and smoke-free policies in four countries: Findings from the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2009, 11, 642-649.	1.4	100
42	Smokers' beliefs about the relative safety of other tobacco products: Findings from the ITC Collaboration. Nicotine and Tobacco Research, 2007, 9, 1033-1042.	1.4	98
43	Cessation assistance reported by smokers in 15 countries participating in the International Tobacco Control (ITC) policy evaluation surveys. Addiction, 2012, 107, 197-205.	1.7	97
44	Use of flavored cigarettes among older adolescent and adult smokers: United States, 2004-2005. Nicotine and Tobacco Research, 2008, 10, 1209-1214.	1.4	95
45	Trends in use of electronic nicotine delivery systems by adolescents. Addictive Behaviors, 2014, 39, 338-340.	1.7	94
46	Ability of smokers to reduce their smoking and its association with future smoking cessation. Addiction, 1999, 94, 109-114.	1.7	92
47	An Outbreak of Invasive Aspergillosis Among Allogeneic Bone Marrow Transplants: A Case-Control Study. Infection Control, 1985, 6, 347-355.	0.5	91
48	The Application of a Decision-Theoretic Model to Estimate the Public Health Impact of Vaporized Nicotine Product Initiation in the United States. Nicotine and Tobacco Research, 2017, 19, 149-159.	1.4	83
49	Accuracy of self-reported tobacco use in newly diagnosed cancer patients. Cancer Causes and Control, 2013, 24, 1223-1230.	0.8	82
50	Smoke-free homes and smoking cessation and relapse in a longitudinal population of adults. Nicotine and Tobacco Research, 2009, 11, 614-618.	1.4	80
51	Alternate Tobacco Product and Drug Use Among Adolescents Who Use Electronic Cigarettes, Cigarettes Only, and Never Smokers. Journal of Adolescent Health, 2014, 55, 588-591.	1.2	80
52	Cigarette Filter Ventilation and its Relationship to Increasing Rates of Lung Adenocarcinoma. Journal of the National Cancer Institute, 2017, 109, .	3.0	79
53	Tobacco Cessation May Improve Lung Cancer Patient Survival. Journal of Thoracic Oncology, 2015, 10, 1014-1019.	0.5	77
54	Environmental Influences on Tobacco Use: Evidence from Societal and Community Influences on Tobacco Use and Dependence. Annual Review of Clinical Psychology, 2009, 5, 433-458.	6.3	76

#	Article	IF	CITATIONS
55	Effectiveness of stopâ€smoking medications: findings from the <scp>I</scp> nternational <scp>T</scp> obacco <scp>C</scp> ontrol (<scp>ITC</scp>) <scp>F</scp> our <scp>C</scp> ountry <scp>S</scp> urvey. Addiction, 2013, 108, 193-202.	1.7	76
56	Smoker Awareness of and Beliefs About Supposedly Less-Harmful Tobacco Products. American Journal of Preventive Medicine, 2005, 29, 85-90.	1.6	75
57	Methods of the ITC Four Country Smoking and Vaping Survey, wave 1 (2016). Addiction, 2019, 114, 6-14.	1.7	74
58	Reasons for regular vaping and for its discontinuation among smokers and recent exâ€smokers: findings from the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 35-48.	1.7	74
59	Identifying Targeted Strategies to Improve Smoking Cessation Support for Cancer Patients. Journal of Thoracic Oncology, 2015, 10, 1532-1537.	0.5	67
60	Trends in E-Cigarette Awareness, Trial, and Use Under the Different Regulatory Environments of Australia and the United Kingdom. Nicotine and Tobacco Research, 2015, 17, 1203-1211.	1.4	66
61	Multiunit housing residents' experiences and attitudes toward smoke-free policies. Nicotine and Tobacco Research, 2010, 12, 598-605.	1.4	65
62	Automated tobacco assessment and cessation support for cancer patients. Cancer, 2014, 120, 562-569.	2.0	64
63	Programs and policies to discourage the use of tobacco products. Oncogene, 2002, 21, 7349-7364.	2.6	63
64	The Quitting Rollercoaster: How Recent Quitting History Affects Future Cessation Outcomes (Data) Tj ETQq0 0 (2013, 15, 1578-1587.) rgBT /Ov 1.4	verlock 10 Tf 5 63
65	Reduction in Amount Smoked Predicts Future Cessation Psychology of Addictive Behaviors, 2005, 19, 221-225.	1.4	62
66	Accuracy of self-reported tobacco assessments in a head and neck cancer treatment population. Radiotherapy and Oncology, 2012, 103, 45-48.	0.3	62
67	Clinical Strategies to Enhance the Efficacy of Nicotine Replacement Therapy for Smoking Cessation: A Review of the Literature. Drugs, 2013, 73, 407-426.	4.9	61
68	Free Nicotine Patch Giveaway Program. American Journal of Preventive Medicine, 2006, 31, 181-184.	1.6	58
69	Secondhand smoke and particulate matter exposure in the home. Nicotine and Tobacco Research, 2009, 11, 635-641.	1.4	58
70	Systematic Biases in Cross-sectional Community Studies may Underestimate the Effectiveness of Stop-Smoking Medications. Nicotine and Tobacco Research, 2012, 14, 1483-1487.	1.4	58
71	US smokers' reactions to a brief trial of oral nicotine products. Harm Reduction Journal, 2011, 8, 1.	1.3	57
72	A new classification system for describing concurrent use of nicotine vaping products alongside cigarettes (so alled â€~dual use'): findings from the ITCâ€4 Country Smoking and Vaping wave 1 Survey. Addiction, 2019, 114, 24-34.	1.7	57

#	Article	IF	CITATIONS
73	Feasibility of Implementing a Hospital-Based "Opt-Out―Tobacco-Cessation Service. Nicotine and Tobacco Research, 2017, 19, 937-943.	1.4	56
74	Does the Regulatory Environment for E-Cigarettes Influence the Effectiveness of E-Cigarettes for Smoking Cessation?: Longitudinal Findings From the ITC Four Country Survey. Nicotine and Tobacco Research, 2017, 19, 1268-1276.	1.4	56
75	A Naturalistic, Randomized Pilot Trial of E-Cigarettes: Uptake, Exposure, and Behavioral Effects. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 1795-1803.	1.1	56
76	Impact of the New Malaysian Cigarette Pack Warnings on Smokers' Awareness of Health Risks and Interest in Quitting Smoking. International Journal of Environmental Research and Public Health, 2010, 7, 4089-4099.	1.2	54
77	Impact of the removal of misleading terms on cigarette pack on smokers' beliefs about â€`light/mild' cigarettes: crossâ€country comparisons. Addiction, 2011, 106, 2204-2213.	1.7	54
78	Prevalence and Correlates of the Belief That Electronic Cigarettes are a Lot Less Harmful Than Conventional Cigarettes Under the Different Regulatory Environments of Australia and the United Kingdom. Nicotine and Tobacco Research, 2017, 19, 258-263.	1.4	51
79	Mental Health Problems and Onset of Tobacco Use Among 12- to 24-Year-Olds in the PATH Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 944-954.e4.	0.3	51
80	How smoke-free laws improve air quality: A global study of Irish pubs. Nicotine and Tobacco Research, 2009, 11, 600-605.	1.4	50
81	Evaluating the Effect of Access to Free Medication to Quit Smoking: A Clinical Trial Testing the Role of Motivation. Nicotine and Tobacco Research, 2014, 16, 992-999.	1.4	49
82	Cigarette Smokers' Use of Unconventional Tobacco Products and Associations With Quitting Activity: Findings From the ITC-4 U.S. Cohort. Nicotine and Tobacco Research, 2014, 16, 672-681.	1.4	49
83	Cigarette package inserts can promote efficacy beliefs and sustained smoking cessation attempts: A longitudinal assessment of an innovative policy in Canada. Preventive Medicine, 2016, 88, 59-65.	1.6	49
84	The Cigarette Controversy. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1070-1076.	1.1	48
85	Tobacco Assessment in Actively Accruing National Cancer Institute Cooperative Group Program Clinical Trials. Journal of Clinical Oncology, 2012, 30, 2869-2875.	0.8	48
86	Role of e-cigarettes and pharmacotherapy during attempts to quit cigarette smoking: The PATH Study 2013-16. PLoS ONE, 2020, 15, e0237938.	1.1	48
87	MEASUREMENT OF LIFETIME EXPOSURE TO PASSIVE SMOKE. American Journal of Epidemiology, 1989, 130, 122-132.	1.6	47
88	Trends in Roll-Your-Own Smoking: Findings from the ITC Four-Country Survey (2002–2008). Journal of Environmental and Public Health, 2012, 2012, 1-7.	0.4	47
89	Attributable Failure of First-line Cancer Treatment and Incremental Costs Associated With Smoking by Patients With Cancer. JAMA Network Open, 2019, 2, e191703.	2.8	47
90	Smokers' use of nicotine replacement therapy for reasons other than stopping smoking: findings from the ITC Four Country Survey. Addiction, 2008, 103, 1696-1703.	1.7	46

6

#	Article	IF	CITATIONS
91	Correcting Over 50 Years of Tobacco Industry Misinformation. American Journal of Preventive Medicine, 2011, 40, 690-698.	1.6	46
92	E-Cigarettes and Cancer Patients. Journal of Thoracic Oncology, 2014, 9, 438-441.	0.5	46
93	Does Reactance against Cigarette Warning Labels Matter? Warning Label Responses and Downstream Smoking Cessation amongst Adult Smokers in Australia, Canada, Mexico and the United States. PLoS ONE, 2016, 11, e0159245.	1.1	46
94	Trends in beliefs about the harmfulness and use of stop-smoking medications and smokeless tobacco products among cigarettes smokers: Findings from the ITC four-country survey. Harm Reduction Journal, 2011, 8, 21.	1.3	45
95	Longitudinal associations between youth tobacco and substance use in waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) Study. Drug and Alcohol Dependence, 2018, 191, 25-36.	1.6	45
96	Incidence of Nosocomial Aspergillosis in Patients with Leukemia Over a Twenty-Year Period. Infection Control and Hospital Epidemiology, 1989, 10, 299-305.	1.0	44
97	Advice on using over-the-counter nicotine replacement therapy-patch, gum, or lozenge-to quit smoking. Addictive Behaviors, 2007, 32, 2140-2150.	1.7	44
98	Assessing Consumer Responses to Potential Reduced-Exposure Tobacco Products: A Review of Tobacco Industry and Independent Research Methods. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 3225-3240.	1.1	44
99	Do predictors of smoking relapse change as a function of duration of abstinence? Findings from the United States, Canada, United Kingdom and Australia. Addiction, 2018, 113, 1295-1304.	1.7	43
100	Adult perceptions of the relative harm of tobacco products and subsequent tobacco product use: Longitudinal findings from waves 1 and 2 of the population assessment of tobacco and health (PATH) study. Addictive Behaviors, 2020, 106, 106337.	1.7	43
101	Overâ€theâ€counter availability of nicotine replacement therapy and smoking cessation. Nicotine and Tobacco Research, 2005, 7, 547-555.	1.4	42
102	What do Marlboro Lights smokers know about low-tar cigarettes?. Nicotine and Tobacco Research, 2004, 6, 323-332.	1.4	40
103	Longitudinal e-Cigarette and Cigarette Use Among US Youth in the PATH Study (2013–2015). Journal of the National Cancer Institute, 2019, 111, 1088-1096.	3.0	40
104	Harm perceptions and tobacco use initiation among youth in Wave 1 and 2 of the Population Assessment of Tobacco and Health (PATH) Study. Preventive Medicine, 2019, 123, 185-191.	1.6	40
105	U.S. adult perceptions of the harmfulness of tobacco products: descriptive findings from the 2013–14 baseline wave 1 of the path study. Addictive Behaviors, 2019, 91, 180-187.	1.7	40
106	Giving Away Free Nicotine Medications and a Cigarette Substitute (Better Quit®) to Promote Calls to a Quitline. Journal of Public Health Management and Practice, 2006, 12, 60-67.	0.7	39
107	The Use of Cigarette Package Inserts to Supplement Pictorial Health Warnings: An Evaluation of the Canadian Policy. Nicotine and Tobacco Research, 2015, 17, 870-875.	1.4	39
108	Smokers' reactions to the new larger health warning labels on plain cigarette packs in Australia: findings from the ITC Australia project. Tobacco Control, 2016, 25, 181-187.	1.8	38

#	Article	IF	CITATIONS
109	Are the Same Health Warnings Effective Across Different Countries? An Experimental Study in Seven Countries. Nicotine and Tobacco Research, 2019, 21, 887-895.	1.4	36
110	Smoking expectancies for flavored and non-flavored cigarettes among college students. Addictive Behaviors, 2007, 32, 1252-1261.	1.7	35
111	A randomized trial for hazardous drinking and smoking cessation for callers to a quitline Journal of Consulting and Clinical Psychology, 2015, 83, 445-454.	1.6	35
112	Randomized Trial: Quitline Specialist Training in Gain-Framed vs Standard-Care Messages for Smoking Cessation. Journal of the National Cancer Institute, 2010, 102, 96-106.	3.0	34
113	The impact of the United Kingdom's national smoking cessation strategy on quit attempts and use of cessation services: Findings from the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2010, 12, S64-S71.	1.4	33
114	Pathways of Change Explaining the Effect of Smoke-Free Legislation on Smoking Cessation in the Netherlands. An Application of the International Tobacco Control Conceptual Model. Nicotine and Tobacco Research, 2012, 14, 1474-1482.	1.4	33
115	Socioeconomic Variation in the Prevalence, Introduction, Retention, and Removal of Smoke-Free Policies among Smokers: Findings from the International Tobacco Control (ITC) Four Country Survey. International Journal of Environmental Research and Public Health, 2011, 8, 411-434.	1.2	31
116	Nicotine replacement therapy sampling for smoking cessation within primary care: results from a pragmatic cluster randomized clinical trial. Addiction, 2020, 115, 1358-1367.	1.7	31
117	Evaluation Plan for the Community Intervention Trial for Smoking Cessation (COMMIT). International Quarterly of Community Health Education, 1990, 11, 271-290.	0.4	30
118	Usage Patterns of Stop Smoking Medications in Australia, Canada, the United Kingdom, and the United States: Findings from the 2006–2008 International Tobacco Control (ITC) Four Country Survey. International Journal of Environmental Research and Public Health, 2011, 8, 222-233.	1.2	30
119	Current Status of Tobacco Policy and Control. Journal of Thoracic Imaging, 2012, 27, 213-219.	0.8	30
120	Tobacco <scp>Q</scp> uitlines Need to Assess and Intervene with Callers' Hazardous Drinking. Alcoholism: Clinical and Experimental Research, 2012, 36, 1653-1658.	1.4	30
121	US Smokers' Beliefs, Experiences and Perceptions of Different Cigarette Variants Before and After the FSPTCA Ban on Misleading Descriptors Such as "Light,―"Mild,―or "Low― Nicotine and Tobacco Research, 2016, 18, 2115-2123.	1.4	30
122	Costs of Giving Out Free Nicotine Patches Through a Telephone Quit Line. Journal of Public Health Management and Practice, 2011, 17, E16-E23.	0.7	29
123	Tobacco and Lung Cancer: Risks, Trends, and Outcomes in Patients with Cancer. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2013, 33, 359-364.	1.8	29
124	Association of e-Cigarette Use With Discontinuation of Cigarette Smoking Among Adult Smokers Who Were Initially Never Planning to Quit. JAMA Network Open, 2021, 4, e2140880.	2.8	29
125	The potential impact of a low-nitrosamine smokeless tobacco product on cigarette smoking in the United States: Estimates of a panel of experts. Addictive Behaviors, 2006, 31, 1190-1200.	1.7	28
126	Educating smokers about their cigarettes and nicotine medications. Health Education Research, 2010, 25, 678-686.	1.0	28

#	Article	IF	CITATIONS
127	Behavioral Economic Purchase Tasks to Estimate Demand for Novel Nicotine/tobacco Products and Prospectively Predict Future Use: Evidence From The Netherlands. Nicotine and Tobacco Research, 2019, 21, 784-791.	1.4	28
128	Relationship of Cigarette-Related Perceptions to Cigarette Design Features: Findings From the 2009 ITC U.S. Survey. Nicotine and Tobacco Research, 2013, 15, 1943-1947.	1.4	27
129	Transitions in Tobacco Product Use by U.S. Adults between 2013–2014 and 2014–2015: Findings from the PATH Study Wave 1 and Wave 2. International Journal of Environmental Research and Public Health, 2018, 15, 2515.	1.2	26
130	Prevalence and predictors of smoke-free policy implementation and support among owners and managers of multiunit housing. Nicotine and Tobacco Research, 2010, 12, 159-163.	1.4	25
131	Predictive validity of the adult tobacco dependence index: Findings from waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) study. Drug and Alcohol Dependence, 2020, 214, 108134.	1.6	25
132	An Economic Analysis of the Pre-Deeming US Market for Nicotine Vaping Products. Tobacco Regulatory Science (discontinued), 2019, 5, 169-181.	0.2	24
133	Menthol and Mint Cigarettes and Cigars: Initiation and Progression in Youth, Young Adults and Adults in Waves 1–4 of the PATH Study, 2013–2017. Nicotine and Tobacco Research, 2021, 23, 1318-1326.	1.4	24
134	Evaluation of an Intervention to Enhance the Delivery of Smoking Cessation Services to Patients with Cancer. Journal of Cancer Education, 2011, 26, 577-582.	0.6	23
135	Patterns of Non-Cigarette Tobacco and Nicotine Use Among Current Cigarette Smokers and Recent Quitters: Findings From the 2020 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2021, 23, 1611-1616.	1.4	23
136	Adverse effects with use of nicotine replacement therapy among quitline clients. Nicotine and Tobacco Research, 2009, 11, 408-417.	1.4	22
137	Age as a predictor of quit attempts and quit success in smoking cessation: findings from the International Tobacco Control Fourâ€Country survey (2002‰14). Addiction, 2021, 116, 2509-2520.	1.7	22
138	Awareness, trial and use of heated tobacco products among adult cigarette smokers and e-cigarette users: findings from the 2018 ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2020, , tobaccocontrol-2020-055985.	1.8	21
139	Smoking Cessation After a Cancer Diagnosis Is Associated With Improved Survival. Journal of Thoracic Oncology, 2020, 15, 705-708.	0.5	21
140	Does the number of free nicotine patches given to smokers calling a quitline influence quit rates: results from a quasi-experimental study. BMC Public Health, 2010, 10, 181.	1.2	19
141	Filter presence and tipping paper color influence consumer perceptions of cigarettes. BMC Public Health, 2015, 15, 1279.	1.2	19
142	Evaluation of modified risk claim advertising formats for Camel Snus. Health Education Journal, 2017, 76, 971-985.	0.6	19
143	Flavour types used by youth and adult tobacco users in wave 2 of the Population Assessment of Tobacco and Health (PATH) Study 2014–2015. Tobacco Control, 2019, 29, tobaccocontrol-2018-054852.	1.8	18
144	How are adolescents getting their vaping products? Findings from the international tobacco control (ITC) youth tobacco and vaping survey. Addictive Behaviors, 2020, 105, 106345.	1.7	18

#	Article	IF	CITATIONS
145	The Illegal Experimental Tobacco Marketplace I: Effects of Vaping Product Bans. Nicotine and Tobacco Research, 2021, 23, 1744-1753.	1.4	18
146	Financial Incentives to Promote Smoking Cessation. Journal of Public Health Management and Practice, 2006, 12, 44-51.	0.7	17
147	Concurrent Quit & Win and Nicotine Replacement Therapy Voucher Giveaway Programs. Journal of Public Health Management and Practice, 2006, 12, 52-59.	0.7	17
148	The impact of changing nicotine replacement therapy licensing laws in the United Kingdom: findings from the International Tobacco Control Four Country Survey. Addiction, 2009, 104, 1420-1427.	1.7	17
149	Intervention to Promote Smoke-Free Policies Among Multiunit Housing Operators. Journal of Public Health Management and Practice, 2011, 17, E1-E8.	0.7	17
150	E-cigarette advertisements, and associations with the use of e-cigarettes and disapproval or quitting of smoking: Findings from the International Tobacco Control (ITC) Netherlands Survey. International Journal of Drug Policy, 2016, 29, 73-79.	1.6	17
151	Internalized Smoking Stigma in Relation to Quit Intentions, Quit Attempts, and Current E-Cigarette Use. Substance Abuse, 2017, 38, 330-336.	1.1	17
152	Effectiveness of tobacco control among Chinese Americans: A comparative analysis of policy approaches versus community-based programs. Preventive Medicine, 2008, 47, 530-536.	1.6	16
153	Support for tobacco control interventions: do country of origin and socioeconomic status make a difference?. International Journal of Public Health, 2012, 57, 777-786.	1.0	16
154	"Teachable Moment―Interventions in Lung Cancer: Why Action Matters. Journal of Thoracic Oncology, 2018, 13, 603-605.	0.5	16
155	A modeling approach to gauging the effects of nicotine vaping product use on cessation from cigarettes: what do we know, what do we need to know?. Addiction, 2019, 114, 86-96.	1.7	16
156	Using Direct Mail to Prompt Smokers to Call a Quitline. Health Promotion Practice, 2008, 9, 262-270.	0.9	15
157	How Do Perceptions About Cessation Outcomes Moderate the Effectiveness of a Gain-Framed Smoking Cessation Telephone Counseling Intervention?. Journal of Health Communication, 2012, 17, 1081-1098.	1.2	15
158	Adult interest in using a hypothetical modified risk tobacco product: findings from wave 1 of the Population Assessment of Tobacco and Health Study (2013–14). Addiction, 2018, 113, 113-124.	1.7	15
159	Correlates of Transitions in Tobacco Product Use by U.S. Adult Tobacco Users between 2013–2014 and 2014–2015: Findings from the PATH Study Wave 1 and Wave 2. International Journal of Environmental Research and Public Health, 2018, 15, 2556.	1.2	15
160	Predictive Power of Dependence Measures for Quitting Smoking. Findings From the 2016 to 2018 ITC Four Country Smoking and Vaping Surveys. Nicotine and Tobacco Research, 2021, 23, 276-285.	1.4	15
161	Which tobacco control policies do smokers support? Findings from the International Tobacco Control Four Country Smoking and Vaping Survey. Preventive Medicine, 2021, 149, 106600.	1.6	15
162	Which Population-Based Interventions Would Motivate Smokers to Think Seriously about Stopping Smoking?. American Journal of Health Promotion, 2004, 18, 405-408.	0.9	14

#	Article	IF	CITATIONS
163	Nicotine Replacement Therapy Distribution to Light Daily Smokers Calling a Quitline. Nicotine and Tobacco Research, 2013, 15, 1572-1577.	1.4	14
164	Biomarkers of Inflammation and Oxidative Stress among Adult Former Smoker, Current E-Cigarette Users—Results from Wave 1 PATH Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1947-1955.	1.1	14
165	Tobacco Use and Respiratory Symptoms Among Adults: Findings From the Longitudinal Population Assessment of Tobacco and Health (PATH) Study 2014–2016. Nicotine and Tobacco Research, 2022, 24, 1607-1618.	1.4	13
166	Differences in cigarette smoking quit attempts and cessation between adults who did and did not take up nicotine vaping: Findings from the ITC four country smoking and vaping surveys. Addictive Behaviors, 2022, 132, 107339.	1.7	13
167	Current and emerging treatment approaches for tobacco dependence. Current Oncology Reports, 2006, 8, 475-483.	1.8	12
168	Effectiveness of Switching Smoking-Cessation Medications Following Relapse. American Journal of Preventive Medicine, 2017, 53, e63-e70.	1.6	12
169	Cross-country comparison of smokers' reasons for thinking about quitting over time: findings from the International Tobacco Control Four Country Survey (ITC-4C), 2002–2015. Tobacco Control, 2017, 26, 641-648.	1.8	12
170	The past is not the future in tobacco control. Preventive Medicine, 2020, 140, 106183.	1.6	12
171	Impact of E-cigarette Sampling on Cigarette Dependence and Reinforcement Value. Nicotine and Tobacco Research, 2020, 22, 297-301.	1.4	11
172	Impact of a brief telephone referral on quitline use, quit attempts and abstinence. Health Education Research, 2015, 30, 134-139.	1.0	10
173	Exposure to and perceptions of health warning labels on nicotine vaping products: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 134-143.	1.7	10
174	Impact of Cigarette Filter Ventilation on U.S. Smokers' Perceptions and Biomarkers of Exposure and Potential Harm. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 38-44.	1.1	10
175	E-cigarette use and change in plans to quit cigarette smoking among adult smokers in the United States: Longitudinal findings from the PATH Study 2014–2019. Addictive Behaviors, 2022, 124, 107124.	1.7	10
176	Cardiovascular Risk Factor and Disease Measures from the Population Assessment of Tobacco and Health (PATH) Study. International Journal of Environmental Research and Public Health, 2021, 18, 7692.	1.2	9
177	Characterizing Heated Tobacco Product Use Among Adult Cigarette Smokers and Nicotine Vaping Product Users in the 2018 ITC Four Country Smoking & Vaping Survey. Nicotine and Tobacco Research, 2021, , .	1.4	9
178	Attributions of responsibility in adolescent cancer patients and their parents. Journal of Cancer Education, 1989, 4, 135-142.	0.6	8
179	Strategies for smoking cessation: what is new and what works?. Expert Review of Respiratory Medicine, 2008, 2, 201-213.	1.0	8
180	Cost and Effectiveness of Combination Nicotine Replacement Therapy Among Heavy Smokers Contacting a Quitline. Journal of Smoking Cessation, 2016, 11, 50-59.	0.3	8

#	Article	IF	CITATIONS
181	Relapse-Prevention Booklets as an Adjunct to a Tobacco Quitline: A Randomized Controlled Effectiveness Trial. Nicotine and Tobacco Research, 2016, 18, 298-305.	1.4	8
182	Changes in Smoking and Vaping over 18 Months among Smokers and Recent Ex-Smokers: Longitudinal Findings from the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. International Journal of Environmental Research and Public Health, 2020, 17, 7084.	1.2	8
183	Tobacco Product Use and Functionally Important Respiratory Symptoms Among US Adolescents/Young Adults. Academic Pediatrics, 2022, 22, 1006-1016.	1.0	8
184	Prices, use restrictions and electronic cigarette use—evidence from wave 1 (2016) US data of the ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 115-122.	1.7	7
185	What kind of smoking identity following quitting would elevate smokers relapse risk?. Addictive Behaviors, 2021, 112, 106654.	1.7	7
186	An Analysis of the FTC's Attempt to Stop the Altria-Juul Labs Deal. Tobacco Regulatory Science (discontinued), 2020, 6, 302-305.	0.2	7
187	Surveillance indicators for potential reduced exposure products (PREPs): developing survey items to measure awareness. Harm Reduction Journal, 2009, 6, 27.	1.3	6
188	Author Response. American Journal of Preventive Medicine, 2013, 44, e51-e53.	1.6	6
189	The need for a comprehensive framework. Addiction, 2017, 112, 22-24.	1.7	6
190	Rules about smoking and vaping in the home: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 107-114.	1.7	6
191	Validation of an Index for Functionally Important Respiratory Symptoms among Adults in the Nationally Representative Population Assessment of Tobacco and Health Study, 2014–2016. International Journal of Environmental Research and Public Health, 2021, 18, 9688.	1.2	6
192	Can Capitalism Advance the Goals of Tobacco Control?. Addiction, 2002, 97, 957-958.	1.7	5
193	The differential impact of state tobacco control policies on cessation treatment utilization across established tobacco disparities groups. Preventive Medicine, 2017, 105, 319-325.	1.6	5
194	Association of Electronic Nicotine Delivery System Use With Cigarette Smoking Progression or Reduction Among Young Adults. JAMA Network Open, 2020, 3, e2015893.	2.8	5
195	Recall Bias Does Impact on Retrospective Reports of Quit Attempts: Response to Messer and Pierce. Nicotine and Tobacco Research, 2013, 15, 754-755.	1.4	4
196	Mexico <i>SimSmoke</i> : how changes in tobacco control policies would impact smoking prevalence and smoking attributable deaths in Mexico. Global Public Health, 2017, 12, 830-845.	1.0	4
197	Nicotine Replacement Therapy Use Predicts Smoking and Drinking Outcomes among Heavy-Drinking Smokers Calling a Tobacco Quitline. Journal of Smoking Cessation, 2017, 12, 99-104.	0.3	4
198	Smokeless Tobacco Use and Prevalence of Cardiovascular Disease Among Males in the Population Assessment of Tobacco and Health (PATH) Study, Waves 1–4. Preventive Medicine Reports, 2022, 25, 101650.	0.8	4

#	Article	IF	CITATIONS
199	Cardiovascular Outcomes among Combustible-Tobacco and Electronic Nicotine Delivery System (ENDS) Users in Waves 1 through 5 of the Population Assessment of Tobacco and Health (PATH) Study, 2013–2019. International Journal of Environmental Research and Public Health, 2022, 19, 4137.	1.2	4
200	INDIVIDUALIZED VERSUS POPULATIONâ€BASED APPROACHES TO TOBACCO CONTROL – A FALSE DICHOTOM Addiction, 2011, 106, 1556-1558.	^Y 1.7	3
201	Tobacco Harm Minimization. , 2017, , 169-177.		3
202	Developing Consistent and Transparent Models of E-cigarette Use: Reply to Glantz and Soneji et al Nicotine and Tobacco Research, 2017, 19, 268-270.	1.4	3
203	Patient Cessation Activity after Automatic Referral to a Dedicated Cessation Support Service. Journal of Smoking Cessation, 2018, 13, 78-86.	0.3	3
204	A Collaborative Model for Facilitating the Delivery of Smoking Cessation Treatments to Cancer Patients: Results From Three Oncology Practices in South Carolina. Journal of Smoking Cessation, 2019, 14, 112-124.	0.3	3
205	Risk perceptions and continued smoking as a function of cigarette filter ventilation level among US youth and young adults who smoke. Tobacco Control, 2023, 32, 473-479.	1.8	3
206	Correlates of tobacco product initiation among youth and young adults between waves 1–4 of the population assessment of tobacco and Health (PATH) study (2013–2018). Addictive Behaviors, 2022, 134, 107396.	1.7	3
207	Transdisciplinary Tobacco Use Research Centers: Research achievements and future implications. Nicotine and Tobacco Research, 2009, 11, 1231-1244.	1.4	2
208	Using Tobacco Control Policies to Increase Consumer Demand for Smoking Cessation. American Journal of Preventive Medicine, 2010, 38, S347-S350.	1.6	2
209	Smokers' perceptions of different classes of cigarette brand descriptors. Tobacco Prevention and Cessation, 2021, 7, 1-11.	0.2	2
210	How can patients who are not referred for treatment receive the best treatment available?. Cancer, 2014, 120, 1750-1751.	2.0	1