

Suresh K Mittal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11078185/publications.pdf>

Version: 2024-02-01

68
papers

2,972
citations

159585

30
h-index

168389

53
g-index

68
all docs

68
docs citations

68
times ranked

2948
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Emerging strategies for EphA2 receptor targeting for cancer therapeutics. Expert Opinion on Therapeutic Targets, 2011, 15, 31-51. | 3.4 | 209 |
| 2 | Development of adenoviral-vector-based pandemic influenza vaccine against antigenically distinct human H5N1 strains in mice. Lancet, The, 2006, 367, 475-481. | 13.7 | 179 |
| 3 | Monitoring foreign gene expression by a human adenovirus-based vector using the firefly luciferase gene as a reporter. Virus Research, 1993, 28, 67-90. | 2.2 | 148 |
| 4 | Adenoviral Vector Immunity: Its Implications and Circumvention Strategies. Current Gene Therapy, 2011, 11, 307-320. | 2.0 | 148 |
| 5 | Current Strategies and Future Directions for Eluding Adenoviral Vector Immunity. Current Gene Therapy, 2006, 6, 215-226. | 2.0 | 143 |
| 6 | Development of nonhuman adenoviruses as vaccine vectors. Vaccine, 2006, 24, 849-862. | 3.8 | 122 |
| 7 | Decreased tumorigenic potential of EphA2-overexpressing breast cancer cells following treatment with adenoviral vectors that express EphrinA1. Cancer Gene Therapy, 2004, 11, 757-766. | 4.6 | 113 |
| 8 | Expression of EphA2 and Ephrin A-1 in Carcinoma of the Urinary Bladder. Clinical Cancer Research, 2006, 12, 353-360. | 7.0 | 109 |
| 9 | Adenovirus receptors and their implications in gene delivery. Virus Research, 2009, 143, 184-194. | 2.2 | 103 |
| 10 | Circumvention of Vector-Specific Neutralizing Antibody Response by Alternating Use of Human and Non-Human Adenoviruses: Implications in Gene Therapy. Virology, 2000, 272, 159-167. | 2.4 | 98 |
| 11 | Tissue Distribution and Genetic Typing of Porcine Circoviruses in Pigs with Naturally Occurring Congenital Tremors. Journal of Veterinary Diagnostic Investigation, 2001, 13, 57-62. | 1.1 | 88 |
| 12 | Immunization with DNA, adenovirus or both in biodegradable alginate microspheres: effect of route of inoculation on immune response. Vaccine, 2000, 19, 253-263. | 3.8 | 69 |
| 13 | Bovine Adenoviral Vector-based H5N1 Influenza Vaccine Overcomes Exceptionally High Levels of Pre-existing Immunity Against Human Adenovirus. Molecular Therapy, 2008, 16, 965-971. | 8.2 | 68 |
| 14 | Production of adenovirus vectors and their use as a delivery system for influenza vaccines. Expert Opinion on Biological Therapy, 2010, 10, 1469-1487. | 3.1 | 68 |
| 15 | Impact of Preexisting Adenovirus Vector Immunity on Immunogenicity and Protection Conferred with an Adenovirus-Based H5N1 Influenza Vaccine. PLoS ONE, 2012, 7, e33428. | 2.5 | 65 |
| 16 | Comparative transduction efficiencies of human and nonhuman adenoviral vectors in human, murine, bovine, and porcine cells in culture. Biochemical and Biophysical Research Communications, 2005, 327, 960-966. | 2.1 | 62 |
| 17 | Components of Adenovirus Genome Packaging. Frontiers in Microbiology, 2016, 7, 1503. | 3.5 | 61 |
| 18 | A Broadly Protective Vaccine against Globally Dispersed Clade 1 and Clade 2 H5N1 Influenza Viruses. Journal of Infectious Diseases, 2008, 197, 1185-1188. | 4.0 | 58 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Adenoviral Vector-Based Strategies for Cancer Therapy. <i>Current Drug Therapy</i> , 2009, 4, 117-138. | 0.3 | 54 |
| 20 | Porcine adenoviral vectors evade preexisting humoral immunity to adenoviruses and efficiently infect both human and murine cells in culture. <i>Virus Research</i> , 2004, 105, 127-136. | 2.2 | 52 |
| 21 | Egg-independent vaccine strategies for highly pathogenic H5N1 influenza viruses. <i>Hum Vaccin</i> , 2010, 6, 178-188. | 2.4 | 52 |
| 22 | Comparative analysis of vector biodistribution, persistence and gene expression following intravenous delivery of bovine, porcine and human adenoviral vectors in a mouse model. <i>Virology</i> , 2009, 386, 44-54. | 2.4 | 42 |
| 23 | Broadly Protective Adenovirus-Based Multivalent Vaccines against Highly Pathogenic Avian Influenza Viruses for Pandemic Preparedness. <i>PLoS ONE</i> , 2013, 8, e62496. | 2.5 | 41 |
| 24 | Vaccine approaches conferring cross-protection against influenza viruses. <i>Expert Review of Vaccines</i> , 2017, 16, 1141-1154. | 4.4 | 41 |
| 25 | Adenoviral Vector-Based Vaccine Platforms for Developing the Next Generation of Influenza Vaccines. <i>Vaccines</i> , 2020, 8, 574. | 4.4 | 40 |
| 26 | Bovine adenovirus type 3 internalization is independent of primary receptors of human adenovirus type 5 and porcine adenovirus type 3. <i>Biochemical and Biophysical Research Communications</i> , 2005, 331, 1478-1484. | 2.1 | 38 |
| 27 | Induction of Systemic and Mucosal Immune Responses in Cotton Rats Immunized with Human Adenovirus Type 5 Recombinants Expressing the Full and Truncated Forms of Bovine Herpesvirus Type 1 Glycoprotein gD. <i>Virology</i> , 1996, 222, 299-309. | 2.4 | 37 |
| 28 | Bovine adenovirus serotype 3 utilizes sialic acid as a cellular receptor for virus entry. <i>Virology</i> , 2009, 392, 162-168. | 2.4 | 36 |
| 29 | Pathogenesis and Immunogenicity of Bovine Adenovirus Type 3 in Cotton Rats (<i>Sigmodon hispidus</i>). <i>Virology</i> , 1995, 213, 131-139. | 2.4 | 35 |
| 30 | Sequence analysis of old and new strains of porcine circovirus associated with congenital tremors in pigs and their comparison with strains involved with postweaning multisystemic wasting syndrome. <i>Canadian Journal of Veterinary Research</i> , 2002, 66, 217-24. | 1.1 | 33 |
| 31 | Immunocompetent mouse model of breast cancer for preclinical testing of EphA2-targeted therapy. <i>Cancer Gene Therapy</i> , 2005, 12, 46-53. | 4.6 | 32 |
| 32 | The E1 sequence of bovine adenovirus type 3 and complementation of human adenovirus type 5 E1A function in bovine cells. <i>Virus Research</i> , 1994, 31, 163-186. | 2.2 | 31 |
| 33 | Foreign Gene Expression by Human Adenovirus Type 5-Based Vectors Studied Using Firefly Luciferase and Bacterial β -Galactosidase Genes as Reporters. <i>Virology</i> , 1995, 210, 226-230. | 2.4 | 30 |
| 34 | Characterization of Bovine Adenovirus Type 3 E1 Proteins and Isolation of E1-Expressing Cell Lines. <i>Virology</i> , 2002, 295, 108-118. | 2.4 | 30 |
| 35 | Development and Characterization of Bovine Δ — Human Hybrid Cell Lines That Efficiently Support the Replication of both Wild-Type Bovine and Human Adenoviruses and Those with E1 Deleted. <i>Journal of Virology</i> , 2002, 76, 5882-5892. | 3.4 | 27 |
| 36 | Porcine adenovirus serotype 3 internalization is independent of CAR and α 2 β 3 or α 5 β 1 integrin. <i>Virology</i> , 2005, 332, 157-166. | 2.4 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Modulation of PKR activity in cells infected by bovine viral diarrhoea virus. <i>Virus Research</i> , 2006, 116, 69-77. | 2.2 | 25 |
| 38 | Beta-defensin 2 enhances immunogenicity and protection of an adenovirus-based H5N1 influenza vaccine at an early time. <i>Virus Research</i> , 2013, 178, 398-403. | 2.2 | 24 |
| 39 | Avian influenza pandemic preparedness: developing pre-pandemic and pandemic vaccines against a moving target. <i>Expert Reviews in Molecular Medicine</i> , 2010, 12, e14. | 3.9 | 23 |
| 40 | KANK1 inhibits cell growth by inducing apoptosis through regulating CXXC5 in human malignant peripheral nerve sheath tumors. <i>Scientific Reports</i> , 2017, 7, 40325. | 3.3 | 23 |
| 41 | Evaluation of innate immunity and vector toxicity following inoculation of bovine, porcine or human adenoviral vectors in a mouse model. <i>Virus Research</i> , 2010, 153, 134-142. | 2.2 | 22 |
| 42 | Generation of infectious genome of bovine adenovirus type 3 by homologous recombination in bacteria. <i>Journal of Virological Methods</i> , 1999, 77, 125-129. | 2.1 | 18 |
| 43 | Adenoviral E2 IVa2 protein interacts with L4 33K protein and E2 DNA-binding protein. <i>Journal of General Virology</i> , 2013, 94, 1325-1334. | 2.9 | 18 |
| 44 | EphrinA1-EphA2 interaction-mediated apoptosis and FMS-like tyrosine kinase 3 receptor ligand-induced immunotherapy inhibit tumor growth in a breast cancer mouse model. <i>Journal of Gene Medicine</i> , 2012, 14, 77-89. | 2.8 | 17 |
| 45 | Current Use of Adenovirus Vectors and Their Production Methods. <i>Methods in Molecular Biology</i> , 2019, 1937, 155-175. | 0.9 | 16 |
| 46 | A recombinant bovine adenoviral mucosal vaccine expressing mycobacterial antigen-85B generates robust protection against tuberculosis in mice. <i>Cell Reports Medicine</i> , 2021, 2, 100372. | 6.5 | 16 |
| 47 | Longevity of adenovirus vector immunity in mice and its implications for vaccine efficacy. <i>Vaccine</i> , 2018, 36, 6744-6751. | 3.8 | 15 |
| 48 | Adenovirus vector-based multi-epitope vaccine provides partial protection against H5, H7, and H9 avian influenza viruses. <i>PLoS ONE</i> , 2017, 12, e0186244. | 2.5 | 15 |
| 49 | A Bovine Adenoviral Vector-Based H5N1 Influenza Vaccine Provides Enhanced Immunogenicity and Protection at a Significantly Low Dose. <i>Molecular Therapy - Methods and Clinical Development</i> , 2018, 10, 210-222. | 4.1 | 14 |
| 50 | Adenoviral vector-based platforms for developing effective vaccines to combat respiratory viral infections. <i>Clinical and Translational Immunology</i> , 2021, 10, e1345. | 3.8 | 14 |
| 51 | Sequential administration of bovine and human adenovirus vectors to overcome vector immunity in an immunocompetent mouse model of breast cancer. <i>Virus Research</i> , 2012, 163, 202-211. | 2.2 | 12 |
| 52 | Adenoviral L4 33K forms ring-like oligomers and stimulates ATPase activity of IVa2: implications in viral genome packaging. <i>Frontiers in Microbiology</i> , 2015, 6, 318. | 3.5 | 12 |
| 53 | A highly immunogenic vaccine against A/H7N9 influenza virus. <i>Vaccine</i> , 2016, 34, 744-749. | 3.8 | 12 |
| 54 | Efficiency of Airborne Sample Analysis Platform (ASAP) bioaerosol sampler for pathogen detection. <i>Frontiers in Microbiology</i> , 2015, 6, 512. | 3.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Adenoviral E4 34K protein interacts with virus packaging components and may serve as the putative portal. <i>Scientific Reports</i> , 2017, 7, 7582. | 3.3 | 10 |
| 56 | Innate lymphoid cells (ILC) in SARS-CoV-2 infection. <i>Molecular Aspects of Medicine</i> , 2021, 80, 101008. | 6.4 | 10 |
| 57 | Nonhuman Adenoviral Vector-Based Platforms and Their Utility in Designing Next Generation of Vaccines for Infectious Diseases. <i>Viruses</i> , 2021, 13, 1493. | 3.3 | 9 |
| 58 | Adenoviral vector expressing murine β -defensin 2 enhances immunogenicity of an adenoviral vector based H5N1 influenza vaccine in aged mice. <i>Virus Research</i> , 2013, 177, 55-61. | 2.2 | 8 |
| 59 | Sequence Analysis of Porcine Adenovirus Type 3 E1 Region, pIX and pIVa2 Genes, and Two Novel Open Reading Frames. <i>Intervirology</i> , 2000, 43, 6-12. | 2.8 | 7 |
| 60 | Influenza Virus Infects and Depletes Activated Adaptive Immune Responders. <i>Advanced Science</i> , 2021, 8, e2100693. | 11.2 | 7 |
| 61 | Persistence and the state of bovine and porcine adenoviral vector genomes in human and nonhuman cell lines. <i>Virus Research</i> , 2011, 161, 181-187. | 2.2 | 5 |
| 62 | Xenogenic Adenoviral Vectors. , 2016, , 495-528. | | 5 |
| 63 | Functional Characterization of Bovine Parainfluenza Virus Type 3 Hemagglutinin-Neuraminidase and Fusion Proteins Expressed by Adenovirus Recombinants. <i>Intervirology</i> , 1998, 41, 253-260. | 2.8 | 4 |
| 64 | Identification of RECK as an evolutionarily conserved tumor suppressor gene for zebrafish malignant peripheral nerve sheath tumors. <i>Oncotarget</i> , 2018, 9, 23494-23504. | 1.8 | 4 |
| 65 | A 72-bp Internal Deletion in the Left Inverted Terminal Repeat of the Bovine Adenovirus Type 3 Genome Does Not Affect Virus Replication. <i>Intervirology</i> , 2002, 45, 188-192. | 2.8 | 3 |
| 66 | Loss of smarcad1a accelerates tumorigenesis of malignant peripheral nerve sheath tumors in zebrafish. <i>Genes Chromosomes and Cancer</i> , 2021, 60, 743-761. | 2.8 | 3 |
| 67 | 155R is a novel structural protein of bovine adenovirus type 3, but it is not essential for virus replication. <i>Journal of General Virology</i> , 2017, 98, 749-753. | 2.9 | 2 |
| 68 | A potential approach for assessing the quality of human and nonhuman adenoviral vector preparations. <i>Canadian Journal of Veterinary Research</i> , 2020, 84, 314-318. | 0.2 | 0 |