
Andrzej JÃ³Å^owiak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1107882/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Heat capacity of six glymes in N,N-dimethylformamideÂ+Âwater mixtures. Solvation of glymes. Journal of Molecular Liquids, 2022, 361, 119624.	4.9	0
2	Solvation enthalpy of selected glymes in the mixtures of N,N-dimethylformamide with propan-1-ol or methanol at 298.15†K. The solvent contribution to the solvation enthalpy of glymes. Journal of Molecular Liquids, 2020, 314, 113733.	4.9	2
3	Unexpected Rearrangement of Dilithiated Isoindoline-1,3-diols into 3-Aminoindan-1-ones via <i>N</i> -Lithioaminoarylcarbenes: A Combined Synthetic and Computational Study. Journal of Organic Chemistry, 2019, 84, 11425-11440.	3.2	7
4	Quantifying intermolecular interactions for isoindole derivatives: substituent effect vs. crystal packing. Zeitschrift Fur Kristallographie - Crystalline Materials, 2018, 233, 675-687.	0.8	7
5	Effect of properties of the N,N -dimethylformamide–methanol and N,N -dimethylformamide–water mixtures on the solution enthalpy of glymes in these mixtures at 298.15 K. Thermochimica Acta, 2017, 652, 53-61.	2.7	10
6	Effect of temperature and solvent properties on the process of complex formation between crown ether 15C5 and Na + in the (propan-1-ol + water) mixture at temperatures from T = 293.15 K to T = 308.15 K. Journal of Chemical Thermodynamics, 2017, 113, 321-329.	2.0	1
7	A hitherto undescribed addition of the lithium salt of dimethyl methylphosphonate to N-substituted phthalimides. Tetrahedron Letters, 2016, 57, 1835-1837.	1.4	2
8	Synthesis of Some Aminophosphonates Bearing <i>N</i> â€(Fluorophenyl)â€piperazynyl Moiety and Their Activity toward Serotonin Receptors. Heteroatom Chemistry, 2015, 26, 290-298.	0.7	2
9	Substituted benzoquinazolinones. Part 2: Synthesis of amino-, and sulfanyl-derivatives of benzo[f]- and benzo[h]quinazolinones. Tetrahedron, 2015, 71, 9463-9473.	1.9	11
10	Synthesis of phosphorylated isoindolinone derivatives. Tetrahedron Letters, 2014, 55, 2420-2422.	1.4	14
11	Substituted benzoquinazolinones. Part 1: Synthesis of 6-aminobenzo[h]quinazolinones via Buchwald–Hartwig aminationÂfrom 6-bromobenzo[h]quinazolinones. Tetrahedron, 2014, 70, 5153-5160.	1.9	21
12	Enthalpy of solution of hexaglyme in mixtures of water with N,N-dimethylformamide at 298.15K. Journal of Molecular Liquids, 2014, 199, 224-226.	4.9	5
13	Synthesis, X-ray structure, electrochemical properties and cytotoxic effects of new arene ruthenium(II) complexes. Journal of Organometallic Chemistry, 2013, 745-746, 64-70.	1.8	22
14	Dynamic 1H NMR spectroscopic study of hindered internal rotation in selected N,N-dialkyl isonicotinamides: an experimental and DFT analysis. Tetrahedron, 2013, 69, 8147-8154.	1.9	17
15	Electronic properties of two adjacent intramolecular hydrogen bonds and their effects to the molecular charge distribution: Experimental synchrotron microcrystal and DFT computational study. Chemical Physics, 2012, 407, 20-28.	1.9	5
16	Synthesis, structure, electrochemical properties, cytotoxic effects and antioxidant activity of 5-amino-8-methyl-4H-benzopyran-4-one and its copper(II) complexes. Polyhedron, 2012, 31, 150-158.	2.2	35
17	Experimental and theoretical electron-density study of three isoindole derivatives: topological and Hirshfeld surface analysis of weak intermolecular interactions. Acta Crystallographica Section B: Structural Science, 2011, 67, 569-581.	1.8	29
18	The effect of carbonyl carbon atom replacement in acetone molecule (ACN) by sulfur atom (DMSO): Part II. Thermodynamic functions of complex formation of crown ethers with Na+ in mixed solvents. Journal of Thermal Analysis and Calorimetry, 2010, 99, 307-314.	3.6	3

Andrzej JóÅ⁰wiak

#	Article	IF	CITATIONS
19	Studies of heterogeneous interactions between N-acetyl-N′-methyl-l-α-amino acid amides and urea molecules in water at 298.15K. Thermochimica Acta, 2010, 501, 19-23.	2.7	6
20	Synthesis of Selenium Derivatives of 3-Hydroxy-2-substituted-2,3-dihydroisoindol-1-ones. Phosphorus, Sulfur and Silicon and the Related Elements, 2009, 184, 1502-1507.	1.6	3
21	Complex Formation of Crown Ethers and Cations inÂWater–Organic Solvent Mixtures: Part XI. Effects ofÂtheÂPreferential Solvation of Benzo-15-Crown-5 andÂAcid-Base Properties of the Mixtures on the Thermodynamic Functions for Complex Formation ofÂBenzo-15-Crown-5 with Na+ in Propan-1-ol–Water Mixtures at 298.15ÂK. Iournal of Solution Chemistry. 2009. 38. 1283-1294.	1.2	4
22	Studies of homogeneous interactions of N-acetyl-N′-methyl-l-α-amino acid amides in water at 298.15K. Thermochimica Acta, 2009, 489, 1-4.	2.7	10
23	Secondary Amides as ortho-Directed Metallation Groups for Arenes; a Useful Construction Way of the Polysubstituted Aromatic and Heteroaromatic Systems. Current Organic Chemistry, 2006, 10, 1817-1848.	1.6	23
24	Behaviour ofN-Pyridylbenzamides versus Benzanilides in theortho-Directed Lithiation of Masked Aromatic Carboxylic Acids. European Journal of Organic Chemistry, 2004, 2004, 3254-3261.	2.4	8
25	Thermodynamics of interactions of Na+ ion with 15-crown-5 ether in the mixtures of water with dimethylsulfoxide at 298.15 K. Journal of Molecular Liquids, 2003, 106, 15-29.	4.9	12
26	Application of Organolithium and Related Reagents in Synthesis. Part 23: Synthetic Strategies Based on ortho-Aromatic Metallation. Synthesis of 4b-Arylisoindolo[2,1-a]quinoline derivatives. Tetrahedron, 2000, 56, 4837-4844.	1.9	25
27	Application of Organolithium and Related Reagents in Synthesis; XX. Synthesis of 4b-Phenylazaisoindolo[2,1-a]quinoline Derivatives. Synthetic Communications, 1998, 28, 451-461.	2.1	6
28	Application of organolithium and related reagents in synthesis. Part 18. Synthetic strategies based on aromatic metallation. A conversion of methyl ortho-pyridoylbenzoates into aza-anthra-5,10-quinones. Tetrahedron, 1996, 52, 11025-11036.	1.9	16
29	Application of Organolithium and Related Reagents in Synthesis; Part 17: Synthesis of Azaisoindolo[2,1-a]quinoline Derivatives. Synthesis, 1996, 1996, 1212-1216.	2.3	41
30	Application of organolithium and related reagents in synthesis. Part 14. Synthetic strategies based on aromatic metallation. A concise regiospecific conversion of benzoic acids into their ortho-pyridoyl derivatives. Tetrahedron, 1994, 50, 2907-2916.	1.9	9
31	Application of organolithium and related reagents in synthesis. Part 13. Synthetic strategies based on aromatic metallation. A concise regiospecific conversion of benzoic acids into 4-hydroxy-1-arylnaphthalenes. Tetrahedron, 1993, 49, 929-938.	1.9	19
32	Influence of structure on the isomerization of dialkylaminoalkylbenzotriazoles. Journal of Physical Organic Chemistry, 1990, 3, 289-294.	1.9	7
33	Application of organolithium and related reagents in synthesis, part VI. A general study of the lithiation of secondary picoline- and isonicotine amides. Monatshefte Für Chemie, 1990, 121, 909-921.	1.8	20
34	Benzotriazole-assisted synthesis of enamines. Tetrahedron, 1990, 46, 8153-8160.	1.9	27
35	Isomerizations of N-(α-aminoalkyl)-1,2,4-triazoles and N-(α-aminoalkyl)tetrazoles. Tetrahedron, 1990, 46, 633-640.	1.9	23
36	The dual behaviour of N,N-dialkylpyridylcarboxyclic amides in the reaction with lithium diisopropylamide. Tetrahedron Letters, 1983, 24, 4735-4738.	1.4	36

#	Article	IF	CITATIONS
37	Reactions of the N,N-dialkylpyridylcarboxylic amides with lithium amides. Regioselective lithiation of N,N-diisopropylpyridylcarboxylic amides, a useful method for synthesis of 2,3- and 3,4-disubstituted pyridines. Tetrahedron Letters, 1980, 21, 4739-4742.	1.4	38