

# K David Wegner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11078975/publications.pdf>

Version: 2024-02-01

24  
papers

2,075  
citations

471509

17  
h-index

610901

24  
g-index

25  
all docs

25  
docs citations

25  
times ranked

3386  
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantitative considerations about the size dependence of cellular entry and excretion of colloidal nanoparticles for different cell types. <i>ChemTexts</i> , 2022, 8, 9.	1.9	5
2	Tailoring the SWIR emission of gold nanoclusters by surface ligand rigidification and their application in 3D bioimaging. <i>Chemical Communications</i> , 2022, 58, 2967-2970.	4.1	10
3	Influence of particle architecture on the photoluminescence properties of silica-coated CdSe core/shell quantum dots. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 4427-4439.	3.7	6
4	One-Pot Heat-Up Synthesis of ZnSe Magic-Sized Clusters Using Thiol Ligands. <i>Inorganic Chemistry</i> , 2022, 61, 7207-7211.	4.0	4
5	Tailoring the NIR-Photoluminescence of Single Thiolated Au <sub>25</sub> Nanoclusters by Selective Binding to Proteins**. <i>Chemistry - A European Journal</i> , 2022, 28, .	3.3	13
6	Triplexed CEA-NSE-PSA Immunoassay Using Time-Gated Terbium-to-Quantum Dot FRET. <i>Molecules</i> , 2020, 25, 3679.	3.8	4
7	High-Resolution Shortwave Infrared Imaging of Vascular Disorders Using Gold Nanoclusters. <i>ACS Nano</i> , 2020, 14, 4973-4981.	14.6	62
8	Water-Soluble Aza-BODIPYs: Biocompatible Organic Dyes for High Contrast <i>In Vivo</i> NIR-II Imaging. <i>Bioconjugate Chemistry</i> , 2020, 31, 1088-1092.	3.6	60
9	Gallium a versatile element for tuning the photoluminescence properties of InP quantum dots. <i>Chemical Communications</i> , 2019, 55, 1663-1666.	4.1	35
10	High photoluminescence of shortwave infrared-emitting anisotropic surface charged gold nanoclusters. <i>Nanoscale</i> , 2019, 11, 12092-12096.	5.6	44
11	Physicochemical alterations and toxicity of InP alloyed quantum dots aged in environmental conditions: A safer by design evaluation. <i>NanoImpact</i> , 2019, 14, 100168.	4.5	29
12	Compact quantum dot-antibody conjugates for FRET immunoassays with subnanomolar detection limits. <i>Nanoscale</i> , 2016, 8, 11275-11283.	5.6	46
13	Nanobodies and Antibodies for Duplexed EGFR/HER2 Immunoassays Using Terbium-to-Quantum Dot FRET. <i>Chemistry of Materials</i> , 2016, 28, 8256-8267.	6.7	51
14	A Rapid, Amplification-Free, and Sensitive Diagnostic Assay for Single-Step Multiplexed Fluorescence Detection of MicroRNA. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 10024-10029.	13.8	164
15	Upconverting nanoparticle to quantum dot FRET for homogeneous double-nano biosensors. <i>RSC Advances</i> , 2015, 5, 13270-13277.	3.6	89
16	Terbium-based time-gated Förster resonance energy transfer imaging for evaluating protein-protein interactions on cell membranes. <i>Dalton Transactions</i> , 2015, 44, 4994-5003.	3.3	24
17	Quantum dots: bright and versatile in vitro and in vivo fluorescence imaging biosensors. <i>Chemical Society Reviews</i> , 2015, 44, 4792-4834.	38.1	795
18	Nanobodies and Nanocrystals: Highly Sensitive Quantum Dot-Based Homogeneous FRET Immunoassay for Serum-Based EGFR Detection. <i>Small</i> , 2014, 10, 734-740.	10.0	98

#	ARTICLE	IF	CITATIONS
19	Luminescent terbium complexes: Superior Förster resonance energy transfer donors for flexible and sensitive multiplexed biosensing. <i>Coordination Chemistry Reviews</i> , 2014, 273-274, 125-138.	18.8	164
20	Lanthanides and Quantum Dots as Förster Resonance Energy Transfer Agents for Diagnostics and Cellular Imaging. <i>Inorganic Chemistry</i> , 2014, 53, 1824-1838.	4.0	121
21	Three-Dimensional Solution-Phase Förster Resonance Energy Transfer Analysis of Nanomolar Quantum Dot Bioconjugates with Subnanometer Resolution. <i>Chemistry of Materials</i> , 2014, 26, 4299-4312.	6.7	37
22	Quantum-Dot-Based Förster Resonance Energy Transfer Immunoassay for Sensitive Clinical Diagnostics of Low-Volume Serum Samples. <i>ACS Nano</i> , 2013, 7, 7411-7419.	14.6	140
23	Influence of Luminescence Quantum Yield, Surface Coating, and Functionalization of Quantum Dots on the Sensitivity of Time-Resolved FRET Bioassays. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 2881-2892.	8.0	60
24	Activated phosphonated trifunctional chelates for highly sensitive lanthanide-based FRET immunoassays applied to total prostate specific antigen detection. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 6493.	2.8	13