

Stefano De Servi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11084040/publications.pdf>

Version: 2024-02-01

84
papers

9,448
citations

218677

26
h-index

58581

82
g-index

85
all docs

85
docs citations

85
times ranked

7886
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimal P2Y12 inhibition in older adults with acute coronary syndromes: a network meta-analysis of randomized controlled trials. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 20-27.	3.0	14
2	Management of acute coronary syndromes in older adults. <i>European Heart Journal</i> , 2022, 43, 1542-1553.	2.2	24
3	Bleeding risk prediction in elderly patients managed invasively for acute coronary syndromes: External validation of the PRECISE-DAPT and PARIS scores. <i>International Journal of Cardiology</i> , 2021, 328, 22-28.	1.7	14
4	Antiplatelet Therapy in Elderly Patients with Acute Coronary Syndromes: the Clopidogrel Revenge: Possible Reasons for a Bright Comeback. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 399-401.	2.6	5
5	Early invasive approach and outcome in elderly patients with NSTEMACS: randomised trials, real-world data and guideline recommendations. <i>EuroIntervention</i> , 2021, 17, 20-21.	3.2	1
6	Association of Sex with Outcome in Elderly Patients with Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>American Journal of Medicine</i> , 2021, 134, 1135-1141.e1.	1.5	6
7	Effectiveness and Safety of Non-Vitamin K Oral Anticoagulants in Non-Valvular Atrial Fibrillation Patients: Results of A Real-World Study in a Metropolitan Area of Northern Italy. <i>Journal of Clinical Medicine</i> , 2021, 10, 4536.	2.4	5
8	Validation and Additive Predictive Value of the Academic Research Consortiumâ€™ High Bleeding Risk Criteria in Older Adults. <i>Thrombosis and Haemostasis</i> , 2021, 121, 1255-1257.	3.4	4
9	Fifteen-Year Trends of Cardiogenic Shock and Mortality in Patients with Diabetes and Acute Coronary Syndromes. <i>American Journal of Medicine</i> , 2020, 133, 331-339.e2.	1.5	9
10	Characteristics and Outcome of Patients â‰¥75 Years of Age With Prior Coronary Artery Bypass Grafting Admitted for an Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2020, 125, 1788-1793.	1.6	3
11	A preprocedural risk score predicts acute kidney injury following primary percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 98, 197-205.	1.7	5
12	Impact of renal dysfunction and acute kidney injury on outcome in elderly patients with acute coronary syndrome undergoing percutaneous coronary intervention. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, , 2048872620920475.	1.0	5
13	Comparative Efficacy and Safety of Oral P2Y ₁₂ Inhibitors in Acute Coronary Syndrome. <i>Circulation</i> , 2020, 142, 150-160.	1.6	93
14	De-escalating dual antiplatelet therapy in patients with acute coronary syndromes: the right strategy to harmonize time-dependent ischemic and bleeding risk in elderly patients?. <i>Journal of Cardiovascular Medicine</i> , 2020, 21, 281-285.	1.5	2
15	Impact of body mass index on clinical outcome among elderly patients with acute coronary syndrome treated with percutaneous coronary intervention: Insights from the ELDERLY ACS 2 trial. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 730-737.	2.6	4
16	Clinical governance programme in patients with acute coronary syndrome: design and methodology of a quality improvement initiative. <i>Open Heart</i> , 2020, 7, e001415.	2.3	5
17	Trends in management and outcome of patients with non-ST elevation acute coronary syndromes and peripheral arterial disease. <i>European Journal of Internal Medicine</i> , 2019, 59, 70-76.	2.2	9
18	Outcomes of Elderly Patients with ST-Elevation or Non-ST-Elevation Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>American Journal of Medicine</i> , 2019, 132, 209-216.	1.5	23

#	ARTICLE	IF	CITATIONS
19	Time Course of Ischemic and Bleeding Burden in Elderly Patients With Acute Coronary Syndromes Randomized to Low-Dose Prasugrel or Clopidogrel. <i>Journal of the American Heart Association</i> , 2019, 8, e010956.	3.7	32
20	Antiplatelet therapy in very elderly and comorbid patients with acute coronary syndromes. <i>Journal of Geriatric Cardiology</i> , 2019, 16, 103-113.	0.2	11
21	Comparison of Reduced-Dose Prasugrel and Standard-Dose Clopidogrel in Elderly Patients With Acute Coronary Syndromes Undergoing Early Percutaneous Revascularization. <i>Circulation</i> , 2018, 137, 2435-2445.	1.6	116
22	Is ticagrelor safe in octogenarian patients with non-ST elevation acute coronary syndromes?. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018, 4, 12-14.	3.0	11
23	The paradox of clopidogrel use in patients with acute coronary syndromes and diabetes. <i>Coronary Artery Disease</i> , 2018, 29, 309-315.	0.7	11
24	High on-treatment platelet reactivity and outcome in elderly with non ST-segment elevation acute coronary syndrome - Insight from the GEPRESS study. <i>International Journal of Cardiology</i> , 2018, 259, 20-25.	1.7	18
25	Epidemiology and Management of Patients With Acute Coronary Syndromes in Contemporary Real-World Practice: Evolving Trends From the EYESHOT Study to the START-ANTIPLATELET Registry. <i>Angiology</i> , 2018, 69, 795-802.	1.8	35
26	Comparison of Outcomes of Staged Complete Revascularization Versus Culprit Lesion-Only Revascularization for ST-Elevation Myocardial Infarction and Multivessel Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2017, 119, 508-514.	1.6	8
27	Recent trends in management and outcome of patients with acute coronary syndromes and atrial fibrillation. <i>International Journal of Cardiology</i> , 2017, 248, 369-375.	1.7	22
28	Contemporary Trends and Age-Specific Sex Differences in Management and Outcome for Patients With ST-Segment Elevation Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	67
29	The evolution of post-infarction dissecting hemorrhage into intramural hematoma and sub-epicardial aneurysm. <i>International Journal of Cardiology</i> , 2016, 221, 575-576.	1.7	1
30	Prasugrel versus clopidogrel in acute coronary syndromes treated with PCI: Effects on clinical outcome according to culprit artery location. <i>International Journal of Cardiology</i> , 2016, 223, 632-638.	1.7	5
31	A comparison of reduced-dose prasugrel and standard-dose clopidogrel in elderly patients with acute coronary syndromes undergoing early percutaneous revascularization: Design and rationale of the randomized Elderly-ACS 2 study. <i>American Heart Journal</i> , 2016, 181, 101-106.	2.7	19
32	Invasive Management for Elderly Adults with Acute Coronary Syndrome: Where Are We Now?. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2396-2397.	2.6	4
33	Which long-term antiplatelet regimen for patients with acute coronary syndromes?. <i>Cardiovascular Drugs and Therapy</i> , 2016, 30, 333-338.	2.6	0
34	Can the optimal type of stent be predicted based on clinical risk factors? A subgroup analysis of the randomized BASKET-PROVE trial. <i>American Heart Journal</i> , 2016, 173, 1-7.	2.7	4
35	Temporal trends in the epidemiology, management, and outcome of patients with cardiogenic shock complicating acute coronary syndromes. <i>European Journal of Heart Failure</i> , 2015, 17, 1124-1132.	7.1	95
36	Effect of an Invasive Strategy on Outcome in Patients \geq 75 Years of Age With Non-ST-Elevation Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2015, 115, 576-580.	1.6	31

#	ARTICLE	IF	CITATIONS
37	Prasugrel and ticagrelor compared to clopidogrel in non-ST-segment elevation acute coronary syndromes undergoing percutaneous coronary interventions: Certainties and uncertainties. <i>International Journal of Cardiology</i> , 2015, 181, 443-445.	1.7	4
38	Contemporary antithrombotic strategies in patients with acute coronary syndrome admitted to cardiac care units in Italy: The EYESHOT Study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2015, 4, 441-452.	1.0	81
39	Sex-Related Outcomes in Elderly Patients Presenting With Non-“ST-Segment Elevation Acute Coronary Syndrome. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 791-796.	2.9	39
40	A Risk Score for Predicting 1-Year Mortality in Patients ≥75 Years of Age Presenting With Non-ST-Elevation Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2015, 116, 208-213.	1.6	19
41	Mortality in patients treated with extended duration dual antiplatelet therapy after drug-eluting stent implantation: a pairwise and Bayesian network meta-analysis of randomised trials. <i>Lancet</i> , The, 2015, 385, 2371-2382.	13.7	345
42	Renal dysfunction, coronary revascularization and mortality among elderly patients with non ST elevation acute coronary syndrome. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2015, 4, 453-460.	1.0	18
43	Acute Kidney Injury in Elderly Patients With Non-ST Elevation Acute Coronary Syndrome. <i>Angiology</i> , 2015, 66, 826-830.	1.8	8
44	Impact of Gene Polymorphisms, Platelet Reactivity, and the SYNTAX Score on 1-Year Clinical Outcomes in Patients With Non-“ST-Segment Elevation Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 1117-1127.	2.9	38
45	Early invasive versus selectively invasive strategy in patients with non-“ST-segment elevation acute coronary syndrome: Impact of age. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, 686-701.	1.7	34
46	Clinical outcomes for prasugrel versus clopidogrel in patients with unstable angina or non-ST-elevation myocardial infarction: an analysis from the TRITON-TIMI 38 trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014, 3, 363-372.	1.0	38
47	Anemia in octogenarians with non-ST elevation acute coronary syndrome: Aging or disease?. <i>International Journal of Cardiology</i> , 2014, 176, 1147-1149.	1.7	12
48	One-Year Mortality in Elderly Adults with Non-“ST-Elevation Acute Coronary Syndrome: Effect of Diabetic Status and Admission Hyperglycemia. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1297-1303.	2.6	27
49	Renal function estimation and one-year mortality in elderly patients with non-ST-segment elevation acute coronary syndromes. <i>International Journal of Cardiology</i> , 2014, 174, 127-128.	1.7	15
50	Treatment of Acute Coronary Syndromes in the Elderly and in Patients With Comorbidities. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 564-573.	0.6	18
51	Heart rate at discharge and long-term prognosis following percutaneous coronary intervention in stable and acute coronary syndromes “ results from the BASKET PROVE trial. <i>International Journal of Cardiology</i> , 2013, 168, 3802-3806.	1.7	26
52	Long-term benefits and risks of drug-eluting compared to bare-metal stents in patients with versus without chronic kidney disease. <i>International Journal of Cardiology</i> , 2013, 168, 2381-2388.	1.7	15
53	Trilogy: In search of the lost ring. <i>International Journal of Cardiology</i> , 2013, 167, 1638-1639.	1.7	0
54	Causes of Death in Patients ≥75 Years of Age With Non-“ST-Segment Elevation Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2013, 112, 1-7.	1.6	34

#	ARTICLE	IF	CITATIONS
55	How to reduce mortality in ST-elevation myocardial infarction patients treated with primary percutaneous coronary interventions: cut the bleeding. <i>Current Medical Research and Opinion</i> , 2013, 29, 189-194.	1.9	7
56	The bivalirudin paradox. <i>Journal of Cardiovascular Medicine</i> , 2013, 14, 334-341.	1.5	9
57	Detection of Tissue Factor Antigen and Coagulation Activity in Coronary Artery Thrombi Isolated from Patients with ST-Segment Elevation Acute Myocardial Infarction. <i>PLoS ONE</i> , 2013, 8, e81501.	2.5	21
58	Defining high-risk patients with ST-segment elevation acute myocardial infarction undergoing primary percutaneous coronary intervention: A comparison among different scoring systems and clinical definitions. <i>International Journal of Cardiology</i> , 2012, 157, 207-211.	1.7	4
59	Early Aggressive Versus Initially Conservative Treatment in Elderly Patients With Non-ST-Segment Elevation Acute Coronary Syndrome. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 906-916.	2.9	215
60	How to explain the reduced cardiovascular mortality in the ticagrelor arm of the PLATO trial?. <i>International Journal of Cardiology</i> , 2011, 149, 265-267.	1.7	10
61	Treating acute coronary syndromes with new antiplatelet drugs: the mortality issue with prasugrel and ticagrelor. <i>Current Medical Research and Opinion</i> , 2011, 27, 2117-2122.	1.9	4
62	Importance and limits of pre-hospital electrocardiogram in patients with ST elevation myocardial infarction undergoing percutaneous coronary angioplasty. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011, 18, 526-532.	2.8	26
63	LombardIMA: a regional registry for coronary angioplasty in ST-elevation myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , 2011, 12, 43-50.	1.5	11
64	NT pro-B-type natriuretic peptide levels are related to microvascular reperfusion in patients undergoing direct percutaneous transluminal coronary angioplasty for anterior ST-segment elevation myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , 2010, 11, 359-364.	1.5	2
65	Impact of Acute Coronary Syndromes on Two-Year Clinical Outcomes in Patients With Unprotected Left Main Coronary Artery Stenosis Treated With Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2010, 105, 174-178.	1.6	11
66	Drug-Eluting versus Bare-Metal Stents in Large Coronary Arteries. <i>New England Journal of Medicine</i> , 2010, 363, 2310-2319.	27.0	243
67	Reperfusion therapy for ST elevation acute myocardial infarction in Europe: description of the current situation in 30 countries. <i>European Heart Journal</i> , 2010, 31, 943-957.	2.2	548
68	Sex-related differences in patients undergoing percutaneous unprotected left main stenting. <i>EuroIntervention</i> , 2010, 5, 795-800.	3.2	18
69	Efficacy and safety of prasugrel compared with clopidogrel in patients with acute coronary syndromes: results of TRITON-TIMI 38 trials. <i>Expert Review of Cardiovascular Therapy</i> , 2009, 7, 17-23.	1.5	5
70	Ostial and midshaft lesions vs. bifurcation lesions in 1111 patients with unprotected left main coronary artery stenosis treated with drug-eluting stents: results of the survey from the Italian Society of Invasive Cardiology. <i>European Heart Journal</i> , 2009, 30, 2087-2094.	2.2	112
71	Temporal Pattern of Ischemic Events in Relation to Dual Antiplatelet Therapy in Patients With Unprotected Left Main Coronary Artery Stenosis Undergoing Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2009, 53, 1176-1181.	2.8	16
72	High-risk non-ST-segment elevation myocardial infarction versus ST-segment elevation myocardial infarction: same behaviour and outcome?. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, S13-S16.	1.5	17

#	ARTICLE	IF	CITATIONS
73	Longest Available Clinical Outcomes After Drug-Eluting Stent Implantation for Unprotected Left Main Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2008, 51, 2212-2219.	2.8	160
74	Drug-eluting or bare-metal stents for large coronary vessel stenting? The BASKET-PROVE (PROspective) Tj ETQq0 0,0rgBT /Overlock 10	2.7	26
75	Modalities of treatment and 30-day outcomes of unselected patients older than 75 years with acute ST-elevation myocardial infarction: data from the BLITZ study. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 1045-1051.	1.5	5
76	Circulating CD34-positive cell number is related to effective myocardial reperfusion in acute myocardial infarction treated with primary coronary angioplasty. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 677-682.	1.5	3
77	Early aggressive vs. initially conservative treatment in elderly patients with non-ST-elevation acute coronary syndrome: The Italian Elderly ACS study. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 217-226.	1.5	12
78	Prasugrel versus Clopidogrel in Patients with Acute Coronary Syndromes. <i>New England Journal of Medicine</i> , 2007, 357, 2001-2015.	27.0	5,933
79	Epidemiology of non-ST elevation acute coronary syndromes in the Italian cardiology network: the BLITZ-2 study. <i>European Heart Journal</i> , 2006, 27, 393-405.	2.2	54
80	Significance of total and differential leucocyte count in patients with acute myocardial infarction treated with primary coronary angioplasty. <i>European Heart Journal</i> , 2006, 27, 2511-2515.	2.2	67
81	Effects of tirofiban plus clopidogrel versus clopidogrel plus provisional abciximab on biomarkers of myocardial necrosis in patients with non-â€œST-elevation acute coronary syndromes treated with early aggressive approach. Results of the CLOpidogrel, upstream Tirofiban, in cath Lab Downstream Abciximab (CLOTILDA) study. <i>American Heart Journal</i> , 2005, 150, 401.e9-401.e14.	2.7	21
82	Non-stâ€œelevation acute coronary syndrome in the elderly: treatment strategies and 30-day outcome. <i>American Heart Journal</i> , 2004, 147, 830-836.	2.7	66
83	Epidemiology of acute myocardial infarction in the Italian CCU network The BLITZ Study. <i>European Heart Journal</i> , 2003, 24, 1616-1629.	2.2	111
84	Integrated Analysis of Myocardial Blush and ST-Segment Elevation Recovery After Successful Primary Angioplasty. <i>Circulation</i> , 2002, 106, 313-318.	1.6	189