

Yoshihiro Minamiya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11114009/publications.pdf>

Version: 2024-02-01

123
papers

2,471
citations

172457
29
h-index

289244
40
g-index

127
all docs

127
docs citations

127
times ranked

3436
citing authors

#	ARTICLE	IF	CITATIONS
1	Salvage Robotic-Assisted Thoracoscopic Esophagectomy after Definitive Chemoradiotherapy for Clinical T4b Esophageal Cancer: A Case Report. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2023, 29, 97-102.	0.8	3
2	Association between ABCC2 polymorphism and hematological toxicity in patients with esophageal cancer receiving platinum plus 5-fluorouracil therapy. <i>Esophagus</i> , 2022, 19, 146-152.	1.9	3
3	Using CT to evaluate mediastinal great vein invasion by thymic epithelial tumors: measurement of the interface between the tumor and neighboring structures. <i>European Radiology</i> , 2022, 32, 1891-1901.	4.5	6
4	Does Esophagectomy Provide a Survival Advantage to Patients Aged 80 Years or Older? Analyzing 5066 Patients in the National Database of Hospital-based Cancer Registries in Japan. <i>Annals of Surgery</i> , 2022, 276, e16-e23.	4.2	11
5	Stapler-lavage cytology using a new rapid immunocytochemistry for evaluating surgical margin status after pulmonary sublobar resection. <i>General Thoracic and Cardiovascular Surgery</i> , 2022, 70, 359-365.	0.9	0
6	Rapid HER2 cytologic fluorescence in situ hybridization for breast cancer using noncontact alternating current electric field mixing. <i>Cancer Medicine</i> , 2021, 10, 586-594.	2.8	0
7	Verification of the Optimal Interval Before Esophagectomy After Preoperative Neoadjuvant Chemoradiotherapy for Locally Advanced Thoracic Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 2101-2110.	1.5	6
8	Effects of SLC31A1 and ATP7B polymorphisms on platinum resistance in patients with esophageal squamous cell carcinoma receiving neoadjuvant chemoradiotherapy. <i>Medical Oncology</i> , 2021, 38, 6.	2.5	11
9	Neoadjuvant Chemoradiotherapy Followed by Esophagectomy with Three-Field Lymph Node Dissection for Thoracic Esophageal Squamous Cell Carcinoma Patients with Clinical Stage III and with Supraclavicular Lymph Node Metastasis. <i>Cancers</i> , 2021, 13, 983.	3.7	14
10	Lower local recurrence rate after robot-assisted thoracoscopic esophagectomy than conventional thoracoscopic surgery for esophageal cancer. <i>Scientific Reports</i> , 2021, 11, 6774.	3.3	6
11	Harmonization across programmed death ligand 1 (PD-L1) assays for lung cancer by immunohistochemistry using noncontact alternating current electric field mixing. <i>Thoracic Cancer</i> , 2021, 12, 1187-1194.	1.9	3
12	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. <i>Genomics</i> , 2020, 112, 1223-1232.	2.9	15
13	Decreases in the Psoas Muscle Index Correlate More Strongly with Survival than Other Prognostic Markers in Esophageal Cancer After Neoadjuvant Chemoradiotherapy Plus Esophagectomy. <i>World Journal of Surgery</i> , 2020, 44, 1559-1568.	1.6	17
14	Intraoperative diagnosis of lymph node metastasis during segmentectomy for non-small cell lung cancer by rapid immunohistochemistry using noncontact alternating current electric field mixing. <i>Thoracic Cancer</i> , 2020, 11, 3547-3554.	1.9	11
15	Prognostic Significance of Combined Platelet Distribution Width and C-Reactive Protein Score in Esophageal Cancer. <i>Anticancer Research</i> , 2020, 40, 5715-5725.	1.1	8
16	Comparison of the incidences of anastomotic leakage when PDSII or LACLON are used in esophago-gastric conduit handsewn anastomosis after esophagectomy. <i>Scientific Reports</i> , 2020, 10, 15616.	3.3	0
17	Detection of MEAF6â€PHF1 translocation in an endometrial stromal nodule. <i>Genes Chromosomes and Cancer</i> , 2020, 59, 702-708.	2.8	10
18	High TLR4 expression predicts a poor prognosis after esophagectomy for advanced thoracic esophageal squamous cell carcinoma. <i>Esophagus</i> , 2020, 17, 408-416.	1.9	16

#	ARTICLE	IF	CITATIONS
19	Development of a Novel One-Step Automated Rapid in situ Hybridization for Anaplastic Lymphoma Kinase Rearrangement Using Non-Contact Alternating-Current Electric-Field Mixing. <i>Pathobiology</i> , 2020, 87, 45-50.	3.8	2
20	m ⁶ A demethylase ALKBH5 promotes proliferation of esophageal squamous cell carcinoma associated with poor prognosis. <i>Genes To Cells</i> , 2020, 25, 547-561.	1.2	37
21	Practical application of non-contact alternating current electric field mixing for reagent-saving in situ hybridisation of HER2. <i>Journal of Clinical Pathology</i> , 2019, 72, 603-608.	2.0	2
22	Extensive Lymph Node Dissection Around the Left Laryngeal Nerve Achieved With Robot-assisted Thoracoscopic Esophagectomy. <i>Anticancer Research</i> , 2019, 39, 1337-1342.	1.1	26
23	Reagent-saving immunohistochemistry for HER2 using non-contact alternating current electric field mixing. <i>Journal of Clinical Pathology</i> , 2019, 72, 25-30.	2.0	9
24	TLR3 expression status predicts prognosis in patients with advanced thoracic esophageal squamous cell carcinoma after esophagectomy. <i>American Journal of Surgery</i> , 2018, 216, 319-325.	1.8	18
25	The intratumoral distribution influences the prognostic impact of CD68- and CD204-positive macrophages in non-small cell lung cancer. <i>Lung Cancer</i> , 2018, 123, 127-135.	2.0	62
26	New PET/CT criterion for nodal staging in non-small cell lung cancer: measurement of the ratio of section area of standard uptake values $\times 2.5$ /lymph node section area. <i>General Thoracic and Cardiovascular Surgery</i> , 2017, 65, 350-357.	0.9	3
27	Management of Intersegmental Plane on Pulmonary Segmentectomy Concerning Postoperative Complications. <i>Annals of Thoracic Surgery</i> , 2017, 103, 1773-1780.	1.3	14
28	Sphingosine-1-phosphate/sphingosine kinase 1-dependent lymph node metastasis in esophageal squamous cell carcinoma. <i>Surgery Today</i> , 2017, 47, 1312-1320.	1.5	10
29	Impact of pulmonary rehabilitation on postoperative complications in patients with lung cancer and chronic obstructive pulmonary disease. <i>Thoracic Cancer</i> , 2017, 8, 451-460.	1.9	40
30	Novel rapid-immunohistochemistry using an alternating current electric field for intraoperative diagnosis of sentinel lymph nodes in breast cancer. <i>Scientific Reports</i> , 2017, 7, 2810.	3.3	21
31	Novel method for rapid fluorescence in-situ hybridization of ALK rearrangement using non-contact alternating current electric field mixing. <i>Scientific Reports</i> , 2017, 7, 15116.	3.3	5
32	Identification of candidate responders for anti-PD-L1/PD-1 immunotherapy, Rova-T therapy, or EZH2 inhibitory therapy in small-cell lung cancer. <i>Molecular and Clinical Oncology</i> , 2017, 8, 310-314.	1.0	22
33	The low expression of miR-451 predicts a worse prognosis in non-small cell lung cancer cases. <i>PLoS ONE</i> , 2017, 12, e0181270.	2.5	38
34	Metabolic Rather than Pathological Response to Preoperative Chemoradiotherapy Is a Stronger Predictor of Survival in cStage IIB-IV Esophageal Cancer. <i>Anticancer Research</i> , 2017, 37, 4189-4194.	1.1	1
35	Efficacy and Safety of Neoadjuvant Chemoradiotherapy Following Esophagectomy with Japanese-style Extended 3-Field Lymphadenectomy for Thoracic Esophageal Cancer. , 2017, 37, 5837-5843.		9
36	Novel method for rapid in-situ hybridization of HER2 using non-contact alternating-current electric-field mixing. <i>Scientific Reports</i> , 2016, 6, 30034.	3.3	10

#	ARTICLE	IF	CITATIONS
37	Association between GWAS-identified lung adenocarcinoma susceptibility loci and EGFR mutations in never-smoking Asian women, and comparison with findings from Western populations. <i>Human Molecular Genetics</i> , 2016, 26, ddw414.	2.9	50
38	Novel Candidate Biomarkers of Chemoradiosensitivity in Esophageal Squamous Cell Carcinoma: A Systematic Review. <i>European Surgical Research</i> , 2016, 56, 141-153.	1.3	10
39	Esophageal Cancer Patients Have a High Incidence of Severe Periodontitis and Preoperative Dental Care Reduces the Likelihood of Severe Pneumonia after Esophagectomy. <i>Digestive Surgery</i> , 2016, 33, 495-502.	1.2	27
40	Association of variations in HLA class II and other loci with susceptibility to EGFR-mutated lung adenocarcinoma. <i>Nature Communications</i> , 2016, 7, 12451.	12.8	49
41	IL-6 and MCP-1 genetic polymorphisms are predictive of decreased platelet counts caused by chemoradiotherapy in esophageal cancer. <i>Esophagus</i> , 2016, 13, 264-269.	1.9	2
42	CXCL10 Expression Status is Prognostic in Patients with Advanced Thoracic Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2016, 23, 936-942.	1.5	40
43	Decreased Skeletal Muscle Mass After Neoadjuvant Therapy Correlates with Poor Prognosis in Patients with Esophageal Cancer. <i>Anticancer Research</i> , 2016, 36, 6677-6686.	1.1	35
44	Novel method for immunofluorescence staining of mammalian eggs using non-contact alternating-current electric-field mixing of microdroplets. <i>Scientific Reports</i> , 2015, 5, 15371.	3.3	21
45	REG Î± activates c-Jun through MAPK pathways to enhance the radiosensitivity of squamous esophageal cancer cells. <i>Tumor Biology</i> , 2015, 36, 5249-5254.	1.8	10
46	C-reactive protein inhibits expression of N-cadherin and ZEB-1 in murine colon adenocarcinoma. <i>Tumor Biology</i> , 2015, 36, 7035-7043.	1.8	7
47	Development of a New Magnetometer for Sentinel Lymph Node Mapping Designed for Video-Assisted Thoracic Surgery in Non-Small Cell Lung Cancer. <i>Surgical Innovation</i> , 2015, 22, 401-405.	0.9	6
48	Rapid immunohistochemistry based on alternating current electric field for intraoperative diagnosis of brain tumors. <i>Brain Tumor Pathology</i> , 2015, 32, 12-19.	1.7	31
49	<i>Trichosporon</i> Fungemia Which Developed in a Patient Undergoing Salvage Esophagectomy for Advanced Thoracic Esophageal Cancer. <i>Japanese Journal of Gastroenterological Surgery</i> , 2015, 48, 811-816.	0.1	0
50	Diagnostic imaging in the preoperative management of lung cancer. <i>Surgery Today</i> , 2014, 44, 1197-1206.	1.5	15
51	Inhibition of Hsp90 and 70 sensitizes melanoma cells to hyperthermia using ferromagnetic particles with a low Curie temperature. <i>International Journal of Clinical Oncology</i> , 2014, 19, 722-730.	2.2	40
52	Pulmonary Function After Lobectomy Versus Segmentectomy in Patients with Stage I Non-Small Cell Lung Cancer. <i>World Journal of Surgery</i> , 2014, 38, 2025-2031.	1.6	40
53	Evaluation of the potential for lymph node metastasis using CRP 1846G>T genetic polymorphism in invasive breast cancer. <i>Tumor Biology</i> , 2014, 35, 5931-5935.	1.8	7
54	C-Reactive Protein Reduces the Relative Number of Tumor-Associated M2 Macrophages and Intratumoral Angiogenesis in Mice. <i>Tohoku Journal of Experimental Medicine</i> , 2014, 233, 249-255.	1.2	12

#	ARTICLE	IF	CITATIONS
55	Medical application of magnetic materials for cancer therapy. <i>Drug Delivery System</i> , 2014, 29, 304-314.	0.0	1
56	Bronchioloalveolar invasion in non-small cell lung cancer is associated with expression of transforming growth factor- β 21. <i>World Journal of Surgical Oncology</i> , 2013, 11, 113.	1.9	22
57	Outcomes of patients receiving additional esophagectomy after endoscopic resection for clinically mucosal, but pathologically submucosal, squamous cell carcinoma of the esophagus. <i>Surgery Today</i> , 2013, 43, 638-642.	1.5	32
58	Detection of pleural lymph flow using indocyanine green fluorescence imaging in non-small cell lung cancer surgery: a preliminary study. <i>Surgery Today</i> , 2013, 43, 249-254.	1.5	27
59	A CRP genetic polymorphism associated with the tumoral expression of CRP in esophageal cancer. <i>Surgery Today</i> , 2013, 43, 339-340.	1.5	10
60	REG1A Expression Status Suggests Chemosensitivity Among Advanced Thoracic Esophageal Squamous Cell Carcinoma Patients Treated with Esophagectomy Followed by Adjuvant Chemotherapy. <i>Annals of Surgical Oncology</i> , 2013, 20, 3044-3051.	1.5	18
61	C-reactive protein inhibits lymphangiogenesis and resultant lymph node metastasis of squamous cell carcinoma in mice. <i>Surgery</i> , 2013, 154, 1087-1092.	1.9	10
62	Use of CT to Evaluate Pleural Invasion in Non-Small Cell Lung Cancer: Measurement of the Ratio of the Interface between Tumor and Neighboring Structures to Maximum Tumor Diameter. <i>Radiology</i> , 2013, 267, 619-626.	7.3	49
63	Suppression of Zinc Finger Homeobox 3 expression in tumor cells decreases the survival rate among non-small cell lung cancer patients. <i>Cancer Biomarkers</i> , 2012, 11, 139-146.	1.7	19
64	Tumoral CRP expression in thoracic esophageal squamous cell cancers is associated with poor outcomes. <i>Surgery Today</i> , 2012, 42, 652-658.	1.5	21
65	Inhibition of dendritic cell migration by transforming growth factor- β 21 increases tumor-draining lymph node metastasis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2012, 31, 3.	8.6	44
66	Estimating the Need for Neck Lymphadenectomy in Submucosal Esophageal Cancer Using Superparamagnetic Iron Oxide-Enhanced Magnetic Resonance Imaging: Clinical Validation Study. <i>World Journal of Surgery</i> , 2012, 36, 83-89.	1.6	13
67	IGFBP3 and BAG1 enhance radiation-induced apoptosis in squamous esophageal cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2011, 404, 1070-1075.	2.1	26
68	A Novel Immunohistochemical Staining Method Allows Ultrarapid Detection of Lymph Node Micrometastases While Conserving Antibody. <i>Acta Histochemica Et Cytochemica</i> , 2011, 44, 133-139.	1.6	31
69	Transforming growth factor- β 21 29T>C genetic polymorphism is associated with lymph node metastasis in patients with adenocarcinoma of the lung. <i>Tumor Biology</i> , 2010, 31, 437-441.	1.8	10
70	The CRP 1846T/T genotype is associated with a poor prognosis in patients with non-small cell lung cancer. <i>Tumor Biology</i> , 2010, 31, 673-679.	1.8	17
71	Expression of the chemokine receptor CXCR4 correlates with a favorable prognosis in patients with adenocarcinoma of the lung. <i>Lung Cancer</i> , 2010, 68, 466-471.	2.0	35
72	Regenerating gene I regulates interleukin-6 production in squamous esophageal cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2010, 392, 4-8.	2.1	15

#	ARTICLE	IF	CITATIONS
73	Sentinel node mapping and micrometastasis in patients with clinical stage IA non-small cell lung cancer. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2009, 9, 659-661.	1.1	17
74	C-Reactive Protein 1059G>C Genetic Polymorphism Influences Serum C-Reactive Protein Levels after Esophagectomy in Patients with Thoracic Esophageal Cancer. <i>Journal of the American College of Surgeons</i> , 2009, 209, 477-483.	0.5	23
75	Radio-guided thoracoscopic surgery with 99mTc-methoxy-isobutylisonitrile for treating an ectopic mediastinal parathyroid adenoma in an adolescent girl. <i>General Thoracic and Cardiovascular Surgery</i> , 2009, 57, 657-659.	0.9	9
76	Status of Involved Lymph Nodes and Direction of Metastatic Lymphatic Flow Between Submucosal and T2— Thoracic Squamous Cell Esophageal Cancers. <i>World Journal of Surgery</i> , 2009, 33, 512-517.	1.6	16
77	Tracheobronchial Lesions Following Esophagectomy: Erosions, Ulcers, and Fistulae, and the Predictive Value of Lymph Node—Related Factors. <i>World Journal of Surgery</i> , 2009, 33, 778-784.	1.6	43
78	Inhibition of heat shock protein 90 sensitizes melanoma cells to thermosensitive ferromagnetic particle—mediated hyperthermia with low Curie temperature. <i>Cancer Science</i> , 2009, 100, 558-564.	3.9	54
79	CRP Genetic Polymorphism Is Associated with Lymph Node Metastasis in Thoracic Esophageal Squamous Cell Cancer. <i>Annals of Surgical Oncology</i> , 2009, 16, 2479-2485.	1.5	28
80	REG1A Expression is an Independent Factor Predictive of Poor Prognosis in Patients with Breast Cancer. <i>Annals of Surgical Oncology</i> , 2008, 15, 3244-3251.	1.5	21
81	REG I— is a Reliable Marker of Chemoradiosensitivity in Squamous Cell Esophageal Cancer Patients. <i>Annals of Surgical Oncology</i> , 2008, 15, 1224-1231.	1.5	25
82	Accuracy of helical computed tomography for the identification of lymph node metastasis in resectable non-small cell lung cancer. <i>Surgery Today</i> , 2008, 38, 1083-1090.	1.5	3
83	Self—regulating hyperthermia induced using thermosensitive ferromagnetic material with a low Curie temperature. <i>Cancer Science</i> , 2008, 99, 805-809.	3.9	43
84	REG I enhances chemo—and radiosensitivity in squamous cell esophageal cancer cells. <i>Cancer Science</i> , 2008, 99, 2491-2495.	3.9	26
85	VEGF121 promotes lymphangiogenesis in the sentinel lymph nodes of non-small cell lung carcinoma patients. <i>Lung Cancer</i> , 2008, 59, 41-47.	2.0	22
86	REG1A expression is an independent factor predictive of poor prognosis in patients with non-small cell lung cancer. <i>Lung Cancer</i> , 2008, 60, 98-104.	2.0	19
87	POLYMORPHONUCLEAR LEUKOCYTES ARE ACTIVATED DURING ATELECTASIS BEFORE LUNG REEXPANSION IN RAT. <i>Shock</i> , 2008, 30, 81-86.	2.1	13
88	Subpleural injection of tracer improves detection of mediastinal sentinel lymph nodes in non-small cell lung cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2007, 32, 770-775.	1.4	13
89	Surgical Outcome of Colon Interposition by the Posterior Mediastinal Route for Thoracic Esophageal Cancer. <i>Annals of Thoracic Surgery</i> , 2007, 83, 1273-1278.	1.3	55
90	Usefulness of circumference difference for estimating the likelihood of malignancy in small solitary pulmonary nodules on CT. <i>Lung Cancer</i> , 2007, 58, 348-354.	2.0	13

#	ARTICLE	IF	CITATIONS
91	Preoperative mapping of lymphatic drainage from the tumor using ferumoxide-enhanced magnetic resonance imaging in clinical submucosal thoracic squamous cell esophageal cancer. <i>Surgery</i> , 2007, 141, 736-747.	1.9	10
92	Intraoperative Sentinel Lymph Node Mapping Using a New Sterilizable Magnetometer in Patients with Nonsmall Cell Lung Cancer. <i>Annals of Thoracic Surgery</i> , 2006, 81, 327-330.	1.3	40
93	Tumor-Derived TGF β -1 Induces Dendritic Cell Apoptosis in the Sentinel Lymph Node. <i>Journal of Immunology</i> , 2006, 176, 5637-5643.	0.8	124
94	Pulmonary reexpansion causes xanthine oxidase-induced apoptosis in rat lung. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2005, 289, L400-L406.	2.9	27
95	Intraoperative detection of lymph node micrometastasis with flow cytometry in non-small cell lung cancer. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005, 130, 753-758.	0.8	19
96	Increased Expression of Myosin Light Chain Kinase mRNA Is Related to Metastasis in Non-Small Cell Lung Cancer. <i>Tumor Biology</i> , 2005, 26, 153-157.	1.8	36
97	The current status of sentinel lymph node mapping in non-small cell lung cancer. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2005, 11, 67-72.	0.8	8
98	METHYLPREDNISOLONE-INDUCED EXPRESSION OF MITOCHONDRIAL HEAT SHOCK PROTEIN 60 PROTECTS MITOCHONDRIAL MEMBRANE POTENTIAL IN THE HYPOXIC RAT LIVER. <i>Shock</i> , 2004, 22, 234-239.	2.1	11
99	Expression of Tissue Factor mRNA and Invasion of Blood Vessels by Tumor Cells in Non-Small Cell Lung Cancer. <i>Surgery Today</i> , 2004, 34, 1-5.	1.5	21
100	Superior mediastinal and neck lymphatic mapping in mid- and lower-thoracic esophageal cancer as defined by ferumoxides-enhanced magnetic resonance imaging. <i>General Thoracic and Cardiovascular Surgery</i> , 2004, 52, 445-450.	0.4	9
101	Hydrogen Peroxide Derived From Intestine Through the Mesenteric Lymph Induces Lung Edema After Surgical Stress. <i>Shock</i> , 2004, 21, 160-164.	2.1	9
102	Antithrombin III Diminishes Production of Oxygen Radical in Endotoxin-Infused Rat Lung. <i>Shock</i> , 2004, 21, 139-143.	2.1	10
103	A novel method for sentinel lymph node mapping using magnetite in patients with non-small cell lung cancer. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003, 126, 563-567.	0.8	61
104	Preoperative localization techniques during thoracoscopic operations: Reply to the editor. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003, 126, 609.	0.8	0
105	Hydrogen peroxide-dependent declines in Bcl-2 induces apoptosis in hypoxic liver. <i>Journal of Surgical Research</i> , 2003, 110, 211-216.	1.6	9
106	Methylprednisolone inhibits low-flow hypoxia-induced mitochondrial dysfunction in isolated perfused rat liver. <i>Critical Care Medicine</i> , 2003, 31, 1468-1474.	0.9	6
107	Nafamostat Mesilate Attenuates Radical Formation in the Rat Lung Infused with Endotoxin. <i>Shock</i> , 2002, 18, 255-260.	2.1	9
108	Indication for preoperative localization of small peripheral pulmonary nodules in thoracoscopic surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2002, 124, 1198-1202.	0.8	88

#	ARTICLE	IF	CITATIONS
109	Red blood cells attenuate sinusoidal endothelial cell injury by scavenging xanthine oxidase-dependent hydrogen peroxide in hyperoxic perfused rat liver. <i>Liver</i> , 2000, 20, 200-208.	0.1	18
110	Postoperative lung volume calculated by chest computed tomography in patients with esophageal cancer. <i>General Thoracic and Cardiovascular Surgery</i> , 1999, 47, 193-198.	0.4	4
111	A case of pulmonary sarcoidosis with lung cancer and sclerosing hemangioma.. <i>The Journal of the Japanese Association for Chest Surgery</i> , 1999, 13, 705-709.	0.0	1
112	Peripheral edema after esophagectomy. <i>Surgery Today</i> , 1998, 28, 6-9.	1.5	4
113	Hydrogen peroxide derived from hepatocytes induces sinusoidal endothelial cell apoptosis in perfused hypoxic rat liver. <i>Gastroenterology</i> , 1998, 114, 153-163.	1.3	61
114	Bcl-2 Is Located Predominantly in the Inner Membrane and Crista of Mitochondria in Rat Liver. <i>Biochemical and Biophysical Research Communications</i> , 1998, 249, 628-636.	2.1	32
115	Platelet-activating Factor Mediates Intercellular Adhesion Molecule-1-dependent Radical Production in the Nonhypoxic Ischemia Rat Lung. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1998, 19, 150-157.	2.9	29
116	The Requirement of Intercellular Adhesion Molecule-1 for Neutrophil Respiratory Burst in the Pulmonary Circulation of Rats Infused with Endotoxin. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 158, 635-642.	5.6	14
117	Mediastinal extraadrenal myelolipoma: Report of a case. <i>Surgery Today</i> , 1997, 27, 971-972.	1.5	27
118	Direct measurement of doxorubicin concentration in the intact, living single cancer cell during hyperthermia. <i>Cancer</i> , 1997, 79, 214-219.	4.1	35
119	Direct measurement of doxorubicin concentration in the intact, living single cancer cell during hyperthermia. , 1997, 79, 214.		1
120	Analysis of results of surgery performed over a 20-year period on 500 patients with cancer of the thoracic esophagus. <i>Surgery Today</i> , 1996, 26, 77-82.	1.5	32
121	Analysis of number of dissected lymph nodes and number of metastatic lymph nodes in surgical treatment for lung cancer.. <i>The Journal of the Japanese Association for Chest Surgery</i> , 1995, 9, 586-591.	0.0	0
122	Pleomorphic adenoma of the lung; a case report.. <i>The Journal of the Japanese Association for Chest Surgery</i> , 1992, 6, 97-102.	0.0	0
123	Eosinophilic granuloma of the 5th rib; a case report.. <i>The Journal of the Japanese Association for Chest Surgery</i> , 1991, 5, 788-793.	0.0	1