

Joseph F Cubells

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11115977/publications.pdf>

Version: 2024-02-01

87
papers

6,652
citations

81900
39
h-index

66911
78
g-index

91
all docs

91
docs citations

91
times ranked

7932
citing authors

#	ARTICLE	IF	CITATIONS
1	Deep phenotyping in 3q29 deletion syndrome: recommendations for clinical care. <i>Genetics in Medicine</i> , 2021, 23, 872-880.	2.4	32
2	Convergent and distributed effects of the 3q29 deletion on the human neural transcriptome. <i>Translational Psychiatry</i> , 2021, 11, 357.	4.8	12
3	Genetic contributors to risk of schizophrenia in the presence of a 22q11.2 deletion. <i>Molecular Psychiatry</i> , 2021, 26, 4496-4510.	7.9	87
4	Using common genetic variation to examine phenotypic expression and risk prediction in 22q11.2 deletion syndrome. <i>Nature Medicine</i> , 2020, 26, 1912-1918.	30.7	90
5	Meaning in Measurement: Evaluating Young Autistic Adults' Active Engagement and Expressed Interest in Quality-of-Life Goals. <i>Autism in Adulthood</i> , 2020, 2, 227-242.	6.9	9
6	Epigenetic modification of the oxytocin receptor gene: implications for autism symptom severity and brain functional connectivity. <i>Neuropsychopharmacology</i> , 2020, 45, 1150-1158.	5.4	62
7	Beliefs in vaccine as causes of autism among SPARK cohort caregivers. <i>Vaccine</i> , 2020, 38, 1794-1803.	3.8	12
8	Comprehensive phenotyping of neuropsychiatric traits in a multiplex 3q29 deletion family: a case report. <i>BMC Psychiatry</i> , 2020, 20, 184.	2.6	12
9	SPARK: A US Cohort of 50,000 Families to Accelerate Autism Research. <i>Neuron</i> , 2018, 97, 488-493.	8.1	265
10	Associations between the DBH gene, plasma dopamine β -hydroxylase activity and cognitive measures in Han Chinese patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 193, 58-63.	2.0	12
11	Study protocol for The Emory 3q29 Project: evaluation of neurodevelopmental, psychiatric, and medical symptoms in 3q29 deletion syndrome. <i>BMC Psychiatry</i> , 2018, 18, 183.	2.6	40
12	Subthreshold Psychosis in 22q11.2 Deletion Syndrome: Multisite Naturalistic Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 1079-1089.	4.3	47
13	Brief Report: Relationship Between ADOS-2, Module 4 Calibrated Severity Scores (CSS) and Social and Non-Social Standardized Assessment Measures in Adult Males with Autism Spectrum Disorder (ASD). <i>Journal of Autism and Developmental Disorders</i> , 2017, 47, 4018-4024.	2.7	13
14	Human Bacterial Artificial Chromosome (BAC) Transgenesis Fully Rescues Noradrenergic Function in Dopamine β -Hydroxylase Knockout Mice. <i>PLoS ONE</i> , 2016, 11, e0154864.	2.5	12
15	An epigenetic clock for gestational age at birth based on blood methylation data. <i>Genome Biology</i> , 2016, 17, 206.	8.8	193
16	22q11.2 Deletion Syndrome: A Paradigmatic Copy-Number-Variant (CNV) Disorder. , 2016, , 723-730.		0
17	Regulatory Polymorphisms in Human <i>DBH</i> Affect Peripheral Gene Expression and Sympathetic Activity. <i>Circulation Research</i> , 2014, 115, 1017-1025.	4.5	21
18	Cross-Disorder Comparison of Four Neuropsychiatric CNV Loci. <i>Current Genetic Medicine Reports</i> , 2014, 2, 151-161.	1.9	22

#	ARTICLE	IF	CITATIONS
19	Randomized clinical trial of disulfiram for cocaine dependence or abuse during buprenorphine treatment. <i>Drug and Alcohol Dependence</i> , 2014, 136, 36-42.	3.2	27
20	Prodromal and autistic symptoms in schizotypal personality disorder and 22q11.2 deletion syndrome.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 238-249.	1.9	13
21	Sex dependent influence of a functional polymorphism in steroid 5 α -reductase type 2 (<i>SRD5A2</i>) on post-traumatic stress symptoms. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 283-292.	1.7	32
22	Prevalence of autism spectrum disorders in China. <i>Shanghai Archives of Psychiatry</i> , 2013, 25, 176-7.	0.7	5
23	Pharmacogenetic Association of the Galanin Receptor (<i>GALR1</i>) SNP rs2717162 with Smoking Cessation. <i>Neuropsychopharmacology</i> , 2012, 37, 1683-1688.	5.4	26
24	DNA methylation in neonates born to women receiving psychiatric care. <i>Epigenetics</i> , 2012, 7, 409-414.	2.7	68
25	Randomized, double blind, placebo-controlled trial of disulfiram for the treatment of cocaine dependence in methadone-stabilized patients. <i>Drug and Alcohol Dependence</i> , 2011, 113, 184-191.	3.2	61
26	Predictors of neonatal hypothalamic-pituitary-adrenal axis activity at delivery. <i>Clinical Endocrinology</i> , 2011, 75, 90-95.	2.4	30
27	Substance Use Disorders Assessed Using the Kreek-McHugh-Schluger-Kellogg (KMSK) Scale in an Urban Low-income and Predominantly African American Sample of Primary Care Patients. <i>American Journal on Addictions</i> , 2011, 20, 292-299.	1.4	21
28	Linkage analysis of plasma dopamine β -hydroxylase activity in families of patients with schizophrenia. <i>Human Genetics</i> , 2011, 130, 635-643.	3.8	45
29	Concerns Over Participant Suicides Prematurely Abort a Clinical Trial of Potentially Significant Impact on Public Health: How Will We Make Progress in Timid Times?. <i>Current Psychiatry Reports</i> , 2011, 13, 80-81.	4.5	1
30	A Head-to-Head Comparison of Risperidone and Divalproex for Treatment of Pediatric Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2011, 13, 82-83.	4.5	0
31	Copy Number Variants: A New Molecular Frontier in Clinical Psychiatry. <i>Current Psychiatry Reports</i> , 2011, 13, 129-137.	4.5	11
32	Pharmaco-genetically guided treatment of recurrent rage outbursts in an adult male with 15q13.3 deletion syndrome. , 2011, 155, 805-810.		46
33	Association between polymorphisms in catechol-O-methyltransferase (<i>COMT</i>) and cocaine-induced paranoia in European-American and African-American populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 651-660.	1.7	30
34	Differential immune system DNA methylation and cytokine regulation in post-traumatic stress disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 700-708.	1.7	294
35	Dopamine β -hydroxylase gene associates with stroop color-word task performance in Han Chinese children with attention deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 730-736.	1.7	16
36	Neonatal DNA methylation patterns associate with gestational age. <i>Epigenetics</i> , 2011, 6, 1498-1504.	2.7	95

#	ARTICLE	IF	CITATIONS
37	The Galanin Receptor 1 Gene Associates with Tobacco Craving in Smokers Seeking Cessation Treatment. <i>Neuropsychopharmacology</i> , 2011, 36, 1412-1420.	5.4	23
38	Polymorphisms in <i>CRHR1</i> and the serotonin transporter loci: Gene–Gene–Environment interactions on depressive symptoms. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 812-824.	1.7	83
39	A serotonin transporter gene polymorphism predicts peripartum depressive symptoms in an at-risk psychiatric cohort. <i>Journal of Psychiatric Research</i> , 2010, 44, 640-646.	3.1	49
40	Social adaptive and psychological functioning of patients affected by Fabry disease. <i>Journal of Inherited Metabolic Disease</i> , 2010, 33, 73-81.	3.6	33
41	Genotype-controlled analysis of serum dopamine β -hydroxylase activity in civilian post-traumatic stress disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1396-1401.	4.8	15
42	Sources of Unreliability in the Diagnosis of Substance Dependence. <i>Journal of Studies on Alcohol and Drugs</i> , 2009, 70, 475-481.	1.0	9
43	Trauma exposure and stress-related disorders in inner city primary care patients. <i>General Hospital Psychiatry</i> , 2009, 31, 505-514.	2.4	401
44	Subtypes of major depression in substance dependence. <i>Addiction</i> , 2009, 104, 1700-1709.	3.3	20
45	Association of Variants in MANEA With Cocaine-Related Behaviors. <i>Archives of General Psychiatry</i> , 2009, 66, 267.	12.3	22
46	Transient Cocaine-Associated Behavioral Symptoms Rated with a New Instrument, the Scale for Assessment of Positive Symptoms for Cocaine-Induced Psychosis (SAPS-CIP). <i>American Journal on Addictions</i> , 2009, 18, 339-345.	1.4	23
47	Influence of Child Abuse on Adult Depression. <i>Archives of General Psychiatry</i> , 2008, 65, 190.	12.3	583
48	Association of <i>FKBP5</i> Polymorphisms and Childhood Abuse With Risk of Posttraumatic Stress Disorder Symptoms in Adults. <i>JAMA - Journal of the American Medical Association</i> , 2008, 299, 1291.	7.4	1,190
49	Reliability of DSM-IV diagnostic criteria using the semi-structured assessment for drug dependence and alcoholism (SSADDA). <i>Drug and Alcohol Dependence</i> , 2007, 91, 85-90.	3.2	124
50	Dopamine β -Hydroxylase Gene (<i>DBH</i>) -1021C/T Influences Self-Reported Paranoia during Cocaine Self-Administration. <i>Biological Psychiatry</i> , 2007, 61, 1310-1313.	1.3	58
51	Dopamine beta-hydroxylase (DBH) activity and -1021C/T polymorphism of <i>DBH</i> gene in combat-related post-traumatic stress disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 1087-1089.	1.7	57
52	Genotypic and haplotypic associations of the DBH gene with plasma dopamine β -hydroxylase activity in African Americans. <i>European Journal of Human Genetics</i> , 2007, 15, 878-883.	2.8	43
53	Comorbid Psychiatric Diagnoses and Their Association with Cocaine-Induced Psychosis in Cocaine-Dependent Subjects. <i>American Journal on Addictions</i> , 2007, 16, 343-351.	1.4	46
54	Clinical genomic psychiatry comes of age in the evaluation and treatment of developmental disabilities: Is our nation prepared to make the benefits available to all who need them?. <i>Current Psychiatry Reports</i> , 2007, 9, 81-82.	4.5	2

#	ARTICLE	IF	CITATIONS
55	Clinical trials report. Current Psychiatry Reports, 2007, 9, 131-134.	4.5	3
56	A review of neurocognitive and behavioral profiles associated with 22q11 deletion syndrome: Implications for clinical evaluation and treatment. Current Psychiatry Reports, 2007, 9, 148-158.	4.5	49
57	Beyond irritability and aggressive behavior: does risperidone improve adaptive behavior in autistic spectrum disorders?. Current Psychiatry Reports, 2007, 9, 132-3.	4.5	1
58	Acetylcholine and cognition in schizophrenia: effects of galantamine. Current Psychiatry Reports, 2007, 9, 133-4.	4.5	0
59	A Single Nucleotide Polymorphism at DBH, Possibly Associated with Attention-Deficit/Hyperactivity Disorder, Associates with Lower Plasma Dopamine β -Hydroxylase Activity and is in Linkage Disequilibrium with Two Putative Functional Single Nucleotide Polymorphisms. Biological Psychiatry, 2006, 60, 1034-1038.	1.3	42
60	Analysis of variations in the tryptophan hydroxylase-2 (TPH2) gene in cocaine dependence. Addiction Biology, 2006, 11, 76-83.	2.6	18
61	Self-reported paranoia during laboratory "binge" cocaine self-administration in humans. Pharmacology Biochemistry and Behavior, 2006, 83, 249-256.	2.9	39
62	Association study of the CNR1 gene exon 3 alternative promoter region polymorphisms and substance dependence. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 499-503.	1.7	71
63	Haplotype-controlled analysis of the association of a non-synonymous single nucleotide polymorphism at DBH (+1603C>T) with plasma dopamine β -hydroxylase activity. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2005, 139B, 88-90.	1.7	31
64	Rating the severity and character of transient cocaine-induced delusions and hallucinations with a new instrument, the Scale for Assessment of Positive Symptoms for Cocaine-Induced Psychosis (SAPS-CIP). Drug and Alcohol Dependence, 2005, 80, 23-33.	3.2	55
65	Diagnostic reliability of the Semi-structured Assessment for Drug Dependence and Alcoholism (SSADA). Drug and Alcohol Dependence, 2005, 80, 303-312.	3.2	180
66	Variations in the dopamine β -hydroxylase gene are not associated with the autonomic disorders, pure autonomic failure, or multiple system atrophy. American Journal of Medical Genetics Part A, 2003, 120A, 234-236.	2.4	13
67	A revised allele frequency estimate and haplotype analysis of the DBH deficiency mutation IVS1+2T>C in African- and European-Americans. , 2003, 123A, 190-192.		11
68	Dopamine Beta-Hydroxylase (DBH) gene and schizophrenia phenotypic variability: A genetic association study. American Journal of Medical Genetics Part A, 2003, 117B, 33-38.	2.4	43
69	The Structure of Linkage Disequilibrium at the DBH Locus Strongly Influences the Magnitude of Association between Diallelic Markers and Plasma Dopamine β -Hydroxylase Activity. American Journal of Human Genetics, 2003, 72, 1389-1400.	6.2	81
70	Genotype-controlled analysis of plasma dopamine β -hydroxylase activity in psychotic unipolar major depression. Biological Psychiatry, 2002, 51, 358-364.	1.3	58
71	A genotype-controlled analysis of plasma dopamine β -hydroxylase in healthy and alcoholic subjects: evidence for alcohol-related differences in noradrenergic function. Biological Psychiatry, 2002, 52, 1151-1158.	1.3	75
72	Mutations in the dopamine β -hydroxylase gene are associated with human norepinephrine deficiency. American Journal of Medical Genetics Part A, 2002, 108, 140-147.	2.4	88

#	ARTICLE	IF	CITATIONS
73	Cyclic AMP-Dependent Protein Kinase Regulates Basal and Cyclic AMP-Stimulated but Not Phorbol Ester-Stimulated Transcription of the Tyrosine Hydroxylase Gene. <i>Journal of Neurochemistry</i> , 2002, 63, 834-842.	3.9	59
74	Molecular Genetic Analysis of Plasma Dopamine \hat{I}^2 -Hydroxylase in Depression. <i>Advances in Behavioral Biology</i> , 2002, , 423-426.	0.2	0
75	Mutations in the dopamine beta-hydroxylase gene are associated with human norepinephrine deficiency. <i>American Journal of Medical Genetics Part A</i> , 2002, 108, 140-7.	2.4	33
76	A Quantitative-Trait Analysis of Human Plasma \hat{I}^2 -Dopamine \hat{I}^2 -Hydroxylase Activity: Evidence for a Major Functional Polymorphism at the DBH Locus. <i>American Journal of Human Genetics</i> , 2001, 68, 515-522.	6.2	253
77	Functional variants at CYP2A6: New genotyping methods, population genetics, and relevance to studies of tobacco dependence. <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 638-645.	2.4	16
78	A Previously Undescribed Intron and Extensive 5' Upstream Sequence, but Not Phox2a-mediated Transactivation, Are Necessary for High Level Cell Type-specific Expression of the Human Norepinephrine Transporter Gene. <i>Journal of Biological Chemistry</i> , 1999, 274, 6507-6518.	3.4	93
79	Dopamine \hat{I}^2 -hydroxylase: two polymorphisms in linkage disequilibrium at the structural gene DBH associate with biochemical phenotypic variation. <i>Human Genetics</i> , 1998, 102, 533-540.	3.8	127
80	Serotonin transporter protein (SLC6A4) allele and haplotype frequencies and linkage disequilibria in African- and European-American and Japanese populations and in alcohol-dependent subjects. <i>Human Genetics</i> , 1997, 101, 243-246.	3.8	393
81	Population genetics of a functional variant of the dopamine \hat{I}^2 -hydroxylase gene (DBH). <i>American Journal of Medical Genetics Part A</i> , 1997, 74, 374-379.	2.4	104
82	Ciliary neurotrophic factor null allele frequencies in schizophrenia, affective disorders, and Alzheimer's disease. <i>American Journal of Medical Genetics Part A</i> , 1997, 74, 497-500.	2.4	24
83	Ciliary neurotrophic factor null allele frequencies in schizophrenia, affective disorders, and Alzheimer's disease. , 1997, 74, 497.		1
84	Inducible cAMP Early Repressor Can Modulate Tyrosine Hydroxylase Gene Expression after Stimulation of cAMP Synthesis. <i>Journal of Biological Chemistry</i> , 1996, 271, 25375-25381.	3.4	73
85	Innervation-independent changes in the mRNAs encoding tyrosine hydroxylase and the norepinephrine transporter in rat adrenal medulla after high-dose reserpine. <i>Neuroscience Letters</i> , 1995, 193, 189-192.	2.1	13
86	Differential In Vivo Regulation of mRNA Encoding the Norepinephrine Transporter and Tyrosine Hydroxylase in Rat Adrenal Medulla and Locus Coeruleus. <i>Journal of Neurochemistry</i> , 1995, 65, 502-509.	3.9	57
87	Genetics of stimulant dependence. , 0, , 306-315.		0