List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11119206/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ca2+ spikes in the flagellum control chemotactic behavior of sperm. EMBO Journal, 2005, 24, 2741-2752.	7.8	165
2	Evidence for participation of sperm proteinases in fertilization of the solitary ascidian, Halocynthia roretzi: Effects of protease inhibitors. Developmental Biology, 1981, 86, 117-121.	2.0	94
3	Structure and function of asterosaps, sperm-activating peptides from the jelly coat of starfish eggs. Zygote, 1996, 4, 237-245.	1.1	84
4	A sperm-activating peptide controls a cGMP-signaling pathway in starfish spermâ~†. Developmental Biology, 2003, 260, 314-324.	2.0	81
5	Trypsin-like hatching protease from mouse embryos: Evidence for the presence in culture medium and its enzymatic properties. The Journal of Experimental Zoology, 1990, 254, 83-87.	1.4	79
6	Pertussis toxin inhibits 1-methyladenine-induced maturation in starfish oocytes. Developmental Biology, 1989, 133, 605-608.	2.0	72
7	Evidence for acrosin-like enzyme in sperm extract and its involvement in fertilization of the ascidian, halocynthia roretzi. Gamete Research, 1982, 5, 291-301.	1.7	70
8	Egg and sperm recognition systems during fertilization. Development Growth and Differentiation, 2008, 50, S221-38.	1.5	66
9	Gangliosides from the Eggs of the Sea Urchin, Anthocidaris crassispina1. Journal of Biochemistry, 1990, 108, 185-192.	1.7	61
10	Properties of 1-methyladenine receptors in starfish oocyte membranes: Involvement of pertussis toxin-sensitive GTP-binding protein in the receptor-mediated signal transduction. Biochemical and Biophysical Research Communications, 1992, 186, 114-121.	2.1	51
11	Structure of the Main Saccharide Chain in the Acrosome Reaction-inducing Substance of the Starfish, Asterias amurensis. Journal of Biological Chemistry, 1997, 272, 10372-10376.	3.4	51
12	Biochemical Studies on the Acrosome Reaction of the Starfish, Asterias Amurensis I. Factors Participating in the Acrosome Reaction. Development Growth and Differentiation, 1981, 23, 73-80.	1.5	48
13	The primary structure of the alpha subunit of a starfish guanosine-nucleotide-binding regulatory protein involved in 1-methyladenine-induced oocyte maturation. FEBS Journal, 1992, 207, 833-838.	0.2	47
14	Switching from Asexual to Sexual Reproduction in the Planarian Dugesia ryukyuensis: Bioassay System and Basic Description of Sexualizing Process. Zoological Science, 1999, 16, 291-298.	0.7	45
15	A 130-kDa Membrane Protein of Sperm Flagella Is the Receptor for Asterosaps, Sperm-Activating Peptides of Starfish Asterias amurensis. Developmental Biology, 2000, 219, 154-162.	2.0	43
16	Induction of the Acrosome Reaction in Starfish. (acrosome reaction/starfish sperm/egg) Tj ETQq0 0 0 rgBT /Overl	ock 10 Tf !	50 _{,1} 42 Td (je

17	Glucosylceramide Having a Novel Tri-Unsaturated Long-Chain Base from the Spermatozoa of the Starfish, Asterias amurensis1. Journal of Biochemistry, 1990, 107, 578-586.	1.7	42
18	Biochemical Studies on the Acrosome Reaction of the Starfish, Asterias Amurensis II. Purification and Characterization of Acrosome Reaction-Inducing Substance. Development Growth and Differentiation, 1981, 23, 81-88.	1.5	41

ARTICLE IF CITATIONS Switching from Asexual to Sexual Reproduction in the Planarian Dugesia ryukyuensis: Change of the Fissiparous Capacity along with the Sexualizing Process. Zoological Science, 2002, 19, 661-666. Arylsulfatase of sea urchin sperm. Developmental Biology, 1980, 74, 343-350. 20 2.0 39 Lysins., 1985, , 431-462. Effects of hydrolase inhibitors on fertilization of sea urchins: I. Protease inhibitors. Gamete Research, 22 1.7 34 1979, 2, 107-119. Hemocytes Release Phenoloxidase upon Contact Reaction, an Allogeneic Interaction, in the Ascidian 1.1 Halocynthia roretzi.. Cell Structure and Function, 1995, 20, 81-87 Structure of acrosome reaction-inducing substance in the jelly coat of starfish eggs: A mini review. 24 2.1 33 Biochemical and Biophysical Research Communications, 2012, 425, 595-598. Purification and Characterization of Hatching Enzyme of Strongylocentrotus intermedius. FEBS 0.2 Journal, 1979, 100, 257-265. Effects of protease inhibitors on binding of sperm to the vitelline coat of ascidian eggs: Implications for participation of a proteasome (multicatalytic proteinase complex). The Journal of Experimental 26 1.4 29 Zoology, 1993, 267, 86-91. Intracellular pH Changes of Starfish Sperm Upon the Acrosome Reaction. (acrosome) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 1.5 28 Differentiation, 1986, 28, 359-368. Structures of the sugar chains of a major glycoprotein present in the egg jelly coat of a starfish, 28 3.0 28 Asterias amurensis. Archives of Biochemistry and Biophysics, 1987, 252, 105-112. Purification and characterization of a GTP-binding protein serving as pertussis toxin substrate in 3.0 28 starfish oocytes. Archives of Biochemistry and Biophysics, 1991, 290, 411-417. Participation of 650-kDa protease (20 S proteasome) in starfish oocyte maturation. Developmental 30 2.0 28 Biology, 1992, 150, 414-418. Correlation Between the Molecular Structure and the Biological Activity of Co-ARIS, a Cofactor for 1.5 Acrosome Reaction-Inducing Substance. Development Growth and Differentiation, 1987, 29, 171-176. Transcriptional pattern of a novel gene, expressed specifically after the point-of-no-return during 32 0.9 27 sexualization, in planaria. Development Genes and Evolution, 2003, 212, 585-592. Switch from Asexual to Sexual Reproduction in the Planarian Dugesia ryukyuensis. Integrative and Comparative Biology, 2003, 43, 242-246. Acrosome Reaction-Inducing Substance Purified from the Egg Jelly Inhibits the Jelly-Induced Acrosome Reaction in Starfish: An Apparent Contradiction. (acrosome reaction/starfish sperm/egg) Tj ETQq0 0 0 rgBT /Overloet 10 Tf 506137 Td (j 34

MOTONORI HOSHI

#	Article	IF	CITATIONS
37	The Dugesia ryukyuensis Database as a Molecular Resource for Studying Switching of the Reproductive System. Zoological Science, 2007, 24, 31-37.	0.7	26
38	Structural Analysis of N-Linked Oligosaccharides of Equine Chorionic Gonadotropin and Lutropin .betaSubunits. Biochemistry, 1994, 33, 14039-14048.	2.5	25
39	Cortical changes in starfish (Asterina pectinifera) oocytes during 1-methyladenine-induced maturation and fertilisation/activation. Zygote, 1995, 3, 225-239.	1.1	24
40	Synthesis of ganglioside M5 from sea urchin egg. Tetrahedron Letters, 1994, 35, 2701-2704.	1.4	23
41	Re-Examination of Sibling Cross-Sterility in the Ascidian, Ciona intestinalis: Genetic Background of the Self-Sterility. Zoological Science, 2002, 19, 527-538.	0.7	23
42	Differential distribution of gangliosides in adult rat ovary during the oestrous cycle. Glycobiology, 1995, 5, 299-309.	2.5	21
43	Signification of the Sexualizing Substance Produced by the Sexualized Planarians. Zoological Science, 2002, 19, 667-672.	0.7	21
44	Purification of Co-ARIS, a Cofactor for Acrosome Reaction-Inducing Substance, from the Egg Jelly of Starfish. Development Growth and Differentiation, 1987, 29, 161-169.	1.5	20
45	Comparative Study of Glycosphingolipid Composition in Mammalian Lenses. Experimental Eye Research, 1994, 59, 653-664.	2.6	20
46	A Periodic Network of G Protein β γ Subunit Coexisting with Cytokeratin Filament in Starfish Oocytes. Developmental Biology, 1995, 169, 415-420.	2.0	20
47	Characterization and partial purification of arylsulfatase from the seminal plasma of the sea urchin, Strongylocentrotus intermedius. Archives of Biochemistry and Biophysics, 1980, 201, 216-223.	3.0	19
48	Sex-inducing effect of a hydrophilic fraction on reproductive switching in the planarian Dugesia ryukyuensis (Seriata, Tricladida). Frontiers in Zoology, 2011, 8, 23.	2.0	19
49	Structure of acrosome reaction-inducing steroidal saponins from the egg jelly of the starfish, Asterias amurensis Chemical and Pharmaceutical Bulletin, 1987, 35, 1829-1832.	1.3	18
50	Acrosome reaction-related steroidal saponin, Co-ARIS, from the starfish induces structural changes in microdomains. Developmental Biology, 2010, 347, 147-153.	2.0	18
51	Physiological inducers of the acrosome reaction. Cell Differentiation and Development, 1988, 25, 19-24.	0.4	17
52	Three Phases of Cortical Maturation during Meiosis Reinitiation in Starfish Oocytes. (starfish) Tj ETQq0 0 0 rgBT 447-451.	Overlock 1.5	10 Tf 50 147 17
53	Purification and characterization of a vitelline coat lysin fromCiona intestinalis spermatozoa. Molecular Reproduction and Development, 1992, 32, 383-388.	2.0	17
	Specific binding of acrossme reaction inducing substance to the band of starfish enermetance		

⁵⁴Specific binding of acrosome-reaction-inducing substance to the head of starfish spermatozoa.1.11754Zygote, 1993, 1, 121-127.17

#	Article	IF	CITATIONS
55	Sequence analysis of cDNAs encoding precursors of starfish asterosaps. , 1999, 25, 130-136.		17
56	Seasonal Changes in the Sexualization of the Planarian Dugesia ryukyuensis. Zoological Science, 2002, 19, 1267-1278.	0.7	17
57	Immunocytochemical Study of the Distribution of a Ganglioside in Sea Urchin Eggs1. Journal of Biochemistry, 1990, 108, 193-199.	1.7	16
58	Sulfated O-linked glycans of the vitelline coat as ligands in gamete interaction in the ascidian, Halocynthia roretzi. Development Growth and Differentiation, 1999, 41, 357-364.	1.5	16
59	Melibiosylceramide as the Sole Ceramide Dihexoside from the Eggs of the Sea Urchin, Anthocidaris crassispina1. Journal of Biochemistry, 1988, 104, 755-760.	1.7	15
60	Ceramide Dihexosides from the Spermatozoa of the Starfish, Asterias amurensis, Consist of Gentiobiosyl-, Cellobiosyl-, and Lactosy leer amide1. Journal of Biochemistry, 1990, 108, 531-536.	1.7	15
61	Biochemical characterization of inner sugar chains of acrosome reaction-inducing substance in jelly coat of starfish eggs. Glycobiology, 2003, 13, 567-580.	2.5	15
62	Peptide-induced hyperactivation-like vigorous flagellar movement in starfish sperm. Zygote, 2006, 14, 23-32.	1.1	15
63	The identification of d-tryptophan as a bioactive substance for postembryonic ovarian development in the planarian Dugesia ryukyuensis. Scientific Reports, 2017, 7, 45175.	3.3	15
64	A novel saccharide structure, Xyl 1→3 Gal 1→ (SO3â^')3, 4 Fuc→, is present in acrosome reaction-inducing substance of the starfish, Asterias amurensis. Biochemical and Biophysical Research Communications, 1992, 186, 405-410.	2.1	14
65	Trypsin-like Hatching Enzyme of Mouse Blastocysts: Evidence for Its Participation in Hatching Process before Zona Shedding of Embryos6. (embryo/hatching enzyme/protease/trypsin/strypsin). Development Growth and Differentiation, 1994, 36, 149-154.	1.5	14
66	Age-related changes in ganglioside composition in human lens. Experimental Eye Research, 1995, 60, 317-323.	2.6	14
67	Localization of Lewisx, sialyl-Lewisx and Â-galactosyl epitopes on glycosphingolipids in lens tissues. Glycobiology, 1998, 8, 95-105.	2.5	14
68	Glycosphingolipids in cultured lens epithelial cells from dog and rhesus monkey. Glycobiology, 1994, 4, 375-382.	2.5	13
69	Localization of neutral and acidic glycosphingolipids in rat lens. Glycobiology, 1995, 5, 187-194.	2.5	13
70	Regulation of the starfish sperm acrosome reaction by cGMP, pH, cAMP and Ca2+. International Journal of Developmental Biology, 2008, 52, 523-526.	0.6	13
71	Non-plasmalemmal localisation of the major ganglioside in sea urchin eggs. Zygote, 1993, 1, 215-223.	1.1	12
72	Activation of the Proteasomes of Sand Dollar Eggs at Fertilization Depends on the Intracellular pH Rise. Developmental Biology, 1999, 209, 52-59.	2.0	12

#	Article	IF	CITATIONS
73	G-Protein Î ² Î ³ Subunit-Dependent Phosphorylation of 62-kDa Protein in the Early Signaling Pathway of Starfish Oocyte Maturation Induced by 1-Methyladenine. Developmental Biology, 1999, 209, 200-209.	2.0	12
74	Acrosome reaction is subfamily specific in sea star fertilization. Developmental Biology, 2006, 298, 597-604.	2.0	12
75	Existence of Two Sexual Races in the Planarian Species Switching between Asexual and Sexual Reproduction. Zoological Science, 2012, 29, 265.	0.7	12
76	Biochemical studies of the hatching process in sea urchin embryos. I. Effects of protease inhibitors. The Journal of Experimental Zoology, 1979, 209, 129-134.	1.4	11
77	A Novel Ceramide Trihexoside from the Eggs of the Sea Urchin, Hemicentrotus pulcherrimus1. Journal of Biochemistry, 1992, 111, 726-731.	1.7	11
78	A Novel Difucosylated Neutral Glycosphingolipid from the Eggs of the Sea Urchin, Hemicentrotus pulcherrimus: II. Structural Determination by Two-Dimensional NMR1. Journal of Biochemistry, 1992, 112, 286-289.	1.7	11
79	Ultrastructural localization of acrosome reaction-inducing substance (ARIS) on sperm of the starfishAsterias amurensis. Molecular Reproduction and Development, 1995, 41, 91-99.	2.0	11
80	Characterization of neutral glycosphingolipids in rat lens. Experimental Eye Research, 1995, 60, 193-198.	2.6	11
81	Induction of Germinal Vesicle Breakdown in a Cell-Free Preparation from Starfish Oocytes. Developmental Biology, 1999, 205, 217-223.	2.0	11
82	Characterization of the Sperm Receptor for Acrosome Reaction-Inducing Substance of the Starfish, Asterias Amurensis. Zoological Science, 2002, 19, 435-442.	0.7	11
83	Asterosap-induced elevation in intracellular pH is indispensable for ARIS-induced sustained increase in intracellular Ca2+ and following acrosome reaction in starfish spermatozoa. Zygote, 2005, 13, 63-71.	1.1	11
84	Pertussis toxin-sensitive G protein participating in starfish oocyte maturation induced by 1-methyladenine. Invertebrate Reproduction and Development, 1992, 22, 1-9.	0.8	10
85	Egg jelly components responsible for histone degradation and acrosome reaction in the starfish, Asterina pectinifera. Biochemical and Biophysical Research Communications, 1992, 187, 274-278.	2.1	10
86	Treatment of Starfish Sperm with Egg Jelly Induces the Degradation of Histones. (sperm/egg) Tj ETQq0 0 0 rgBT 34, 99-106.	/Overlock 1.5	10 Tf 50 227 10
87	Detection of In Vivo Proteasome Activity in a Starfish Oocyte Using Membrane-Impermeant Substrate. Journal of Biochemistry, 1997, 122, 286-293.	1.7	10
88	Neutral and Acidic Glycosphingolipids in Glucocorticoid-induced Cataract in Chick Lens. Experimental Eye Research, 1999, 68, 229-236.	2.6	10
89	Effects of 17β-Estradiol and Bisphenol A on the Formation of Reproductive Organs in Planarians. Biological Bulletin, 2011, 220, 47-56.	1.8	10
90	A Novel Difucosylated Neutral Glycosphingolipid from the Eggs of the Sea Urchin, Hemicentrotus pulcherrimus:. I. Purification and Structural Determination of the Glycolipid1. Journal of Biochemistry, 1992, 112, 281-285.	1.7	9

(

#	Article	IF	CITATIONS
91	Developmental changes in carbohydrate antigens in embryonic rat lens. Glycobiology, 1997, 7, 605-615.	2.5	9
92	Expression of Sialylated LewisxGangliosides in Cultured Lens Epithelial Cells from Rhesus Monkey. Experimental Eye Research, 1998, 66, 765-773.	2.6	9
93	Na+/Ca2+ exchanger contributes to asterosap-induced elevation of intracellular Ca2+ concentration in starfish spermatozoa. Zygote, 2006, 14, 133-141.	1.1	9
94	Neoblastâ€enriched fraction rescues eye formation in eyeâ€defective planarian â€~menashi' <i>Dugesia ryukyuensis</i> . Development Growth and Differentiation, 2008, 50, 689-696.	1.5	9
95	Conserved sequences of sperm-activating peptide and its receptor throughout evolution, despite speciation in the sea star <i>Asterias amurensis</i> and closely related species. Zygote, 2008, 16, 229-237.	1.1	9
96	Production of asexual and sexual offspring in the triploid sexual planarian <i>Dugesia ryukyuensis</i> . Integrative Zoology, 2009, 4, 265-271.	2.6	9
97	Production of diploid and triploid offspring by inbreeding of the triploid planarian Dugesia ryukyuensis. Chromosoma, 2008, 117, 289-296.	2.2	8
98	Novel conserved structural domains of acrosome reactionâ€inducing substance are widespread in invertebrates. Molecular Reproduction and Development, 2011, 78, 57-66.	2.0	8
99	Anion Channel Blockers Inhibit the Acrosome Reaction of Echinoderm Sperm. (anion channel) Tj ETQq1 1 0.7843 1985, 27, 461-468.	14 rgBT / 1.5	Overlock 10 7
100	Maitotoxin, A Presumed Calcium Channel Activator, Induces the Acrosome Reaction in Mussel Spermatozoa. (maitotoxin/acrosome reaction/calcium channel activator/calcium channel) Tj ETQq0 0 0 rgBT /Ov	erlaæk 10	Tf 5 0 377 Td
101	Identification and synthetic pathway of sialyl-Lewisx-containing neolacto-series gangliosides in lens tissues. I. Characterization of gangliosides in human senile cataractous lens. Lipids and Lipid Metabolism, 1995, 1256, 166-174.	2.6	7
102	Association of the major ganglioside in sea urchin eggs with yolk lipoproteins. Glycobiology, 1997, 7, 391-398.	2.5	7
103	Comparative study of eye defective worm â€~menashi' and regenerating wild-type in planarian,Dugesia ryukyuensis. Pigment Cell & Melanoma Research, 2005, 18, 86-91.	3.6	7
104	Stem cells from innate sexual but not acquired sexual planarians have the capability to form a sexual individual. Molecular Reproduction and Development, 2012, 79, 757-766.	2.0	7
105	G-protein-mediated signal transduction for meiosis reinitiation in starfish oocyte. , 1995, 1, 255-263.		7
106	Characterization of the sulfated fucose-containing trisaccharides by fast atom bombardment tandem mass spectrometry in the study of the acrosome reaction-inducing substance of the starfish,Asterias amurensis. , 1998, 33, 35-44.		6
107	Estimation by radiation inactivation of the minimum functional size of acrosome-reaction-including substance (ARIS) in the starfish, Asterias amurensis. Zygote, 1995, 3, 351-355.	1.1	5
108	G protein function in starfish oocyte maturation. Invertebrate Reproduction and Development, 1996, 30, 117-122.	0.8	5

#	Article	IF	CITATIONS
109	Guanylyl cyclase and cGMP-specific phosphodiesterase participate in the acrosome reaction of starfish sperm. Zygote, 2004, 12, 345-355.	1.1	5
110	Mass Isolation of Germinal Vesicles from Starfish Oocytes*. (germinal) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 277-282.	Td (vesicl 1.5	e/nucleus/oo 4
111	Activation of Starfish Oocytes Modifies their Hormone Dependent Period for 1-Methyladenine in Meiosis Reinitiation. (starfish oocyte/maturation/hormone dependent period/fertilization/A23187). Development Growth and Differentiation, 1989, 31, 453-458.	1.5	4
112	Introduction to the symposium on oocyte maturation and fertilization. Invertebrate Reproduction and Development, 1996, 30, 1-5.	0.8	4
113	Inhibition of Mouse Blastocyst Hatching by Subsite-Specific Trypsin Inhibitors, Peptidyl Argininals1. Development Growth and Differentiation, 1992, 34, 357-362.	1.5	3
114	Pretreatment effects of jelly components on the sperm acrosome reaction and histone degradation in the starfish, Asterina pectinifera. Biochemical and Biophysical Research Communications, 1992, 187, 268-273.	2.1	2
115	Species-specificity of the acrosome reaction in starfish. Zygote, 1999, 8, S62-S62.	1.1	2
116	A Chloride Ion Channel in Halocynthia roretzi Hemocytes is Associated with PO Activity but Not Pigmentation During the Contact Reaction. Zoological Science, 2008, 25, 1130-1138.	0.7	2
117	Arylsulfatase of sea urchin sperm—Distribution of arylsulfatase in the gonads and gametes of echinoderms. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1979, 64, 293-296.	0.2	1
118	Participation of sperm proteinases in fertilization of the solitary ascidian, Halocynthia roretzi. Cell Differentiation, 1982, 11, 261-262.	0.4	1
119	Low-Na+Seawater Induces the Acrosome Reaction and Histone Degradation of Starfish Sperm in the Absence of Egg Jelly. (starfish/sperm/histone degradation/acrosome reaction/low-Na+ seawater). Development Growth and Differentiation, 1993, 35, 521-529.	1.5	1
120	Identification and synthetic pathway of sialyl-Lewisx-containing neolacto-series gangliosides in lens tissues. 2. Enzymatic synthesis of sialyl-Lewisx gangliosides in monkey and rat lenses. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 1996, 1315, 29-36.	3.8	1
121	Acrosome reaction in starfish: signal molecules in the jelly coat and their receptors. Zygote, 1999, 8, S26-S27.	1.1	1
122	Cyclic AMP-dependent PKA phosphorylates starfish sperm proteins during acrosome reaction. Open Life Sciences, 2007, 2, 109-121.	1.4	0
123	Analysis of the Self-sterility in Halocynthia roretzi. , 2001, , 9-13.		0

8