Janne Petersen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1111925/publications.pdf

Version: 2024-02-01

236925 197818 2,882 108 25 49 citations h-index g-index papers 116 116 116 4849 times ranked docs citations citing authors all docs

#	Article	IF	Citations
1	Circulating soluble urokinase plasminogen activator receptor predicts cancer, cardiovascular disease, diabetes and mortality in the general population. Journal of Internal Medicine, 2010, 268, 296-308.	6.0	327
2	Use of plasma C-reactive protein, procalcitonin, neutrophils, macrophage migration inhibitory factor, soluble urokinase-type plasminogen activator receptor, and soluble triggering receptor expressed on myeloid cells-1 in combination to diagnose infections: a prospective study. Critical Care, 2007, 11, R38.	5.8	240
3	Twenty-Four-Hour Mobility During Acute Hospitalization in Older Medical Patients. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 331-337.	3.6	186
4	Failure to thrive: the prevalence and concurrence of anthropometric criteria in a general infant population. Archives of Disease in Childhood, 2006, 92, 109-114.	1.9	118
5	Plasma Soluble CD163 Level Independently Predicts All-Cause Mortality in HIV-1–Infected Individuals. Journal of Infectious Diseases, 2016, 214, 1198-1204.	4.0	109
6	Plasma suPAR levels are associated with mortality, admission time, and Charlson Comorbidity Index in the acutely admitted medical patient: a prospective observational study. Critical Care, 2012, 16, R130.	5.8	95
7	Improving T-Cell Assays for the Diagnosis of Latent TB Infection: Potential of a Diagnostic Test Based on IP-10. PLoS ONE, 2008, 3, e2858.	2.5	93
8	Differential effects of risk factors on infant wheeze and atopic dermatitis emphasize a different etiology. Journal of Allergy and Clinical Immunology, 2006, 117 , $184-189$.	2.9	91
9	Predicting mortality in patients with systemic inflammatory response syndrome: an evaluation of two prognostic models, two soluble receptors, and a macrophage migration inhibitory factor. European Journal of Clinical Microbiology and Infectious Diseases, 2008, 27, 375-383.	2.9	84
10	Early Progressive Strength Training to Enhance Recovery After Fastâ€Track Total Knee Arthroplasty: A Randomized Controlled Trial. Arthritis Care and Research, 2014, 66, 1856-1866.	3.4	70
11	Acute Hospitalization of the Older Patient. American Journal of Physical Medicine and Rehabilitation, 2013, 92, 789-796.	1.4	62
12	Developing and validating COVID-19 adverse outcome risk prediction models from a bi-national European cohort of 5594 patients. Scientific Reports, 2021, 11, 3246.	3.3	62
13	The relationship of alcohol consumption to total immunoglobulin E and the development of immunoglobulin E sensitization: the Copenhagen Allergy Study. Clinical and Experimental Allergy, 2003, 33, 192-198.	2.9	57
14	Feasibility and Inter-Rater Reliability of Physical Performance Measures in Acutely Admitted Older Medical Patients. PLoS ONE, 2015, 10, e0118248.	2.5	56
15	Mild Cognitive Impairment Status and Mobility Performance: An Analysis From the Boston RISE Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69, 1511-1518.	3.6	53
16	Alcohol during pregnancy and atopic dermatitis in the offspring. Clinical and Experimental Allergy, 2004, 34, 1678-1683.	2.9	45
17	Association between routine laboratory tests and long-term mortality among acutely admitted older medical patients: a cohort study. BMC Geriatrics, 2017, 17, 62.	2.7	45
18	Prediction of Mobility Limitations after Hospitalization in Older Medical Patients by Simple Measures of Physical Performance Obtained at Admission to the Emergency Department. PLoS ONE, 2016, 11, e0154350.	2.5	44

#	Article	IF	CITATIONS
19	Satisfaction in everyday life for frail 85-year-old adults: A Danish population study. Scandinavian Journal of Occupational Therapy, 2004, 11, 3-11.	1.7	43
20	Potentially inappropriate medication related to weakness in older acute medical patients. International Journal of Clinical Pharmacy, 2014, 36, 570-580.	2.1	41
21	Barriers and facilitators for implementing a new screening tool in an emergency department: A qualitative study applying the Theoretical Domains Framework. Journal of Clinical Nursing, 2016, 25, 2786-2797.	3.0	39
22	Success and spontaneous pregnancy rates following systemic methotrexate versus laparoscopic surgery for tubal pregnancies: A randomized trial. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 1331-1337.	2.8	38
23	<p>Patterns of Multimorbidity and Differences in Healthcare Utilization and Complexity Among Acutely Hospitalized Medical Patients (≥65 Years) – A Latent Class Approach</p> . Clinical Epidemiology, 2020, Volume 12, 245-259.	3.0	37
24	Long-term Consequences of Undiagnosed Celiac Seropositivity. American Journal of Gastroenterology, 2020, 115, 1681-1688.	0.4	28
25	A Collaborative Medication Review Including Deprescribing for Older Patients in an Emergency Department: A Longitudinal Feasibility Study. Journal of Clinical Medicine, 2020, 9, 348.	2.4	28
26	Testing a two step nursing intervention focused on decreasing rehospitalizations and nursing home admission post discharge from acute care. Geriatric Nursing, 2013, 34, 477-485.	1.9	26
27	Use of prescription drugs in the older adult population—a nationwide pharmacoepidemiological study. European Journal of Clinical Pharmacology, 2019, 75, 1125-1133.	1.9	23
28	Progression of disease preceding lower extremity amputation in Denmark: a longitudinal registry study of diagnoses, use of medication and healthcare services 14 years prior to amputation. BMJ Open, 2017, 7, e016030.	1.9	22
29	Efficacy of Supervised Pelvic Floor Muscle Training and Biofeedback vs Attention-Control Treatment in Adults With Fecal Incontinence. Clinical Gastroenterology and Hepatology, 2019, 17, 2253-2261.e4.	4.4	21
30	Association of GDF15 With Inflammation and Physical Function During Aging and Recovery After Acute Hospitalization: A Longitudinal Study of Older Patients and Age-Matched Controls. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 964-974.	3.6	21
31	Treatment patterns in patients with treatment-resistant depression in Danish patients with major depressive disorder. Journal of Affective Disorders, 2021, 287, 204-213.	4.1	21
32	The effect of chorionicity and twin-to-twin delivery time interval on short-term outcome of the second twin. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 42-47.	1.5	20
33	Altered self-recognition in patients with schizophrenia. Schizophrenia Research, 2020, 218, 116-123.	2.0	20
34	Feasibility of progressive sit-to-stand training among older hospitalized patients. PeerJ, 2015, 3, e1500.	2.0	20
35	The Mental Vulnerability Questionnaire: A psychometric evaluation. Scandinavian Journal of Psychology, 2010, 51, 548-554.	1.5	19
36	Leptin, IL-6, and suPAR reflect distinct inflammatory changes associated with adiposity, lipodystrophy and low muscle mass in HIV-infected patients and controls. Immunity and Ageing, 2015, 12, 9.	4.2	19

#	Article	IF	CITATIONS
37	Kidney function estimates using cystatin C versus creatinine: Impact on medication prescribing in acutely hospitalized elderly patients. Basic and Clinical Pharmacology and Toxicology, 2019, 124, 466-478.	2.5	19
38	Risk factors for weight faltering in infancy according to age at onset. Paediatric and Perinatal Epidemiology, 2010, 24, 370-382.	1.7	18
39	Inflammation in HIV-Infected Patients: Impact of HIV, Lifestyle, Body Composition, and Demography – A Cross Sectional Cohort Study. PLoS ONE, 2012, 7, e51698.	2.5	17
40	A Parametric Model for Analyzing Anticipation in Genetically Predisposed Families. Statistical Applications in Genetics and Molecular Biology, 2009, 8, 1-11.	0.6	16
41	Predicting Latent Class Scores for Subsequent Analysis. Psychometrika, 2012, 77, 244-262.	2.1	16
42	The effect of protein intake and resistance training on muscle mass in acutely ill old medical patients $\hat{a} \in \mathbb{C}$ A randomized controlled trial. Clinical Nutrition, 2016, 35, 59-66.	5.0	16
43	Prevalence and overlap of Disease Management Program diseases in older hospitalized patients. European Journal of Ageing, 2017, 14, 283-293.	2.8	16
44	An early intervention to promote maternal sensitivity in the perinatal period for women with psychosocial vulnerabilities: study protocol of a randomized controlled trial. BMC Psychology, 2020, 8, 41.	2.1	16
45	Relatives of patients with severe brain injury: Growth curve analysis of anxiety and depression the first year after injury. Brain Injury, 2015, 29, 822-829.	1.2	15
46	Risk of Malnutrition upon Admission and after Discharge in Acutely Admitted Older Medical Patients: A Prospective Observational Study. Nutrients, 2021, 13, 2757.	4.1	15
47	One-Stop Dispensing: Hospital Costs and Patient Perspectives on Self-Management of Medication. Pharmacy (Basel, Switzerland), 2018, 6, 46.	1.6	14
48	Differences in function and recovery profiles between patterns of multimorbidity among older medical patients the first year after an acute admissionâ€"An exploratory latent class analysis. Archives of Gerontology and Geriatrics, 2020, 86, 103956.	3.0	14
49	Immunosenescence of the CD8+ T cell compartment is associated with HIV-infection, but only weakly reflects age-related processes of adipose tissue, metabolism, and muscle in antiretroviral therapy-treated HIV-infected patients and controls. BMC Immunology, 2015, 16, 72.	2.2	13
50	Increased risk of male cancer and identification of a potential prostate cancer cluster region in $\langle i \rangle$ BRCA2 $\langle i \rangle$. Acta OncolÃ ³ gica, 2016, 55, 38-44.	1.8	13
51	Alterations of monocyte NF-κB p65/RelA signaling in a cohort of older medical patients, age-matched controls, and healthy young adults. Immunity and Ageing, 2020, 17, 25.	4.2	13
52	Serum Ionised Calcium and Cardiovascular Disease in 45-years Old Men and Women Followed for 18 Years. European Journal of Epidemiology, 2006, 21, 123-127.	5.7	12
53	Post-hospital medical respite care for homeless people in Denmark: a randomized controlled trial and cost-utility analysis. BMC Health Services Research, 2020, 20, 508.	2.2	12
54	Prevalence of SARS-CoV-2 IgG/IgM Antibodies among Danish and Swedish Falck Emergency and Non-Emergency Healthcare Workers. International Journal of Environmental Research and Public Health, 2021, 18, 923.	2.6	12

#	Article	IF	CITATIONS
55	Mental vulnerabilityâ€"a risk factor for ischemic heart disease. Journal of Psychosomatic Research, 2006, 60, 169-176.	2.6	11
56	A tailored strategy for designing the Walk-Copenhagen (WALK-Cph) intervention to increase mobility in hospitalised older medical patients: a protocol for the qualitative part of the WALK-Cph project. BMJ Open, 2018, 8, e020272.	1.9	11
57	Associations between body mass index trajectories in childhood and cardiovascular risk factors in adulthood. Atherosclerosis, 2020, 314, 10-17.	0.8	11
58	Optimization of Nutrition And Medication (OptiNAM) for acutely admitted older patients: protocol for a randomized single-blinded controlled trial. Trials, 2021, 22, 616.	1.6	11
59	The growth pattern of 0–1-year-old Danish children, when screened by public health nurses—The Copenhagen County Child Cohort 2000. Annals of Human Biology, 2005, 32, 297-315.	1.0	9
60	Low bone turnover phenotype in Rett syndrome: results of biochemical bone marker analysis. Pediatric Research, 2014, 75, 551-558.	2.3	9
61	BRCA1/BRCA2 founder mutations and cancer risks: impact in the western Danish population. Familial Cancer, 2016, 15, 507-512.	1.9	9
62	Absorption of Bupivacaine after Administration of a Lozenge as Topical Treatment for Pain from Oral Mucositis. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 71-78.	2.5	9
63	Salt Reduction Intervention in Families Investigating Metabolic, Behavioral and Health Effects of Targeted Intake Reductions: Study Protocol for a Four Months Three-Armed, Randomized, Controlled "Real-Life―Trial. International Journal of Environmental Research and Public Health, 2019, 16, 3532.	2.6	9
64	Duloxetine Exposure During Pregnancy and the Risk of Spontaneous and Elective Abortion: A Danish Nationwide Observational Study. Drugs - Real World Outcomes, 2021, 8, 289-299.	1.6	9
65	Assessment of <i>in situ</i> adipose tissue inflammation by microdialysis. Clinical Physiology and Functional Imaging, 2015, 35, 110-119.	1.2	8
66	How inflammation underlies physical and organ function in acutely admitted older medical patients. Mechanisms of Ageing and Development, 2017, 164, 67-75.	4.6	8
67	A randomized controlled trial of the effect of supervised progressive cross-continuum strength training and protein supplementation in older medical patients: the STAND-Cph trial. Trials, 2019, 20, 655.	1.6	8
68	Dysphagia Prevalence, Time Course, and Association with Probable Sarcopenia, Inactivity, Malnutrition, and Disease Status in Older Patients Admitted to an Emergency Department: A Secondary Analysis of Cohort Study Data. Geriatrics (Switzerland), 2021, 6, 46.	1.7	8
69	Exposure to duloxetine during pregnancy and risk of congenital malformations and stillbirth: A nationwide cohort study in Denmark and Sweden. PLoS Medicine, 2021, 18, e1003851.	8.4	8
70	Bupivacaine Lozenge Compared with Lidocaine Spray as Topical Pharyngeal Anesthetic before Unsedated Upper Gastrointestinal Endoscopy: A Randomized, Controlled Trial. Clinical Medicine Insights Gastroenterology, 2014, 7, CGast.S18019.	1.0	7
71	Low-dose growth hormone therapy reduces inflammation in HIV-infected patients: a randomized placebo-controlled study. Infectious Diseases, 2016, 48, 829-837.	2.8	7
72	A high-protein diet during hospitalization is associated with an accelerated decrease in soluble urokinase plasminogen activator receptor levels in acutely ill elderly medical patients with SIRS. Nutrition Research, 2017, 41, 56-64.	2.9	7

#	Article	IF	CITATIONS
73	Traveling health-promoting infrastructures: A meta-ethnographic analysis. Health (United Kingdom), 2020, 24, 606-622.	1.5	7
74	Characterization of burning mouth syndrome profiles based on response to a local anaesthetic lozenge. Oral Diseases, 2020, 26, 656-669.	3.0	7
75	Longitudinal course of GDF15 levels before acute hospitalization and death in the general population. GeroScience, 2021, 43, 1835-1849.	4.6	7
76	Profiling Bispebjerg Acute Cohort: Database Formation, Acute Contact Characteristics of a Metropolitan Hospital, and Comparisons to Urban and Rural Hospitals in Denmark. Clinical Epidemiology, 2022, Volume 14, 409-424.	3.0	7
77	Supervised progressive cross-continuum strength training compared with usual care in older medical patients: study protocol for a randomized controlled trial (the STAND-Cph trial). Trials, 2016, 17, 176.	1.6	6
78	Creatinine-Based Renal Function Estimates and Dosage of Postoperative Pain Management for Elderly Acute Hip Fracture Patients. Pharmaceuticals, 2018, 11, 88.	3.8	6
79	Differences in Kidney Function Estimates Based on Creatinine and/or Cystatin C in Non-Traumatic Amputation Patients and Their Impact on Drug Prescribing. Journal of Clinical Medicine, 2019, 8, 89.	2.4	6
80	Development of the "chronic condition measurement guide― a new tool to measure chronic conditions in older people based on ICD-10 and ATC-codes. European Geriatric Medicine, 2019, 10, 431-444.	2.8	6
81	Effect of bupivacaine lozenges on oral mucositis pain: a randomized controlled multicenter phase II study. Pain Reports, 2017, 2, e619.	2.7	5
82	Homeless people's experiences of medical respite care following acute hospitalisation in Denmark. Health and Social Care in the Community, 2018, 26, 538-546.	1.6	5
83	Variations in physical activity and sedentary behavior during and after hospitalization in acutely admitted older medical patients: a longitudinal study. BMC Geriatrics, 2022, 22, 209.	2.7	5
84	Shortâ€term mortality following tramadol poisonings in Denmark. Basic and Clinical Pharmacology and Toxicology, 2022, 131, 83-92.	2.5	5
85	A novel lozenge containing bupivacaine as topical alleviation of oral mucositis pain in patients with head and neck cancer: a pilot study. Pain Reports, 2016, 1, e571.	2.7	4
86	Perceptions and experiences of nutritional care following the overwhelming experience of lower extremity amputation: A qualitative study. Journal of Clinical Nursing, 2018, 27, e808-e819.	3.0	4
87	Histological and Molecular Adipose Tissue Changes Are Related to Metabolic Syndrome Rather Than Lipodystrophy in Human Immunodeficiency Virus-Infected Patients: A Cross-Sectional Study. Journal of Infectious Diseases, 2018, 218, 1090-1098.	4.0	4
88	Organizational transformation in health care: an activity theoretical analysis. Journal of Health Organization and Management, 2019, 33, 547-562.	1.3	4
89	Validation of registration of pharmacological treatment in the Danish Hip and Knee Arthroplasty Registers. Basic and Clinical Pharmacology and Toxicology, 2021, 128, 455-462.	2.5	4
90	Symptoms and biomarkers associated with undiagnosed celiac seropositivity. BMC Gastroenterology, 2021, 21, 90.	2.0	4

#	Article	IF	Citations
91	Mapping Outcomes and Registries Used in Current Danish Pharmacoepidemiological Research. Clinical Epidemiology, 2022, Volume 14, 521-542.	3.0	4
92	No evidence of increased breast cancer risk for proven noncarriers from BRCA1 and BRCA2 families. Familial Cancer, 2016, 15, 523-528.	1.9	3
93	Validation of the Eating Pattern Inventory for Children in a General Population Sample of 11- to 12-Year-Old Children. Assessment, 2017, 24, 810-819.	3.1	3
94	Supervised pelvic floor muscle training versus attention-control massage treatment in patients with faecal incontinence: Statistical analysis plan for a randomised controlled trial. Contemporary Clinical Trials Communications, 2017, 8, 192-202.	1.1	3
95	Physicians' Nonâ€Uniform Approach to Prescribing Drugs to Older Patients – A Qualitative Study. Basic and Clinical Pharmacology and Toxicology, 2017, 121, 505-511.	2.5	3
96	The effectiveness of body age-based intervention in workplace health promotion: Results of a cohort study on 9851 Danish employees. PLoS ONE, 2020, 15, e0239337.	2.5	3
97	Can we identify allergic rhinitis from administrative data: A validation study. Pharmacoepidemiology and Drug Safety, 2020, 29, 1423-1431.	1.9	3
98	Thromboembolic and bleeding complications following primary total knee arthroplasty. Bone and Joint Journal, 2021, 103-B, 1571-1577.	4.4	3
99	Prophylactic anticoagulation with low molecular weight heparin in COVID-19: cohort studies in Denmark and Sweden. Clinical Microbiology and Infection, 2022, 28, 1291.e1-1291.e5.	6.0	3
100	Trajectories of Infant Weight Gain from Birth to 12ÂMonths and Adult-Onset Coronary Heart Disease. Journal of Pediatrics, 2022, 246, 123-130.e4.	1.8	2
101	From expected to actual barriers and facilitators when implementing a new screening tool: A qualitative study applying the Theoretical Domains Framework. Journal of Clinical Nursing, 0, , .	3.0	2
102	Outcomes measures in current Danish pharmacoepidemiological research: a protocol for a systematic mapping review. F1000Research, 0, 10, 368.	1.6	1
103	Number of traumatic brain injuries and temporal associations with depression: A registerâ€based cohort study. Acta Psychiatrica Scandinavica, 2021, 144, 407-414.	4.5	1
104	Reply, Letter to Editor – Combined intervention of protein supplementation and resistance training in medical patients. Clinical Nutrition, 2015, 34, 1035-1036.	5.0	0
105	BIOLOGICAL AGING IS ASSOCIATED WITH INCREASED MONOCYTE INFLAMMATORY ACTIVITY IN OLDER ADULTS. Innovation in Aging, 2019, 3, S908-S909.	0.1	0
106	Longitudinal course of GDF15 levels before acute hospitalization and death in the general population. Innovation in Aging, 2021, 5, 669-669.	0.1	0
107	Longitudinal course of GDF15 levels before acute hospitalization and death in the general population. Innovation in Aging, 2021, 5, 666-666.	0.1	0
108	Factors Associated With Older Adults' In-Hospital Mobility: A Comparison Between Israel and Denmark. Innovation in Aging, 2021, 5, 26-26.	0.1	0